

REGIST

Kept at The Vicarage, Col
in the County of SUSSEX

Diameter of Funnel of Gauge 5
Height of top of Gauge above Ground
,, Ground ,, Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to the
year in the space on the right of this

573
COLEMANS HATCH
THE VICARAGE
1931

573
FOR OFFICIAL USE.
L ORGANIZATION.

Jan. 1, following

780112 flowing

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.08	.01	.20	—	.04	—						1
2	.18	.08	—	.25	.11	—	—						2
3	.13	.01	.15	.18	1.09	—	—						3
4	—	.02	—	—	.01	—	.06						4
5	.01	—	—	.24	—	.62	.09						5
6	.02	.10	—	.08	—	.05	—						6
7	—	.03	—	.01	.04	.14	—						7
8	—	.16	—	—	—	.17	—						8
9	.02	.19	—	.02	—	.04	—						9
10	—	.24	.01	—	—	.18	.05						10
11	.12	.59	—	—	—	—	—						11
12	.11	—	—	—	—	—	.01						12
13	.06	—	—	—	.05	.07	.04						13
14	.02	.12	—	—	—	—	.24						14
15	.01	.04	—	.08	.12	—	.21						15
16	.02	.12	—	.14	.31	.04	.02						16
17	.02	.05	—	.32	.01	—	.41						17
18	.02	.16	.03	.21	—	.20	.16						18
19	.07	.01	—	.41	—	.06	.40						19
20	.01	.13	—	.10	—	—	.26						20
21	—	.04	—	—	.46	—	—						21
22	.22	.01	.20	.03	—	—	—						22
23	.53	.07	.01	—	.14	.10	—						23
24	—	—	.02	.93	.04	.10	.14						24
25	.02	—	—	.35	.02	—	.30						25
26	—	.06	—	.27	—	—	.37						26
27	.22	.42	—	.05	.17	—	.05						27
28	.09	.13	—	.04	—	—	—						28
29	.07	X	—	.16	.26	—	.15						29
30	.09	X	—	—	.03	—	—						30
31	.47	X	—	X	.02	X	—		X		X		31
TOTAL	2.53	2.86	.43	4.07	2.88	1.81	3.43						YEAR'S TOTAL
* Days with or in. or more.	23	23	7	20	16	13	17						18-01
* Days with or in. or more.	13	18	2	17	11	13	14						11-4
													88

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Vicarage, Coleman's Hatch
in the County of Sussex

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
Ground Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.08	.01	.20	—	.04	—						I
2	.18	.08	—	.25	.11	—	—						2
3	.13	.01	.15	.18	1.09	tr	—						3
4	—	.02	—	tr	.01	—	.06						4
5	.01	—	—	.24	—	.62	.09						5
6	.02	.10	—	.08	—	.05	—						6
7	tr	.03	tr	.01	.04	.14	—						7
8	—	.16	—	—	tr	.17	—						8
9	.02	.19	—	.02	tr	.04	—						9
10	tr	.24	.01	tr	—	.18	.05						10
II	.12	.59	—	—	—	—	~~.01~~						II
12	.11	—	—	—	—	tr	.01						12
13	.06	—	—	—	.05	.07	.04						13
14	.02	.12	tr	—	—	—	.24						14
15	.01	.04	—	.08	.12	—	.21						15
16	.02	.12	—	.14	.31	.04	.02						16
17	.02	.05	tr	.32	.01	—	.41						17
18	.02	.16	.03	.21	—	.20	.16						18
19	.07	.01	—	.41	—	.06	.40						19
20	.01	.13	—	.10	—	—	.26						20
21	tr	.04	—	—	.46	tr	—						21
22	.22	.01	.20	.03	—	—	—						22
23	.53	.07	.04	—	.14	.10	—						23
24	—	—	.02	.93	.04	.10	.14						24
25	.02	—	—	.35	.02	—	.30						25
26	~~.01~~	.06	tr	.27	—	—	.37						26
27	.22	.42	—	.05	.17	—	.05						27
28	.09	.13	—	.04	—	—	—						28
29	.07	X	—	.16	.26	—	.15						29
30	.09	X	—	—	.03	—	—						30
31	.47	X	—	X	.02	X	—		X		X		31
TOTAL	2.53	2.86	.46	4.07	2.88	1.81	3.43						YEAR'S TOTAL
*Days with or in. or more.	23	23	7	20	16	13	17						18.01
*Days with .04 in. or more.	13	18	2	17	11	13	14						11.4
													88

B

574

574

*** The following register of measurements &c., is NOT required if daily values are given on the other side.

RAINFALL IN 19

CHARLWOOD

1931 - 1938

At CharlwoodIn the County of Sussex

Rain Gauge Diameter of Funnel

Height of Top above Ground

Height of Ground above Sea Level

nearest to gauge

Heights of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move. Distance. Direction.

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Total 33.85

150

Signature A. Hoare

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

574

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Charlwood
In the County of Surrex
Diameter of Funnel in.
Height of Top above Ground ft. in.
Height of Ground above Sea Level ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Date.	Number of Days with ·01 in. or more ·04 in. or more
JAN.	2.80			15
FEB.	2.70			18
MAR.	.43			4
APRIL	4.29			18
MAY	3.14			11
JUNE	2.02			14
JULY	3.73			15
AUG.	5.15			17
SEPT.	2.51			13
OCT.	.66			7
NOV.	5.32			13
DEC.	.90			5
Total	33.85			150

Signature A. Hoare

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter in Summer

Nearest Railway Station Ex-Gristead Distance gauge Direction from gauge

Nearest Parish Church at Distance gauge Direction from gauge

Nature of objects nearest to gauge

Heights of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumshough Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00'). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Charwood Farm
In the County of East Grinstead
Diameter of Funnel 5 in.
Height of Top above Ground 5 ft. in.
Height of Ground above Sea Level 5 ft.

Month.	Total Depth. Inches	Greatest Fall in 24 hours. Inches	Number of Days with 0.1 in. or more	Number of Days with 0.4 in. or more
JAN.	37.3		16	
FEB.	5.6		7	
MAR.	20.5		10	
APRIL	34.0		21	
MAY	34.4		17	
JUNE	15.2		4	
JULY	43.5		13	
AUG.	8.9		5	
SEPT.	29.2		16	
OCT.	87.2		22	
NOV.	17.1		10	
DEC.	9.5		6	
Total	342.4		147	

Signature A. Hoare
23 Jan '33

*See Instruction 2 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter..... in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Heights of objects.....

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

24 JAN. 1933

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Charlwood FarmIn the County of Hampshire

Diameter of Funnel _____ in.

Height of Top above Ground _____ ft. _____ in.

Height of Ground above Sea Level _____ ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with or in .04 in. or more
	Inches	Inches	Date.
JAN.	255		13
FEB.	292		8
MAR.	411		14
APRIL	103		5
MAY	287		12
JUNE	247		15
JULY	263		11
AUG.	142		7
SEPT.	342		11
OCT.	230		17
NOV.	128		11
DEC.	73		6
Total	2773		130

Signature A. Poore

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter _____ in Summer _____

Nearest Railway Station _____ Distance _____ Direction from _____ gauge _____

Nearest Parish Church at _____ Distance _____ Direction from _____ gauge _____

Nature of objects nearest to gauge _____

Heights of objects _____

Distances _____


Directions from gauge _____

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

Station number 574

574

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1934

At Charlwood
In the County of Sussex
Diameter of Funnel _____ in.
Height of Top above Ground _____ ft. _____ in.
Height of Ground above Sea Level _____ ft.

Hour of observation by the clock—9.20 a.m. in Winter in Summer

Nearest Railway Station _____ Distance _____ Direction from gauge _____

Nearest Parish Church at Forest Row Distance 2½ Direction from gauge East

Nature of objects nearest to gauge _____

Heights of objects _____

Distances _____

Directions from gauge _____

If gauge has been moved during the year state—

Date of move _____ Distance _____ Direction _____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

on the 3 days Nov 8, 9, 10 the falls were 1.44, 1.56, 1.30 totalling 4.30 inches

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

574

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At Charwood Farm
In the County of Sussex

Rain Gauge { Diameter of Funnel in.
Height of Top above Ground ft. in.
Height of Ground above Sea Level 350 ft.

Hour of observation by the clock—in Winter in Summer

Nearest Railway Station Distance Direction from gauge

Nearest Parish Church at Distance Direction from gauge

Nature of objects nearest to gauge

Height of objects

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more, or .04 in. or more
	Inches	Inches	Date
JAN.	11.3		11
FEB.	5.2		17
MAR.	5.5		17
APRIL	4.35		20
MAY	1.72		7
JUNE	4.75		19
JULY	1.15		6
AUG.	5.3		8
SEPT.	6.24		19
OCT.	5.70		16
NOV.	9.37		24
DEC.	5.43		16
Total	51.44		170

Signature A. H. Ware

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd, 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as

snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

- The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

Section **A** for the entry of Daily Observations.Station No. **574**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at **Charlwood**
in the County of **Sussex**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2.2	4	5	4		8	4		3.5	2.0	2.2			1
2	8		10	7		3				5.8	1.8			2
3		8	12			2			6	16.0	1.4			3
4				2.4		3.2			6.0	2.5	1.0	2.5		4
5		5.0		7		1.5			6.3		1.2	3		5
6	8	11	6	2.0		10.6				2	2.8			6
7	6		7	3.5		2.0					1.10	1.2		7
8			~~8~~	3.5						6.5	6.0	7		8
9	✓		7	4.0		1.4			4	13.0	2.5	4		9
10	1.3		8	2		1.2					2.0	2.0		10
11	✓	4		1.5		8	1.4			4	7.6			11
12		6				4.0		6.3	8		1.20			12
13		2.5		1.9		5					2.0			13
14					2.4	(7.5)				3	1.0	1.0		14
15		2.7		7.0					4.6		4.7	2.0		15
16		5		4.0		5.4			7.5		10.7			16
17	4			5		2.2	1.0				5.0			17
18				4.0		2.5	3.3	2	7.6	1.0	1.5			18
19				2.0	8.5	5	2.0		1.5		2.5			19
20		7.5		1.5	1.0	1.5	3.4		1.0		2.3			20
21		6.5		1.0					3	1.7	4			21
22		1.0						2.1	8		2.1			22
23								6.5				1.0		23
24	✓	1.20			2.5			1.53	9.5					24
25	1.4	5.0		2.2		4						8.7		25
26	6	1.0						2.1	1.8			6.2		26
27		1.15			1.8				1.0	4	2.0	3.5		27
28		7			6				5	3		2.2		28
29									8.5	3		5.0		29
30	8	~~X~~		5				1.84	2	1.6	8.0	8.0		30
31		~~X~~		~~X~~	4	~~X~~		4	~~X~~	5.0	~~X~~	9.6		31
TOTAL	1.13	5.92	5.5	4.35	1.72	4.75	1.5	5.13	6.24	5.70	9.37	5.43	51.44	51.10
* Days with .01 in. or more.	89		1			6.5		2		4		1		
* Days with .04 in. or more.	12	17	7	20	19	7	17	6	8	19	12	24	16	169

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

574

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at

Charlwood, East Grinstead

1935 up to

Went down
meter 24/1/37

509468/36

This record is about 5" big.

cf. Linn's Hill 39.55"

* Hindlish Lodge 37.05"

Records in this part of Sussex
are scanty so that a satisfactory
comparison is impossible

* This record seems about 4"

low itself, + I am taking
up this matter with the appropriate

file

Letter

Sum

ENTERED TO THE PREVIOUS DAY

reading made on January 1st of the following

Jan. 1, following

and Instructions Overleaf

* Hurdleh Ldgn. 37.05~
Records in this part of season
are scanty, so that a satisfactory
comparison is impossible

* This record seems about 4"
low itself, + I am taking
up this matter rather appropriate

file

Miller

Hur

ly	Aug.	Sept.	Oct.	Nov.	Dec.		Date
n.	in.	in.	in.	in.	in.	†	
54	20			10	5		1
40	10						2
		5		23			3
		66			3		4
	9	92		17			5
	12	28		135			6
7				65			7
		6		70	31		8
64			25				9
	15						10
15				120			11
65		29		50	10		12
6					55		13
80		9		20	60		14
				8	40		15
				10	15		16
6			2	35	60		17
			15	20	25		18
		20					19
							20
							21
							22
							23
							24
							25
							26
							27
							28
							29
							30
							31

17	20	40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
----	----	----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Year's Total

44.96

* Days with .01 in. or more.
* Days with .04 in. or more.

† Spare column, no entries required

(Signed)

W. H. Ware

[P.T.O.]

* See Instruction 3 (f) on other side.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No.

574

REGISTER OF RAINFALL IN 1936

Kept at Charlwood, East Grinstead

in the County of Sussex.....

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

[an. 1, following

Please read the Notes and Instructions Overleaf

† Spare column, no entries required

(Signed) J. H. Hare [P.T.O.]

* See Instruction 3 (f) on other side.

BMonthly
Summary.**C**

Particulars of Station.

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1937

At *Charlwood*In the County of *Sussex*

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.
Height of Ground above Sea Level.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	0.1 in. or more
JAN.	79.4		21
FEB.	70.2		24
MAR.	48.2		16
APRIL	36.5 (2.50)		17
MAY	gauge being tested		
JUNE	19.6		10
JULY	9.9		6
AUG.	26.6		6
SEPT.	28.3		13
OCT.	29.0		11
NOV.	22.6		7
DEC.	44.4		15
TOTAL	434.7		193

Signature *A. H. H. H.**Charlwood East Grinstead*

* See Instruction 3 (f) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances.....


Directions from gauge.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in italic type:—

(a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller

Price 1d. Net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 1046/3030. 26,000. 4/36. W. H. & S. 668/91.

S.O. Code No. 40-9999

Section **A**

for the entry of Daily Observations

Station No. **574**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at **Charlwood, East Grinstead**

in the County of **Sussex**

Diameter of Funnel of Gauge **5** in.

Height of top of Gauge above Ground **1** ft. **7** in.

Ground Sea Level **384** ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	.05			.48				.20	.05	.05	.07		1
2	.08			.04	.08	.04	.08			.41				2
3					.09		.02			.95	.08			3
4						.02	.16			.15		.24		4
5							.14			.38				5
6	.08						.18		.10		.03	.02		6
7							.24	.52		.32		.08		7
8	.28						.27			.42		.02		8
9	.12							.02		.11		.08		9
10	.14	.10				.04		.04				.19		10
11	.22							.05		.05	.14	.28		11
12	.45							.41		.03				12
13	.40	.10								.20	.50	.27		13
14	.42	.19			.69		.17					.07		14
15	.06	.22			.04		.11			.45		.10		15
16	.52		.02				.04			.10		.50		16
17		.28			.18				.04	.25	.07			17
18	.09								.21		.46			18
19									.06		.43	x		19
20					.03				.11		.53	x		20
21	.07			.01				.21	.15			x		21
22						.08		.04			.45	x		22
23	.15							.05			.03	-		23
24			.20						.51		.32	x		24
25	.15		.31	.04	.05		.03	.05	.03		.43	x		25
26	.50	.16	.06						.32	.41		.95		26
27	.15	.05			.16	.30	.47		.65		.36	.04		27
28		.08			.58	.11		.40	.30			.05		28
29	.38			.01	.37							x		29
30	.12	x		.10	.24				.14	.05	.41	-		30
31	.22	x		x	.11	x			x	.27	x	.65		31
TOTAL	4.49	1.23	.59	.20	3.10	.59	1.74	1.79	2.82	4.60	4.29	4.56	30.00	Prinb
* Days with .01 in. or more.	20	9	4	5	13	6	11	10	13	17	15	23	146	d
* Days with .04 in. or more.	20	9	3	3	12	5	9	9	12	16	13	21	132	GB 043/39

* See Instruction 3 (f) on other side.

MISS H. L. HOARE

† Spare column, no entries required.

(Signed) Helen L. Hoare

Mrs Alfred Hoare

P.T.O.

Section **A** for the ent
AIR MIN

FORM 1090.

Kept at **Beecher H.**

in the County of **Sum**

Diameter of Funnel of Gauge

Height of top of Gauge above

Ground

THE MORNING MEA

An observer who does not con
year in the space on the right of this paragraph.

573/5

HARTFIELD BEECHCROFT

1935 - 1940

Station No. **573/5**
INFALL ORGANIZATION.

935. **669660/26**

480112

AY.
of the following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									.95	.08	.17	fr		1
2									.01	.57	.19	fr		2
3									.10	1.37	.11	fr		3
4									.55	.26	fr	.18		4
5									.70	.16	.27	.01		5
6									—	fr	fr	fr		6
7									—	fr	1.38	.12		7
8									.01	.44	.67	.09		8
9									—	1.11	.29	.02		9
10									—	fr	.21	.12		10
11									—	.05	.58	fr		11
12									.08	—	1.24	.02		12
13									.01	.01	.17	fr		13
14									—	fr	.02	.12		14
15									.47	.01	.43	.08		15
16									.58	.01	.98	fr		16
17									fr	fr	.03	.01		17
18									.65	.08	.11	fr		18
19									.11	—	.14	.02		19
20									.07	fr	fr	fr		20
21									.02	.17	.08	.01		21
22									.05	—	fr	.02		22
23									fr	.01	.01	.07		23
24									.92	fr	.02	.37		24
25									.10	.01	.02	.59		25
26									.12	.04	.01	.47		26
27									fr	—	.20	.36		27
28									.02	.04	.01	.38		28
29									.68	.01	fr	.53		29
30		X							.07	.14	.83	.60		30
31		X		X		X			X	.35	X	.89		31
TOTAL									6.27	4.92	8.17	5.08	Year's Total	
* Days with .01 in. or more.									21	20	25	22		
* Days with .04 in. or more.									16	14	18	15		

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) **X. MISS E.A. FOYSTER X** [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

573/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

669660/26

Kept at Beechen Gr. Hartfieldin the County of SussexDiameter of Funnel of Gauge...five...in.Height of top of Gauge above Ground...one...ft.,, Ground ,, Sea Level...370...ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									.95	.08	.17	fr		1
2									.01	.57	.19	fr		2
3									.10	1.37	.11	fr		3
4									.55	.26	fr	.18		4
5									.70	.16	.27	.01		5
6									—	fr	fr	fr		6
7									—	fr	1.38	.12		7
8									.01	.44	.67	.09		8
9									—	1.11	.29	.02		9
10									—	fr	.21	.12		10
11									—	.05	.58	fr		11
12									.08	—	1.24	.02		12
13									.01	.01	.17	fr		13
14									—	fr	.02	.12		14
15									.47	.01	.43	.08		15
16									.58	.01	.98	fr		16
17									fr	fr	.03	.01		17
18									.65	.08	.11	fr		18
19									.11	—	.14	.02		19
20									.07	fr	fr	fr		20
21									.02	.17	.08	.01		21
22									.05	—	fr	.02		22
23									fr	.01	.01	.07		23
24									.92	fr	.02	.37		24
25									.10	.01	.02	.59		25
26									.12	.04	.01	.47		26
27									fr	—	.20	.36		27
28									.02	.04	.01	.38		28
29									.68	.01	fr	.53		29
30		X							.07	.14	.83	.60		30
31		X		X		X			X	.35	X	.89		31
TOTAL									6.27	4.92	8.17	5.08	Year's Total	
* Days with .01 in. or more.									21	20	25	22		
* Days with .04 in. or more.									16	14	18	15		

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) X MISS E.A. FOYSTER X [P.T.O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No.

573/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Beechcroft, Hartfield
in the County of Sussex

Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. in.
Ground Sea Level 370 ft.

c 1935

669660/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.53	.14	.01	.62	—	.59	.53	.22	—	—	.08	.07		1
2	fr	.13	.01	.01	—	.69	.11	.12	fr	—	fr	—		2
3	fr	fr	fr	.54	.01	.02	.03	—	.05	—	.24	—		3
4	.12	—	.12	—	—	.12	fr	.01	.55	—	fr	.04		4
5	.35	fr	.04	.01	—	fr	—	.05	.54	.02	.29	.03		5
6	.55	—	fr	—	—	.04	.01	.07	.24	.06	1.90	.05		6
7	.60	—	.08	—	—	fr	.02	—	.01	.01	.93	.01		7
8	.33	—	.15	—	fr	—	.41	—	.06	.01	.83	.19		8
9	.43	—	.03	—	.01	—	.07	—	fr	.14	fr	fr		9
10	.12	—	fr	.01	—	.02	.08	.09	—	fr	fr	fr		10
11	fr	fr	—	.10	—	—	.03	fr	—	—	1.09	.01		11
12	fr	fr	—	.03	.01	.17	.44	fr	.21	.01	.36	.19		12
13	.01	.01	—	fr	—	.07	.04	—	fr	fr	.01	.59		13
14	.01	.07	—	—	—	.11	.83	fr	—	.02	.16	.58		14
15	fr	.08	.01	fr	—	—	.02	—	—	—	.08	.43		15
16	.28	.09	fr	—	.22	—	.06	—	fr	fr	.15	.20		16
17	.11	.84	—	—	.51	.18	—	.04	—	.02	.14	.74		17
18	.12	.12	fr	fr	—	.07	.20	—	fr	.02	.10	.13		18
19	.33	.06	.01	—	—	.47	—	.15	fr	.04	.03	fr		19
20	—	.07	.03	.61	—	fr	fr	—	.51	—	fr	—		20
21	.17	.05	—	.36	—	.42	.05	—	.01	—	fr	fr		21
22	.04	.42	.15	fr	.07	.11	.05	—	.02	—	.01	.08		22
23	.03	.23	.11	.13	fr	—	.53	—	fr	.09	fr	—		23
24	.05	.14	—	—	—	.14	.18	—	.04	.34	—	—		24
25	.20	.01	.20	—	.03	.06	.05	—	.32	.11	.03	fr		25
26	.01	.22	.18	.03	—	.03	—	fr	.11	.28	fr	.01		26
27	.58	.01	—	.04	—	—	—	.01	.18	.24	.01	—		27
28	.69	.01	.13	—	—	.45	.31	fr	.05	fr	fr	.12		28
29	.05	.12	.18	—	—	.26	.01	—	fr	.06	.06	.02		29
30	.20	X	—	—	.01	.28	—	—	—	.19	—	.01		30
31	.34	X	.19	X	.04	X	.18	—	X	.94	X	.30		31
TOTAL	6.25	2.82	1.63	2.49	.91	4.30	4.24	.76	2.90	2.60	6.50	3.80	39.20	
* Days with .01 in. or more.	25	19	17	12	9	20	23	9	15	18	19	20	206	
* Days with .04 in. or more.	21	15	11	7	4	17	17	7	12	11	14	14	150	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) X Miss E. A. FOYSTER P. X.

Section

A

for the entry of Daily Observations.

Station No.

573/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.Kept at Beechcroft, Hartfieldin the County of SussexDiameter of Funnel of Gauge five in.Height of top of Gauge above Ground one ft. in.,, Ground ,, Sea Level 370 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.91	fr	.01	.10	—	—	fr	—	fr	fr	.73	.38		1
2	fr	.85	.01	.41	—	—	—	.01	.11	.02	.01	.77		2
3	.02	.20	.02	fr	fr	—	fr	—	fr	.02	fr	.30		3
4	.14	1.31	—	.20	—	fr	—	—	fr	fr	fr	.32		4
5	.42	.06	.24	—	—	—	.21	—	—	.01	fr	fr		5
6	.07	.02	.70	.01	.23	—	fr	—	fr	.04	.02	.01		6
7	—	.88	.05	.15	.01	—	—	—	.03	.05	fr	.07		7
8	.01	.01	.14	—	.07	.08	—	—	—	fr	.21	.38		8
9	fr	fr	fr	.44	.09	.01	.08	fr	.38	fr	fr	.08		9
10	fr	—	.71	.21	.12	.30	.06	—	—	fr	—	.98		10
11	—	—	.46	—	.06	.02	.11	—	—	—	fr	.21		11
12	.61	.28	.28	.03	.33	.30	—	.41	.18	—	fr	.25		12
13	.22	.05	.59	.05	.01	.39	fr	.39	.52	—	fr	.69		13
14	.02	.02	.06	.01	.15	.02	—	.58	.23	—	.01	.01		14
15	.26	.18	fr	.33	fr	.01	.28	fr	.36	fr	fr	.01		15
16	.04	.06	.41	.26	—	.02	—	.43	.31	fr	.01	.02		16
17	.53	fr	.09	.10	—	—	—	—	.29	fr	.15	—		17
18	.63	.07	.01	.01	.85	.66	—	—	.15	fr	.17	.04		18
19	.07	.17	.03	.29	.01	.08	.20	—	.12	fr	.01	.16		19
20	.58	.01	.14	.25	.62	.13	—	—	.08	.01	fr	.02		20
21	.67	.49	.06	.08	.02	—	.01	—	fr	fr	.01	.04		21
22	.59	.03	fr	fr	.13	.02	.04	.14	.02	.76	.45	.13		22
23	.26	—	fr	—	—	—	.21	—	fr	.38	.02	.01		23
24	.99	.21	—	—	.04	—	—	—	.01	.38	—	.01		24
25	.13	.58	.31	—	—	—	—	—	.13	.36	fr	fr		25
26	fr	.56	.04	—	.03	—	—	—	fr	.06	.01	fr		26
27	fr	.13	fr	.22	fr	—	—	—	.06	.28	fr	fr		27
28	.11	.09	fr	.01	—	fr	—	fr	—	.02	—	.01		28
29	.05	×	fr	—	—	fr	—	.92	fr	.12	.07	.05		29
30	.40	×	—	—	—	.01	—	.01	fr	.12	.14	fr		30
31	.20	×	fr	×	—	×	—	fr	×	.35	×	.02		31
TOTAL	7.98	6.26	4.36	3.16	2.77	2.05	1.20	3.89	2.93	2.93	2.02	4.97	44.52	✓
* Days with .01 in. or more.	24	22	20	19	16	14	9	8	16	16	15	25	204	✓
* Days with .04 in. or more.	21	17	15	14	11	7	8	6	12	11	7	16	145	✓
Year's Total.														✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Edith A. Fowler

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 573/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Beechcroft, Hartfield.

in the County of Sussex.

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

Ground Sea Level 370 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.02	fr	—	.23	.20	.02	—	.25	.07	.08	.06	.94	1
2	.04	—	fr	.04	.07	—	.32	—	—	.51	—	.02	1.00	2
3	fr	fr	fr	—	.12	—	.04	fr	—	1.00	.11	fr	1.27	3
4	.03	—	fr	—	—	.03	.21	.08	fr	.17	fr	.24	.76	4
5	fr	—	—	—	—	—	.15	.01	.01	.42	fr	.03	.62	5
6	.07	—	—	fr	—	—	.10	—	.14	.02	.03	.01	1.37	6
7	.02	fr	—	—	—	—	.10	.42	fr	.36	.01	.10	1.01	7
8	.25	—	—	—	—	.02	.32	fr	.02	.44	fr	.10	1.15	8
9	.21	.01	—	—	fr	—	.01	.05	—	.14	.01	.83	1.26	9
10	.15	.10	fr	fr	—	.18	—	.20	fr	.01	fr	.20	.84	10
11	.27	fr	—	—	—	—	fr	.01	—	fr	.12	.35	.75	11
12	.52	.03	—	—	.02	—	.01	1.45	fr	.06	.08	.01	2.18	12
13	.43	.14	—	—	.01	—	—	—	—	.17	.36	.19	1.30	13
14	.30	.21	fr	—	.43	—	fr	—	.06	—	.01	.09	1.10	14
15	.06	.17	—	—	.01	—	.10	—	—	.40	.02	.22	.98	15
16	.65	fr	.03	—	.01	—	—	.06	fr	.12	.04	.30	1.21	16
17	fr	.12	.02	—	.14	—	.02	fr	.04	.41	fr	fr	.75	17
18	.11	—	—	fr	.22	—	.04	—	.10	.14	.45	—	1.06	18
19	fr	fr	—	fr	—	—	.01	.13	.11	fr	.37	.10	.72	19
20	fr	—	fr	—	.09	—	—	—	.12	fr	.44	.08	.73	20
21	.05	—	—	.01	—	—	—	.05	.18	fr	.05	.07	.41	21
22	.01	—	.01	fr	—	.04	—	.03	fr	.01	.45	.05	.60	22
23	fr	fr	fr	.01	—	—	—	—	—	fr	.05	fr	.06	23
24	—	.01	.23	—	—	—	—	fr	.24	fr	.36	.04	.88	24
25	.18	—	.38	.06	.09	—	.04	.04	.05	.03	.60	.04	1.51	25
26	.56	.21	.06	fr	—	—	fr	.13	.37	.35	fr	.40	2.08	26
27	.15	.07	—	—	.26	.29	.48	—	.70	.01	.35	fr	2.31	27
28	.09	.08	—	—	.37	.13	—	.28	.20	fr	fr	.02	1.17	28
29	.31	X	—	.01	.38	—	fr	fr	.02	fr	.13	.15	1.00	29
30	.13	X	—	.33	.19	—	—	—	.13	.05	.46	.01	1.30	30
31	.27	X	fr	X	.14	X	—	—	X	.35	X	.47	1.23	31
TOTAL	4.89	1.17	.73	.46	2.78	.89	1.97	2.94	2.74	5.24	4.56	4.18	32.55	32 42
* Days with .01 in. or more.	24	12	6	6	17	7	16	14	17	22	22	26	189	✓
* Days with .04 in. or more.	20	8	3	3	13	5	11	11	14	17	17	20	142	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **573/5**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at **Beechcroft, Hartfield**in the County of **Sussex**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **1** ft. in.,, Ground ,, Sea Level **370** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	Fr	.10	.14	.35	—	—	Fr	.23	—	Fr	.08	.94	1
2	.02	—	Fr	.03	.03	—	.01	.39	.08	.12	.01	Fr	.69	2
3	.52	.01	—	.61	—	—	—	.23	—	—	.29	.45	2.11	3
4	.15	.01	.44	.26	—	—	.07	.64	—	.66	.08	.01	2.32	4
5	Fr	.02	.01	.36	.07	—	.13	.39	—	.14	.61	.05	1.78	5
6	.36	.02	.04	Fr	—	—	.24	.20	—	Fr	.26	Fr	1.22	6
7	.07	.07	—	Fr	—	—	.08	.14	—	.02	.18	.22	.78	7
8	.02	.12	.15	—	Fr	—	.03	—	—	.87	.10	.78	1.57	8
9	.12	.06	Fr	—	—	—	—	.18	.08	.49	1.06	.43	2.42	9
10	.16	Fr	Fr	—	—	.37	—	.23	Fr	.19	.04	.01	1.00	10
11	Fr	.02	.23	—	—	.05	—	—	.01	1.67	.01	.02	2.01	11
12	.01	—	Fr	—	—	.02	—	—	—	.02	.01	.04	.10	12
13	.02	Fr	.02	—	—	.02	.02	—	.02	1.76	.02	.08	1.96	13
14	.69	—	.01	.03	.01	.04	.09	—	.02	.42	.58	.05	1.94	14
15	.53	Fr	Fr	.02	.87	.08	.18	—	.12	.79	.19	.01	2.79	15
16	.35	Fr	.12	.09	.31	.24	.40	—	.07	.01	.54	—	2.13	16
17	.33	.11	.02	—	.02	—	.02	—	—	Fr	.08	—	.58	17
18	.43	Fr	.02	—	—	.11	.30	—	.02	.11	.41	—	1.40	18
19	.46	Fr	—	—	—	—	.26	Fr	.01	.55	—	.04	1.32	19
20	.41	Fr	—	—	—	.36	.29	.03	.06	Fr	Fr	.03	1.18	20
21	.10	—	.16	Fr	—	.19	.45	—	.07	.02	.01	—	1.00	21
22	.36	.33	.09	.04	Fr	.40	.03	—	.01	Fr	.06	—	1.32	22
23	.04	—	.03	.10	—	.01	.14	.01	—	.05	.77	Fr	1.15	23
24	.20	.13	.03	.09	—	.01	.08	Fr	Fr	.18	.01	.02	.75	24
25	1.03	.25	.11	.20	—	.02	.52	.11	—	Fr	.93	.02	3.19	25
26	.03	Fr	Fr	.05	—	.17	Fr	—	.02	.08	.30	.03	.68	26
27	.02	.29	.06	.08	—	.02	Fr	Fr	—	.07	.33	Fr	.87	27
28	Fr	.49	.04	Fr	—	.10	—	—	—	.09	.13	.13	.98	28
29	Fr	X	—	.30	—	.01	Fr	—	—	.03	.03	Fr	.37	29
30	—	X	—	.62	—	—	—	.07	—	.01	.08	Fr	.78	30
31	Fr	X	—	X	—	X	.10	.42	X	.03	X	Fr	.55	31
TOTAL	6.47	1.93	1.68	3.02	1.66	2.22	3.34	3.04	.82	7.88	7.12	2.50	41.68	
* Days with .01 in. or more.	25	14	18	16	7	18	20	13	14	24	27	19	215	
* Days with .04 in. or more.	19	9	11	13	4	11	15	11	7	17	20	11	148	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) **Edith A. Foyeler**

P.T.O.

Section



for the entry of Daily Observations

Station No. 57.3/5
564/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at ..Beechcroft.. Hartfield.....

in the County of ..Sussex.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1...ft....0...in.

,, Ground ,, Sea Level...370.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	Fr	Fr	Fr	Fr	—	—	—	—	—	.06	—		1
2	—	.05	—	.08	—	—	—	—	—	.15	.56	.02		2
3	—	.39	—	.07	—	—	.05	.01	—	.16	1.30	.14		3
4	—	.26	—	.03	—	—	.01	—	—	.35	.12	.13		4
5	Fr	.01	—	—	—	—	.01	—	—	.03	1.08	.23		5
6	.17	.14	—	—	Fr	—	.29	—	Fr	.82	Fr	—		6
7	.19	.25	—	Fr	—	—	.06	—	—	Fr	Fr	—		7
8	.01	.01	—	—	—	—	Fr	—	.06	.56	—	.35		8
9	—	Fr	—	.02	—	Fr	—	.01	.01	.19	.48	.24		9
10	—	—	—	—	—	Fr	.41	.07	.02	.26	.13	Fr		10
11	Fr	.03	Fr	.04	—	—	.12	—	—	Fr	1.51	.01		11
12	—	.04	.31	Fr	—	—	.24	—	.15	.01	.05	—		12
13	—	.03	.85	.06	—	—	—	—	.15	Fr	1.40	.01		13
14	Fr	Fr	.41	.01	—	—	.02	Fr	—	.06	—	.49		14
15	.02	—	.01	Fr	.19	.03	1.17	—	.03	.15	.50	.03		15
16	.06	.29	.24	.03	—	.07	.08	—	.22	.67	.87	.07		16
17	—	Fr	.33	Fr	—	—	.03	—	.03	Fr	.23	Fr		17
18	.02	.20	.34	.44	—	—	.06	.08	.22	.36	.09	.14		18
19	—	.10	.05	—	—	—	Fr	—	.57	.01	.21	.06		19
20	Fr	.02	.13	.06	—	—	Fr	.05	.07	.08	.22	.02		20
21	.04	.01	—	—	.40	—	.18	—	.03	.06	.52	—		21
22	.03	—	.14	—	.33	.12	—	—	.16	Fr	.01	—		22
23	Fr	.28	—	.25	Fr	—	Fr	—	—	—	.03	.03		23
24	.01	.01	Fr	.34	—	—	.23	—	—	.04	.01	Fr		24
25	Fr	Fr	.55	.06	Fr	—	.05	—	—	.02	.01	.01		25
26	.78	.35	.18	.08	.64	Fr	.03	—	—	.01	.01	.02		26
27	.33	.44	—	.05	Fr	—	.33	—	—	Fr	Fr	Fr		27
28	.26	.08	—	.03	.16	—	—	Fr	Fr	—	—	Fr		28
29	.20	.25	.22	—	.16	—	—	—	.02	—	—	.29		29
30	.10	~~X~~	—	.23	—	—	—	—	—	.31	—	.03		30
31	.02	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.67	~~X~~	.12		31
TOTAL	2.24	3.24	3.76	1.88	1.88	.22	3.37	.22	1.74	4.97	9.40	2.24	Year's Total 35.16	
* Days with .01 in. or more.	15	21	13	17	6	3	18	5	14	21	22	20	175	
* Days with .04 in. or more.	9	14	12	12	6	2	13	3	8	16	17	11	123	

† Spare column, no entries required.

(Signed) ..Edith A. Foster..... [P.T.O.]

* See Instruction 3 (f) on other side.

Section **A** for the entry of
AIR-MINIST

FORM 1090

REGI

Kept at "Duckyls".....
in the County of

Diameter of Funnel of Gauge.....

Height of top of Gauge above G

Ground S

THE MORNING MEASU

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

PREVIOUS DAY

Jan. 1, following

50.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.00	.05	.20	.30	.00	.01	.00	.12	.00	.00	.08		1
2	.05	.00	.03	.02	.02	.00	.02	.34	.18	.01	.01	.00		2
3	.50	.02	.00	.56	.00	.00	.00	.37	.00	.00	.26	.46		3
4	.24	.01	.40	.26	.00	.00	.07	.89	.00	.67	.15	.01		4
5	.00	.01	.02	.18	.07	.00	.24	.13	.00	.16	.63	.08		5
6	.44	.01	.05	.00	.31	.00	.28	.07	.00	.00	.26	.00		6
7	.10	.05	.00	.00	.00	.00	.08	.05	.00	.00	.17	.26		7
8	.05	.14	.16	.00	.00	.00	.02	.14	.00	.41	.18	.66		8
9	.15	.08	.00	.00	.00	.00	.00	.00	.00	.53	.98	.44		9
10	.19	.01	.00	.00	.00	.30	.00	.27	.11	.21	.04	.00		10
11	.01	.01	.26	.00	.00	.11	.00	.39	.00	1.34	.02	.02		11
12	.01	.00	.00	.00	.01	.08	.00	.00	.00	.07	.02	.02		12
13	.00	.00	.04	.04	.00	.06	.05	.00	.00	1.48	.03	.06		13
14	.71	.00	.02	.06	.11	.05	.04	.00	.00	.39	.61	.04		14
15	.63	.00	.00	.00	.89	.06	.05	.00	.29	.68	.19	.02		15
16	.31	.00	.09	.12	.35	.24	.30	.00	.07	.00	.53	.00		16
17	.30	.17	.03	.00	.01	.00	.00	.00	.00	.00	.11	.00		17
18	.46	.00	.02	.00	.01	.09	.21	.00	.00	.10	.43	.00		18
19	.41	.01	.00	.00	.00	.00	.16	.00	.00	.56	.00	.01		19
20	.22	.00	.00	.00	.00	1.03	.77	.00	.08	.00	.00	.02		20
21	.12	.00	.16	.00	.00	.16	.22	.00	.14	.00	.00	.00		21
22	.31	.36	.00	.04	.00	.33	.05	.00	.00	.00	.09	.00		22
23	.01	.00	.05	.14	.00	.00	.08	.00	.00	.07	.94	.00		23
24	.05	.13	.00	.13	.00	.02	.02	.00	.00	.14	.00	.00		24
25	.74	.23	.09	.02	.00	.00	.09	.01	.00	.00	.79	.02		25
26	.06	.00	.01	.08	.00	.01	.00	.00	.00	.12	.32	.02		26
27	.03	.14	.09	.19	.00	.00	.00	.00	.00	.08	.37	.00		27
28	.00	.41	.05	.00	.00	.14	.00	.00	.00	.12	.14	.00		28
29	.00		.00	.25	.00	.01	.01	.00	.00	.07	.06	.00		29
30	.00	X	.00	.62	.00	.00	.00	.02	.60	.01	.13	.00		30
31	.00	X	.00	X	.00	X	.12	.42	X	.02	X	.20		31
TOTAL	6.17	1.79	1.62	2.91	2.17	2.69	2.89	3.09	.99	7.24	7.46	2.42	Year's Total	41.44
* Days with .01 in. or more.	425	716	818	816	410	315	821	212	07	321	425	816	202	
* Days with .04 in. or more.	21	9	12	14	6	12	16	10	7	18	21	8	154	

* See Instruction 3 (f) on other side.

DR. FC MOORE

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of

Station No. 574/4

AIR-MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Duckyls" SELSFIELD

in the County of SUSSEX

Diameter of Funnel of Gauge 7 in.

Height of top of Gauge above Ground 0 ft. 6 in.

Ground Sea Level 595 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

50.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.00	.05	.20	.30	.00	.01	.00	.12	.00	.00	.08		1
2	.05	.00	.03	.02	.02	.00	.02	.34	.18	.01	.01	.00		2
3	.50	.02	.00	.56	.00	.00	.00	.37	.00	.00	.26	.46		3
4	.24	.01	.40	.26	.00	.00	.07	.89	.00	.67	.15	.01		4
5	.00	.01	.02	.18	.07	.00	.24	.13	.00	.16	.63	.08		5
6	.44	.01	.05	.00	.31	.00	.28	.07	.00	.00	.26	.00		6
7	.10	.05	.00	.00	.00	.00	.08	.05	.00	.00	.17	.26		7
8	.05	.14	.16	.00	.00	.00	.02	.14	.00	.41	.18	.66		8
9	.15	.08	.00	.00	.00	.00	.00	.00	.00	.53	.98	.44		9
10	.10	.01	.00	.00	.00	.30	.00	.27	.11	.21	.04	.00		10
11	.01	.01	.26	.00	.00	.11	.00	.39	.00	1.34	.02	.02		11
12	.01	.00	.00	.00	.01	.08	.00	.00	.00	.07	.02	.02		12
13	.00	.00	.04	.04	.00	.06	.05	.00	.00	1.48	.03	.06		13
14	.71	.00	.02	.06	.11	.05	.04	.00	.00	.39	.61	.04		14
15	.63	.00	.00	.00	.89	.06	.05	.00	.29	.68	.19	.02		15
16	.31	.00	.09	.12	.35	.24	.30	.00	.07	.00	.53	.00		16
17	.30	.17	.03	.00	.01	.00	.00	.00	.00	.00	.11	.00		17
18	.46	.00	.02	.00	.01	.09	.21	.00	.00	.10	.43	.00		18
19	.41	.01	.00	.00	.00	.00	.16	.00	.00	.56	.00	.01		19
20	.22	.00	.00	.00	.00	1.03	.77	.00	.08	.00	.00	.02		20
21	.12	.00	.16	.00	.00	.16	.22	.00	.14	.00	.00	.00		21
22	.31	.36	.00	.04	.00	.33	.05	.00	.00	.00	.09	.00		22
23	.01	.00	.05	.14	.00	.00	.08	.00	.00	.07	.94	.00		23
24	.05	.13	.00	.13	.00	.02	.02	.00	.00	.14	.00	.00		24
25	.74	.23	.09	.02	.00	.00	.09	.01	.00	.00	.79	.02		25
26	.06	.00	.01	.08	.00	.01	.00	.00	.00	.12	.32	.02		26
27	.03	.14	.09	.19	.00	.00	.00	.00	.00	.08	.37	.00		27
28	.00	.41	.05	.00	.00	.14	.00	.00	.00	.12	.14	.00		28
29	.00		.00	.25	.00	.01	.01	.00	.00	.07	.06	.00		29
30	.00	X	.00	.62	.00	.00	.00	.02	.60	.01	.13	.00		30
31	.00	X	.00	X	.00	X	.12	.42	X	.02	X	.20		31
TOTAL	6.17	1.79	1.62	2.91	2.17	2.69	2.89	3.09	.99	7.24	7.46	2.42	Year's Total	41.44
* Days with .01 in. or more.	425	716	818	816	410	815	821	812	07	821	425	816	202	
* Days with .04 in. or more.	21	9	12	14	6	12	16	10	7	18	21	8	154	

* See Instruction 3 (f) on other side.

Dr. FC MOORE

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 574/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at *Duckley, N. East Junction*in the County of *Yamalo*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *6* ft. *6* in.,, Ground ,, Sea Level *600* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.00	-	-	-	-	-	-	-	-	-	.04	-		1
2	-	.08	-	.13	-	-	-	-	-	.14	.49	.02		2
3	-	.36	-	.08	-	-	.02	-	-	.13	1.22	.12		3
4	-	.19	-	-	-	-	-	-	-	.27	.05	.13		4
5	-	.02	-	.04	-	-	.06	-	-	.04	.69	.16		5
6	.24	.19	-	-	-	-	.29	-	-	.70	.01	-		6
7	.25	.24	-	-	-	-	.22	-	-	-	-	-		7
8	-	-	-	-	-	-	.01	-	.03	.66	-	.31		8
9	-	-	-	.02	-	-	-	.03	.01	.16	.52	.26		9
10	-	-	-	-	-	-	.27	.04	.02	.19	.06	.01		10
11	-	-	-	.08	-	-	.02	-	-	-	1.14	.02		11
12	-	-	.26	.04	-	.01	.26	-	.24	-	.03	-		12
13	-	-	.93	-	-	-	.01	-	.08	-	1.69	-		13
14	-	-	.41	.06	-	-	-	-	-	.09	-	.50		14
15	-	-	-	.03	.27	-	.95	-	.03	.10	.61	.04		15
16	-	-	.26	-	-	.08	.23	-	.29	.49	.66	.03		16
17	-	-	.36	-	-	-	.02	-	-	.01	.52	-		17
18	-	.49	.22	.31	-	-	.03	.03	.15	.29	.04	.18		18
19	-	.11	.06	.02	-	-	.02	-	.49	-	.31	.06		19
20	-	.02	.17	.03	-	-	.09	.04	.18	.16	.13	.02		20
21	-	-	.02	-	.56	-	.33	-	-	.04	.33	-		21
22	-	-	.04	-	.20	.16	-	-	.21	-	-	-		22
23	-	.18	.12	.23	-	-	.01	-	-	-	.03	.01		23
24	-	-	-	.25	-	-	.21	-	-	-	.02	-		24
25	-	-	.59	-	.01	-	.04	-	-	.04	.02	.03		25
26	.86	.30	.34	.69	.53	.07	.02	-	-	-	.01	-		26
27	-	.43	-	.05	.07	-	.04	-	-	-	-	-		27
28	-	.05	-	.07	.19	-	-	-	-	-	-	-		28
29	-	.24	.21	-	.07	-	-	-	.03	-	-	.33		29
30	.72	~~X~~	-	.15	-	-	-	-	-	.26	-	.02		30
31	.11	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.97	~~X~~	.09		31
TOTAL	2.17	2.90	3.99	2.28	1.90	0.32	3.15	0.14	1.66	4.74	8.62	2.34	34.22	Year's Total
* Days with .01 in. or more.	5	14	14	17	8	4	21	4	12	18	22	18	157	
* Days with .04 in. or more.	5	12	13	13	7	3	12	2	7	17	16	11	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *J. H. H. H. H.*

[P.T.O.]

REGISTER

Kept at "WIRKSWORTH" FOREST
in the County of SUSSEX

Diameter of Funnel of Gauge 5 in
Height of top of Gauge above Ground 1
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this rule
year in the space on the right of this para

Please read the Notes and Instructions Overleaf.

574/5

574/6
FOR OFFICIAL USE.
ANIZATION.

Sussex/7

FOREST ROW WIRKSWORTH

1932 - 1938

OK

Jan. 1, following

780112

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.01	-	.12	.52	-	.02	Trace	-	.08	.04	Trace	1
2	.01	-	-	.16	.05	-	-	Trace	.07	.01	.02	.39	2
3	-	-	-	.01	.12	.09	-	-	.42	.03	-	Trace	3
4	.02	-	-	-	-	.12	-	-	-	-	.01	-	4
5	.38	Trace	.02	-	.02	.01	.26	-	.13	-	-	-	5
6	.83	-	Trace	.19	.01	-	-	-	.04	Trace	-	-	6
7	.03	-	.06	.02	-	-	.75	-	.01	.03	-	Trace	7
8	-	-	.19	.07	.18	-	-	-	.25	.68	-	-	8
9	.31	.14	-	.28	.69	-	-	-	-	.23	-	-	9
10	.84	.20	.01	.39	.09	-	.03	-	.01	.07	Trace	-	10
11	.24	.05	Trace	.15	Trace	Trace	-	-	.04	.01	.02	Trace	11
12	.49	.05	-	-	Trace	-	-	.01	.03	.29	Trace	Trace	12
13	.09	-	-	.30	.05	-	-	-	Trace	1.18	-	.01	13
14	.12	Trace	-	.16	.11	-	-	Trace	-	.03	-	-	14
15	.07	-	-	.10	.10	-	-	-	-	.07	-	-	15
16	.14	-	-	.16	.03	-	Trace	-	Trace	-	-	-	16
17	-	-	-	.08	-	-	.01	-	-	.04	-	-	17
18	.02	-	-	-	-	-	.02	-	.06	-	.09	-	18
19	.01	-	-	.02	.02	.01	-	-	.04	.41	.01	-	19
20	-	-	-	.12	.03	-	.02	.14	Trace	1.26	.17	-	20
21	Trace	-	Trace	Trace	.43	-	Trace	Trace	-	.45	-	.08	21
22	.02	Trace	.25	.13	.04	-	.34	.02	.56	.31	.52	Trace	22
23	-	.07	.06	.20	.05	-	-	-	.18	1.27	Trace	.10	23
24	-	.04	-	-	-	-	.75	-	.29	.05	Trace	Trace	24
25	Trace	-	-	-	-	-	.56	-	.21	.43	.09	.01	25
26	-	-	.02	.04	-	-	1.06	.06	Trace	.04	.05	-	26
27	-	-	.43	.20	.16	.02	.16	-	.01	.49	.08	.01	27
28	-	-	Trace	.03	.19	-	.15	-	-	.23	-	-	28
29	-	-	.51	-	.10	Trace	.01	.39	.19	.51	Trace	.01	29
30	-	X	.05	.04	-	1.17	.08	-	.08	.01	.65	.12	30
31	-	X	.01	X	-	X	.09	Trace	X	Trace	X	.05	31
TOTAL	3.73	.56	1.61	2.97	2.99	1.42	4.31	.62	2.62	8.21	1.75	.78	YEAR'S TOTAL
*Days with "or in. or more.	17	7	11	22	20	6	16	5	18	25	12	9	168
*Days with ".04 in. or more.	11	6	7	18	15	3	10	3	14	19	8	5	119

40-9999

*See Instruction 2 (f) on other side.

(Signed)

L. Gibbs.

P.T.D.

L. GIBBS ESQ.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at WIRKSWORTH FOREST ROW
in the County of SUSSEX
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 217 ft.

1932

OK *pm*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.01	—	.12	.52	—	.02	Trace	—	.08	.04	Trace Dew	1
2	.01	—	—	.16	.05	—	—	Trace	.07	.01	.02	.39	2
3	—	—	—	.01	.12	.09	—	—	.42	.03	—	Trace	3
4	.02	—	—	—	—	.12	—	—	—	—	.01	—	4
5	.38	Trace	.02	—	.02	.01	.26	—	.13	—	—	—	5
6	.83	—	Trace	.19	.01	—	—	—	.04	Trace	—	—	6
7	.03	—	.06	.02	—	—	.75	—	.01	.03	—	Trace	7
8	—	—	.19	.07	~~.18~~	—	—	—	.25	.68	—	—	8
9	.31	.14	—	.28	.69	—	—	—	—	.23	—	—	9
10	.84	.20	.01	.39	.09	—	.03	—	.01	.07	Trace	—	10
11	.24	.05	Trace	.15	Trace	Trace	—	—	.04	.01	.02	Trace	11
12	.49	.05	—	—	Trace	—	—	.01	.03	.29	Trace	Trace	12
13	.09	—	—	.30	.05	—	—	—	Trace	1.18	—	.01	13
14	.12	Trace	—	.16	.11	—	—	Trace	—	.03	—	—	14
15	.07	—	—	.10	.10	—	—	—	—	.07	—	—	15
16	.14	—	—	.16	.03	—	Trace	—	Trace Dew	—	—	—	16
17	—	—	—	.08	—	—	.01	—	—	.04	—	—	17
18	.02	—	—	—	—	—	.02	—	.06	—	.09	—	18
19	.01	—	—	.02	.02	.01	—	—	.04	.41	.01	—	19
20	—	—	—	.12	.03	—	.02	.14	Trace	1.26	.17	—	20
21	Trace	—	Trace	Trace	.43	—	Trace	Trace	—	.45	—	.08	21
22	.02	Trace	.25	.13	.04	—	.34	.02	.56	.31	.52	Trace	22
23	—	.07	.06	.20	.05	—	—	—	.18	1.27	Trace	.10	23
24	—	.04	—	—	—	—	.75	—	.29	.05	Trace	Trace	24
25	Trace Dew	—	—	—	—	—	.56	—	.21	.43	.09	.01	25
26	—	—	.02	.04	—	—	1.06	.06	Trace Dew	.04	.05	—	26
27	—	—	.43	.20	.16	.02	.16	—	.01	.49	.08	.01	27
28	—	—	Trace	.03	.19	—	.15	—	—	.23	—	—	28
29	—	—	.51	—	.10	Trace	.01	.39	.19	.51	Trace	.01	29
30	—	×	.05	.04	—	1.17	.08	—	.08	.01	.65	.12	30
31	—	×	.01	×	—	×	.09	Trace	×	Trace	×	.05	31
TOTAL	3.73	.56	1.61	2.97	2.99	1.42	4.31	.62	2.62	8.21	1.75	.78	YEAR'S TOTAL 31.57
*Days with or in. or more.	17	7	11	22	20	6	16	5	18	25	12	9	168
*Days with .04 in. or more.	11	6	7	18	15	3	10	3	14	19	8	5	119

40-9999

*See Instruction 2 (f) on other side.

(Signed) *L. Gibbs.*
L. GIBBS ESQ.

Section

A

for the entry of Daily Observations.

Station No.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933.

Kept at "WIRKSWORTH" Forest Row

in the County of SUSSEX

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 217 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.60	.24	-	-	-	-	-	-	.02	.08	-		1
2	.40	Trace	.64	-	.16	-	-	-	-	Trace	-	-		2
3	.11	.12	.41	-	-	-	-	-	-	-	.01	-		3
4	.18	.04	.03	-	.17	-	-	-	-	-	-	-		4
5	.19	Trace	.42	-	.12	-	-	-	-	Trace (dew)	-	-		5
6	Trace	.19	.09	-	.67	-	-	-	-	.03	.10	-		6
7	.29	.05	.01	-	.15	-	-	-	-	.18	-	.01		7
8	.09	Trace	-	-	.01	-	.17	-	-	.01	-	-		8
9	-	-	-	-	.11	-	.22	-	-	.05	.15	-		9
10	Trace	.51	-	-	-	.01	.04	-	-	.23	.01	-		10
11	.12	Trace	-	-	.01	.02	.10	.14	.04	.05	-	-		11
12	-	-	-	.01	.01	.17	.17	-	1.28	-	Trace	-		12
13	.05	-	-	-	.06	Trace	.40	.15	.18	.08	.14	-		13
14	-	-	-	-	.01	-	.13	Trace	Trace (dew)	.54	.36	-		14
15	.65	-	.16	-	-	-	.35	.29	-	.04	Trace	-		15
16	.03	-	.83	-	-	.25	.08	-	-	.01	-	-		16
17	Trace	.01	.34	-	-	.10	-	.11	.14	-	.07	-		17
18	.10	Trace	.08	-	-	.22	-	-	Trace (dew)	-	Trace	-		18
19	-	.02	.13	.01	-	.04	-	.01	.36	-	-	.01		19
20	-	.01	.08	.06	-	.30	-	-	.18	-	-	Trace		20
21	-	.05	-	-	-	Trace	-	.25	.16	.01	-	-		21
22	-	-	-	-	-	.05	-	.29	Trace	.31	Trace	-		22
23	-	-	-	.16	.06	.20	-	-	.40	.01	Trace	-		23
24	-	.66	-	.12	Trace	.03	-	-	.34	-	Trace	-		24
25	-	.32	-	.36	-	.08	Trace (dew)	-	.01	.01	.05	.06		25
26	-	.74	-	.08	-	.12	-	-	Trace	.03	.03	.10		26
27	-	Trace	-	-	.08	.04	-	-	Trace	.18	-	.18		27
28	-	-	-	-	.05	-	.46	-	-	.28	-	.20		28
29	.06	X	-	-	.14	-	.14	-	-	.05	-	Trace		29
30	.08	X	.03	-	.09	-	.11	-	.25	.04	-	.05		30
31	.12	X	.01	X	-	X	-	.05	X	-	X	-		31
TOTAL	2.54	3.32	3.50	.80	1.90	1.63	2.37	1.29	3.34	2.16	1.00	.61	Year's Total	24.46
*Days with .01 in. or more.	15	13	15	7	16	14	12	8	11	20	10	7		148
*Days with .04 in. or more.	14	10	11	5	12	11	12	7	10	12	7	5		116

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

L. Gibbs

2.1.34

[P.T.O.]

Section **A** for the entry of Daily Observations.

Station No. 574/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "WIRKS WORTH" FOREST ROW

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 217 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	-	-	-	.13	-	.32	-	.13	.01	.38		1
2	.11	-	.19	.01	-	Trace	-	-	.81	.50	-	.49		2
3	.05	.01	-	.38	-	-	-	.14	-	.71	-	.11		3
4	.25	-	.09	.03	.14	-	-	-	-	.41	.11	.73		4
5	Trace	Trace	.03	-	.01	-	-	.04	-	-	.03	.53		5
6	.01	-	.34	.02	.14	.22	-	.19	-	.27	.02	.75		6
7	.06	-	Trace	-	-	.05	-	Trace	-	.16	-	.27		7
8	-	.01	-	Trace	.09	-	-	.02	.03	-	1.25	Trace		8
9	Trace	-	.08	-	-	-	-	-	.05	-	1.42	.34		9
10	-	-	.28	.33	-	-	-	.14	-	.01	1.42	.01		10
11	1.09	-	.47	.09	-	-	.03	.06	-	-	-	.42		11
12	.12	.01	.08	-	-	-	.11	.23	-	-	.02	.03		12
13	.59	-	.87	.16	-	-	.09	.01	-	-	.06	.03		13
14	.28	-	.64	.07	-	-	-	-	-	.01	.32	.68		14
15	.01	Trace	.01	-	.05	Trace	-	-	-	.02	.12	.54		15
16	.33	-	.35	.03	.22	-	-	-	-	.07	.01	.02		16
17	.14	-	.15	.04	.18	-	-	-	-	.04	-	.43		17
18	.15	-	.06	.47	-	-	.60	-	Trace	-	.01	.69		18
19	-	-	.44	.03	-	.02	-	-	.41	.02	-	.19		19
20	-	-	.05	.02	-	.01	.31	.02	-	Trace	-	.03		20
21	-	-	.01	.18	-	.18	-	-	-	.08	-	Trace		21
22	-	Trace	-	-	-	-	.15	.08	.26	.03	Trace	.19		22
23	-	Trace	-	.61	-	.82	-	.12	.01	.01	-	.07		23
24	.01	.01	.02	.14	-	.14	.62	-	.15	.02	-	Trace		24
25	.18	Trace	-	.17	-	Trace	-	-	-	.03	-	.73		25
26	.10	-	-	.17	-	.10	-	-	.11	-	-	.02		26
27	.02	-	-	.10	-	Trace	-	-	-	Trace	-	.56		27
28	-	.18	-	.18	-	.09	Trace	.78	-	-	-	.33		28
29	Trace	X	-	-	-	Trace	.01	.03	.10	-	.01	Trace		29
30	.08	X	-	-	-	-	-	.10	.01	-	-	.50		30
31	.02	X	-	X	-	X	-	-	X	.14	X	.08		31
TOTAL	3.61	.22	4.16	3.23	.83	1.76	1.92	2.28	1.94	2.66	4.81	9.15	Year's Total. 36.57	
* Days with .01 in. or more.	20	5	18	20	7	10	8	15	10	18	14	27	172	
* Days with .04 in. or more.	14	1	14	14	6	8	6	11	7	10	7	21	119	

Section **A** for the entry of Daily Observations.

Station No. 574/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "WIRKS WORTH" FOREST ROW

in the County of SUSSEX

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 217.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.02	.02	.04	.02	.08	.05	-	.31	.11	.18	Trace		1
2	.06	-	.07	.04	-	.13	-	-	.03	.63	.21	-		2
3	-	.01	.23	.02	-	-	-	-	.36	1.37	.10	Trace		3
4	-	.07	-	.22	-	.33	-	-	.20	.48	Trace	.17		4
5	-	.58	.05	.07	-	.02	.01	-	.63	.09	Trace	.01		5
6	.02	.06	.01	.32	-	.83	-	-	-	.01	.23	Trace		6
7	.04	.01	-	.30	-	.05	-	-	-	-	1.13	.11		7
8	-	-	.04	.29	-	-	-	.03	-	.45	.75	.07		8
9	.01	-	Trace	.23	-	.15	-	-	.01	1.10	.21	.04		9
10	.09	.01	.10	Trace	-	.10	-	-	-	-	.17	.13		10
11	.12	Trace	.01	.09	-	.12	.31	-	-	.01	.60	.01		11
12	.01	.03	-	-	-	.30	Trace	.70	.06	-	1.45	-		12
13	.08	.28	-	.14	.04	.02	-	-	Trace	Trace	.14	.03		13
14	-	Trace	-	.02	.15	.17	-	-	Trace	Trace	.03	.13		14
15	-	.30	-	.64	.01	Trace	-	-	.39	Trace	.44	.08		15
16	-	.06	Trace	.35	.01	.32	-	-	.60	-	1.03	.02		16
17	.02	-	.12	.04	-	.20	.02	.01	Trace	-	.43	Trace		17
18	-	Trace	Trace	.38	-	.28	.24	Trace	.65	.09	.01	.02		18
19	-	.01	-	.06	.90	.03	.27	-	.10	-	.11	Trace		19
20	-	.79	-	.16	.02	.04	.34	-	.05	-	.14	-		20
21	.01	.55	-	.01	-	-	-	-	.02	.16	.02	-		21
22	.01	.09	Trace	Trace	-	-	-	.13	.07	Trace	-	-		22
23	-	Trace	.03	-	-	-	-	.82	Trace	Trace	Trace	.08		23
24	.04	1.34	-	-	.32	-	-	1.30	.90	.01	-	.35		24
25	.10	.30	-	.20	.08	.17	-	Trace	-	-	.01	.59		25
26	.01	.25	-	Trace	-	-	-	.20	.12	.03	.01	.53		26
27	.01	1.02	-	-	Trace	-	-	-	.13	Trace	.17	.35		27
28	-	.08	-	-	-	-	Trace	Trace	.02	.04	.01	.24		28
29	-	X	-	-	.02	-	-	.13	.79	Trace	-	.45		29
30	.08	X	-	.07	.06	-	-	1.62	-	.13	.75	.61		30
31	Trace	X	-	X	.01	X	-	Trace	X	.37	X	.87		31
TOTAL	.92	5.86	.68	3.69	1.64	3.34	1.24	4.94	5.44	5.08	8.33	4.89	46.05	Year's Total
* Days with .01 in. or more.	17	20	10	21	12	18	7	9	19	16	24	21	194	
* Days with .04 in. or more.	9	14	6	18	6	15	5	7	15	12	18	16	141	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

L. Gibbs

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 574/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Wickswoth Forest Row

in the County of Sussex

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

,, Ground ,, Sea Level 217 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.38	.13	.02	.66	-	.63	.52	.13	-	-	.06	.06		1
2	Trace	.11	-	Trace	-	.66	.17	.11	-	-	Trace	-		2
3	-	-	-	.46	-	Trace	.03	-	.14	-	.20	-		3
4	.02	Trace	.10	-	-	.13	-	-	.50	-	Trace	.03		4
5	.34	-	.03	-	-	-	-	.04	.55	.01	.16	.02		5
6	.53	-	-	-	-	.05	-	.06	.25	.03	1.50	.04		6
7	.63	-	.10	-	-	.02	.01	-	Trace	-	.68	.01		7
8	.51	-	.07	-	-	-	.03	-	.01	Trace	.80	.21		8
9	.55	-	.02	-	Trace	-	.41	-	.05	.17	.01	-		9
10	.08	-	-	-	-	-	.08	.06	-	Trace	-	-		10
11	Trace	-	-	.10	-	-	.07	-	-	-	1.08	Trace		11
12	Trace	-	-	.02	.01	.21	.47	.01	.19	.01	.37	.18		12
13	-	-	-	-	-	.01	.03	-	Trace	Trace	.01	.68		13
14	Trace	.06	Trace	-	-	.10	.77	-	.01	.01	.18	.65		14
15	Trace	.10	-	.01	-	Trace	.02	-	-	-	.06	.42		15
16	.22	.07	-	-	.13	-	.06	-	-	-	.15	.19		16
17	.10	.83	-	-	.70	.19	-	.02	-	.02	.24	.87		17
18	.10	.15	-	-	-	.01	.17	-	-	.02	.15	.14		18
19	.38	.03	.01	.02	-	.47	-	.13	Trace	.05	.02	Trace		19
20	.36	.04	.05	.56	-	-	.01	-	.50	Trace	Trace	-		20
21	Trace	.06	Trace	.35	-	.41	.03	-	.02	-	-	-		21
22	.12	.37	.14	.01	.09	.01	.15	-	Trace	-	Trace	.07		22
23	.03	.23	.08	.12	-	-	.65	-	-	.10	-	Trace		23
24	.03	.14	-	Trace	-	.32	.13	-	.01	.39	-	Trace		24
25	.17	.01	.19	.20	.06	.01	.02	-	.42	.09	.02	.01		25
26	Trace	.20	.16	.04	-	.03	-	-	.05	.24	-	.01		26
27	.51	.01	.02	.06	-	-	-	-	.14	.25	-	-		27
28	.68	-	.12	-	-	.31	.23	-	.07	-	-	.12		28
29	.06	.08	.18	-	-	.62	.01	-	-	.06	.07	.01		29
30	.18	~~X~~	-	-	.01	.17	-	-	-	.28	-	Trace		30
31	.31	~~X~~	.17	~~X~~	.03	~~X~~	.17	-	~~X~~	.75	~~X~~	.31		31
TOTAL	6.29	2.62	1.46	2.61	1.03	4.36	4.24	.56	2.91	2.48	5.76	4.03	Year's Total 38.35	✓
* Days with .01 in. or more.	22	17	16	13	7	19	23	8	15	16	18	19	193	✓
* Days with .04 in. or more.	19	14	11	9	4	13	14	6	11	10	14	13	138	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

L. Gibbs

[P.T.O.]

COPY FOR OFFICIAL USE

File No 148219/31

Section



for the entry of Daily Observations

Station No. 574/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wickhampton Forest Rowin the County of SussexDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft.....in.,, Ground ,, Sea Level.....217.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.94	-	.01	.10	-	-	-	-	.01	-	.84	.31		1
2	Trace	.84	Trace	.36	-	-	-	-	.22	.02	.01	.83		2
3	.01	.22	.01	Trace	-	-	-	-	-	.01	-	.24		3
4	.11	1.33	-	.49	-	-	-	-	-	-	-	.32		4
5	.40	.08	.23	Trace	-	-	.20	-	-	Trace	-	-		5
6	.05	.02	.77	-	.23	-	Trace	-	-	.03	.01	-		6
7	-	.86	.01	.12	.01	-	-	-	.02	.02	-	.02		7
8	Trace	.01	.15	-	.07	.08	-	-	-	-	.14	.27		8
9	Trace	-	.01	.39	.10	.01	.07	-	.41	-	-	.08		9
10	-	-	.69	.22	.10	.38	.08	-	-	-	-	.81		10
11	-	-	.48	Trace	.07	.06	.01	-	-	-	-	.16		11
12	.65	.30	.15	.01	.26	.38	.01	.38	.19	-	-	.31		12
13	.20	.05	.62	.05	.01	.24	-	.22	.15	-	-	.69		13
14	.02	.02	.08	.01	.11	.01	-	.53	.18	-	Trace	.01		14
15	.26	.14	-	.29	Trace	.01	.28	-	.17	-	.01	.01		15
16	.01	.08	.39	.28	-	.03	-	.36	.28	-	-	.01		16
17	.50	Trace	.07	.10	-	-	-	-	.16	-	.13	-		17
18	.67	.06	.15	.01	.55	.63	-	-	.05	.01	.18	.02		18
19	.08	.16	.06	.25	.01	.08	.18	-	.07	Trace	.01	.15		19
20	.53	.01	.10	.23	.65	.08	-	-	.03	-	-	.01		20
21	.64	.49	.05	.06	-	-	Trace	.02	.03	-	Trace	.03		21
22	.59	.02	Trace	-	.12	.03	.09	-	-	.75	.33	.10		22
23	.30	Trace	-	-	-	-	.09	-	-	.53	.01	.01		23
24	1.11	.21	-	-	.02	-	-	-	.01	.43	-	Trace		24
25	.09	.52	.29	-	.01	-	-	-	.09	.37	-	.01		25
26	.01	.39	.04	-	-	-	-	-	-	.04	Trace	Trace		26
27	Trace	.11	-	.19	-	-	-	-	.06	.19	-	Trace		27
28	.11	.08	-	.01	-	-	-	-	-	.02	-	.01		28
29	.05	X	-	-	-	.01	-	1.23	-	.08	.06	.02		29
30	.34	X	-	-	-	.01	-	.02	Trace	.05	.12	-		30
31	.20	X	-	X	-	X	-	-	X	.26	X	.02		31
TOTAL	7.87	6.00	4.36	3.17	2.32	2.04	1.01	2.76	2.13	2.81	1.85	4.45	Year's Total 40.77	✓✓
* Days with .01 in. or more.	24	22	20	18	15	15	9	7	17	15	12	24	198	✓✓
* Days with .04 in. or more.	20	17	16	14	10	8	7	5	12	9	7	12	137	✓✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

L. Gibbs.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 574/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at "Wicksworth" Forest Row

in the County of Sussex

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level 217.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.02	Trace	—	.24	.15	.02	—	.22	~~.03~~ ~~.04~~ ~~.47~~	.06	.07		1
2	.07	—	—	.04	.10	—	.09	—	—	~~.47~~	Trace	.01		2
3	Trace	Trace	—	—	.06	—	.03	—	—	.97	.09	—		3
4	.03	—	—	—	—	.03	.16	.15	—	.17	Trace	.25		4
5	Trace	—	—	—	—	—	.11	Trace	.02	.39	—	.03		5
6	.07	—	—	—	—	—	.12	Trace	.08	Trace	.01	Trace		6
7	.01	—	—	—	—	—	.09	.40	Trace	.36	Trace	.08		7
8	.25	—	—	—	—	—	.31	—	.01	.41	.01	.12		8
9	.13	.01	—	—	—	—	—	.03	—	.11	—	.90		9
10	.15	.08	—	—	—	.19	.01	.18	—	—	—	.22		10
11	.21	—	—	—	—	Trace	—	.03	—	Trace	.11	.32		11
12	.51	.03	—	—	.01	—	.01	.41	—	.05	.05	.01		12
13	.39	.13	—	—	Trace	—	—	—	—	.15	.39	.23		13
14	.40	.21	—	—	.36	—	—	—	.03	—	.01	.09		14
15	.04	.14	—	—	.03	—	.12	—	—	.43	.01	.20		15
16	.61	.01	.02	—	.08	—	Trace	.04	—	.10	.02	.31		16
17	Trace	.11	.01	—	.08	—	Trace	—	.02	.28	.03	—		17
18	.09	.01	.01	—	.01	—	.02	—	.09	.08	.48	—		18
19	Trace	—	—	—	—	—	Trace	.10	.22	—	.42	.18		19
20	—	—	—	—	.08	—	—	—	.09	—	.52	.04		20
21	.06	Trace	—	—	—	—	—	.03	.16	—	.04	.11		21
22	.01	—	Trace	Trace	—	.03	—	.02	Trace	—	.41	.11		22
23	Trace	—	—	Trace	—	—	—	—	—	Trace	.03	.01		23
24	—	—	.20	—	—	—	—	—	.39	—	.32	.01		24
25	.17	—	.30	.03	.06	—	.03	.03	.02	.01	.50	Trace		25
26	.47	.17	.04	.01	—	Trace	—	.08	.30	.34	Trace	.40		26
27	.14	.06	—	—	.27	.29	.45	—	.62	Trace	.38	Trace		27
28	.08	.07	—	—	.33	.12	—	.31	.39	—	Trace	.01		28
29	.38	X	—	.01	.41	Trace	—	—	.01	—	.09	.14		29
30	.12	X	—	.31	.24	—	—	—	.12	.03	.39	Trace		30
31	.25	X	—	X	.11	X	—	—	X	.28	X	.48		31
TOTAL	4.46	1.05	.58	.40	2.47	.81	1.57	1.81	2.79	4.66	4.37	4.33	Year's Total	29.50
* Days with .01 in. or more.	24	13	6	5	16	6	14	13	17	18	22	24	178	✓
* Days with .04 in. or more.	20	8	3	2	13	4	8	8	11	15	15	18	125	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

Lawrence Gibbs

[P.T.O.]

Forest Row (Park)

Section **A** for the entry

AIR MINIS

FORM 1090

REG

Kept at "Sundial".....

in the County of

Diameter of Funnel of Gauge...

Height of top of Gauge above

„ Ground „

THE MORNING MEAS

An observer who does not conform to the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Station No. 574/6
FALL ORGANIZATION

039

FOREST ROW PARK ROAD

1939-1940

OUS DAY

of the following

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.32									1
2			.08	.32				.35	.37			.14		2
3	.64			.69				.36		Tr:		.40		3
4			.41				.18	.62		.68	.32			4
5					.07		.21	.38		.17	.09			5
6	.54			.37			.26	.25			.58			6
7	.03	.08									.33	.75		7
8			.19				.03			.48	.13	.23		8
9								.32		.46	.46	.35		9
10	.30					.33		.08		.13	.73			10
11			.24							1.75	.06			11
12														12
13		.16							Tr.	1.83				13
14	.64			.05			.10		Tr	.36	.01			14
15	.62				1.12	Tr	.21		.20	.80	.58	.13		15
16					.13	.40	.19				.18			16
17	.54	.11	.14								.47			17
18	.40						.40				.15			18
19	.44					Tr	.23			.71	.32			19
20						.38	.53		.14					20
21	.50		.14			.21								21
22	.31	.34	.07			.40			.11					22
23							.39			.05				23
24				Tr			.11			.18	.78			24
25	1.10	.36	.10	.48			.41	.45						25
26	.04										.86	.02		26
27				.20							.66			27
28		.73								.25	.03	(.09) 1" snow		28
29				.38							.12	Light snow.		29
30		X		.51			.11			.03	.03			30
31		X		X		X		.40	X	.02	X			31
TOTAL	6.10	1.78	1.37	3.00	1.64	1.72	3.36	3.21	.82	7.90	6.89	2.11	Year's Total 90 39.81	
* Days with .01 in. or more.	1					1				2	2	1	7	
* Days with .04 in. or more.	12	6	8	8	4	5	13	9	4	13	16	6	106	

J. R. Coulthard Eng
* See Instruction 3 (f) on other side.

† Spare column, no entries required
(Signed) J. R. Coulthard

P.T.O.

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Sundial" Park Road, FOREST ROW

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 6 in.

Ground Sea Level Near 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.32									1
2			.08	.32				.35	.37			.14		2
3	.64			.69				.36		Tr:		.40		3
4			.41				.18	.62		.68	.32			4
5					.07		.21	.38		.17	.09			5
6	.54			.37			.26	.25			.58			6
7	.03	.08									.33	.75		7
8			.19				.03			.48	.13	.23		8
9								.32		.46	.46	.35		9
10	.30					.33		.08		.13	.73			10
11			.24							1.75	.06			11
12		}												12
13			.16						Tr.	1.83				13
14	.64			.05			.10		Tr	.36	.01			14
15	.62				1.12	Tr	.21		.20	.80	.58	.13		15
16					.13	.40	.19				.18			16
17	.54	.11	.14								.47			17
18	.40						.40				.15			18
19	.44					Tr	.23			.71	.32			19
20						.38	.53		.14					20
21	.50		.14			.21								21
22	.31	.34	.07			.40			.11					22
23							.39			.05				23
24				Tr			.11			.18	.78			24
25	1.10	.36	.10	.48			.41	.45						25
26	.04										.86	.02		26
27				.20							.66			27
28		.73								.25	.03	(.09) in snow		28
29				.38							.12	Light snow.		29
30		X		.51			.11			.03	.03			30
31		X		X		X		.40	X	.02	X			31
TOTAL	6.10	1.78	1.37	3.00	1.64	1.72	3.36	3.21	.82	7.90	6.89	2.11	Year's Total 39.81	
* Days with .01 in. or more.	1						1			2	2	1	7	
* Days with .04 in. or more.	12	6	8	8	4	5	13	9	4	13	18	6	106	

J.R. Coultard Esq.
* See Instruction 3 (f) on other side.

3.1.40

† Spare column, no entries required.
(Signed) J.R. Coultard

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

574/6 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at "Sundial" Park Road. Forest Row.

in the County of Sussex

Diameter of Funnel of Gauge.....5" in.

Height of top of Gauge above Ground...2 ft. 6 in.

,, Ground ,, Sea Level...abt 300 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.05	~~XXX~~	.05	1
2				.10							.50	~~XXX~~	.60	2
3				.06								~~XXX~~	.06	3
4		.54									1.31	~~XXXX~~	1.85	4
5		.08									1.17	.52	1.77	5
6		.22					.42			(1.34			1.98	6
7	.37												.37	7
8		.10								.62			.72	8
9										.17	.45	.57	1.19	9
10							.56						.56	10
11									.36		1.58		1.94	11
12			.33	.07			.31						.71	12
13			.80								1.53		2.33	13
14			.23	.08								.55	.86	14
15					.22		1.30				.68		2.20	15
16			.42								.78		1.20	16
17			.20				.17			.72			1.09	17
18		.57	.35	.43				.09	.15	.32	.34		2.25	18
19		.10	.14						.48				.72	19
20			.08				(.24				.40		.72	20
21					.80				.19		.50		1.49	21
22						.18							.18	22
23		.21	.12										.33	23
24				.56									.56	24
25			.52										.52	25
26		.30	.14		.71		.08					.32	1.55	26
27	1.03	.43					.13						1.59	27
28					.32								.32	28
29		.23	.21		.11					.14			.69	29
30		~~X~~		.51						.25		(	.76	30
31	.55	~~X~~	~~X~~	~~X~~		~~X~~			~~X~~	.68	~~X~~	(.43	1.64	31
TOTAL	1.95	2.78	3.54	1.81	2.16	.18	3.21	.09	1.18	4.22	9.29	2.39	32.80	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Space column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section **A** for the en
AIR MIN

FORM 1090.

RE

Kept at *The Old Manse*
in the County of

Diameter of Funnel of Gau
Height of top of Gauge above
,, Ground ,,

THE MORNING ME

An observer who does not con
year in the space on the right of this paragraph.

574/7

TURNERS HILL
THE OLD MANSE

1935 - 1940

Station No. *574/7*
INFALL ORGANIZATION.

1935.

8.

Y.

st of the following

Jan. r, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	23	4			2	5	14		43	7	25			1
2	6		5	7						57	12			2
3	1	3	9	3					27	160	14			3
4		11		20		33			38	34	2	21		4
5		33	5			4			52	18		1		5
6	7	10		35		87					21	1		6
7	5	3		27		22					98	12		7
8				30						43	67	3		8
9	2		4	38		36			4	114	12	1		9
10	9	2	11			8					34	8		10
11	15	1		30		12	15				65			11
12	5	17				28		40	4		102			12
13	12	14		15		3				1	17	3		13
14		1		10	23	25				4	3	12		14
15		28		55	2	3			30		22	9		15
16		5		22		21			57		101	1		16
17	4	1	2	5		20			58		34			17
18		1		32		157	26			11	2	2		18
19	1	1		10	62	5	22	2	8		12	1		19
20	1	68		12	2	6	48		8		12			20
21	2	44		3					3	15	8			21
22		5						37	8		1			22
23	1		7					64		3		10		23
24	5	110			22			155	78	1		34		24
25	8	33		18	16	9					3	58		25
26	5	18						22	14	3	2	45		26
27	2	84							17		18	37		27
28	1	5			8			3	7	6	1	53		28
29	2	3						84	56	2		40		29
30	8	X		2	3			40	5	14	72	71		30
31		X		X	2	X			X	33	X	120		31
TOTAL	124	505	43	374	142	342	125	447	519	520	760	543	44-44	
* Days with .01 in. or more.	22	25	7	19	10	18	5	9	19	18	26	22	200	
* Days with .04 in. or more.	13	16	6	16	5	16	5	7	18	13	19	14	148	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

R. M. Rowenshaw

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

574/7
585

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *The Old Manse, Turners Hill*
in the County of *Sussex*

Renumbered.

This sheet is a
Sussex 7 not 8.Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *6* in.
,, Ground ,, Sea Level *570* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	23	4			2	5	14		43	7	25			1
2	6		5	7						57	12			2
3	1	3	9	3					37	160	14			3
4		11		20		33			38	34	2	21		4
5		33	5			4			52	18		1		5
6	7	10		35		87					21	1		6
7	5	3		27		22					98	12		7
8				30						43	67	3		8
9	2		4	38		36			4	114	12	1		9
10	9	2	11			8					34	8		10
11	15	1		30		12	15				65			11
12	5	17				28		40	4		102			12
13	12	14		15		3				1	17	3		13
14		1		10	23	25				4	3	12		14
15		28		55	2	3			30		22	9		15
16		5		22		21			57		101	1		16
17	4	1	2	5		20			58		34			17
18		1		32		15	26			11	2	2		18
19	1	1		10	62	5	22	2	8		12	1		19
20	1	68		12	2	6	48		8		12			20
21	2	44		3					3	15	8			21
22		5						37	8		1			22
23	1		7					64		3		10		23
24	5	110			22			155	78	1		34		24
25	8	33		18	16	9					3	58		25
26	5	18						22	14	3	2	43		26
27	2	84						17			18	37		27
28	1	5			8			3	7	6	1	53		28
29	2	3						84	56	2		40		29
30	8	X		2	3			40	5	14	72	71		30
31		X		X	2	X			X	33	X	120		31
TOTAL	124	505	43	374	142	342	125	447	519	520	760	543	44-44	
* Days with .01 in. or more.	22	25	7	19	10	18	5	9	19	18	26	22	200	
* Days with .04 in. or more.	13	16	6	16	5	16	5	7	18	13	19	14	148	

Section

A

for the entry of Daily Observations.

Station No.

5747

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.Kept at *The Old Manse, Turners Hill*in the County of *Sussex*Diameter of Funnel of Gauge.....*8*.....in.Height of top of Gauge above Ground.....*1*..ft.....*6*.....in.,, Ground ,, Sea Level*500*.....ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	40	14	3	62		33	58	9			7	3		1
2	1			1		61	25	13			1			2
3				46		4	4		6		25			3
4	1		10			12			17			6		4
5	30							6	68	3	27	3		5
6	45		3			5		13	23		92			6
7	60						6		1		57			7
8	42		10				7			3	86	30		8
9	49		4				42		5	3		1		9
10	8		3				10	5			1			10
11					1		16				125			11
12				12		26	53		7	2	36	16		12
13				1		5	3				1	50		13
14		8				12	60			4	24	55		14
15		11					1		4		7	32		15
16	20	10					8				18	22		16
17	8	85			119	15		2		3	26	81		17
18	14	15					24		3	2	9	15		18
19	35		5			68		14			4			19
20	40	10	14	50			4		65	10				20
21		5		33		26	5		3		1			21
22	12	43	14	2	14		15		1		1	10		22
23	4	12	19	10			55			11				23
24	4	15					5		3	24				24
25	16		15	27	9		19		35	8	5	1		25
26		21	20	7		6			4	27		5		26
27	57		3	2					12	24				27
28	74		41			20	25		2			16		28
29	3	13	7			146	33			7	10	3		29
30	16	~~2~~	1			26				45				30
31	24	~~2~~	22	~~2~~		~~2~~	17		~~2~~	32	~~2~~	35		31
TOTAL	5.97	26.2	1.94	2.53	1.43	4.85	4.95	62	2.89	2.28	5.63	3.84	39.55	✓
* Days with .01 in. or more.	23	13	17	12	4	15	23	7	17	16	21	18	186	✓
* Days with .04 in. or more.	20	13	12	8	3	15	21	6	11	10	16	13	148	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

A. M. Radeushaw

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

574/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *The old house, Turners Hill*in the County of *Sussex*Diameter of Funnel of Gauge.....*8*.....in.Height of top of Gauge above Ground.....*1* ft. *6* in.,, Ground ,, Sea Level *500*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	93	2	2	11							90	40		1
2		82		55					2		1	1.03		2
3	3	37							2			20		3
4	12	200		2								28		4
5	35	3	43				5							5
6	6	6	52	1	64					3	3			6
7		70	30	17					5	5		4		7
8			22		2	12				1		11		8
9				38	12	2	14		40			14		9
10			75	35	8	53	1					75		10
11			33		10	2	1				12	24		11
12	56	28	13	2	25	35		55	22			24		12
13	19	7	54	5		8		10	27			64		13
14	2	4	17	1	10	2		70	19					14
15	30	12		10			57	43	28			2		15
16		19	57	60		14			33			2		16
17	42		7	11					28		19			17
18	70		2	6	33	32						15		18
19	8	25	6	28	2	11			10		1	22		19
20	49	1	7	28	83	1	33		3			1		20
21	56	55	3	12	3		3				5	7		21
22	54	6	1		15	12	2			1.12	29	15		22
23	40	4					17			63	2	2		23
24	98	30			3				3	54		2		24
25	7	45	29						9	22		2		25
26		50	5							3				26
27		38							2	20				27
28	20	4								3				28
29								4		8	8	5		29
30	30	~~X~~				4		1		6	14	9		30
31	24	~~X~~		~~X~~		~~X~~			~~X~~	27	~~X~~	2		31
TOTAL	7.54	7.28	4.52	3.22	2.70	1.88	1.27	1.83	2.33	3.27	1.84	4.64	42.32	✓
* Days with .01 in. or more.	21	22	19	17	13	13	9	6	15	13	11	23	182	✓
* Days with .04 in. or more.	19	19	15	13	9	9	5	5	10	9	7	15	135	✓

Year's Total

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

R. Ravenshaw

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

574/7
574/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at *The Old Manse, Turners Hill*

in the County of *Sussex*

Diameter of Funnel of Gauge *8* in.

Height of top of Gauge above Ground *1* ft. *6* in.

Ground Sea Level *500* ft.

Days
Week

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	3	3			25	14			18	10	25	8		1
2	5				7		25		1	40		2		2
3				6	8		1			75	10			3
4							24	45		25		29		4
5	2			2		2	29		1	47	1			5
6	6						21		7	10	3			6
7	2						20	37		26		9		7
8	33						36	11		56	1	21		8
9	12						2	3		6		97		9
10	12					4	1					14		10
11	20										12	21		11
12	49				2			4		5	5	1		12
13	39	20								14	26	29		13
14	39	7			49				3		20	1		14
15	21	25			2		34			50	2	40		15
16	47	1	4		1			5		5		30		16
17		12	1		18		2		9	20				17
18	12				1				24		64			18
19						2	13	10			45	35		19
20					2				9		50			20
21	8	2		1				3	14		5	10		21
22				1		4		7			36	25		22
23											1			23
24	2		24						88		35	3		24
25			28	5	9		3		2		47	18		25
26	59	14	6			1	48		28	35	1	30		26
27	16	5			12	31		7	97		45			27
28	8	7		1	56	15		6	18			5		28
29	35				35			41			10	16		29
30	10	×		26	35				12		40			30
31	27	×		×	17	×			×		×	57		31
TOTAL	4.68	96	63	42	2.79	72	2.48	1.82	3.41	4.31	4.84	5.01	32.67	
* Days with .01 in. or more.	23	10	5	7	16	8	14	12	16	15	22	22	170	
* Days with .04 in. or more.	19	7	4	3	11	5	8	10	12	15	16	18	128	
Year's Total														32.67

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

R. M. Rawnsley

P.T.O.

Section

A

for the entry of Daily Observations

Station No. 574/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Old Manse, Turners Hill

in the County of Sussex

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground....1...ft....6...in.

Ground Sea Level 500...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	3		9	18	26				10	1	2	6		1
2			1	3	2		4	31	31		25			2
3	55	2		53				40		58	10	39		3
4			45	23			4	103		12	67			4
5		1	2	11	7		22	11			26	8		5
6	58		3		21		25	4			15	1		6
7	8	5					8	7				27		7
8	2	11	12				2			50	52	63		8
9	12	7						26		45	73	52		9
10	20	1				22		37	10	11	4	2		10
11		2	23			10				126	2			11
12						10	5			99	3			12
13			3	9		5	3			35	3	5		13
14	72		1	1	10	3	4				62	3		14
15	67		7		116	5	25		39	39	9			15
16	18			12	13	24			16	3	55			16
17	33	13			6						9			17
18	44	1	2			9	14			13	45			18
19							12			45		4		19
20	64					107	67		7					20
21	16	4	14			26	18		18					21
22	29	34	4	3		40	3				11			22
23	6		2	10			7			7	81			23
24	43	14		11		1	3			15				24
25	83	24	4	2			6				81	3		25
26	7		1	4		2				14	38			26
27	2	18	9	15							43			27
28		31	5			12				14	12	16		28
29				28			2			5	6			29
30		X		54						2	12			30
31		X		X		X	9	37	X	3	X			31
TOTAL	6.37	1.68	1.47	2.57	2.01	2.76	2.43	2.96	1.31	5.97	7.45	2.29	39.27	Year's Total
* Days with .01 in. or more.	20	15	18	16	8	14	20	9	7	20	25	13	185	
* Days with .04 in. or more.	18	10	10	12	7	15	15	9	7	16	21	9	145	

† Spare column, no entries required.

(Signed) R. M. Ravenshaw P.T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 574/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at The Old Manse, Turners Hill.

in the County of Sussex

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....1 ft. 6 in.

" Ground " Sea Level 550 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											4			1
2				22						13	41			2
3		34					25			16	131	12		3
4	9	23		7						25	4	8		4
5							4			4	68			5
6	19	20					30			67	2			6
7	25	15					17			65				7
8				2			1				1	46		8
9				2				8		33	52	23		9
10			118				22	17		5				10
11				5			2				135			11
12			25	8			33		27					12
13			84			2					167			13
14		8	23	5					2	10	1	48		14
15					25		101				72	4		15
16	4	42	18			9	10		29	50	71	3		16
17			89				3		11		54			17
18		35	22	41					49	33	7	16		18
19		10	5	2			11				27			19
20		X	14	3						15	15			20
21			1		67		22				37			21
22	6		3		13	12			17	4				22
23			11	23							3	4		23
24			1	22			18				1	3		24
25			51				5			5				25
26	80		37	82	41									26
27	23			1								6		27
28	55			15	20									28
29	38		20		8							32		29
30	11			19						21		3		30
31										85		10		31
TOTAL	2.70	3.05	3.54	2.59	1.74	23	3.04	25	1.35	4.51	8.93	2.18	34.11	
* Days with .01 in. or more.	10	16	15	16	6	3	15	2	6	16	20	14	139	
* Days with .04 in. or more.	10	14	12	11	6	2	12	2	6	16	15	11	116	

† Spare column, no entries required

(Signed)

R. M. Pasenshaw

[P.T.O.]

* See Instruction 3 (f) on other side.

** The following register of month &c., is NOT required if daily values are given on the other

RAINFALL IN 1931-1932

EAST GRAINSTEAD

1931-1932

At Brambley G.
In the County of Sussex

Diameter of Funnel.....

Height of Top above Ground 1 ft.

Height of Ground above Sea Level..... ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	.01 in. or more	.04 in. or more
JAN.	2.76	.64	23	17	13
FEB.	2.87	.69	11	18	13
MAR.	.39	.23	22	4	2
APRIL	3.74	.83	25	16	15
MAY	2.91	1.40	3	11	6
JUNE	1.75	.67	5	11	8
JULY	2.98	.65	14	18	14
AUG.	5.04	.75	16	16	15
SEPT.	2.42	.75	3	12	9
OCT.	.64	.33	6	5	3
NOV.	5.82	1.59	10	12	10
DEC.	.90	.34	3	7	5
Total	31.77			147	112

Heights of objects

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature G. D. Furness

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1931

At Bramblye E. Grinstead

Hour of observation by the clock—in Winter receder in Summer

In the County of Sussex

Nearest Railway Station Distance Direction from gauge

Diameter of Funnel 5 in.

Nearest Parish Church at Distance Direction from gauge

Height of Top above Ground 1 ft. in.

Nature of objects nearest to gauge

Height of Ground above Sea Level ft.

Heights of objects

Distances

Directions from gauge

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with	or in	or more
Inches.	Inches.	Date.	or in	or more	or more
JAN.	2.76	6.4	23	17	13
FEB.	2.87	6.9	11	18	13
MAR.	3.4	2.3	22	4	2
APRIL	3.74	8.3	25	16	15
MAY	2.41	1.40	3	11	6
JUNE	1.75	6.7	5	11	8
JULY	2.98	6.5	14	18	14
AUG.	5.04	7.5	16	16	15
SEPT.	2.42	7.5	3	12	9
OCT.	6.4	3.3	6	5	3
NOV.	5.82	1.54	10	15	10
DEC.	9.0	3.4	3	7	5
Total	31.77			149	112

Signature G. D. Funnell

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not '00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 | would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or 0.3.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

Section

A

for the entry of Daily Observations.

COPY FOR

575
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Brambletye to Grinstead and
in the County of Wiltshire

Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 5 in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of his paragraph.

Jan. 1, following

E. Grinstead (Brambletye) Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	.14												2
3	.03												3
4	-												4
5	-												5
6	1.28												6
7													7
8	.10		.09										8
9	-		.20										9
10	.38	.22											10
11	.90												11
12	.19	.11											12
13	.59												13
14	.14												14
15	.09												15
16	.13												16
17													17
18													18
19	.03		Wet House										19
20			Wet House										20
21													21
22		.02											22
23		.09											23
24		.04											24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	4.00	.48											YEAR'S TOTAL
*Days with ".01 in. or more.	13	7											
*Days with ".04 in. or more.	11	5											

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

REC

576

576
COPY FOR OFFICIAL USE.
INFALL ORGANIZATION.
93/ .

Kept at **HAZELHURST**
in the County of

FRANT HAZELHURST

Diameter of Funnel of Gauge
Height of top of Gauge above
Ground

1931-1938

THE MORNING ME

DAY.

Jan. 1, following

An observer who does not conform
year in the space on the right

of the following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.13	h	.07	-	.02	-	.08	.08	h	-	.01	1
2	.13	.07	-	.18	.04	-	h	h	.94	h	h	h	2
3	.09	.04	.13	.11	.96	-	-	.25	.81	-	h	.25	3
4	.02	.05	h	h	h	-	.04	h	.16	.02	.15	.01	4
5	-	h	-	.25	-	.52	.05	.22	.10	h	.01	.28	5
6	-	.03	-	.03	-	.01	h	.13	-	.30	.79	.02	6
7	h	.08	-	.01	.04	.10	-	.20	-	.01	.46	-	7
8	h	.11	h	-	.01	.12	h	.08	-	-	.09	.09	8
9	h	.25	h	.02	-	.03	h	-	-	-	.68	.01	9
10	h	.24	.09	-	-	.17	.03	.12	-	h	1.67	.01	10
11	.11	.67	.01	-	-	h	h	-	h	.01	.33	h	11
12	.23	-	h	-	-	h	h	.01	.26	.01	h	h	12
13	.09	-	h	-	.14	-	.05	.18	h	h	h	h	13
14	.01	.10	h	-	-	.08	.44	.29	-	-	h	-	14
15	h	.02	-	.17	.07	-	.18	.16	-	-	.04	.03	15
16	h	.16	-	.15	.26	.03	h	.36	-	-	h	-	16
17	.05	.06	-	.38	-	.01	.38	-	.05	.01	h	-	17
18	h	.13	.02	.31	.01	.06	.12	.33	h	h	.51	.01	18
19	.03	.01	h	.50	-	.02	.16	.47	.12	-	h	h	19
20	.01	.10	h	.16	-	-	.09	.43	-	h	.01	.01	20
21	h	.10	.01	h	.42	-	-	-	.02	h	.02	h	21
22	.28	.01	.19	h	h	-	h	-	.06	h	.01	-	22
23	.67	h	.03	h	.14	.09	-	-	.01	-	.31	.01	23
24	h	-	.01	.82	.01	.10	.02	.38	h	-	h	-	24
25	-	-	h	.50	-	h	.33	-	h	h	.01	h	25
26	-	.06	h	.31	-	-	.47	-	-	h	.33	-	26
27	.15	.33	-	.07	.21	-	.02	-	-	-	.08	-	27
28	.09	.12	-	.05	h	-	-	-	-	.01	h	h	28
29	.07	X	-	.04	.15	-	.10	-	h	.23	.01	h	29
30	.06	X	-	-	.03	-	.07	-	h	h	-	-	30
31	.36	X	-	X	.01	X	-	h	X	-	X	-	31
TOTAL	2.47	2.87	.49	4.13	2.50	1.36	2.55	3.69	2.61	.60	5.51	.74	29.52
*Days with or in. or more.	18	22	8	19	15	14	16	16	11	8	18	12	177
*Days with .04 in. or more.	13	18	3	16	10	8	13	15	9	2	12	3	122

Section **A**

for the entry of Daily Observations

576
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at HAZELHURST, FRANT

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.13	h	.07	-	.02	-	.08	.08	h	-	.01	1
2	.13	.07	-	.18	.04	-	h	h	.94	h	h	h	2
3	.09	.04	.13	.11	.96	-	-	.25	.81	-	h	.25	3
4	.02	.05	h	h	h	-	.04	h	.16	.02	.15	.01	4
5	-	h	-	.25	-	.52	.05	.22	.10	h	.01	.28	5
6	-	.03	-	.03	-	.01	h	.13	-	.30	.79	.02	6
7	h	.08	-	.01	.04	.10	-	.20	-	.01	.46	-	7
8	h	.11	h	-	.01	.12	h	.08	-	-	.09	.09	8
9	h	.25	h	.02	-	.03	h	-	-	-	.68	.01	9
10	h	.24	.09	-	-	.17	.03	.12	-	h	1.67	.01	10
11	.11	.67	.01	-	-	h	h	-	h	.01	.33	h	11
12	.23	-	h	-	-	h	h	.01	.26	.01	h	h	12
13	.09	-	h	-	.14	-	.05	.18	h	h	h	h	13
14	.01	.10	h	-	-	.08	.44	.29	-	-	h	-	14
15	h	.02	-	.17	.07	-	.18	.16	-	-	.04	.03	15
16	h	.16	-	.15	.26	.03	h	.36	-	-	h	-	16
17	.05	.06	-	.38	-	.01	.38	-	.05	.01	h	-	17
18	h	.13	.02	.31	.01	.06	.12	.33	h	h	.51	.01	18
19	.03	.01	h	.50	-	.02	.16	.47	.12	-	h	h	19
20	.01	.10	h	.16	-	-	.09	.43	-	h	.01	.01	20
21	h	.10	.01	h	.42	-	-	-	.02	h	.02	h	21
22	.28	.01	.19	h	h	-	h	-	.06	h	.01	-	22
23	.67	h	.03	h	.14	.09	-	-	.01	-	.31	.01	23
24	h	-	.01	.82	.01	.10	.02	.38	h	-	h	-	24
25	-	-	h	.50	-	h	.33	-	h	h	.01	h	25
26	-	.06	h	.31	-	-	.47	-	-	h	.33	-	26
27	.15	.33	-	.07	.21	-	.02	-	-	-	.08	-	27
28	.09	.12	-	.05	h	-	-	-	-	.01	h	h	28
29	.07	X	-	.04	.15	-	.10	-	h	.23	.01	h	29
30	.06	X	-	-	.03	-	.07	-	h	h	-	-	30
31	.36	X	-	X	.01	X	-	h	X	-	X	-	31
TOTAL	2.47	2.87	.49	4.13	2.50	1.36	2.55	3.69	2.61	.60	5.51	.74	29.52
*Days with or in. or more.	18	22	8	19	15	14	16	16	11	8	18	12	177
*Days with or in. or more.	13	18	3	16	10	8	13	15	9	2	12	3	122

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. H. A. Love

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

576
576

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hazelhurst Frant
in the County of SussexDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 450 ft.Oct ref to Gls^r

who agrees to amendments

f 661415/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.03	—	.17	.34	tr.	.01	—	tr.	.08	tr.	.41	1
2	.01	—	tr.	.15	.11	—	—	—	.08	tr.	.06	.01	2
3	tr.	—	—	.06	.21	.09	—	—	.34	—	.02	.45	3
4	.04	—	—	—	—	.10	—	—	tr.	—	tr.	tr.	4
5	.45	tr.	.02	—	.06	.08	.15	—	.12	—	.01	—	5
6	.68	tr.	.04	.13	—	—	—	—	.12	—	—	—	6
7	tr.	tr.	.05	.03	—	—	.17	—	.015	—	—	—	7
8	—	tr.	.29	.02	.19	—	—	—	.18	—	—	.01	8
9	.28	.07	tr.	.25	.59	—	—	—	.01	.02	tr.	—	9
10	.83	.05	tr.	.38	.11	—	—	—	.01	.67	—	—	10
11	.34	.10	.06	.25	.13	—	—	—	.06	.02	.05	tr.	11
12	.49	.03	—	tr.	tr.	—	tr.	—	.04	.09	.01	—	12
13	.12	tr.	tr.	.20	—	—	tr.	—	tr.	tr.	tr.	—	13
14	.17	tr.	—	.11	.06	—	—	—	—	.28	—	.02	14
15	.10	tr.	tr.	.07	.175	—	.02	—	tr.	1.09	—	tr.	15
16	.12	tr.	—	.27	.05	—	—	—	—	~~1.16~~	—	—	16
17	.01	tr.	—	.12	.08	—	tr.	—	—	.08	—	—	17
18	.03	tr.	tr.	.075	—	—	tr.	—	.06	tr.	—	—	18
19	.01	tr.	—	.02	—	—	—	—	.02	.06	.07	—	19
20	—	tr.	—	.04	.02	—	.03	.01	.04	—	.05	tr.	20
21	tr.	—	tr.	.06	.07	—	tr.	—	—	.44	.25	.05	21
22	.02	tr.	.30	.09	.24	tr.	.14	.02	.79	1.50	tr.	.03	22
23	.01	.08	.07	.10	.06	—	tr.	—	.19	.49	.58	.13	23
24	tr.	.04	tr.	tr.	.03	—	.75	—	.30	.28	tr.	tr.	24
25	tr.	tr.	—	—	—	—	.87	tr.	.23	1.28	—	tr.	25
26	tr.	tr.	.01	.05	—	—	.46	.22	—	.04	.07	tr.	26
27	tr.	—	.31	.15	.08	—	.09	tr.	—	.41	.11	.06	27
28	tr.	—	.01	.04	.12	—	.17	—	—	tr.	.06	.01	28
29	—	—	.68	.075	.04	—	tr.	.24	.16	.47	—	.01	29
30	tr.	X	.10	.05	.03	1.01	—	.05	.08	.23	tr.	.09	30
31	tr.	X	.03	X	—	X	.09	—	X	.56	X	.09	31
TOTAL	3.82	.40	1.97	2.46	2.78	1.28	2.95	.54	2.85	8.25	1.75	.96	YEAR'S TOTAL
*Days with .01 in. or more.	18	7	13	25	21	4	12	5	19	20	1342	1245	169
*Days with .04 in. or more.	12	5	9	22	18	4	9	3	15	18	104	67	131

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W.S. Darlington

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 576

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hazelhurst - Frant
in the County of SussexDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.165	tr	-	-	-	-	-	-	tr.	.01	-		1
2	.40	.63	.18	-	.09	-	-	-	-	.02	-	-		2
3	.10	-	.715	-	-	-	-	-	-	.02	-	-		3
4	.19	.10	.31	-	.15	-	-	-	-	-	-	-		4
5	.23	.045	tr.	-	.16	-	-	-	-	-	-	-		5
6	tr.	tr.	.325	-	.40	-	-	-	-	.01	.11	-		6
7	.31	.175	.185	-	.20	-	-	-	-	.51	tr.	.02		7
8	.12	.055	.09	-	-	-	-	-	-	.05	-	-		8
9	.01	.075	tr.	-	.02	-	.33	-	-	.07	.18	-		9
10	-	tr.	-	-	tr.	tr.	.12	-	-	.01	tr.	-		10
11	.11	.27	-	-	tr.	.03	.25	.07	.13	.02	.01	-		11
12	-	tr.	-	.08	-	.01	.07	tr.	1.35	-	-	-		12
13	.04	-	tr.	-	tr.	.15	.30	.09	.35	.21	.12	-		13
14	-	-	-	-	.07	-	.40	-	-	.25	.38	-		14
15	.43	-	-	-	-	tr.	.17	.43	-	.03	.02	-		15
16	.04	-	.14	-	-	-	.33	-	-	.02	tr.	tr.		16
17	-	-	.83	tr.	tr.	.25	.30	.15	.17	-	.05	-		17
18	.04	-	.30	-	tr.	.02	-	-	tr.	-	tr.	tr.		18
19	-	-	.13	.01	-	.19	-	tr.	.09	-	tr.	tr.		19
20	-	-	.04	.17	-	.13	-	tr.	.13	-	.01	tr.		20
21	-	.05	.06	tr.	-	.22	-	.19	.20	.01	tr.	tr.		21
22	-	-	-	-	-	tr.	-	.31	.07	.01	tr.	tr.		22
23	-	.04	-	.14	.05	tr.	tr.	-	.52	.09	-	-		23
24	-	-	-	.20	tr.	.045	-	-	.42	tr.	.01	-		24
25	-	.28	-	.26	tr.	.07	-	-	.05	tr.	.15	.08		25
26	-	.50	-	.06	-	-	-	-	.02	.01	.15	.07		26
27	-	.50	-	tr.	-	-	-	-	.01	.20	tr.	.21		27
28	-	.15	-	-	-	-	-	-	.44	tr.	tr.	.18		28
29	-	X	-	-	tr.	-	.18	-	-	.07	-	tr.		29
30	.05	X	-	-	.54	-	.23	-	.18	.03	-	.08		30
31	.09	X	-	X	tr.	X	.06	.06	X	-	X	tr.		31
TOTAL	2.20	3.035	3.305	.92	1.68	1.115	2.74	1.30	3.69	2.08	1.20	.64	23.905	
*Days with .01 in. or more.	15	14	12	7	9	10	12	7	14	20	12	6	138	
*Days with .04 in. or more.	14	14	12	6	8	7	12	7	12	9	7	5	113	

† Spare column, no entries required.

(Signed)

W.S. Dainton

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 576

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hazelhurst, Kent

in the County of Surrey

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 450 ft.

Fil no. 66 1415/26

Dolobay Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	-	-	-	.02	-	Tr	.75	.25	-	-		1
2	.02	-	.14	.02	-	-	-	Tr	.15	.37	Tr	.44		2
3	.07	.03	-	.11	-	-	-	-	Tr	.85	-	.25		3
4	.29	-	.06	-	.04	-	-	.02	-	.51	.08	.81		4
5	.01	-	.07	-	.08	-	-	.09	-	-	.03	.46		5
6	.01	-	.35	-	.20	.18	-	Tr	-	.25	.03	.63		6
7	.05	-	-	-	-	.02	-	.02	Tr	.12	Tr	.26		7
8	Tr	-	-	.12	.15	-	-	Tr	.05	-	1.89	Tr		8
9	.01	-	.07	Tr	.01	-	-	.15	Tr	-	1.30	.32		9
10	Tr	-	.30	.24	-	-	-	.25	Tr	.04	.39	.01		10
11	.91	-	.55	.04	-	-	.03	.17	-	-	-	.27		11
12	.16	Tr	.15	-	-	-	.15	.03	Tr	-	-	.12		12
13	.53	-	.46	.14	-	-	.10	-	-	-	.01	-		13
14	.30	-	.48	.06	-	-	-	-	-	.14	.39	.89		14
15	.02	-	-	-	.02	-	-	-	.02	-	.15	.58		15
16	.29	-	.33	.02	.19	-	-	-	-	.03	Tr	.03		16
17	.17	-	.47	.03	.03	-	-	-	-	.03	Tr	.44		17
18	.22	-	.03	.63	-	-	.28	-	.28	-	-	.34		18
19	Tr	-	.34	.04	-	.01	-	Tr	.01	-	.01	.24		19
20	-	-	.22	.02	-	.02	.12	.03	-	.03	Tr	.01		20
21	-	-	.02	.20	-	.12	-	.15	-	.11	-	Tr		21
22	-	.01	-	.01	-	-	.22	Tr	.39	.01	-	.17		22
23	-	-	-	.51	-	.72	.09	.31	-	.07	-	.17		23
24	Tr	.01	-	.10	-	.08	.39	Tr	.14	.05	-	.02		24
25	.10	.02	-	.20	-	.02	-	Tr	-	.05	-	.52		25
26	.10	-	-	.15	-	.11	-	-	.10	-	-	.03		26
27	.03	-	-	.45	-	-	-	.68	-	-	-	.41		27
28	-	.15	-	.01	-	.12	.01	.01	-	-	Tr	.32		28
29	-	-	-	-	-	-	-	.01	.21	-	Tr	Tr		29
30	.12	X	-	-	-	-	-	-	Tr	-	-	.81		30
31	.04	X	-	X	-	X	.17	-	X	.17	X	.14		31
TOTAL	3.48	.22	4.04	3.10	.78	1.42	1.56	1.92	2.10	3.08	4.28	8.69	34.61	
*Days with or in. or more.	20	5	17	20	8	11	10	13	9	17	11	26	167	
*Days with .04 in. or more.	14	1	14	14	5	6	7	7	8	13	6	21	116	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Jan. W. Bennett

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 576

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Hazelhurst Frank.

in the County of Sussex

Diameter of Funnel of Gauge 5 1/4 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.02	.02	.04	-	.09	.02	-	.18	.23	.29	.91		1
2	.15	-	.01	.07	-	T	-	-	.10	.52	.13	T		2
3	.01	T	.20	.03	-	T	-	-	.14	1.12	.18	-		3
4	-	.09	T	.35	-	.17	-	-	.86	.53	T	.13		4
5	-	.64	.05	.08	-	.04	T	-	.63	.53	T	.02		5
6	.05	.06	.01	.27	-	.42	-	-	-	.02	.18	.01		6
7	.04	.06	T	.33	-	.08	-	-	-	T	1.17	.10		7
8	T	T	-	.42	-	-	-	.09	-	.03	.49	.20		8
9	.10	T	-	.25	-	.12	-	-	-	1.21	.26	-		9
10	.08	.01	.08	-	-	.03	-	-	-	.01	.16	.25		10
11	.12	.01	T	.18	-	.11	T	-	-	T	.37	T		11
12	-	.03	.01	-	-	.49	-	.48	.07	-	.87	-		12
13	.09	.27	T	.19	-	-	-	-	.01	-	.31	.04		13
14	-	-	-	.02	.30	.10	-	-	T	.02	.01	.10		14
15	.07	.25	-	.65	.01	T	-	-	.48	T	.26	.10		15
16	T	.09	-	.15	T	.15	-	-	.89	.03	1.31	.04		16
17	.04	-	.09	.17	.02	.21	.04	T	.02	T	.58	-		17
18	-	-	T	.44	.01	.15	.28	-	.73	.15	T	-		18
19	T	.01	-	.10	.86	.02	.06	-	.19	-	.12	T		19
20	-	.91	-	-	.81	.06	.46	-	.09	-	.13	-		20
21	.04	.47	~~T~~	-	-	T	-	-	.05	.10	.03	-		21
22	-	.07	.03	.03	-	-	-	.41	.04	T	T	-		22
23	-	T	.01	-	.01	-	-	.66	-	-	-	.09		23
24	.05	1.28	-	-	.28	-	-	1.42	1.05	.01	T	.38		24
25	.16	.14	-	.20	.20	.07	-	-	-	-	-	.48		25
26	T	.05	-	-	-	T	-	.14	.10	.08	.04	.40		26
27	-	.88	~~T~~	-	.04	-	-	.83	.10	T	.01	.35		27
28	-	.07	~~T~~	-	.07	-	T	1.02	.03	.05	.01	.30		28
29	T	-	-	-	-	-	-	.31	.56	.01	.02	.57		29
30	.09	X	-	.09	.07	-	-	.21	.08	.13	T.02	.52		30
31	-	X	-	X	-	X	-	.12	X	.34	X	.78		31
TOTAL	1.13	5.41	.51	4.06	1.88	2.31	.86	5.65	6.60	5.12	8.03	4.86	Year's Total.	
* Days with .01 in. or more.	14	20	10	19	12	16	5	11	21	19	23	19	46.42	
* Days with .04 in. or more.	12	15	3	17	7	14	4	11	18	12	19	17	189	

Kept at Hazellhurst, Frank
in the County of Surrex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29	.16	T	.58	-	.33	.21	.12	-	-	.04	.10	1
2	.01	.09	.01	.01	-	.17	.14	.14	-	-	T	T	2
3	T	-	T	.69	.02	.03	.02	-	.04	-	.21	-	3
4	.12	-	.08	.01	-	.10	T	T	.49	-	T	.06	4
5	.19	-	.01	.01	-	-	-	.08	.54	.01	.17	.05	5
6	.45	-	-	-	-	.04	T	.07	.30	.19	.93	.05	6
7	.45	-	.07	-	-	.03	.01	.01	-	T	1.03	.01	7
8	.41	-	.05	-	-	-	.13	-	-	.04	.83	.20	8
9	.54	-	.03	-	T	-	.31	.76	.06	T	.15	T	9
10	.08	-	T	-	-	.01	.13	.24	.06	.04	.99	T	10
11	T	-	-	.02	-	-	.07	.02	-	.01	.41	T	11
12	-	-	-	.01	-	.13	.43	.03	.65	.01	T	.13	12
13	-	-	-	T	-	.14	.01	-	T	T	.20	.58	13
14	-	.08	-	-	-	.09	.86	-	-	.03	T	.47	14
15	-	.09	T	T	-	T	.07	-	-	T	.07	.47	15
16	.24	.05	-	-	.12	T	T	-	T	-	.13	.17	16
17	.09	.75	-	-	.04	.16	T	.02	.20	.02	.25	.98	17
18	.09	.21	-	-	T	.13	.27	T	T	.01	.03	.16	18
19	.27	.13	T	-	-	.12	T	.16	T	.05	T	T	19
20	.22	.06	T	.05	-	T	T	T	.72	T	T	T	20
21	-	T	-	.42	-	.42	.01	-	.05	T	T	T	21
22	.10	.42	.11	T	-	T	.10	-	T	T	T	.07	22
23	.03	.10	.06	.09	.05	T	.43	-	-	.06	T	T	23
24	.08	.11	T	.01	T	.03	.05	-	.02	.30	T	T	24
25	.17	T	.16	.16	-	.23	.23	-	.47	.04	T	T	25
26	T	.21	.25	-	T	.08	T	-	.13	.30	.01	T	26
27	.39	T	.06	T	-	T	.06	-	.38	.20	T	-	27
28	.77	T	.15	-	-	.23	.61	-	T	T	T	.09	28
29	.02	.08	.13	-	-	.13	.03	-	-	.05	T	.02	29
30	.16	✕	T	T	.08	.23	-	-	-	.08	.07	T	30
31	.20	✕	.18	✕	.02	✕	.12	-	✕	1.08	✕	.29	31
TOTAL	5.37	2.54	1.35	2.06	0.33	2.83	4.30	1.65	4.11	2.52	5.52	3.90	YEAR'S TOTAL 36.40
Days with ".01 in. or more.	23	14	14	12	6	20	22	11	14	18	16	17	187
Days with ".04 in. or more.	19	14	11	6	4	16	17	7	13	12	15	15	149

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at *Hazelhurst*
Frant
in the County of *Sussex*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft *0* in.
,, Ground ,, Sea Level *450* ft.

Station No. *576*
File No *661415/26*
661415/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	<i>1.14</i>	<i>.02</i>	<i>T</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>T</i>	<i>.80</i>	<i>.36</i>	I
2	<i>—</i>	<i>.88</i>	<i>.02</i>	<i>.30</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>T</i>	<i>—</i>	<i>T</i>	<i>.88</i>	2
3	<i>.02</i>	<i>.20</i>	<i>T</i>	<i>T</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>T</i>	<i>—</i>	<i>T</i>	<i>.40</i>	3
4	<i>.12</i>	<i>.09</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.27</i>	4
5	<i>.35</i>	<i>.08</i>	<i>.32</i>	<i>T</i>	<i>—</i>	<i>—</i>	<i>.23</i>	<i>—</i>	<i>—</i>	<i>.56</i>	<i>T</i>	<i>—</i>	5
6	<i>.07</i>	<i>.01</i>	<i>.71</i>	<i>.10</i>	<i>.22</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>T</i>	<i>—</i>	6
7	<i>—</i>	<i>.91</i>	<i>.08</i>	<i>.09</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.63</i>	<i>.01</i>	<i>—</i>	<i>—</i>	7
8	<i>—</i>	<i>.01</i>	<i>.19</i>	<i>—</i>	<i>.05</i>	<i>.08</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.19</i>	<i>.61</i>	8
9	<i>—</i>	<i>T</i>	<i>T</i>	<i>.36</i>	<i>.14</i>	<i>.02</i>	<i>.10</i>	<i>—</i>	<i>.33</i>	<i>T</i>	<i>—</i>	<i>.02</i>	9
10	<i>—</i>	<i>—</i>	<i>.48</i>	<i>.18</i>	<i>.29</i>	<i>.59</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.67</i>	10
11	<i>T</i>	<i>T</i>	<i>.41</i>	<i>.10</i>	<i>.10</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.19</i>	11
12	<i>—</i>	<i>.26</i>	<i>1.29</i>	<i>.05</i>	<i>.24</i>	<i>.37</i>	<i>T</i>	<i>.34</i>	<i>.23</i>	<i>—</i>	<i>—</i>	<i>.09</i>	12
13	<i>.02</i>	<i>.04</i>	<i>.63</i>	<i>T</i>	<i>T</i>	<i>.40</i>	<i>—</i>	<i>.47</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>.19</i>	13
14	<i>.05</i>	<i>.04</i>	<i>.02</i>	<i>.03</i>	<i>.15</i>	<i>.04</i>	<i>—</i>	<i>.44</i>	<i>.19</i>	<i>—</i>	<i>—</i>	<i>.04</i>	14
15	<i>.98</i>	<i>.19</i>	<i>—</i>	<i>.30</i>	<i>T</i>	<i>—</i>	<i>.38</i>	<i>—</i>	<i>.23</i>	<i>—</i>	<i>T</i>	<i>T</i>	15
16	<i>T</i>	<i>.19</i>	<i>.30</i>	<i>.20</i>	<i>T</i>	<i>.13</i>	<i>—</i>	<i>.45</i>	<i>.14</i>	<i>—</i>	<i>T</i>	<i>—</i>	16
17	<i>.37</i>	<i>.02</i>	<i>.08</i>	<i>.08</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.35</i>	<i>—</i>	<i>.18</i>	<i>—</i>	17
18	<i>.72</i>	<i>.07</i>	<i>.01</i>	<i>.03</i>	<i>.56</i>	<i>.81</i>	<i>—</i>	<i>—</i>	<i>.15</i>	<i>—</i>	<i>.10</i>	<i>.03</i>	18
19	<i>.14</i>	<i>.12</i>	<i>.08</i>	<i>.31</i>	<i>.02</i>	<i>.08</i>	<i>T</i>	<i>—</i>	<i>.11</i>	<i>T</i>	<i>T</i>	<i>.10</i>	19
20	<i>.57</i>	<i>T</i>	<i>.20</i>	<i>.28</i>	<i>.57</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.01</i>	<i>.01</i>	<i>.01</i>	20
21	<i>.57</i>	<i>.50</i>	<i>.05</i>	<i>.08</i>	<i>.02</i>	<i>—</i>	<i>.01</i>	<i>.01</i>	<i>T</i>	<i>T</i>	<i>T</i>	<i>.04</i>	21
22	<i>.58</i>	<i>.02</i>	<i>T</i>	<i>—</i>	<i>.12</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>.98</i>	<i>.23</i>	<i>.14</i>	22
23	<i>.09</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.16</i>	<i>—</i>	<i>—</i>	<i>.50</i>	<i>.03</i>	<i>T</i>	23
24	<i>.71</i>	<i>1.16</i>	<i>.01</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>.01</i>	<i>.32</i>	<i>—</i>	<i>.02</i>	24
25	<i>.11</i>	<i>.52</i>	<i>.31</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.14</i>	<i>.29</i>	<i>—</i>	<i>T</i>	25
26	<i>T</i>	<i>.48</i>	<i>.04</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>T</i>	<i>.23</i>	<i>—</i>	<i>—</i>	26
27	<i>T</i>	<i>.11</i>	<i>—</i>	<i>.28</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.04</i>	<i>.20</i>	<i>—</i>	<i>—</i>	27
28	<i>.12</i>	<i>.06</i>	<i>T</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>T</i>	<i>.06</i>	28
29	<i>.05</i>	<i>X</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.26</i>	<i>.05</i>	<i>.03</i>	29
30	<i>.34</i>	<i>X</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>T</i>	<i>—</i>	<i>.12</i>	<i>—</i>	<i>.20</i>	<i>.14</i>	<i>.01</i>	30
31	<i>.19</i>	<i>X</i>	<i>—</i>	<i>X</i>	<i>—</i>	<i>X</i>	<i>T</i>	<i>—</i>	<i>X</i>	<i>.55</i>	<i>X</i>	<i>.03</i>	31
TOTAL	<i>7.31</i>	<i>5.98</i>	<i>5.14</i>	<i>2.84</i>	<i>2.52</i>	<i>2.57</i>	<i>1.01</i>	<i>1.83</i>	<i>2.62</i>	<i>4.17</i>	<i>1.43</i>	<i>4.19</i>	YEAR'S TOTAL <i>41.64</i>
Days with or more.	<i>21</i>	<i>23</i>	<i>19</i>	<i>19</i>	<i>14</i>	<i>10</i>	<i>11</i>	<i>6</i>	<i>15</i>	<i>14</i>	<i>9</i>	<i>21</i>	<i>182</i>
Days with or more.	<i>19</i>	<i>18</i>	<i>14</i>	<i>15</i>	<i>10</i>	<i>9</i>	<i>4</i>	<i>5</i>	<i>12</i>	<i>10</i>	<i>7</i>	<i>14</i>	<i>137</i>

Section

A

for the entry of Daily Observations

Station No.

576

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Hazlehurst, Frank

in the County of Surrey

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level.....45.0.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.33	.01	-	.19	.15	.23	-	-	.03	.31	.11		1
2	.04	.03	-	.02	.08	-	.12	-	-	.41	-	.01		2
3	.01	Trace	-	-	.15	-	.04	-	.18	.99	.10	-		3
4	.03	-	-	-	-	.02	.23	.13	-	.05	Trace	.18		4
5	.01	-	-	-	-	Trace	.27	Trace	-	.56	Trace	.02		5
6	.03	-	-	-	-	-	.08	-	.09	.01	Trace	.01		6
7	.05	-	-	-	-	-	.28	.66	Trace	.33	Trace	.08		7
8	.28	Trace	-	-	-	Trace	.23	.03	.01	.43	.03	.05		8
9	.14	.01	-	-	-	-	-	.04	-	.12	Trace	.62		9
10	.12	.07	-	-	-	.33	Trace	.05	-	-	Trace	.33		10
11	.28	Trace	-	-	-	-	Trace	.04	-	Trace	.16	.29		11
12	.54	Trace	-	-	Trace	T	Trace	1.06	-	.06	.07	.01		12
13	.37	.08	-	-	Trace	-	-	-	-	.18	.14	.07		13
14	.26	.30	-	-	.54	-	-	.01	.03	Trace	Trace	.09		14
15	.04	.26	.02	-	.03	-	.13	.07	-	.49	.03	.10		15
16	.63	.02	.01	-	Trace	-	.05	-	-	.10	.02	.33		16
17	-	.13	Trace	-	.28	-	.02	-	.03	.89	.03	Trace		17
18	.10	Trace	-	-	.19	Trace	-	.13	.23	.10	.03	-		18
19	Trace	.01	-	-	Trace	-	-	-	.11	-	.21	.12		19
20	-	Trace	-	-	.11	-	-	.09	.13	-	.55	.23		20
21	.01	-	Trace	.03	Trace	-	-	.04	.09	-	.08	.78		21
22	.01	-	Trace	Trace	-	.03	-	-	Trace	-	.36	.19		22
23	-	-	.10	.04	-	-	-	-	Trace	-	.03	Trace		23
24	Trace	.01	.43	Trace	.01	-	-	.01	.05	Trace	.34	.36		24
25	.13	Trace	.05	.22	.11	-	.03	.06	.14	.01	.64	-		25
26	.61	.19	Trace	.01	Trace	-	-	-	.22	.31	Trace	.46		26
27	.10	.06	-	-	.15	.23	.46	.37	1.61	Trace	.35	-		27
28	.08	.04	-	-	.41	.12	-	-	.16	Trace	Trace	.01		28
29	.22	-	-	.03	.32	-	-	-	.01	Trace	.05	.21		29
30	.21	~~Trace~~	-	.43	.17	.04	-	.10	.11	.04	.39	-		30
31	.09	~~Trace~~	-	~~Trace~~	.14	~~Trace~~	-	-	~~Trace~~	.22	~~Trace~~	.35		31
TOTAL	4.41	1.54	0.62	0.78	2.88	0.92	2.17	2.88	3.20	5.03	3.92	5.01	33.36	✓
* Days with .01 in. or more.	26	14	6	7	15	7	13	17	16	19	20	24	184	✓
* Days with .04 in. or more.	18	9	3	3	13	5	11	13	12	17	14	19	137	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Jan. W. Bennett

P.T.O.

REGIS

Kept at Henley House
in the County of Sus

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
Ground Sea L

THE MORNING MEASU

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

577
COPY FOR OFFICIAL USE.
AINFALL ORGANIZATION.
1931.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.12	t	.08	-	-	t	.09	.18	t	-	t	1
2	.16	.07	-	.17	.06	t	t	t	.74	t	-	t	2
3	.08	.05	.13	.10	(1.03)	-	t	.22	(.82)	-	.01	.23	3
4	t	.04	t	t	t	-	.04	t	.08	.02	.11	t	4
5	-	t	-	.27	-	(.52)	.05	.23	.11	t	t	(.24)	5
6	t	.10	-	.04	-	.01	-	.13	t	(.29)	.77	.01	6
7	.01	.04	-	t	.03	.11	-	.18	t	.01	.46	t	7
8	t	.06	t	-	.01	.14	t	.08	-	t	.08	.09	8
9	t	.21	.015	.402	t	.01	t	-	-	-	.66	.02	9
10	.01	.21	.115	t	t	.18	.04	.12	-	-	(1.45)	t	10
11	.09	(.62)	t	-	-	t	t	t	.01	t	.28	t	11
12	.23	.01	-	-	-	-	.04	.01	.29	.01	t	t	12
13	.08	t	-	-	.09	t	.01	.16	-	-	-	-	13
14	.01	.09	t	-	-	.08	(.50)	.33	-	-	t	t	14
15	.01	.02	-	.15	.06	-	.10	.27	-	-	.04	.03	15
16	.01	.17	-	.15	.26	.05	t	.21	.01	-	t	-	16
17	.06	.05	-	.395	t	t	.40	t	.04	.01	t	t	17
18	.01	.11.5	.02	.345	t	.09	.11	(.46)	-	.01	.49	-	18
19	.05	.01	t	.51	t	t	.15	.33	.10	-	t	-	19
20	t	.14	t	.16	-	-	.09	.43	-	t	.01	.01	20
21	t	.06	.01	t	.40	-	-	t	.01	t	.02	-	21
22	.24	t	(.17)	t	t	-	-	t	.05	-	t	-	22
23	(.60)	t	.01	t	.15	.16	-	-	.01	-	.27	.01	23
24	t	t	.01	(.86)	.01	.04	.09	.39	t	-	t	t	24
25	t	-	-	.39	-	-	.22	t	t	t	.01	t	25
26	-	.05	-	.32	t	-	.49	-	t	.01	.31	-	26
27	.12	.30	-	.09	.22	-	.02	-	-	t	.08	-	27
28	.09	.15	-	.05	-	-	-	-	-	.01	t	t	28
29	.06	X	-	.02	.15	-	.14	-	-	.22	.01	.015	29
30	.04	X	-	-	.03	-	.03	-	t	t	t	t	30
31	.31	X	-	X	.03	X	-	t	X	-	X	-	31
TOTAL	2.28	2.68	.47	4.11	2.53	1.39	2.52	3.64	2.45	.59	5.07	.65	YEAR'S TOTAL 28.38
*Days with ".01 in. or more.	21	22	8	18	14	11	17	16	13	9	17	9	175
*Days with ".04 in. or more.	14	19	3	16	9	9	14	15	9	2	12	3	125

40-9999

*See Instruction 2 (f) on other side.

Station No 577.

(Signed) Eustace Malden

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hurley House Farm
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.12	t	.08	-	-	t	.09	.18	t	-	t	1
2	.16	.07	-	.17	.06	t	t	t	.74	t	-	t	2
3	.08	.05	.13	.10	(1.03)	-	t	.22	(.82)	-	.01	.23	3
4	t	.04	t	t	t	-	.04	t	.08	.02	.11	t	4
5	-	t	-	.27	-	(.52)	.05	.23	.11	t	t	(.24)	5
6	t	.10	-	.04	-	.01	-	.13	t	(.29)	.77	.01	6
7	.01	.04	-	t	.03	.11	-	.18	t	.01	.46	t	7
8	t	.06	t	-	.01	.14	t	.08	-	t	.08	.09	8
9	t	.21	.015	.02	t	.01	t	-	-	-	.66	.02	9
10	.01	.21	.115	t	t	.18	.04	.12	-	-	(1.46)	t	10
11	.09	(.62)	t	-	-	t	t	t	.01	t	.28	t	11
12	.23	.01	-	-	-	-	.04	.01	.29	.01	t	t	12
13	.08	t	-	-	.09	t	.01	.16	-	-	-	-	13
14	.01	.09	t	-	-	.08	(.50)	.33	-	-	t	t	14
15	.01	.02	-	.15	.06	-	.10	.27	-	-	.04	.03	15
16	.01	.17	-	.15	.26	.05	t	.21	.01	-	t	-	16
17	.06	.05	-	.395	t	t	.40	t	.04	.01	t	t	17
18	.01	.115	.02	.345	t	.09	.11	(.46)	-	.01	.49	-	18
19	.05	.01	t	.51	t	t	.15	.33	.10	-	t	-	19
20	t	.14	t	.16	-	-	.09	.43	-	t	.01	.01	20
21	t	.06	.01	t	.40	-	-	t	.01	t	.02	-	21
22	.24	t	(.17)	t	t	-	-	t	.05	-	t	-	22
23	(.60)	t	.01	t	.15	.16	-	-	.01	-	.27	.01	23
24	t	t	.01	(.86)	.01	.04	.09	.39	t	-	t	t	24
25	t	-	-	.39	-	-	.22	t	t	t	.01	t	25
26	-	.05	-	.32	t	-	.49	-	t	.01	.31	-	26
27	.12	.30	-	.09	.22	-	.02	-	-	t	.08	-	27
28	.09	.15	-	.05	-	-	-	-	-	.01	t	t	28
29	.06	X	-	.02	.15	-	.14	-	-	.22	.01	.015	29
30	.04	X	-	-	.03	-	.03	-	t	t	t	t	30
31	.31	X	-	X	.03	X	-	t	X	-	X	-	31
TOTAL	2.28	2.68	.47	4.11	2.53	1.39	2.52	3.64	2.45	.59	5.07	.65	YEAR'S TOTAL 28.38
*Days with ".04 in. or more.	21	22	8	18	14	11	17	16	13	9	17	9	17.5
*Days with ".01 in. or more.	14	19	3	16	9	9	14	15	9	2	12	3	12.5

40-9999

*See Instruction 2 (f) on other side.

Station No 577.

(Signed) Eusace Malden

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hailey House Road
in the County of Surrey

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.02	-	.14	.31	-	.02	-	6	.04	.05	.01	1
2	.02	6	-	.15	.10	-	-	-	.07	.02	.02	.40	2
3	-	-	-	.06	.21	.11	-	6	.33	.02	6	-	3
4	.03	-	-	-	6	.12	-	-	6	-	.01	6	4
5	.38	6	.01	-	.06	.01	.15	-	.12	-	-	-	5
6	.64	6	.06	.12	6	-	6	-	.10	-	6	-	6
7	6	-	.08	.03	6	-	.15	-	.02	.04	-	.01	7
8	-	6	.26	.02	.26	-	-	-	.17	.63	.01	-	8
9	.23	.10	6	.22	.66	-	-	-	6	.03	-	-	9
10	.72	.06	-	.34	.11	-	-	-	.01	.09	.05	-	10
11	.32	.18	.065	.18	6	.01	-	-	.05	.01	.01	.01	11
12	.36	.02	6	6	6	-	6	6	.06	.30	.01	6	12
13	.13	6	-	.15	.05	-	6	-	6	1.16	6	.02	13
14	.17	.01	-	.11	.18	-	-	-	6	.10	6	6	14
15	.06	6	6	.07	.07	-	.01	-	-	.08	6	6	15
16	.11	-	-	.27	.04	-	6	-	-	6	-	.01	16
17	6	-	6	.11	-	-	.01	-	-	.04	-	-	17
18	.02	6	-	.01	6	-	6	-	.05	6	.07	-	18
19	.01	6	-	.03	.02	-	-	-	.02	.40	.05	-	19
20	6	-	-	.108	.07	-	.04	6	.03	1.40	.27	-	20
21	6	6	6	6	.23	-	6	-	-	.46	6	.04	21
22	.02	6	.31	.05	.05	6	.11	.02	.80	.40	.52	6	22
23	6	.09	.07	.12	.06	-	-	-	.29	1.12	6	.14	23
24	6	.04	-	-	-	6	.88	-	.22	.03	6	6	24
25	6	.01	-	6	6	6	.68	-	.24	.38	.08	.01	25
26	-	-	6	.04	6	-	.56	.22	-	.01	.08	6	26
27	-	-	.25	.13	.12	6	.08	-	6	.51	.07	.05	27
28	-	6	.01	.03	.08	-	.15	6	-	.26	6	.01	28
29	6	-	.61	6	.02	6	6	.23	.16	.53	6	.02	29
30	-	X	.16	.04	.02	.91	6	.04	.07	.01	.36	.07	30
31	-	X	.12	X	-	X	.08	-	X	6	X	.08	31
TOTAL	3.31	.53	1.84	2.50	2.66	1.16	2.92	.51	2.81	8.07	1.66	.88	YEAR'S TOTAL
*Days with .01 in. or more.	16	9	12	23	20	5	13	4	18	25	15	14	174
*Days with .04 in. or more.	11	5	9	18	17	3	10	3	14	18	10	6	124

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Eustace Halden

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

577.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Hurley House FRANTin the County of SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 6 in.,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	<u>56</u>	.18	-	-	-	-	-	-	.02	.02	-		1
2	.34	t	.67	-	.08	-	-	-	-	.01	.01	-		2
3	.09	.10	.29	-	t	-	-	t	-	.03	t	-		3
4	.17	.03	.01	-	.17	-	-	-	-	t	t	-		4
5	.25	t	.31	-	.14	-	-	-	-	t	t	-		5
6	t	.16	.15	-	.45	-	-	-	-	.03	.12	t		6
7	.28	.05	.10	-	.16	-	-	-	-	<u>.62</u>	t	.02		7
8	.12	.01	t	-	.01	-	.34	-	-	.07	-	-		8
9	t	t	-	t	.29	-	.14	t	-	.10	.17	-		9
10	t	.32	-	-	t	.07	.15	-	-	.27	t	-		10
11	.11	t	-	t	.03	.01	.03	.07	.12	.02	.02	-		11
12	t	t	-	.10	t	.19	<u>.38</u>	-	<u>1.46</u>	-	t	-		12
13	.04	-	-	-	.07	.01	.32	.09	.30	.24	.12	-		13
14	t	-	-	-	t	-	.17	t	-	.25	<u>.40</u>	-		14
15	<u>.40</u>	t	.13	-	-	-	.29	<u>.41</u>	-	.03	.02	-		15
16	.04	t	<u>.74</u>	-	t	.20	.03	-	-	.03	t	-		16
17	t	t	.29	-	-	.02	-	.14	.16	-	.05	-		17
18	.03	t	.11	-	-	.18	-	-	-	-	t	-		18
19	t	.07	.04	.01	-	.10	-	t	.07	-	.01	t		19
20	-	.01	.08	.17	-	<u>.22</u>	-	t	.16	-	t	t		20
21	-	.05	t	-	-	t	-	.18	.21	t	t	t		21
22	-	t	-	-	-	t	t	.30	.05	.01	.01	-		22
23	t	-	-	.18	.09	.04	-	-	.52	.09	t	-		23
24	t	.40	-	.13	.03	.06	-	-	.40	t	.03	-		24
25	-	.10	-	<u>.24</u>	.01	t	t	-	.06	t	.15	.09		25
26	-	.54	-	.04	t	.02	-	-	.03	.02	.15	.06		26
27	-	t	-	t	.10	.04	t	-	.01	.20	t	.21		27
28	t	t	-	-	-	t	.33	-	-	.46	t	.19		28
29	.05	X	-	t	<u>.59</u>	-	.10	-	-	.07	-	t		29
30	.09	X	.06	t	t	-	.07	-	.19	.04	-	.08		30
31	.15	X	t	X	t	X	t	.06	X	-	X	-		31
TOTAL	2.19	2.40	3.16	.87	2.22	1.16	2.35	1.25	3.74	2.61	1.28	.65	Year's total	
*Days with .01 in. or more.	15	13	14	7	14	13	12	7	14	20	14	6		149
*Days with .04 in. or more.	13	10	13	6	10	9	10	7	12	11	7	5		113

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Eusace Malden.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Hutley House Trans.in the County of SurreyDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 6 in.,, Ground ,, Sea Level 44.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	-	.6	-	-	.02	-	.18	-	.25	.6	.24		1
2	.02	t	.13	.03	t	t	-	t	.70	.36	.01	.38		2
3	.07	.02	-	.11	t	-	-	t	.02	.50	t	.24		3
4	.29	t	.06	-	.05	-	-	-	t	.51	.08	.76		4
5	.01	t	.05	-	.07	-	-	.02	-	t	.04	.44		5
6	.01	-	.35	t	.19	.17	-	.09	-	.23	.04	.58		6
7	.05	-	t	t	-	.02	-	t	-	.11	t	.23		7
8	t	-	-	.14	.14	t	-	.02	.03	t	1.77	t		8
9	.01	-	.06	t	t	-	-	-	.02	-	1.26	.30		9
10	t	t	.30	.23	-	-	-	.18	-	.03	.31	.01		10
11	.91	t	.57	.03	-	-	.17	.23	-	t	t	.26		11
12	.16	t	.11	-	-	-	.06	.18	-	-	-	.10		12
13	.53	-	.45	.13	-	-	.01	.08	-	t	.03	.08		13
14	.30	-	.46	.05	t	t	t	-	-	.03	.45	.86		14
15	.02	t(c)	t	-	.05	-	t	-	-	.01	.17	.64		15
16	.29	-	.32	.02	.17	-	-	-	.02	.05	.01	.04		16
17	.17	-	.50	.06	.05	-	-	-	-	.05	.02	.40		17
18	.22	t	.04	.52	-	-	.29	-	-	t	.01	.29		18
19	t	t	.33	.03	-	.04	-	-	.25	.01	t	.22		19
20	-	-	.16	t	-	.03	.12	t	.01	.02	t	.01		20
21	-	t	.01	.20	-	.14	t	.06	t	.10	-	t		21
22	-	.01 c	t	t	-	-	.27	.15	.33	t	-	.16		22
23	-	t	-	.46	-	.69	t	-	.01	.06	t	.19		23
24	-	.02	t	.15	-	.08	.32	.42	.12	.01	-	t		24
25	.10	.01	-	.18	t	.07	t	-	t	.05	-	.51		25
26	.08	t	-	.16	-	.11	t	t c	.10	t	-	.03		26
27	.02	t	-	.42	-	.01	-	t c	t	-	-	.33		27
28	t	.16	-	.02	-	.17	t	.68	t	-	t	.32		28
29	-	-	-	-	-	-	t	.02	.23	-	t	t		29
30	.12	X	-	-	-	-	t	.03	.02	-	-	.66		30
31	.04	X	-	X	-	X	t	t	X	.17	X	.14		31
TOTAL	3.45	.22	3.90	2.94	.72	1.55	1.24	2.34	1.86	2.55	4.20	8.36	33.33	Year's Total
*Days with .01 in. or more.	21	5	16	18	7	12	7	14	13	18	13	27	171	
*Days with .04 in. or more.	14	1	15	13	7	8	6	10	6	12	8	24	124	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Eustace Hadden

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at

Husley Farm

in the County of

Sussex

Diameter of Funnel of Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

6

in.

,, Ground

Sea Level

450

ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.02	.03	.04	†	.09	.02	—	.30	.19	.28	†		1
2	.15	†	.01	.05	—	.01	—	—	.07	.65	.11	†		2
3	†	†	.20	.04	—	†	—	—	.62	1.12	.18	†		3
4	—	.08	†	.40	†	.22	—	—	.58	.41	†	.13		4
5	—	.61	.04	.07	—	.01	†	—	.63	.49	†	.02		5
6	.03	.02	.02	.26	—	.46	—	—	—	.03	.18	†		6
7	.03	.12	†	.28	—	.05	—	—	—	—	1.18	.10		7
8	†	†	.03	.38	†	†	—	.09	—	.32	.50	.11		8
9	†	—	†	.20	—	.13	—	—	†	1.14	.22	†		9
10	.06	.01	.12	†	—	.06	—	—	—	†	.17	.25		10
11	.11	.01	†	.21	—	.09	†	—	—	†	.37	†		11
12	†	.03	†	†	—	.47	—	.51	.07	†	.87	—		12
13	.08	.23	—	.22	.04	†	—	—	†	†	.27	.04		13
14	†	†	—	.02	.29	.10	—	—	†	.01	.01	.10		14
15	†	.21	—	.57	†	†	—	—	.45	†	.30	.09		15
16	†	.07	†	.16	†	.16	—	†	.77	.03	1.29	.03		16
17	.03	†	.08	.03	.03	.21	.06	—	.03	†	.57	—		17
18	†	†	†	.37	.01	.19	.34	†	.66	.13	†	—		18
19	—	.01	—	.04	.85	.01	.07	—	.17	—	.12	†		19
20	—	.79	—	.04	.01	.06	.53	—	.06	.01	.14	.01	†	20
21	.03	.43	—	†	—	†	—	—	.05	.09	.03	—		21
22	†	.06	.02	.01	—	—	—	.38	.03	†	†	†		22
23	—	—	.01	—	.02	—	—	.80	†	—	†	.05		23
24	.05	1.19	—	—	.33	—	—	1.18	.99	.02	†	.39		24
25	.11	.12	—	.20	.18	.08	—	—	—	†	.03	.47		25
26	†	.10	—	—	—	†	—	.14	.09	.08	.01	.41		26
27	.01	.76	—	†	.14	—	†	.03	.10	†	.20	.35		27
28	—	.06	—	—	.03	—	†	.17	.03	.05	.01	.27		28
29	†	X	—	—	†	—	—	.15	.58	.01	†	.52		29
30	.09	X	—	.09	.08	—	—	1.51	†	.13	.91	.48		30
31	†	X	—	X	.01	X	—	†	X	.33	X	.77		31
TOTAL	1.03	4.93	.56	3.68	2.00	2.40	1.02	4.96	6.28	5.24	7.95	4.59	44.64	Year's Total.
* Days with .01 in. or more.	13	20	10	21	13	17	5	10	19	19	23	19	189.	
* Days with .04 in. or more.	8	14	4	18	7	14	4	9	16	13	18	16	141	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Eustace Malden

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. **577**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.Kept at **X Humber Lodge, Hunt**in the County of **Surrey**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground.....**1**.....ft. **6**.....in.,, Ground ,, Sea Level **450**.....ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.28	.16	.01	.57	-	.31	.22	.13	-	-	.05	.10		1
2	.01	.09	.02	.01	-	.21	.13	.14	t	-	t	t		2
3	t	.01	t	(.73)	.02	t	.03	t	.07	-	.22	t		3
4	.12	-	.08	t	-	.10	t	t	.47	-	t	.06		4
5	.14	t	.02	.01	-	-	-	.10	.49	.02	.18	.07		5
6	.47	-	-	-	-	.04	t	.07	.31	.17	.95	.05		6
7	.42	-	.08	-	-	.04	.01	-	t	t	.96	.01		7
8	.41	-	.06	-	t	-	.13	-	t	t	.85	.20		8
9	.50	-	.03	t	.01	-	.32	(.86)	.07	.05	.15	t		9
10	.07	-	t	t	t	.01	.08	.25	.03	.04	t	-		10
11	-	-	-	.01	-	-	.07	.01	-	-	(1.01)	-		11
12	-	t	-	t	-	.22	.45	.08	.69	.02	.40	.12		12
13	-	t	-	t	-	.05	.01	t	-	t	t	.59		13
14	.01	.07	t	-	-	.09	(.87)	t	t	.05	.20	.48		14
15	-	.09	-	t	-	t	.03	-	t	t	.07	.50		15
16	.28	.05	-	t	(.11)	-	t	-	t	t	.14	.16		16
17	.07	(.72)	-	-	.03	.24	-	.02	.01	.02	.24	(.98)		17
18	.10	.23	-	-	-	.03	.27	t	t	.01	.30	.17		18
19	.27	.13	t	t	-	.11	t	.14	t	.05	.03	-		19
20	.22	.07	t	.45	t	-	t	-	(.70)	t	t	-		20
21	-	.01	-	.42	t	(.39)	.02	-	.04	-	t	-		21
22	.11	.42	.10	t	.06	.05	.12	-	-	-	.01	.09		22
23	.03	.10	.06	.08	-	-	.45	-	-	.06	t	t		23
24	.07	.10	t	t	-	.05	.23	-	.02	.29	-	.01		24
25	.18	.01	.19	.15	.01	.28	.06	-	.46	.07	.01	t		25
26	.01	.20	.21	t	-	.08	-	t	.06	.26	-	-		26
27	.44	.01	.05	-	-	-	.08	t	.36	.21	t	-		27
28	(.67)	t	.16	-	-	.25	.34	t	.01	-	t	.10		28
29	.03	.10	.12	-	-	.07	.03	t	-	.05	.07	.02		29
30	.16	~~X~~	.01	-	.09	.24	t	-	t	.11	t	t		30
31	.20	~~X~~	.17	~~X~~	.02	~~X~~	.13	-	~~X~~	(1.07)	~~X~~	.30		31
TOTAL	5.27	2.57	1.37	2.43	.35	2.86	4.08	1.80	3.79	2.55	5.84	4.01	36.92 ✓	
* Days with .01 in. or more.	25	18	16	9	8	20	22	10	15	17	18	18	196 ✓	
* Days with .04 in. or more.	20	14	11	6	3	18	16	8	11	13	15	15	150 ✓	

Year's Total

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Huxley House, Frant

in the County of Sussex

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 45.0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1.03	.01	.01	.06	t	-	.01	-	t	t	.53	.37		1
2	t	.93	.02	.28	-	-	-	.03	.01	-	t	.90		2
3	.02	.22	.01	t	t	-	-	-	-	t	-	.42		3
4	.12	1.06	-	.02	-	-	t	t	-	-	-	.27		4
5	.31	.07	.39	t	-	-	.22	t	-	.58	-	t		5
6	.05	t	.79	.01	.23	-	.03	-	-	.03	.01	t		6
7	-	.94	.10	.10	.03	-	t	-	.03	.01	t	.02		7
8	.01	.01	.28	t	.05	.08	t	-	-	-	.13	.56		8
9	-	-	t	.37	.13	.02	.09	-	.34	-	-	.02		9
10	-	-	.50	.18	.30	.60	.04	t	-	-	-	.68		10
11	t	-	.40	.08	.09	-	.02	t	t	t	t	.15		11
12	.55	.26	1.27	.05	.24	.36	t	.42	.21	t	t	.15		12
13	.26	.05	.66	-	t	.39	-	.47	.04	-	-	.80		13
14	.03	.03	t	.04	.16	.04	-	.43	.20	-	-	t		14
15	.19	.18	-	.30	t	-	.39	-	.21	t	t	t		15
16	.02	.09	.35	.22	-	.13	-	.44	.12	-	-	.01		16
17	.37	.02	.05	.07	-	.01	-	-	.33	t	.18	-		17
18	.68	.07	.01	.05	.66	.86	-	-	.12	.01	.11	.02		18
19	.13	.13	.07	.28	t	.08	t	-	.14	t	t	.13		19
20	.56	.01	.17	.29	.57	.05	-	t	.01	.01	-	t		20
21	.56	.50	.09	.08	.01	-	.01	t	-	.01	t	.04		21
22	.53	.15	.01	t	.12	t	.08	-	t	1.00	.20	.14		22
23	.12	.54	t	-	-	-	.10	-	-	.46	.02	.01		23
24	.71	.42	.02	-	.01	-	.03	-	.02	.34	-	t		24
25	.11	.54	.33	-	-	-	-	-	.14	.33	t	-		25
26	t	.42	.05	-	-	-	-	-	t	.20	.01	-		26
27	-	.11	-	.26	-	-	-	-	.04	.20	t	-		27
28	.12	.07	t	t	-	t	-	-	-	.03	t	.06		28
29	.11	X	t	-	-	-	-	-	t	.31	.04	.03		29
30	.31	X	t	-	-	.02	-	.11	t	.13	.14	.01		30
31	.20	X	-	X	-	X	t	-	X	.37	X	.03		31
TOTAL	7.10	5.88	5.58	2.74	2.60	2.64	1.02	1.90	1.96	4.02	1.37	4.82	41.63	✓✓
* Days with .01 in. or more.	24	23	21	18	13	11	11	6	15	16	10	21	188	✓✓
* Days with .04 in. or more.	20	17	15	16	11	8	6	5	11	10	7	13	133	✓✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Justice M. A. L. [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at
in the County of
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground...1...ft.....in.
,, Ground ,, Sea Level ...440.....ft.Henley Gardens, Frant.
Sussex.

Snow

notified
22/2/39
w.g.f.b.
corr. for Dec. 19-26 snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.03	.02	-	.20	.14	.26	-	.28	.03	.04	.11		1
2	.06	Tr.	-	.03	.10	-	.11	-	-	.40	-	.01		2
3	Tr.	-	-	-	.15	-	.04	-	Tr.	.94	.10	-		3
4	.02	-	-	-	-	.02	.32	.11	-	.13	Tr.	.17		4
5	Tr.	-	-	Tr.	-	-	.15	Tr.	Tr.	.40	-	.03		5
6	.06	-	-	-	-	-	.04	.03	.09	.02	Tr.	.01		6
7	Tr.	Tr.	-	-	-	-	.08	.68	Tr.	.32	Tr.	.08		7
8	.27	-	-	-	-	Tr.	.23	.01	.01	.40	.02	.04		8
9	.13	Tr.	-	-	-	-	Tr.	.04	-	.16	-	.65		9
10	.11	.04	-	-	-	.33	Tr.	.04	-	-	-	.34		10
11	.25	Tr.	-	-	-	-	Tr.	.02	-	Tr.	.15	.27		11
12	.51	Tr.	-	-	Tr.	Tr.	Tr.	1.27	-	.05	.07	Tr.		12
13	.36	.06	-	-	Tr.	-	-	-	-	.20	.12	.07		13
14	.24	.09	-	-	.53	-	-	Tr.	.02	-	-	.07		14
15	.05	.28	-	-	.04	-	.14	Tr.	-	.37	.02	.12		15
16	.62	.01	.01	-	.04	-	.01	.07	-	.19	.02	.31		16
17	-	.13	.01	-	.28	-	.03	-	.02	.60	.04	-		17
18	.08	-	Tr.	-	.29	Tr.	-	-	.19	.07	.43	-		18
19	Tr.	Tr.	-	-	-	-	-	.13	.11	-	.21	.55		19
20	Tr.	Tr.	-	-	.11	-	-	-	.13	-	.52	.03		20
21	Tr.	-	-	.02	-	-	-	.10	.10	-	.07	.18		21
22	Tr.	-	Tr.	.01	-	.03	-	.04	-	-	.37	.74		22
23	Tr.	-	-	.04	-	Tr.	-	-	-	-	.02	Tr.		23
24	Tr.	-	.12	-	Tr.	-	-	-	.06	-	.37	.16		24
25	.12	-	.37	.19	.07	-	.03	Tr.	.12	.01	.59	-		25
26	.59	.18	.05	-	-	Tr.	Tr.	.03	.24	.32	-	.35		26
27	.09	.05	Tr.	-	.22	.23	.45	-	1.57	.02	.37	.02		27
28	.06	.03	-	-	.38	.12	-	.27	.21	-	-	Tr.		28
29	.21	-	-	.02	.28	-	-	Tr.	Tr.	Tr.	.07	.20		29
30	.07	X	-	.46	.18	.03	-	-	.13	.04	.40	Tr.		30
31	.33	X	-	X	.14	X	-	-	X	.30	X	.37		31
TOTAL	4.24	.90	.58	.77	3.01	.90	1.89	2.84	3.28	4.97	4.00	1.06	Year's Total	
* Days with .01 in. or more.	21	10	6	7	15	7	13	14	15	20	20	23	171	
* Days with .04 in. or more.	19	7	3	3	15	4	10	10	12	16	16	18	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

577

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at HENLEY GARDENS, FRANT.

in the County of ...SUSSEX (NO. 577)

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level 440.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	.08	.12	.37	-	.22	Tr.	.20	-	Tr.	.05		1
2	.01	-	Tr.	Tr.	.02	-	.02	.48	.11	.11	Tr.	Tr.		2
3	.35	Tr.	-	.38	-	-	-	.14	-	Tr.	.19	.41		3
4	.29	Tr.	.40	.24	-	-	.07	.82	-	.75	.10	Tr.		4
5	-	Tr.	.02	.21	.03	-	.59	.16	-	.39	.57	.04		5
6	.28	Tr.	.02	Tr.	-	-	.14	.04	-	.02	.44	-		6
7	.08	.04	-	-	-	-	.06	.17	-	.11	.18	.17		7
8	.01	.09	.10	-	-	-	Tr.	Tr.	-	.56	.12	.74		8
9	.08	.03	-	-	-	-	-	.17	-	.50	.85	.28		9
10	.15	Tr.	-	-	Tr.	.49	-	.23	.08	.27	.13	-		10
11	Tr.	Tr.	.27	-	.07	.10	-	-	Tr.	1.72	Tr.	.01		11
12	-	-	-	-	Tr.	-	-	-	Tr.	Tr.	Tr.	.03		12
13	Tr.	Tr.	.01	-	-	-	.01	-	Tr.	1.68	Tr.	.17		13
14	.62	-	.01	.01	.02	.04	.04	-	.03	.29	.52	Tr.		14
15	.76	-	Tr.	Tr.	.97	.05	.01	-	.17	.66	.27	Tr.		15
16	.30	-	.14	.07	.29	.13	.17	-	-	-	.52	-		16
17	.23	.07	.03	.04	.06	Tr.	.11	-	Tr.	-	.05	-		17
18	.31	Tr.	.04	-	-	.06	.24	-	Tr.	.06	.40	-		18
19	.37	-	Tr.	-	-	-	.66	-	Tr.	.69	-	.04		19
20	.26	-	Tr.	-	-	Tr.	.07	.03	.03	-	-	.02		20
21	.09	-	.10	-	-	.15	.30	-	.07	-	-	-		21
22	.23	.23	.08	.01	-	.41	.09	-	.03	Tr.	.03	-		22
23	.02	-	Tr.	.09	-	Tr.	.15	Tr.	Tr.	.06	.64	-		23
24	1.23	.05	.08	.08	-	Tr.	.34	Tr.	Tr.	.16	.01	-		24
25	.57	.19	.12	.47	-	Tr.	.67	Tr.	-	-	.84	Tr.		25
26	.05	.02	.01	Tr.	-	Tr.	Tr.	-	Tr.	.21	.39	.03		26
27	.06	.17	.07	.09	-	.01	-	-	Tr.	.29	.32	-		27
28	Tr.	.47	.05	Tr.	-	.05	-	-	-	.11	.11	.12		28
29	Tr.	-	Tr.	.35	-	Tr.	Tr.	-	-	.03	.02	-		29
30	-	~~X~~	-	.74	-	Tr.	-	.06	-	.02	.10	-		30
31	-	~~X~~	-	~~X~~	-	~~X~~	.24	-	~~X~~	.02	~~X~~	-		31
TOTAL	6.37	1.36	1.93	2.90	1.83	1.49	4.20	2.30	.72	8.69	6.80	2.11	Year's Total 40.70	
* Days with .01 in. or more.	23	10	18	14	8	10	20	10	8	22	22	13	178	
* Days with .04 in. or more.	19	8	12	12	5	9	17	9	5	18	19	9	142	

† Spare column, no entries required.

(Signed)

J. Benskin (Lt. Col.)
H. A. S. A.

T.O.

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 577.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934.

Kept at Henley Lodge, Frant.

in the County of Sussex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 440 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	Trace	-	Trace	Trace	-	-	-	-	-	.07	Trace		1
2	-	.05	-	.09	-	-	Trace	-	-	.19	.71	.01		2
3	-	.33	-	.10	-	-	.05	-	-	.18	1.17	.09		3
4	Trace	.10	-	.05	-	-	Trace	-	-	.31	.06	.11		4
5	Trace	Trace	-	-	Trace	-	Trace	-	-	Trace	.88	.23		5
6	.13	.21	-	-	.01	-	.25	-	-	.85	Trace	Trace		6
7	.24	.17	-	-	Trace	-	Trace	-	-	-	-	Trace		7
8	Trace	Trace	-	.01	-	-	.08	-	.10	.50	-	.27		8
9	-	Trace	-	Trace	-	-	-	.03	Trace	.46	.44	.20		9
10	-	-	Trace	.03	-	-	.30	.06	.01	.46	.12	Trace		10
11	-	Trace	Trace	Trace	-	-	.28	-	-	-	1.54	Trace		11
12	-	.05	.32	Trace	-	-	.54	-	.27	-	.03	-		12
13	-	.03	.78	-	-	.02	Trace	-	.01	-	1.13	-		13
14	-	Trace	.36	.05	-	-	-	-	-	.03	-	.34		14
15	-	-	.01	.01	.13	-	.62	-	.02	-	.57	.01		15
16	.06	.46	.25	.03	Trace	.10	1.12	-	.22	.81	.96	.08		16
17	-	-	.26	-	-	-	.04	-	Trace	-	.06	-		17
18	.01	.26	.32	.36	-	-	.08	.01	.06	.32	.16	.16		18
19	-	.15	.09	Trace	p	-	.02	-	.70	-	.23	.13		19
20	-	.01	.11	.03	-	-	-	.02	.05	.09	.14	Trace		20
21	.04	-	-	-	.66	-	.22	Trace	.04	.02	.44	-		21
22	.02	-	.03	Trace	.09	.15	Trace	-	.05	-	-	-		22
23	-	.28	.04	.27	Trace	-	Trace	Trace	-	Trace	.05	Trace		23
24	-	-	Trace	.32	-	-	.11	-	-	.03	Trace	.01		24
25	-	-	.63	-	Trace	Trace	.11	-	-	.03	Trace	-		25
26	.86	.26	.24	Trace	.16	.01	.01	-	-	.10	Trace	-		26
27	.40	.42	-	.26	Trace	-	.26	Trace	-	-	Trace	Trace		27
28	.26	.06	-	Trace	Trace	-	-	-	-	-	-	Trace		28
29	.36	.08	.23	-	.34	-	-	-	.01	-	-	.25		29
30	.08	X	-	.27	-	-	-	-	-	.31	-	.02		30
31	.04	X	-	X	-	X	-	-	X	.78	X	.17		31
TOTAL	2.50	2.92	3.67	1.88	1.37	.28	3.09	.12	1.54	5.47	8.76	2.08	Year's Total 33.68	
* Days with .01 in. or more.	12	16	14	14	6	4	16	4	12	17	18	15	147	
* Days with .04 in. or more.	10	14	12	9	5	2	14	1	8	13	17	11	116	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

578

578
COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

REGIS

ERIDGE CASTLE GARDENS

1931 - 1940

Kept at *Bridge 6*
in the County of *Su*

Diameter of Funnel of Gauge...
Height of top of Gauge above Gro
Ground Sea

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of this paragraph.

480112

AY.

the following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	11	"	8	"	"	"	7	"	"	"	"	1
2	16	6	"	17	11	"	"	"	81	"	"	"	2
3	12	4	12	15	110	"	"	68	76	"	4	31	3
4	"	"	"	3	"	"	6	"	7	"	17	"	4
5	"	"	"	28	"	54	6	14	8	"	"	29	5
6	"	10	"	9	"	6	"	8	"	24	49	5	6
7	"	6	"	"	5	8	"	22	"	3	43	"	7
8	"	14	"	"	"	12	"	6	"	"	9	8	8
9	"	23	"	4	"	4	"	"	"	"	62	4	9
10	"	18	"	"	"	15	"	14	"	"	153	"	10
11	12	63	4	"	"	"	"	"	2	"	52	"	11
12	18	"	"	"	"	"	"	"	24	"	"	"	12
13	6	"	"	"	14	"	8	15	"	"	"	"	13
14	"	7	"	"	"	4	52	34	"	"	"	"	14
15	"	5	"	12	8	"	16	13	"	"	4	"	15
16	8	12	"	16	26	6	4	16	"	"	"	"	16
17	4	8	"	15	"	"	38	"	8	6	"	"	17
18	"	16	3	38	"	7	10	41	"	3	53	"	18
19	7	"	"	24	"	"	18	48	5	"	"	"	19
20	"	10	"	15	"	"	9	34	"	"	"	"	20
21	"	4	"	"	36	"	"	"	"	"	4	"	21
22	31	"	18	"	"	"	"	5	9	"	1	"	22
23	74	"	"	"	12	12	"	"	5	"	31	6	23
24	"	"	"	55	"	6	7	38	2	"	"	"	24
25	"	"	"	54	"	"	31	"	"	"	3	"	25
26	"	9	"	18	"	"	36	"	"	"	38	"	26
27	14	"	"	7	22	"	3	"	"	"	6	"	27
28	8	48	"	4	"	"	"	"	"	5	"	"	28
29	5	"	"	"	10	"	11	"	"	20	"	"	29
30	"	X	"	"	6	"	8	"	"	"	"	"	30
31	41	X	"	X	"	X	"	3	X	"	X	"	31
TOTAL	256	274	37	402	260	134	263	392	227	61	529	83	2918
*Days with or in. or more.	14	18	4	18	11	11	16	17	10	6	18	6	148
*Days with or in. or more.	14	18	3	17	11	11	16	16	9	4	14	6	139

40-9999

*See Instruction 2 (f) on other side.

(Signed) *Arthur Wilson*

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at Bridge South Gds
in the County of Sussex
Diameter of Funnel of Gauge 7 in in
Height of top of Gauge above Ground 10 ft — in
Ground Sea Level 100 ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	11	"	8	"	"	"	7	"	"	"	"	1
2	16	6	"	17	11	"	"	"	81	"	"	"	2
3	12	4	12	15	110	"	"	68	76	"	4	31	3
4	"	"	"	3	"	"	6	"	7	"	17	"	4
5	"	"	"	28	"	54	6	14	8	"	"	29	5
6	"	10	"	9	"	6	"	8	"	24	49	5	6
7	"	6	"	"	5	8	"	22	"	3	43	"	7
8	"	14	"	"	"	12	"	6	"	"	9	8	8
9	"	23	"	4	"	4	"	"	"	"	62	4	9
10	"	18	"	"	"	15	"	14	"	"	153	"	10
11	12	63	4	"	"	"	"	"	2	"	52	"	11
12	18	"	"	"	"	"	"	"	24	"	"	"	12
13	6	"	"	"	14	"	8	15	"	"	"	"	13
14	"	7	"	"	"	4	52	34	"	"	"	"	14
15	"	5	"	12	8	"	16	13	"	"	4	"	15
16	8	12	"	16	26	6	4	16	"	"	"	"	16
17	4	8	"	15	"	"	38	"	8	6	"	"	17
18	"	16	3	38	"	7	10	41	"	3	53	"	18
19	7	"	"	54	"	"	18	48	5	"	"	"	19
20	"	10	"	15	"	"	9	37	"	"	"	"	20
21	"	4	"	"	36	"	"	"	"	"	4	"	21
22	31	"	18	"	"	"	"	5	9	"	1	"	22
23	74	"	"	"	12	12	"	"	5	"	31	6	23
24	"	"	"	55	"	6	7	38	2	"	"	"	24
25	"	"	"	54	"	"	31	"	"	"	3	"	25
26	"	9	"	18	"	"	36	"	"	"	38	"	26
27	14	"	"	7	22	"	3	"	"	"	6	"	27
28	8	48	"	4	"	"	"	"	"	5	"	"	28
29	5	"	"	"	10	"	11	"	"	20	"	"	29
30	"	X	"	"	6	"	8	"	"	"	"	"	30
31	41	X	"	X	"	X	"	3	X	"	X	"	31
TOTAL	256	274	37	402	260	134	263	392	227	61	529	83	YEAR'S TOTAL 2918
*Days with or in. or more.	14	18	4	18	11	11	16	17	10	6	15	6	148
*Days with or in. or more.	14	18	3	17	11	11	16	16	9	4	14	6	139

Section

A

for the entry of Daily Observations.

Station No.

578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at Bridge Castle Gardens
in the County of SumnerDiameter of Funnel of Gauge 7 in. in.
Height of top of Gauge above Ground 1 in. ft. in.
Ground Sea Level 400. ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	12	6	"	12	36	"	6	"	"	4	8	"	1
2	2	"	"	14	8	"	"	"	3	6	3	37	2
3	"	"	"	7	21	12	"	"	35	"	"	"	3
4	"	"	"	"	"	12	"	"	"	"	"	"	4
5	42	"	2	"	4	4	17	"	12	"	"	"	5
6	66	"	4	15	2	"	"	"	8	"	"	"	6
7	4	"	9	4	"	"	21	"	"	5	"	"	7
8	"	"	26	5	22	"	"	"	16	62	"	"	8
9	33	"	"	26	56	"	"	"	"	2	"	"	9
10	95	"	"	33	14	"	"	"	2	7	6	"	10
11	26	"	"	24	"	"	"	"	3	"	4	"	11
12	54	"	"	"	"	"	"	"	6	26	"	"	12
13	14	"	6	18	8	"	"	"	"	112	"	"	13
14	12	45	"	16	16	"	"	"	"	8	"	"	14
15	8	"	"	10	5	"	"	"	"	9	"	"	15
16	14	"	"	24	12	"	"	"	"	"	"	6	16
17	"	"	"	12	"	"	"	"	"	4	"	"	17
18	4	"	"	"	"	"	3	"	6	"	8	"	18
19	3	"	"	"	5	"	"	"	4	34	4	"	19
20	"	"	"	7	8	"	"	2	"	121	20	"	20
21	"	"	"	"	21	"	"	"	"	38	"	5	21
22	"	"	31	2	4	"	17	"	82	29	52	"	22
23	"	8	7	8	3	"	"	"	56	115	"	16	23
24	"	6	"	"	"	"	62	"	47	3	"	"	24
25	"	3	"	"	"	"	67	"	14	32	10	"	25
26	"	"	"	6	"	"	84	18	"	6	8	"	26
27	"	"	34	15	14	"	12	"	"	38	6	8	27
28	"	"	"	4	7	"	11	"	"	18	"	"	28
29	"	"	63	"	5	"	2	24	15	674	"	3	29
30	"	X	9	2	"	102	3	5	7	4	53	9	30
31	"	X	4	X	"	X	8	"	X	"	X	8	31
TOTAL	389	68	195	264	271	130	313	49	316	737	182	92	YEAR'S TOTAL
*Days with .01 in. or more.	15	4	11	21	20	4	13	4	16	23	12	8	152
*Days with .04 in. or more.	13	3	10	19	18	4	10	3	13	21	11	7	132

40-9999

*See Instruction 2 (f) on other side,

(Signed) Arthur Wilson

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bridge Park Gardens
in the County of GloucesterDiameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground Two ft. in.
Ground Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6	54	17	"	"	"	"	"	"	"	3	"	1
2	40	"	76	"	16	"	"	"	"	4	"	"	2
3	15	14	48	"	"	"	"	"	"	"	"	"	3
4	18	8	6	"	8	"	"	"	"	"	"	"	4
5	26	"	49	"	24	"	"	"	"	"	"	"	5
6	"	20	13	"	42	"	"	"	"	6	10	"	6
7	31	7	7	"	17	"	"	"	"	48	"	"	7
8	9	"	"	"	"	"	34	"	"	7	"	"	8
9	"	"	"	"	34	"	10	"	"	9	15	"	9
10	"	38	"	"	"	12	17	"	"	26	"	"	10
11	8	"	"	"	7	4	"	4	14	12	4	"	11
12	"	"	"	4	"	17	37	"	132	"	"	"	12
13	12	"	"	"	8	"	34	3	34	18	12	"	13
14	"	"	"	"	"	"	10	"	"	30	48	"	14
15	42	"	18	"	"	"	36	38	"	5	"	"	15
16	9	"	92	"	"	26	4	"	"	3	"	"	16
17	"	"	32	"	"	2	"	10	12	"	8	"	17
18	"	"	10	"	"	17	"	"	"	"	"	"	18
19	"	"	5	"	"	5	"	"	16	"	2	"	19
20	"	"	8	9	"	10	"	"	15	"	"	"	20
21	"	"	"	"	"	"	"	12	22	"	"	"	21
22	"	"	"	"	"	"	"	21	9	2	6	"	22
23	"	"	"	14	10	2	"	"	54	"	"	"	23
24	"	48	"	20	5	"	"	"	22	"	4	"	24
25	"	23	"	24	"	9	"	"	2	"	16	10	25
26	"	72	"	9	"	4	"	"	6	6	18	8	26
27	"	"	"	"	9	6	"	"	"	17	"	20	27
28	"	"	"	"	"	"	16	"	"	41	"	15	28
29	4	"	"	"	43	"	36	"	"	10	"	"	29
30	12	×	6	"	"	"	7	"	15	5	"	6	30
31	17	×	"	×	"	×	"	6	×	"	×	"	31
TOTAL	249	284	387	80	223	125	241	94	353	249	146	59	YEAR'S TOTAL
*Days with "or in. or more.	14	9	14	6	12	12	11	7	13	18	12	5	132
*Days with "or in. or more.	14	9	14	6	12	11	11	6	12	14	10	5	125

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Arthur Wilson

P.T.O.

Section **A** for the entry of Daily Observations.Station No. **578**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at *Bridgeville Gardens*
in the County of *Sussex*Diameter of Funnel of Gauge *Five* in.Height of top of Gauge above Ground *one* ft. in.,, Ground ,, Sea Level *400* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	4	"	7	"	"	"	"	12	"	20	"	32		1
2	5	"	21	"	"	"	"	"	82	57	"	38		2
3	7	6	"	12	2	"	"	10	"	42	"	17		3
4	27	"	9	"	10	"	"	"	"	48	14	92		4
5	"	"	11	"	18	"	"	4	"	"	6	46		5
6	3	"	34	"	"	15	"	9	"	23	4	62		6
7	6	"	"	"	14	"	"	3	"	10	"	26		7
8	"	"	"	"	"	"	"	5	"	"	162	"		8
9	"	"	6	"	"	"	"	"	4	"	145	32		9
10	"	"	32	26	"	"	"	10	"	4	37	3		10
11	1.06	"	53	8	"	"	"	12	"	"	2	26		11
12	12	"	12	"	"	"	14	20	"	"	"	16		12
13	57	"	57	11	"	"	4	2	"	"	5	7		13
14	36	"	34	7	2	"	"	"	"	6	41	78		14
15	4	"	"	"	32	"	"	"	"	"	18	49		15
16	37	"	42	3	10	"	"	"	"	7	"	4		16
17	15	"	30	5	"	"	"	"	"	5	"	50		17
18	29	"	7	84	"	"	18	"	"	"	8	32		18
19	"	"	35	"	"	6	"	"	28	3	"	27		19
20	"	"	9	"	"	"	9	"	"	"	"	5		20
21	"	"	4	28	"	21	"	"	"	144	"	"		21
22	"	"	"	"	"	"	72	12	26	"	"	14		22
23	"	"	"	54	"	1.49	6	"	"	7	"	12		23
24	"	4	3	10	"	6	32	19	18	"	"	"		24
25	8	"	"	18	"	"	"	"	"	6	"	58		25
26	10	"	"	8	"	7	"	"	8	"	"	6		26
27	"	3	"	41	"	3	"	"	"	"	"	48		27
28	"	"	"	"	"	17	"	65	"	"	"	32		28
29	"	"	"	"	"	"	"	8	18	"	"	"		29
30	14	X	"	"	"	"	"	4	3	"	"	56		30
31	2	X	"	X	"	X	"	"	X	12	X	11		31
TOTAL	1.82	1.13	4.20	3.15	88.224	15.5	200	1.87	2.58	4.42	8.79	35.63	Year's Total	Small d
* Days with .01 in. or more.	18	3	18	14	7	8	7	15	8	15	11	24	157	
* Days with .04 in. or more.	16	2	17	13	5	7	7	13	7	14	10	24	137	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Bridge Cntrl Gardens*in the County of *Surrey*Diameter of Funnel of Gauge *Five* in.Height of top of Gauge above Ground *Two* ft. in.,, Ground ,, Sea Level *400* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	26	4	6	"	4	10	3	"	42	15	28	"		1
2	13	"	"	9	"	4	"	"	"	41	11	"		2
3	3	"	21	35	"	"	"	"	8	109	16	"		3
4	"	8	"	8	"	12	"	"	41	48	"	17		4
5	"	65	5	28	"	10	"	"	68	29	"	3		5
6	"	8	3	29	"	56	"	"	"	"	15	6		6
7	10	"	"	23	"	9	"	"	"	"	145	10		7
8	"	"	"	21	"	"	"	5	"	36	64	11		8
9	"	"	"	3	"	14	"	"	"	122	24	4		9
10	4	5	13	20	"	7	"	"	"	"	17	23		10
11	12	4	"	"	"	13	2	"	"	2	37	"		11
12	"	4	"	14	"	38	"	52	7	"	98	"		12
13	10	22	"	"	"	7	"	"	"	"	24	"		13
14	"	"	"	59	28	12	"	"	2	"	4	12		14
15	"	24	"	17	"	"	"	"	41	"	36	8		15
16	"	7	"	5	"	18	"	"	67	"	137	5		16
17	8	"	8	42	8	17	5	"	4	"	49	"		17
18	"	"	"	8	"	15	30	"	61	13	"	"		18
19	"	2	"	5	71	4	11	"	10	"	12	"		19
20	"	117	"	"	4	8	46	"	8	"	15	"		20
21	4	57	"	3	"	"	"	"	3	11	4	"		21
22	"	10	3	"	"	"	"	58	"	"	"	"		22
23	"	147	6	"	"	"	"	47	"	"	"	10		23
24	7	18	"	22	28	"	"	128	104	4	"	35		24
25	15	"	"	"	21	15	"	"	"	"	3	58		25
26	2	"	"	"	"	"	"	15	8	7	4	34		26
27	"	26	"	"	7	"	"	4	12	"	17	35		27
28	"	95	"	"	"	"	"	24	4	6	2	26		28
29	"	5	"	"	"	"	"	3	65	2	"	56		29
30	11	X	"	6	15	"	"	132	6	14	82	51		30
31	"	X	"	X	"	X	"	3	X	36	X	82		31
TOTAL	125	628	65	357	186	269	970	471	561	495	844	486	Year's Total.	45.84
* Days with .01 in. or more.	13	19	8	19	9	18	6	11	19	16	23	19	180	
* Days with .04 in. or more.	11	18	6	17	9	18	4	9	17	14	21	18	162	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Arthur Wilson

P.T.O.

Section



for the entry of Daily Observations

Station No.

578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *Bridge Castle Gardens*in the County of *Sussex*Diameter of Funnel of Gauge *5 in.*Height of top of Gauge above Ground *0.5* ft.,, Ground ,, Sea Level *4.50* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	32	15	2	61	"	20	23	17	"	"	6	9		1
2	"	9	"	"	"	31	12	13	"	"	"	"		2
3	"	"	"	64	"	6	41	"	22	"	25	"		3
4	10	"	9	"	"	10	"	"	47	"	"	6		4
5	24	"	4	"	"	"	"	6	32	5	19	7		5
6	57	"	"	"	"	5	"	8	27	8	107	6		6
7	48	"	6	"	"	8	"	"	"	"	96	"		7
8	53	"	12	"	"	"	15	"	3	"	112	22		8
9	48	"	8	"	"	"	30	32	6	"	3	"		9
10	11	"	"	"	"	"	17	17	4	6	"	"		10
11	"	"	"	"	"	"	10	2	"	"	102	"		11
12	"	"	"	5	"	18	38	4	36	"	50	14		12
13	"	"	"	"	"	10	6	"	"	4	"	70		13
14	"	8	"	"	"	7	78	"	"	"	21	73		14
15	"	12	"	"	"	"	6	"	"	8	7	61		15
16	9	7	"	"	14	"	4	"	"	"	13	13		16
17	24	72	"	"	28	14	"	4	"	"	26	89		17
18	12	18	"	"	"	12	26	"	"	5	28	20		18
19	30	9	"	"	"	10	"	12	"	2	5	"		19
20	34	6	"	44	"	"	3	"	57	8	"	"		20
21	"	4	"	46	2	41	8	"	"	"	"	"		21
22	8	45	12	"	8	11	9	"	"	"	"	8		22
23	5	17	6	10	"	"	48	"	"	"	"	"		23
24	6	8	"	"	"	36	18	"	8	5	"	"		24
25	20	"	20	16	"	62	22	"	36	31	"	"		25
26	"	19	22	"	"	8	"	"	11	8	"	"		26
27	48	"	10	"	"	"	6	"	31	22	"	"		27
28	71	"	12	"	"	22	14	"	5	21	"	14		28
29	5	8	15	"	"	14	3	"	"	5	10	3		29
30	15	"	"	"	2	39	"	"	"	82	"	2		30
31	29	"	18	"	3	"	12	"	"	95	"	31		31
TOTAL	599	257	156	246	60	384	412	115	325	254	630	448	3886	
* Days with .01 in. or more.	22	15	14	7	6	20	23	10	14	16	16	17	180	
* Days with .04 in. or more.	22	15	13	7	3	20	21	9	13	15	15	15	169	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

Arthur Wilson

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Bridge Gate Gardens*in the County of *Surrey*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *4.7* ft.,, Ground ,, Sea Level *H.O.D.* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	95	"	"	5	"	"	"	"	"	"	69	35		1
2	"	96	"	31	"	"	"	"	2	"	"	89		2
3	4	19	"	"	"	"	"	"	"	"	"	52		3
4	10	125	"	12	"	"	"	"	"	"	"	26		4
5	28	8	17	"	"	"	21	"	"	22	"	"		5
6	4	4	43	4	20	"	"	"	"	6	2	"		6
7	"	46	72	11	6	"	"	"	3	5	"	"		7
8	"	2	15	"	7	8	"	"	"	"	9	61		8
9	"	"	25	32	11	4	8	"	32	"	"	4		9
10	"	"	56	18	27	58	5	"	"	"	"	86		10
11	"	"	39	5	10	"	"	"	"	"	"	21		11
12	51	25	24	7	25	31	"	36	18	"	"	24		12
13	20	4	67	21	"	42	"	95	21	"	"	52		13
14	3	2	8	"	17	5	"	49	17	"	"	"		14
15	22	14	"	29	"	"	38	"	20	"	"	"		15
16	2	9	35	22	"	9	"	40	26	"	"	17		16
17	44	"	7	8	"	"	"	"	41	"	"	"		17
18	65	8	"	3	74	76	"	"	10	"	16	6		18
19	9	12	8	26	"	10	3	"	17	"	12	7		19
20	66	"	13	30	48	7	"	"	3	"	"	4		20
21	73	45	6	9	3	"	"	2	"	"	"	5		21
22	61	3	2	"	12	"	2	"	"	83	"	12		22
23	16	"	"	"	"	"	13	"	"	52	18	"		23
24	85	13	4	"	"	"	"	"	"	26	4	"		24
25	10	60	32	"	"	"	"	"	12	48	"	"		25
26	"	57	4	"	"	"	"	"	"	20	"	"		26
27	"	12	"	22	"	"	"	"	3	21	"	"		27
28	"	8	"	4	"	"	"	"	"	3	"	7		28
29	"	"	"	"	"	"	"	"	"	25	7	"		29
30	48	~~X~~	"	"	"	3	"	9	"	7	12	4		30
31	20	~~X~~	"	~~X~~	"	~~X~~	"	"	~~X~~	53	~~X~~	"		31
TOTAL	7.36	6.12	4.77	2.82	2.60	2.45	2.87	2.31	2.24	3.71	14.9	51.2	417.6	✓
* Days with .01 in. or more.	21	21	19	19	12	11	7	6	14	13	9	18	170	✓
* Days with .04 in. or more.	19	18	18	18	11	10	5	5	10	12	8	18	152	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *Carlton Wilson* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bridge Lake Gardenin the County of SussexDiameter of Funnel of Gauge Five in.Height of top of Gauge above Ground Four ft. One in.,, Ground ,, Sea Level 4.00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	6	4	4	"	22	18	14	"	23	5	"	12		1
2	5	"	"	9	10	"	22	"	"	45	"	"		2
3	"	"	"	"	24	"	"	"	"	95	11	"		3
4	4	"	"	"	"	"	16	10	"	20	"	21		4
5	"	"	"	"	"	"	18	"	"	37	"	5		5
6	6	"	"	"	"	"	8	"	5	"	4	"		6
7	2	"	"	"	"	2	9	43	"	32	"	9		7
8	25	"	"	"	"	"	26	3	"	40	5	6		8
9	15	"	"	"	"	"	"	6	"	11	"	72		9
10	10	8	"	"	"	27	"	10	"	"	"	26		10
11	19	2	"	"	"	"	"	"	"	"	14	40		11
12	49	4	"	"	"	"	"	154	"	5	"	"		12
13	36	"	"	"	"	"	"	"	"	12	5	12		13
14	30	10	"	"	51	"	"	"	8	"	3	6		14
15	9	24	"	"	3	"	15	"	"	37	6	13		15
16	66	32	3	"	2	"	"	8	"	9	56	24		16
17	"	7	"	"	18	"	4	"	4	44	24	"		17
18	8	"	"	"	"	"	"	"	26	10	48	"		18
19	"	"	"	"	21	"	"	12	9	"	10	"		19
20	"	"	"	"	"	"	"	"	12	"	33	"		20
21	3	"	"	1	"	"	"	5	13	"	8	"		21
22	"	"	"	2	"	5	"	8	"	"	38	"		22
23	"	"	"	4	"	"	"	"	"	"	54	"		23
24	"	"	21	"	"	"	"	"	14	"	"	"		24
25	14	"	34	48	7	"	3	"	12	8	37	"		25
26	52	22	8	"	25	"	"	7	24	32	"	47		26
27	8	6	"	"	31	21	44	"	129	3	10	"		27
28	6	7	"	"	8	12	"	36	16	"	40	3		28
29	20	"	"	3	28	"	"	"	"	"	8	19		29
30	7	~~10~~	"	40	42	6	"	"	10	6	14	"		30
31	30	~~10~~	"	~~40~~	14	~~6~~	"	"	~~10~~	35	~~14~~	37		31
TOTAL	430	126	70	107	306	91	179	302	308	482	428	552	Year's Total	32.81
* Days with .01 in. or more.	23	11	5	7	15	7	11	12	14	19	20	16	160	165
* Days with .04 in. or more.	21	10	4	4	13	6	10	11	14	17	19	15	144	149

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Mr. G. Wilson [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bridge Castle Gardensin the County of Yunbridge Wells, SussexDiameter of Funnel of Gauge.....4 in.Height of top of Gauge above Ground.....1 ft.....3 in.,, Ground unknown Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04		.09	.12	.40		.12		.26			.06		1
2	.05			.05	.06			.54	.09		.02			2
3	.46			.39				.34			.18	.53		3
4	.09		.45	.32			.08	.44		.66	.14			4
5					.06		.39	.35		.18	.54	.03		5
6	.24			.26			.22	.10			.25			6
7	.07	.06					.10	.07		.09	.21	.13		7
8		.10	.15				.06			.40	.23	.82		8
9	.10	.04						.16		.53	.94	.34		9
10	.15					.40		.24	.08	.15				10
11		.03	.28			.06				1.80				11
12										.02	.02	.05		12
13			.04							1.50	.02	.16		13
14	.42		.06	.06		.05	.06			.34	.56	.02		14
15	.45			.09	1.09	.10	.03		.18	.40	.15			15
16	.34		.14	.03	.31	.16	.14		.03		.59			16
17	.35	.04	.04		.06		.03				.04			17
18	.31		.03			.08	.30		.01	.14	.38			18
19	.41								.03	.63		.05		19
20	.26						.25	.04	.14			.05		20
21	.09		.10			.05	.56		.04					21
22	.24	.23	.08	.03		.44	.10				.03			22
23	.02			.06			.14		.01	.08	.62			23
24	.12	.08	.05	.09			.18			.20				24
25	.80	.20	.09	.24			.52	.03			.49			25
26	.59		.03				.04		.03	.11	.30	.06		26
27	.06	.19	.04	.10		.04				.21	.38			27
28	.04	.54	.05			.09				.12	.10	.15		28
29				.34						.03	.02			29
30		X		.68		.03		.05		.01	.12			30
31		X		X		X	.10	.15	X	.03	X	.01		31
TOTAL	6.42	1.56	1.45	2.89	1.98	1.53	3.38	2.51	.90	4.95	6.69	2.49	40.05	
* Days with .01 in. or more.	23	10	16	15	6	11	19	12	11	21	23	14	18.1	
* Days with .04 in. or more.	22	9	14	13	6	10	18	11	8	17	18	11	15.5	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. A. Funnell [P.T.O.]

Section



for the entry of Daily Observations

Station No. 578

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

FRANK

REGISTER OF RAINFALL IN 1934

Kept at BRIDGE CASTLE GARDENS

File No A200278/40

in the County of SUMMER

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground 1 ft 3 in.

Ground Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.07			1
2				.05						.14	.53			2
3		.18		.10			.05			.20	1.37			3
4		.09		.06						.41	.14	.17		4
5		.02									.85	.24		5
6		.15					.27			.76				6
7	.13	.15					.09							7
8	.22								.02	.51	.4	.26		8
9										.13	.46	.20		9
10							.27	.05	.01	.43	.10			10
11			.02				.51				1.60	.02		11
12			.01				.24		.13		.05			12
13			.02						.17	.05	1.09			13
14			.06									.35		14
15			.02		.13		.83					.02		15
16	.09	.23	.22				.10		.23	.72	.85			16
17			.28			.12				.33	.08			17
18		.57	.35	.47			.15		.11		.20	.23		18
19		.12	.06				.16		.63		.22	.14		19
20		.03	.21	.08			.01		.01	.02	.25			20
21	✓	.01			.47				.06	.12	.58			21
22	✓		.05		.31	.10	.25		.18					22
23		.28	.07	.25						.02	.04			23
24				.47			.15			.02				24
25	.12		.53				.13			.05				25
26	.75	.33	.30		.20					.10				26
27	✓	.50		.30			.18							27
28	.55	.13			.06									28
29	.25	.13	.21		.45							.26		29
30	.09	✗		.43						.30		.02		30
31	.05	✗		✗		✗			✗	.76	✗	.13		31
TOTAL	2.25	2.86	3.94	2.30	1.62	.24	3.39	.05	1.53	5.07	8.48	2.04	33.79	Year's Total
* Days with .01 in. or more.	9	15	14	12	6	3	15	1	10	18	14	12	132	
* Days with .04 in. or more.	9	12	13	10	6	2	14	1	7	15	14	9	115	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

MR. G. A. Funnell

(Signed)

G. A. Funnell

P.T.O.

* * The following register of month
&c., is NOT required if daily
values are given on the other si

FRANT HIGHFIELD

n and also the space for

register should be sent:—

RAINFALL IN 1931

1931-1940

At "Highfield" Bells You G

In the County of SussexRain Gauge Diameter of Funnel 5Height of Top above Ground 1 ft.Height of Ground above Sea Level 413 ft.

nearest to gauge

Heights of objects

Distances

Directions from
gauge

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of
gauges which do not represent it. If the pattern is different from any of these please
make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please
give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers
to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Total 24.45Signature Humphreys

M.O.

12 JAN 1932

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording
the measurements are given in "Rules for Rainfall Observers," to
be obtained gratis from The Director, Meteorological Office, Air
Ministry, London, W.C.2, or from The Superintendent, Meteorolo-
gical Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following
rules should be observed. Those rules which apply *also* to the
summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m.,
Greenwich Mean Time. The measurement is to be credited to
the previous day and should be entered in the register at the
time of observation. Thus the entry for January 1st is the
rainfall for the 24 hours following 9 a.m. on January 1st;
it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during
Summer Time Period.

- The rain-gauge should be visited every morning without
exception. When there has been no precipitation the entry
in the register should be a dash— (not '00). The entry
"trace" or "tr" is to be made in the two following cases,
(A) and (B).

- When there is less than .005 in. of water in the gauge
and the observer knows that this is not the result of a
drop or two draining from the sides of the can after
emptying the rainwater out of it at a previous time of
observation, i.e., the observer must be reasonably
certain that there has actually been precipitation since
the preceding measurement. If the observer knows
that the precipitation has been in the form of dew or
wet fog this may be noted.

- The observer knows definitely from his own observation
that some rain (or other form of precipitation such as
snow, hail, sleet or drizzle) has fallen since the pre-
ceding observation, and yet finds no water in the
gauge. This happens sometimes especially in dry,
warm weather, without the gauge being even damp,
the small amount of rain having evaporated before it
got into the receiving can.

- On some measures there is graduation marked .005; this
graduation is to show the limit between the amounts which
count as .01 and those which are mere "traces." An entry
.005 is not to be made in the register.

- If the morning observation has to be omitted for one day or
more, the days covered by the next reading should be indi-
cated by a bracket. Thus 17 | } .14 would show that the
18 |

reading on the morning of the 18th day of the month was
missed and that the reading on the morning of the 19th
was .14 in

- The total rainfall for the month is found by addition. The
addition should always be done a second time as a check.
The check is of special importance when the total has
already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the
days with any rain except those for which the entry is "trace"
The "number of days with .04 in. or more" includes all the
days with any rain except those for which the entries are
"trace", .01, .02, or 0.3.

- If observations are not available for every day during the
month the spaces for the number of days with rain should
be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent
Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

BMonthly
Summary.**C**

Particulars of Station.

579

** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1931.

At "Highfield" Bells You Green Farm
In the County of Sussex

Rain Gauge Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. in.
Height of Ground above Sea Level 413 ft.

Hour of observation by the clock—in Winter..... in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Heights of objects.....

Distances.....

Directions from gauge.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more.	Number of Days with .04 in. or more.
	Inches.	Inches.	Date.	
JAN.	1.91	1.53	23	4
FEB.	2.35	1.10	20	3
MAR.	1.02	1.02	22	1
APRIL	4.17	1.02	23	9
MAY	2.40	1.31	3	3
JUNE	1.34	.68	5	6
JULY	2.00	.95	26	3
AUG.	3.94	.83	14	9
SEPT.	2.86	.85	2	8
OCT.	.31	.31	6	1
NOV.	4.67	1.35	8	9
DEC.	.54	.22	3	4
Total	27.45			2

Signature.....

M.O.

12 JAN 1932

*See Instruction 2 (f) below.

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are "trace," .01, .02, or 0.3.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932.

At Highfield, Grant
In the County of Sussex
Diameter of Funnel 5 in.
Height of Top above Ground 1 ft. 0 in.
Height of Ground above Sea Level 413 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with	
			or in. or more	or in. or more
	Inches	Inches	Date.	
JAN.	3.00	.98	9-10	10
FEB.	.36	.18	13-14	4
MAR.	1.61	.52	29	8
APRIL	2.36	.52	9-10	3 14
MAY	2.86	.66	9	2 14
JUNE	1.48	.93	30	4
JULY	2.90	.76	25	10
AUG.	.54	.43	29	2 3
SEPT.	2.55	.84	22	3 8
OCT.	7.43	1.44	22-23	1 16
NOV.	1.28	.41	22	2 5
DEC.	.76	.23	2	6
Total	24.16			13 102

Signature

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter..... in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as 0.1 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 | } .14 would show that the

reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

Section

A

for the entry of Daily Observations.

Station No.

579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Highfield", Frant, Sussex

in the County of

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 413 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.41	.16								.03			1
2	.26		.60		.05					.04				2
3		.11								.04				3
4														4
5	.42		.50		.29									5
6		.14	.12							.05	.13			6
7		.05	.02		.60									7
8	.43				.02					.45				8
9					.15		.34			.14	.12			9
10		.31					.15			.24				10
11	.12				.04	.03	.03	.03	.05	.04				11
12				.09		.22	.35		.52					12
13							.28	.08	.16		.14			13
14							.21			.14	.38			14
15	.34		.12		.09			.35						15
16	.05		.40			.13	.31			.24				16
17			.30					.04	.13		.09			17
18	.03					.14								18
19			.10			.15			.04					19
20		.09	.05	.13		.21			.12		.03			20
21								.15	.22					21
22								.24	.09	.02				22
23				.11	.63	.05					.02			23
24		.36		.14	.03	.14			1.01		.03			24
25				.24	.03				.06					25
26				.05	.02	.03			.03	.04	.30	.15		26
27		.44								.25		.20		27
28					.04		.16					.20		28
29	.05				.44		.35			.50				29
30	.09	X							.30	.05				30
31	.14	X	.04	X		X			X		X			31
TOTAL	2.00	2.21	2.41	.82	2.49	1.13	2.21	.92	2.46	2.65	1.24	.55	21.42	
*Days with or in. or more.	11	8	11	6	13	9	9	6	12	13	10	3	111	
*Days with or in. or more.	10	8	10	6	9	4	8	5	11	12	6	3	95	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

H. H. H. H.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 549

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "Highfield", Frant

in the County of Sussex

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 413 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10							.15		.42				1
2	.05		.30						.65	.41		.53		2
3	.04			.14						.48		.20		3
4	.22	.08	.06							.44	.10	.86		4
5			.04								.06	.39		5
6			.34		.29	.18					.04	.60		6
7	.06					.02		.15		.31		.24		7
8				.14	.14			.03			.60			8
9			.05								.25	.35		9
10				.26				.12		.02		.02		10
11	.86		.82	.03			.05				.28	.26		11
12	.16		.09				.23	.33				.12		12
13			.50	.09			.01	.11			.04	.09		13
14	.85		.50	.04							.47	.84		14
15	.03										.18			15
16	.20		.33		.24			.02		.06		.45		16
17	.11				.11							.38		17
18	.19		.45	.60			.26				.04	.24		18
19			.35			.01		.24				.23		19
20			.11	.02			.07					.01		20
21			.03	.14		.12				.14				21
22							.09	.22	.22					22
23				.45		.56	.05	.06		.05		.30		23
24		.03		.09		.11	.28	.30	.11					24
25	.10			.19		.05				.06				25
26	.11			.09		.11			.04			.61		26
27				.38		.02						.35		27
28				.30		.16		.65				.35		28
29														29
30	.14	×										.44		30
31		×		×		×		.06	×	.13	×	.20		31
TOTAL	3.22	.11	3.94	3.08	.81	1.34	1.04	2.44	1.05	2.55	4.09	8.39	32.12	
*Days with or in. or more.	15	2	14	15	4	10	8	13	4	11	10	23	129	
*Days with or in. or more.	14	1	13	13	4	4	4	11	4	10	10	21	115	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. T. O.

Section **A** for the entry of Daily Observations.

Station No. 549

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.Kept at "Highfield" *Frank*in the County of *Sussex*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft *-* in.,, Ground ,, Sea Level *413* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.24		.03	.05					.41	.12	.24			1
2	.18			.04					.08	.44				2
3		.03	.18	.06		.09			.14	1.22	.24			3
4				.34		.20			1.03	.65		.13		4
5		.66	.04			.08			.68			.04		5
6		.04				.39				.45				6
7		.04		.63		.13					1.42			7
8				.34				.08		.32		.22		8
9				.16						.91				9
10	.19	.06	.09								.39	.21		10
11	.10			.21		.21					.34			11
12		.04				.10		.42			.86			12
13	.10	.21				.43					.28			13
14					.29	.13			.44					14
15		.14		.84					.64		.30	.20		15
16				.14		.13				.03				16
17	.06	.04	.09	.02	.05	.22	.13		.44		1.93			17
18						.20	.24		.11	.10				18
19				.34	.83	.03	.10		.06		.15			19
20		.46				.04			.15		.18			20
21		.43					.32		↓		.04			21
22		.09		.05				.31						22
23					.05			1.00						23
24	.10	1.19			.34			1.24	.96	.02				24
25	.13	.16		.19	.22	.04								25
26		.49						.13	.08			1.30		26
27								.03			.16	.32		27
28		.06			.18			.15		.13				28
29	.11	X						.25	.62			.40		29
30		X		.04	.10			1.23	.04	.10	.81	.36		30
31		X		X		X			X	.26	X	.45	"2"	31
TOTAL	1.21	4.46	.43	3.54	2.06	2.48	.82	4.84	5.91	4.45	4.34	4.23	4.40	
* Days with .01 in. or more.	9	15	5	15	8	15	4	10	15	13	14	10	133	..
* Days with .04 in. or more.	9	11	4	14	8	14	4	9	15	11	14	10	126	..

Section

A

for the entry of Daily Observations

Station No. 579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936Kept at "Highfield" Frank
in the County of Sussex

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

" Ground " Sea Level 413 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.32			.47		.37	.18					.12		1
2	.02	.18	.05			.27	.12	.19			1.29			2
3				.58		.06	.03		.02		.28			3
4						.11			.32			.05		4
5	.27		.13	.02				.05		.05	.14			5
6	.42					.06		.08	.27		.84	.16		6
7	.56									.15				7
8	.37		.14				.10		.10		1.66			8
9	.44		.04				.29	.70	.03	.11	.13			9
10	.07						.12	.25		.04				10
11								.03			.93			11
12						.15	.45	.05			.29			12
13							.03		.77			.79		13
14						.22	.84			.05		.42		14
15							.09				.24	.42		15
16		.18									.14	.19		16
17	.29	.77			.42	.19					.28	.72		17
18		.23				.13					.26	.13		18
19	.35	.11				.11		.10		.07	.03			19
20	.28	.08		.29			.10		.62					20
21				.40		.26								21
22					.04	.07	.11					.09		22
23			.11	.09			.34							23
24	.21	.12	.04			.06	.06		.06					24
25			.21			.16	.37		.32	.35				25
26	.16	.17	.24	.17		.11	.12			.21				26
27	.34		.05						.33	.23				27
28	.75					.21	.40					.05		28
29	.04	.09	.27			.12	.05			.04	.09			29
30		X				.34				.13				30
31	.35	X	.19	X		X	.13		X		X	.22		31
TOTAL	5.24	1.93	1.47	2.12	.46	3.10	4.03	1.45	2.84	1.43	6.80	3.36	34.23	✓
* Days with .01 in. or more.	14	9	11	7	2	18	19	8	10	11	14	12	138	
* Days with .04 in. or more.	16	9	11	6	2	18	18	7	8	11	13	12	131	

Year's Total

† Spare column, no entries required

(Signed) [Signature] [P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 549

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at "Highfield", Frant

in the County of Sussex

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level 413 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.92			.06							.51	.43		1
2		.43		.28								.90		2
3	.02	.19								.02		.48		3
4	.11	.92						.01				.21		4
5	.22	.06	.21				.24			.58				5
6	.04		Snow	.10	.23		.04			.05				6
7		.82	1.06	.04						.03	.02			7
8		.02				.08					.09	.65		8
9				.38	.18		.09		.35					9
10			.82	.22	.26	.54						.63		10
11			.40				.06	.03						11
12	.34	.25	.24	.05	.31			.32	.21			.25		12
13	.25		.64	.05		.43		.40	.05					13
14	.04	.04			.16	.06		.61	.16			.45		14
15	.20	.12		.20			.34		.15					15
16		.08	.35	.22		.10		.35	.08					16
17	.42		.05			.04			.26					17
18	.61	.05		.09	.60	.82					.31			18
19	.16	.12	.10	.20			.06		.29					19
20	.57			.25	.55	.16			.02					20
21	1.53	.41	.29	.09			.03					.11		21
22	.50		.01							1.00	.19	.09		22
23							.14			.43				23
24	.93	.16	.06							.34				24
25	.11	.49	.32							.26				25
26		.42	.04						.08	.21				26
27				.28						.22				27
28		.11								.03		.05		28
29		X								.28		.04		29
30		X					.04			.16	.16			30
31	.83	X		X		X			X	.23	X		.2	31
TOTAL	6.83	5.02	4.62	2.32	2.42	2.56	1.13	1.42	1.65	3.84	1.28	4.63	38.02	Year's Total
* Days with .01 in. or more.	18	14	14	14	9	8	9	6	10	14	6	13	138	
* Days with .04 in. or more.	14	16	13	14	8	8	8	4	9	11	5	13	126	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at "Highfield" Farm

in the County of Sussex

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

Ground Sea Level.....413.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.04			.11	.14	.17		.23	✓	.09			1
2	.08				.12		✓			.37				2
3					.26		.11			.75	.07			3
4	.03						.25	.10		.04		.27		4
5							.18			.54				5
6	.05						.04			.04				6
7								.51		.26				7
8	✓									✓		.15		8
9	.40							.05		.41		.67		9
10	.12	.07				.31		.06				✓		10
11	.17							.02			.16	.68		11
12	.46							.80		.04	✓			12
13										.11	.19	.07		13
14	.67	✓			✓									14
15		✓			.53		.40					.15		15
16	.56	Snow	.01					.03		.47	.07	.29		16
17		.47	✓		.28					.57	.04			17
18	.08				.03				.17	.08	.46			18
19								.07			✓	✓		19
20					.11				.15		.73	✓		20
21				.04				.06	.11			✓		21
22				.02		.03		.05			.41	✓		22
23				.04							.04			23
24			.11								.37	1.00		24
25	.12		.38	.06	.06		.07			.03	.45			25
26	.57	✓	.08					.05		.35	.34	Snow		26
27	.07	.28	✓		.16	.15	.40		2.05	.03		.81		27
28	.06	.04		—	✓	.11		.25	.22					28
29	✓	✓		✓.03	.68						.07	.22		29
30	.25	✓		.50	.38	.04			.10	.04	.37			30
31	.35	✓		✓	.11	✓			✓	.21	✓	.31		31
TOTAL	4.04	.90	.58	.69	2.83	.48	1.62	2.05	3.03	4.34	3.86	6.81	Year's Total	29.03
* Days with .01 in. or more.	18	6	4	6	14	6	8	12	7	19	17	16		
* Days with .04 in. or more.	17	5	3	4	13	5	8	10	7	16	17	16		

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Highfield", Frant.
in the County of Sussex

File No 663323/26

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1....ft.....in.

,, Ground ,, Sea Level 413.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.07		.40				.31					1
2				.11	.03		.02	.48		.22		.38		2
3	.33			.37				.26			.21			3
4	.25			.21			.7	.58						4
5			.40	.27	.04		.52			.78	.61			5
6	.30		.03				.15				.38			6
7	.04	.05					.06	.58				.30		7
8			.13								.21	.62		8
9	.07							.10		.50	.84			9
10	.14					.37		.19	.09	.55	.09	.20		10
11						.08				.20				11
12			.25							1.67		.04		12
13					.05					1.64	.84	.20		13
14				.10	.04		.08				.46			14
15	1.32				1.13	.10				1.8	.14			15
16	.31		.15	.09	.35	.16	.14		.22		.50			16
17	.24				.03		.09				.07			17
18	.30					.06	.25			.06				18
19	.28						.58			.61	.32			19
20	.24						.15	.09				.09		20
21			.11			.04	.31		.10					21
22	.29	.34	.07			.27					.03			22
23	.05			.07			.24			.09	.47			23
24	.09		.05	.09			.06				.08			24
25	.55	.23					.72							25
26	.59		.11	.57			.03			.51	.78			26
27	.15	.18	.12	.09		.07				.33	.36			27
28		.52	.06								.09			28
29		X				.01				.14				29
30		X		1.09				.04			.30			30
31		X		X		X	.13		X		X			31
TOTAL	5.54	1.32	1.55	3.06	2.07	1.16	3.60	2.32	.72	8.38	6.78	1.83	38.33	
* Days with .01 in. or more.	18	5	12	11	8	9	17	8	4	14	19	7	132	"d."
* Days with .04 in. or more.	18	5	11	11	6	8	15	8	4	14	18	7	125	

† Spare column, no entries required

(Signed)

H. S. Eales [P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 579

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Highfield, Frant

in the County of Sussex

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 4.13 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.08		.35						.08			1
2			.09								1.75			2
3				.07						.43		.09		3
4				.12							.12			4
5				.05							.92	.24		5
6		.13								.85				6
7		.20												7
8	.33	.19					.39			.50		.27		8
9				.01					.14	.14	.53			9
10										.59		.20		10
11							.30		.03		1.37			11
12							.47	.02			.01			12
13			.28				.46		.14		1.18			13
14			.60							.03	.61	.39		14
15				.06	.19		.04			.03	1.09			15
16			.26				.67		.32	.76				16
17						.12	.12				.12	.20		17
18			.21				.04		.08	.35				18
19		.50	.30	.42			.12		.62					19
20		.15	.21						.04		.38			20
21		.08						.03		.40	.43			21
22				.01	.52		.26							22
23			.04											23
24		.17		.24		.18	.20			.05				24
25				.36						.03				25
26			.59				.23							26
27		.20	.28		.21				.13	.04				27
28		.30												28
29		.02	.19	.28	.16		.22							29
30										.25				30
31	2.0									.65		.01		31
TOTAL	2.33	2.54	3.13	1.62	1.43	.30	3.52	.05	1.37	5.19	8.63	1.74	Year's Total	31.85
* Days with .01 in. or more.	29	30	12	10	5	2	13	2	7	15	17	11		"d"
* Days with .04 in. or more.	28	13	12	8	5	2	13	-	6	12	16	14		101

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

J. A. Henry S. Eeles

P.T.O.

580
GROOMBRIDGE
CROSSWAYS
1931 - 1940

580
FOR OFFICIAL USE.
LL ORGANIZATION.
1.

Kept at Crossways, Groom
in the County of Sussex
Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of this paragraph.

180112 Y.
following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.08	.01	.09	—	.01	—	.06	.06	—	—	.02	1
2	.22	.07	—	.24	.11	—	—	—	.80	—	—	—	2
3	.06	.01	.12	.18	1.15	—	—	.56	.55	—	.02	.30	3
4	—	.01	—	.01	—	—	.02	.01	—	.01	.07	—	4
5	—	—	—	.26	—	.58	.04	.15	.33	—	.01	.32	5
6	—	.10	—	.05	—	.06	—	—	—	.23	.50	.03	6
7	.01	.01	—	—	.03	.07	—	.23	.05	.03	.41	—	7
8	—	.13	—	—	.02	.13	.01	.04	—	—	.06	.06	8
9	—	.30	—	.02	—	.01	—	—	—	—	.69	.02	9
10	—	.05	.03	—	—	.15	.01	.15	—	—	1.41	—	10
11	.11	.62	—	—	—	—	—	—	—	.01	.70	.01	11
12	.19	.01	—	—	—	—	.06	—	.24	—	—	—	12
13	.08	—	—	—	.13	—	.01	.17	—	—	.01	—	13
14	—	—	—	—	—	—	.55	.34	—	—	—	—	14
15	.02	—	—	.11	.09	—	.13	.22	—	—	—	.02	15
16	.05	.17	—	.16	.27	—	.01	.20	—	—	.02	—	16
17	—	.09	—	^{snow} .27	—	.10	.36	—	.05	.03	—	—	17
18	—	.18	.05	.31	—	.13	.10	.48	—	.01	.50	—	18
19	—	—	—	.50	—	.05	.22	.49	.05	—	—	—	19
20	—	.04	—	.05	—	—	.13	.38	—	—	.64	.01	20
21	—	.16	—	—	.40	—	—	—	—	—	—	—	21
22	.40	.01	.14	—	—	—	—	.04	.03	—	—	—	22
23	.60	—	—	—	.15	.11	—	—	—	—	.32	.02	23
24	—	—	.01	1.18	—	.04	.09	.42	.03	—	—	—	24
25	—	—	—	.28	.02	—	.23	—	—	—	—	—	25
26	—	.05	—	.38	—	—	.28	—	—	—	.37	—	26
27	.13	.32	—	.08	.18	—	.02	—	—	—	.04	—	27
28	.10	.17	—	—	—	—	—	—	—	—	—	.01	28
29	.06	×	—	.03	.21	—	.11	—	—	.24	—	—	29
30	.06	×	—	—	.02	—	.01	—	—	—	—	—	30
31	.43	×	—	×	.03	×	—	—	×	—	×	—	31
TOTAL	2.52	2.58	.36	4.20	2.81	1.44	2.39	3.94	2.19	.56	5.13	.82	YEAR'S TOTAL 28.94
*Days with or in. or more.	15	20	6	18	14	12	19	16	10	7	15	11	163
*Days with .04 in. or more.	13	15	3	15	9	10	12	15	8	2	11	3	116

REGISTER OF RAINFALL IN 1931 .

Kept at Crossways, Groombridge.
in the County of Sussex.

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.....1/2 in.
,, Ground ,, Sea Level about 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.08	.01	.09	—	.01	—	.06	.06	—	—	.02	1
2	.22	.07	—	.24	.11	—	—	—	.80	—	—	—	2
3	.06	.01	.12	.18	1.15	—	—	.56	.55	—	.02	.30	3
4	—	.01	—	.01	—	—	.02	.01	—	.01	.07	—	4
5	—	—	—	.26	—	.58	.04	.15	.33	—	.01	.32	5
6	—	.10	—	.05	—	.06	—	—	—	.23	.50	.03	6
7	.01	.01	—	—	.03	.07	—	.23	.05	.03	.41	—	7
8	—	.13	—	—	.02	.13	.01	.04	—	—	.06	.06	8
9	—	.30	—	.02	—	.01	—	—	—	—	.69	.02	9
10	—	.05	.03	—	—	.15	.01	.15	—	—	1.41	—	10
11	.11	.62	—	—	—	—	—	—	—	.01	.70	.01	11
12	.19	.01	—	—	—	—	.06	—	.24	—	—	—	12
13	.08	—	—	—	.13	—	.01	.17	—	—	.01	—	13
14	—	—	—	—	—	—	.55	.34	—	—	—	—	14
15	.02	—	—	.11	.09	—	.13	.22	—	—	—	.02	15
16	.05	.17	—	.16	.27	—	.01	.20	—	—	.02	—	16
17	—	.09	—	^{snow} .27	—	.10	.36	—	.05	.03	—	—	17
18	—	.18	.05	.31	—	.13	.10	.48	—	.01	.50	—	18
19	—	—	—	.50	—	.05	.22	.49	.05	—	—	—	19
20	—	.04	—	.05	—	—	.13	.38	—	—	1x	.01	20
21	—	.16	—	—	.40	—	—	—	—	—	—	—	21
22	.40	.01	.14	—	—	—	—	.04	.03	—	—	—	22
23	.60	—	—	—	.15	.11	—	—	—	—	.32	.02	23
24	—	—	.01	1.18	—	.04	.09	.42	.03	—	—	—	24
25	—	—	—	.28	.02	—	.23	—	—	—	—	—	25
26	—	.05	—	.38	—	—	.28	—	—	—	.37	—	26
27	.13	.32	—	.08	.18	—	.02	—	—	—	.04	—	27
28	.10	.17	—	—	—	—	—	—	—	—	—	.01	28
29	.06	X	—	.03	.21	—	.11	—	—	.24	—	—	29
30	.06	X	—	—	.02	—	.01	—	—	—	—	—	30
31	.43	X	—	X	.03	X	—	—	X	—	X	—	31
TOTAL	2.52	2.58	.36	4.20	2.81	1.44	2.39	3.94	2.19	.56	5.13	.82	YEAR'S TOTAL 28.94
*Days with "or in. or more.	15	20	6	18	14	12	19	16	10	7	15	11	163
*Days with ".04 in. or more.	13	15	3	15	9	10	12	15	8	2	11	3	116

*See Instruction 2 (f) on other side.

REGISTER OF RAINFALL IN 1932 .

Kept at Crossways. Groombridge
in the County of Sussex.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1/2 in.
Ground Sea Level about 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.02	—	.09	.44	—	.03	tr.	—	.07	.03	—	1
2	.03	—	—	.15	.08	—	—	—	.02	tr.	tr.	.31	2
3	—	—	—	.03	.18	.10	—	—	.36	—	.02	—	3
4	.04	—	—	—	—	.13	—	—	—	—	.01	—	4
5	.32	.01	.01	—	.02	.01	.24	—	.09	—	—	—	5
6	.68	—	.04	.24	.02	—	—	—	—	.01	—	—	6
7	.03	—	.07	.04	—	—	.20	—	—	.04	—	.02	7
8	—	—	.23	.03	.17	—	—	—	.27	.51	—	—	8
9	.41	snow .18	—	.22	.61	—	—	—	—	.01	—	—	9
10	1.10	snow .10	.01	.29	.20	—	—	—	.03	.07	.05	.01	10
11	.15	snow .15	snow .05	.13	.01	.03	—	—	—	—	.01	—	11
12	.46	snow .05	—	—	—	—	—	—	.03	.20	.01	.01	12
13	.05	—	—	.24	—	—	—	tr.	—	1.32	—	.01	13
14	.13	.11	—	.10	—	—	—	—	—	.02	—	—	14
15	.07	—	—	.19	—	—	—	—	—	.09	—	—	15
16	.12	.01	—	.20	—	—	—	—	—	.01	—	.01	16
17	—	—	—	.09	.21	—	—	—	—	.03	—	—	17
18	.02	—	—	.01	—	—	tr.	—	—	—	.10	—	18
19	.01	—	—	.01	—	—	—	—	—	.29	.02	—	19
20	—	—	—	.04	.08	—	.03	.03	.05	1.12	.16	.01	20
21	—	—	.02	—	.25	—	—	—	—	.33	—	.07	21
22	.02	—	.29	.01	.05	—	.26	—	.47	.47	.43	—	22
23	—	.07	.06	.17	—	—	—	—	.28	.95	—	.15	23
24	—	.06	—	—	—	—	.58	—	.37	.02	.01	.01	24
25	—	—	—	.03	—	—	.59	—	.13	.31	.10	.01	25
26	—	—	.01	.05	—	—	.99	.20	—	.02	.02	.01	26
27	—	—	.34	.16	.15	—	.18	—	—	.33	.08	.05	27
28	—	—	.01	.04	.08	—	.14	—	—	.23	—	—	28
29	—	—	.58	.01	.02	—	.01	.25	.16	.55	—	—	29
30	—	×	.07	.02	.01	1.01	.03	—	.11	.02	.48	.08	30
31	—	×	.06	×	—	×	.04	—	×	—	×	.10	31
TOTAL	3.74	.76	1.85	2.59	2.58	1.28	3.32	.48	2.37	7.02	1.53	.86	YEAR'S TOTAL 28.38
*Days with "or in. or more.	17	10	15	25	17	5	13	3	13	24	15	15	172
*Days with ".04 in. or more.	12	7	10	17	12	3	9	2	10	16	7	6	108

Section

A

for the entry of Daily Observations.

Station No.

580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Crossways Groombridgein the County of SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft 1/2 in.Ground Sea Level about 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.39	.15	—	—	—	—	—	—	.03	—	—	1
2	.39	—	.71	—	.07	—	—	—	—	—	—	—	2
3	.13	.12	.42	—	—	—	—	—	—	—	.05	—	3
4	.19	.02	.03	—	.26	—	—	—	—	—	—	—	4
5	.21	—	.58	—	.06	—	—	—	—	—	.70	—	5
6	—	.18	.06	—	.45	—	—	—	—	.08	.10	—	6
7	.34	.07	.02	—	.17	—	—	—	—	.36	—	.02	7
8	.06	.01	—	—	.02	—	.36	—	—	—	—	—	8
9	—	—	—	—	.16	—	.12	—	—	.11	.15	—	9
10	—	thunder .36	—	—	—	.08	.06	—	—	.24	.01	—	10
11	.11	—	—	—	.03	—	.04	.10	.10	.08	.02	—	11
12	.01	—	—	.05	—	.20	—	—	.21	—	—	—	12
13	.03	—	—	—	.08	—	.46	thunder .06	.46	.11	.13	—	13
14	—	—	—	—	.01	—	.08	.01	—	.29	.41	—	14
15	.49	—	.17	—	—	—	.18	.27	—	.05	.01	—	15
16	.03	—	.87	—	—	.16	.09	—	—	.01	—	—	16
17	—	snow .01	.35	—	—	.12	—	.08	.10	—	.04	—	17
18	.03	—	.10	—	—	.10	—	—	—	—	—	—	18
19	—	snow .03	.11	—	—	—	—	.01	.44	—	.01	—	19
20	—	—	.10	.09	—	.38	.05	—	.16	—	—	.01	20
21	—	snow .07	—	—	—	thunder —	—	.26	.23	.01	—	—	21
22	—	—	—	—	.05	thunder —	.09	.20	—	.03	.02	—	22
23	—	snow .03	—	.21	.08	.03	—	—	.47	.01	—	—	23
24	—	snow .46	—	.12	.03	.06	—	—	.15	.01	.03	—	24
25	—	.11	—	.29	—	.05	—	—	—	—	.22	.07	25
26	—	.70	—	.05	—	.03	—	—	.06	—	.16	.12	26
27	—	—	—	—	.07	.05	—	—	.01	.22	—	.12	27
28	—	—	—	—	—	—	.53	—	—	.31	—	—	28
29	.05	X	—	—	.45	—	.02	—	—	.05	—	—	29
30	.06	X	.04	—	—	—	.07	—	.14	.02	—	.06	30
31	.18	X	—	X	—	X	—	.05	X	.01	X	—	31
TOTAL	2.32	2.56	3.71	.81	1.99	1.26	2.15	1.04	3.53	2.03	1.36	.48	YEAR'S TOTAL 23.24
*Days with .01 in. or more.	16	14	14	6	15	11	14	9	12	19	14	6	150
*Days with .04 in. or more.	11	9	12	6	11	9	12	7	11	11	8	4	111

40-9999

*See Instruction 2 (f) on other side.

(Signed)

D.P.A. Gray.

P.T.O.

Section **A** for the entry of Daily Observations. Station No. 580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Crossways, Groombridgein the County of SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 1/2 in.,, Ground ,, Sea Level about 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	—	—	—	—	—	.20	—	.14	.01	.32		1
2	.05	—	.18	.01	—	—	—	—	.67	.56	—	.28		2
3	.03	.01	—	.14	—	—	—	—	.04	.47	—	.12		3
4	.24	—	.09	—	.11	—	—	—	—	.29	.08	.96		4
5	.01	—	.03	—	—	—	—	.04	—	—	.05	.46		5
6	.01	—	.32	—	.19	.16	—	.12	—	.23	.04	.59		6
7	.04	—	—	—	—	.01	—	—	—	.10	—	.25		7
8	—	—	—	.01	.13	—	—	.02	—	—	1.33	.01		8
9	.01	—	.04	—	—	—	—	—	—	—	1.47	.32		9
10	—	—	.28	.29	—	—	—	.12	—	—	.50	.01		10
11	1.04	—	.48	.06	—	—	.03	.06	—	—	.02	.23		11
12	.09	—	.13	—	—	—	.08	.14	—	.04	—	.12		12
13	.60	—	.43	.19	—	—	.09	.01	—	—	.03	.03		13
14	.28	—	.59	.01	—	—	—	—	—	.04	.51	.69		14
15	.02	^{fog} .01	—	—	.07	—	—	—	—	—	.15	.41		15
16	.25	—	.56	.04	.16	—	—	—	—	.05	.01	.01		16
17	.11	—	.13	.15	.14	—	—	—	—	—	.03	.45		17
18	.21	—	.14	.48	—	—	.26	—	—	—	—	.44		18
19	—	—	.30	.06	—	—	—	—	.26	.04	^{fog} .01	.21		19
20	—	—	.05	.08	—	.03	.11	—	—	.01	—	.02		20
21	—	—	.01	.08	—	.13	—	—	—	.10	—	.01		21
22	—	^{fog} .01	—	—	—	—	.17	.08	.23	—	—	.12		22
23	—	—	—	.48	—	.85	—	.03	—	.04	—	.06		23
24	—	.02	.01	.09	—	.70	.35	.10	.14	.01	—	—		24
25	.15	—	—	.29	—	—	—	—	—	.03	—	.60		25
26	.07	—	—	.19	—	.08	—	—	.09	—	—	.09		26
27	.02	—	—	.11	—	.01	—	—	—	—	—	.32		27
28	—	^{snow} .13	—	.01	—	.19	—	.62	—	—	—	.43		28
29	—	X	—	—	—	—	—	.03	.15	—	—	—		29
30	.11	X	—	—	—	—	—	.03	—	—	—	.53		30
31	.02	X	—	X	—	X	—	—	X	.12	X	.05		31
TOTAL	3.38	.18	3.77	2.77	.80	2.16	1.09	1.60	1.58	2.27	4.24	8.14	Year's total	31.98
*Days with .01 in. or more.	21	5	17	19	6	9	7	14	7	16	14	29		164
*Days with .04 in. or more.	13	1	14	15	6	6	6	9	7	13	8	23		121

Section

A

for the entry of Daily Observations.

Station No.

580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Crossways Groombridge

in the County of Sussex.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1/2 in.

Ground Sea Level about 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.03	.06	.03	.01	.09	.03	—	.03	.08	.17	—		1
2	.13	—	—	.05	—	.01	—	—	.67	.52	.13	—		2
3	—	.06	.20	.02	—	—	—	—	.25	.84	.17	—		3
4	—	.02	—	.34	—	.23	—	—	.60	.37	—	.14		4
5	—	.61	.05	.09	—	.14	—	—	.72	.19	—	.02		5
6	—	.05	—	.25	—	.66	—	—	—	.01	.21	.01		6
7	.07	^{snow} .02	.02	.25	—	.04	—	—	—	—	1.28	.11		7
8	—	—	^{snow} .04	.25	—	—	—	.02	—	.37	.61	.09		8
9	.01	—	.01	.19	—	.16	—	—	—	1.00	.22	—		9
10	.05	—	^{snow} .09	.01	—	.06	—	—	—	—	.47	.17		10
11	.11	.01	—	.08	—	.18	.16	—	—	—	.41	—		11
12	—	.10	—	—	—	.27	—	1.05	.06	.01	.97	—		12
13	.08	.17	—	.12	.05	.03	—	—	—	—	.22	.02		13
14	—	—	—	^{thunder} .02	.20	.08	—	—	—	—	.02	.08		14
15	—	.21	—	.63	.01	.01	—	—	.48	—	.40	.09		15
16	—	.05	.01	.19	.01	.26	—	—	.40	—	1.28	.04		16
17	.03	—	.11	.05	.02	.16	.05	.01	—	—	.45	.01		17
18	—	—	—	.36	.01	.18	^{thunder} .37	—	.50	.09	.01	—		18
19	—	—	—	.04	.78	.02	.18	—	.10	—	.08	—		19
20	—	.99	—	.06	.02	.06	^{thunder} .43	—	.04	—	.17	—		20
21	.04	.68	—	—	—	—	—	—	—	.12	.03	—		21
22	—	.13	^h	—	—	—	—	.26	.14	^h	—	—		22
23	—	—	.02	—	—	—	—	.34	—	—	—	.13		23
24	.05	1.23	—	—	.27	—	—	1.40	.78	.02	—	.30		24
25	.11	.24	—	.17	.19	.13	—	—	—	—	.02	.48		25
26	^{snow} .03	.32	—	—	—	—	—	—	.06	.08	.01	.43		26
27	—	.81	—	—	.06	—	—	.15	.11	.01	.13	.30		27
28	—	.06	—	—	.02	—	—	.02	—	.05	—	.24	.24	28
29	—	X	—	—	—	—	—	.11	.59	.01	—	.61		29
30	.10	X	—	.07	.08	—	—	.02	.05	.11	.78	.62		30
31	—	X	—	X	.01	X	—	1.47	X	.33	X	.76		31
TOTAL	1.06	5.79	.61	3.27	1.74	2.77	1.22	4.85	5.48	4.21	8.24	4.65	Year's Total	43.89
* Days with .01 in. or more.	13	19	10	21	15	19	6	11	17	18	23	20		192
* Days with .04 in. or more.	10	15	6	17	7	15	5	7	16	13	18	16		145

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

D.P.A. Gray

[P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Crossways, Groombridge

in the County of Sussex

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 1/2 in.

,, Ground ,, Sea Level about 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.39	.15	.01	.47	—	.97	.32	.21	—	—	.05	.09		1
2	—	.15	—	—	—	.36	.09	.09	—	—	—	.01		2
3	—	.01	—	.60	—	—	.02	—	—	—	.26	—		3
4	.09	—	.11	—	—	.10	—	—	.32	—	—	.03		4
5	.26	—	.02	.01	—	—	—	.05	.22	.03	.15	.06		5
6	.49	—	—	—	—	.04	—	.04	.19	.06	1.53	.05		6
7	.42	—	.05	—	—	.03	.01	—	—	.02	.85	—		7
8	.53	—	.25	—	—	—	—	—	.06	—	.89	.20		8
9	.50	—	.02	—	—	—	.42	.18	—	.10	.01	.01		9
10	.08	—	—	—	—	—	.13	.15	—	—	—	—		10
11	—	—	—	.13	—	—	.15	—	—	—	1.10	.01		11
12	—	—	—	.13	—	.20	.20?	.04	.46	.01	.52	.15		12 ^x guessed. gauge tampered with.
13	—	—	—	—	—	.03	.01	—	—	—	.01	.79		13
14	—	.06	—	—	—	.08	.73	—	—	.03	.14	.60		14
15	—	.06	—	—	—	—	.04	—	—	—	.05	.57		15
16	.24	.05	—	—	.18	—	.02	—	—	—	.14	.21		16
17	.12	.72	—	—	.54	.09	—	.03	—	—	.29	.65		17
18	.10	.16	—	—	—	.10	.18	—	—	.02	.21	.15		18
19	.32	.08	.01	—	—	.12	—	.08	—	.04	.03	.01		19
20	.25	.08	—	.40	—	—	.5	—	.60	—	—	—		20
21	—	.06	—	.44	—	.35	.05	—	—	—	—	—		21
22	.08	.36	.12	—	.07	.09	.08	—	—	—	—	.07		22
23	.03	.32	.03	.08	—	—	.49	—	—	.05	—	.01		23
24	.04	.15	—	—	—	.32	.21	—	.04	.27	—	—		24
25	.20	—	.19	.15	—	.18	—	—	.27	.07	.02	.01		25
26	—	.17	.22	.02	—	.08	—	—	.13	.20	—	.01		26
27	.45	—	.05	—	—	—	—	—	.27	.23	—	—		27
28	.70	—	.18	—	—	.25	.62	—	—	.03	.01	.09		28
29	.02	.08	.10	—	—	.29	—	—	—	.06	.06	.02		29
30	.15	~~X~~	.01	—	.01	.42	.04	—	—	.42	—	—		30
31	.26	~~X~~	.20	~~X~~	.04	~~X~~	.12	—	~~X~~	.85	~~X~~	.45		31
TOTAL	5.72	2.66	1.57	2.43	.84	3.34	3.93	.87	2.76	2.43	6.32	4.25	37.12	~
* Days with .01 in. or more.	22	16	16	10	5	19	20	9	10	16	19	23	185	~
* Days with .04 in. or more.	20	15	10	8	4	17	16	8	10	10	14	14	146	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) D.P.A. Gray. [P.T.O.]

Section **A** for the entry of Daily Observations.Station No. 580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Crossways Groombridgein the County of SussexDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft. 12 in.,, Ground ,, Sea Level about 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.73	.01	.02	.04	—	—	—	—	—	—	.57	.35		1
2	—	.74	—	.29	—	—	—	—	.07	.01	.01	.77		2
3	—	.17	—	—	—	—	—	—	—	—	—	.20		3
4	.10	1.23	—	.02	—	—	—	—	—	—	—	.23		4
5	.28	.05	^{show} .31	—	—	—	.20	—	—	.05	—	—		5
6	.03	.02	^{show} .81	.01	.21	—	—	—	—	.03	.01	—		6
7	—	.75	—	.10	.06	—	—	—	—	.03	—	.63		7
8	.01	.01	^{show} .33	—	.05	.06	—	—	.01	—	.12	—		8
9	—	—	.01	.34	.11	—	.03	—	.33	—	—	.09		9
10	—	—	.59	.17	.22	.45	.02	—	—	—	—	.88		10
11	—	—	.43	—	.07	—	.03	—	—	—	—	.15		11
12	.42	.25	.23	.03	.28	.13	—	.31	.21	—	—	.30		12
13	.23	.05	.63	.05	—	.41	—	.03	.25	—	—	.68		13
14	.03	.02	.03	—	.16	.05	—	.46	.13	—	—	.01		14
15	.23	.12	—	.24	—	—	.30	.32	.29	—	—	—		15
16	—	.06	.39	.24	—	.09	—	—	.18	—	.01	.01		16
17	.61	.01	.06	.09	—	—	—	—	.32	—	.12	—		17
18	.68	.06	—	.01	.74	.63	—	—	.10	—	.11	.03		18
19	.06	.11	.05	.21	.04	—	.14	—	.19	—	—	—		19
20	.71	—	.12	.28	.52	.15	—	—	.13	—	—	.11		20
21	.64	.39	.04	.10	.02	—	.01	.04	—	—	.01	.04		21
22	.62	.04	.01	—	.12	.04	.07	—	—	.96	.21	.09		22
23	.19	—	—	—	—	—	.05	—	—	.40	.02	.01		23
24	.91	.15	.02	—	—	—	—	—	—	.33	—	.01		24
25	.13	.65	.33	—	—	—	—	—	.15	.52	—	—		25
26	—	.53	.04	—	.03	—	—	—	—	.12	—	—		26
27	—	.12	—	.21	—	—	—	—	.02	.21	—	—		27
28	^{show} .14	.06	—	.01	—	—	—	—	—	.02	—	.03		28
29	^{show} .08	~~X~~	—	—	—	—	—	.05	.01	.21	.07	.03		29
30	.37	~~X~~	—	—	—	.02	—	.29	—	.08	.10	—		30
31	.20	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.44	~~X~~	—		31
TOTAL	7.40	5.60	4.45	2.44	2.63	2.03	.85	1.50	2.39	3.41	1.36	4.65	38.71	✓
* Days with .01 in. or more.	22	23	19	18	14	10	9	7	15	14	12	20	183	✓
* Days with .04 in. or more.	19	18	14	13	12	9	5	6	12	10	7	13	138	✓
Year's Total														

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

D.P.A. Gray.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Crossways Groombridge

in the County of SUSSEX.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 1/2 in.

,, Ground ,, Sea Level about 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.01	.03	—	.24	.38	.09	—	.26	.06	.03	.07		1
2	.07	—	—	—	.11	—	.26	—	—	.45	—	.02		2
3	—	—	—	—	.20	—	.03	—	—	1.03	.07	—		3
4	—	—	—	—	—	—	.17	.08	—	.17	—	.23		4
5	.03	—	—	.03	—	.02	.17	—	—	.39	—	.01		5
6	.04	—	—	—	—	—	.08	.02	.03	.01	—	—		6
7	.02	—	—	—	—	—	—	.56	—	.31	—	.08		7
8	.24	—	—	—	—	.01	.31	—	.02	.35	.02	.08		8
9	.16	—	—	—	—	—	—	.05	—	.07	—	.75		9
10	.12	.06	—	—	—	.38	.01	.04	—	—	—	.25		10
11	.19	.01	—	—	—	—	—	—	—	—	.11	.34		11
12	.42	.03	—	—	—	—	—	1.56	—	.05	.07	.01		12
13	.39	.06	—	—	—	—	—	—	—	.08	.22	.10		13
14	.34	.22	—	—	.50	—	—	—	—	—	.01	.06		14
15	.09	.21	—	—	.02	—	.15	—	—	.33	.03	.17		15
16	.52	.02	.02	—	—	—	—	.02	—	.04	.03	.28		16
17	—	.11	.01	—	.19	—	.02	—	—	.42	.06	—		17
18	.08	.01	—	—	.08	—	—	—	.10	.07	.48	—		18
19	—	—	—	—	—	—	—	.06	.10	—	.26	.15		19
20	—	—	—	—	.09	—	—	—	.11	—	.42	.14		20
21	.02	—	—	—	—	—	—	.04	.15	—	.12	.17		21
22	.01	—	—	—	—	.03	—	.03	—	—	.30	.15		22
23	—	—	—	.02	—	—	—	—	—	—	.02	—		23
24	—	—	.19	—	.02	—	—	—	.16	.01	.33	.08		24
25	.12	—	.30	.28	.05	—	.03	—	.10	.03	.47	.04		25
26	.48	.20	.06	.01	—	—	—	.13	.32	.32	—	.28		26
27	.08	.07	—	—	.41	.19	.41	—	.85	.01	.32	—		27
28	.05	.05	—	—	.35	.12	—	.23	.06	—	—	.02		28
29	.16	—	—	.03	.34	—	—	—	—	—	.08	.19		29
30	.06	—	—	.28	.49	.01	—	—	.13	.05	.42	.01		30
31	.26	—	—	—	.10	—	—	—	—	.25	—	.28		31
TOTAL	3.98	1.06	.61	.65	2.69	1.14	1.73	2.82	2.39	4.50	3.87	3.96	Year's Total	29.40
* Days with .01 in. or more.	24	13	6	6	15	8	13	12	13	21	21	25	177	
* Days with .04 in. or more.	19	8	3	2	13	4	8	9	11	17	15	20	130	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

D. P. A. Gray.

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at CROSSWAYS GROOMBRIDGE

in the County of SUSSEX

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. 1/2 in.

Ground Sea Level about 250 ft.

after

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	—	.07	.11	.38	—	.02	—	.36	—	—	.05		1
2	.02	—	—	.02	.02	—	—	.51	.05	.10	.01	—		2
3	.39	—	—	.43	—	—	—	.20	—	—	.15	.56		3
4	.13	—	.41	.23	—	—	.09	.49	—	.61	.08	.01		4
5	—	.01	.02	.32	.03	—	.27	.23	—	.09	.61	.03		5
6	.28	—	.02	—	—	—	.20	.29	—	.07	.26	—		6
7	.67	.07	—	—	—	—	.05	.06	—	.05	.20	.15		7
8	.01	.10	.17	—	—	—	.01	—	—	.46	.30	.66		8
9	.07	.04	—	—	—	—	—	.14	—	.40	.67	.31		9
10	.15	—	—	—	—	.39	—	.13	.06	.11	.03	—		10
11	—	.01	.27	—	—	.04	—	—	—	1.32	.01	.01		11
12	—	—	—	—	.06	—	—	—	—	.06	—	.04		12
13	—	—	.02	—	—	—	—	—	—	1.43	—	.12		13
14	.69	—	.01	.02	.03	.03	.03	—	—	.34	.49	.02		14
15	.75	—	—	—	1.36	.06	.01	—	.24	.88	.28	—		15
16	.28	—	.11	.07	.20	.16	.14	—	.11	—	.38	—		16
17	.33	.06	.02	.01	.02	—	.07	—	—	—	.06	—		17
18	.34	—	.01	—	—	.08	—	—	—	.19	.34	—		18
19	.33	—	.01	—	—	—	.37	—	.01	.36	—	.04		19
20	.32	—	—	—	—	—	.25	—	.06	—	—	.03		20
21	.06	—	.10	—	—	.04	.41	—	.04	.01	.01	—		21
22	.37	.26	.09	.02	—	.36	.08	—	.01	—	.04	—		22
23	.02	—	.02	.12	—	.01	.14	—	—	.07	.61	—		23
24	.16	.06	.03	.04	—	—	.05	—	—	.18	.01	—		24
25	1.36	.20	.11	.18	—	—	.41	.03	—	—	.68	.02		25
26	.03	—	.01	.01	—	.02	—	—	.03	.13	.26	.04		26
27	.03	.21	.08	.15	—	.02	—	—	—	.09	.33	—		27
28	—	.56	.04	—	—	.07	—	—	—	.05	.09	.13		28
29	—	~~X~~	—	.40	—	.01	—	—	—	.03	.03	—		29
30	—	~~X~~	—	.47	—	—	—	.05	—	.02	.13	—		30
31	—	~~X~~	—	~~X~~	—	~~X~~	.06	—	~~X~~	.02	~~X~~	.01		31
TOTAL	6.28	1.58	1.62	2.60	2.10	1.29	2.66	2.13	0.97	7.07	6.46	2.23	36.99	
* Days with .01 in. or more.	23	11	20	16	8	13	19	10	10	24	25	17	196	
* Days with .04 in. or more.	18	9	10	11	4	8	14	9	7	20	19	10	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

D.P.A. Gray.

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 580

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at ... CROSSLAYS, GROOMBRIDGE

in the County of ... SUSSEX

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground...1 ft...1/2 in.

,, Ground ,, Sea Level ^{about} 250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	.04	—	—	—	—	—	—	.05	—		1
2	—	.02	—	.08	—	—	—	—	—	.16	.56	.02		2
3	—	.29	—	.07	—	—	.11	—	—	.13	1.18	.08		3
4	—	.15	—	—	—	—	.01	—	—	.29	.07	.07		4
5	—	.01	—	—	—	—	—	—	—	.02	.90	.20		5
6	.10	.12	—	—	—	—	.25	—	—	.61	.01	—		6
7	.23	.19	—	—	—	—	.08	—	—	—	—	—		7
8	.01	—	—	.02	—	—	—	—	.01	.47	—	.23		8
9	—	—	—	—	—	—	—	.02	—	.21	.50	.19		9
10	—	—	—	—	—	—	.36	.03	.02	.18	.09	—		10
11	—	snow .01	—	—	—	—	.09	—	—	—	1.34	.05		11
12	—	snow .05	.24	—	—	—	.14	—	.19	—	.03	—		12
13	—	snow .02	.78	—	—	—	.01	—	.06	.01	1.19	.01		13
14	—	—	snow .46	.08	—	—	—	—	—	.03	—	.29		14
15	—	—	.01	—	thunder .11	—	.79	—	.19	.12	.56	.01		15
16	snow .05	snow .30	.22	.02	—	.07	.09	—	—	.80	.72	.07		16
17	—	—	.25	—	—	—	.02	—	.01	.01	.06	—		17
18	snow .03	.21	thunder .28	.44	—	—	.06	.01	.17	.28	.28	.15		18
19	27 days of .01	.14	.04	.01	—	—	.04	—	.60	.01	.32	.14		19
20	—	.01	.10	.05	—	—	.01	.02	.06	.15	.09	.01		20
21	snow .04	.01	—	—	.65	—	.27	—	—	.04	.40	—		21
22	—	—	.04	—	.13	.08	—	—	.15	—	—	—		22
23	snow .07	.21	.07	.40	—	—	—	—	—	.01	.02	.03		23
24	—	.01	—	.22	—	—	.13	—	—	.02	—	—		24
25	—	—	.50	—	—	—	.08	—	—	.02	—	—		25
26	rain & snow .81	.30	.18	.02	.28	.02	.02	—	—	.05	—	—		26
27	snow .38	.47	—	thunder .31	—	—	.01	—	—	—	—	.01		27
28	snow .26	.06	.18	.01	.08	—	—	—	—	—	—	—		28
29	snow .28	.19	—	—	thunder .88	—	—	—	.01	—	—	.20		29
30	.15	~~X~~	—	.20	—	—	—	—	—	.23	—	.02		30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.69	~~X~~	.12		31
TOTAL	2.41	2.77	3.35	1.97	2.13	0.17	2.57	0.08	1.47	4.54	8.37	1.90	Year's Total 31.73	
* Days with .01 in. or more.	12	20	14	15	6	3	19	4	12	23	19	19	166	
* Days with .04 in. or more.	10	13	13	10	6	2	13	0	7	15	16	12	117	

† Spare column, no entries required.

(Signed)

D.P.A. Gray.

P.T.O.

* See Instruction 3 (f) on other side.

REGIS

Kept at Bolebrooke
in the County of SUSSEX

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to the year in the space on the right of the

1932 A/B.

Please read the Notes and Instructions Overleaf.

581
COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

31.

Y.
following

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.09	.02	.17	—	—	—	.02	.10	—	—	—	1
2	.15	.04	—	.24	.11	.01	—	.03	.51	—	—	—	2
3	.14	—	.18	.18	.147	—	—	.56	.92	—	—	.30	3
4	—	—	—	—	—	—	.03	.01	.14	—	.06	—	4
5	—	—	—	—	—	.68	.05	.15	.05	—	—	.30	5
6	—	.10	—	—	—	.01	—	.06	—	.11	.54	.09	6
7	—	—	—	—	—	.06	—	.21	—	.04	.34	—	7
8	—	.14	—	—	—	.16	.04	.14	—	—	.05	.05	8
9	—	.13	—	.02	—	.04	—	—	—	—	.75	—	9
10	—	.24	—	—	—	.15	—	.15	—	—	.63	—	10
11	.12	.65	—	—	—	—	—	—	—	—	.23	—	11
12	.11	—	—	—	—	—	.01	—	.01	—	—	—	12
13	.07	—	—	—	.09	—	—	.30	.19	—	—	—	13
14	—	.05	—	—	—	.05	.50	.48	—	—	—	—	14
15	—	—	—	.09	.09	.01	—	.22	—	—	—	.04	15
16	.03	.14	—	.16	.30	—	.16	.36	—	—	—	—	16
17	.02	.05	—	.14	—	—	.41	.18	.08	.03	—	—	17
18	—	.21	.02	.28	—	.13	.10	.60	—	.02	.59	—	18
19	.05	—	—	.50	—	.07	.37	.38	.09	—	—	—	19
20	—	—	—	.07	—	—	.13	.24	—	—	.01	—	20
21	—	.17	—	—	.52	—	—	—	—	—	—	—	21
22	.16	—	.13	—	—	—	—	—	—	—	.02	—	22
23	.61	.04	—	—	.16	—	—	.30	.05	—	.30	—	23
24	—	—	—	.81	.02	.12	.11	—	—	—	—	—	24
25	—	—	—	.65	—	—	.29	—	—	—	—	—	25
26	—	.06	—	.45	—	—	.25	—	.01	—	.47	—	26
27	.16	.33	—	.13	.24	—	.05	—	—	—	.02	—	27
28	—	.12	—	.06	—	—	—	—	—	—	—	—	28
29	.07	×	—	.11	.11	—	.05	—	—	.22	.02	—	29
30	.11	×	—	—	.02	—	.07	—	—	—	—	—	30
31	.41	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2.21	2.56	.35	4.06	3.13	1.49	2.62	4.39	2.15	.42	5.03	.78	YEAR'S TOTAL 29.19
*Days with or in. or more.	14	16	4	16	11	12	16	18	11	5	14	5	14.2
*Days with or in. or more.	12	16	2	15	9	9	14	15	9	3	10	5	11.9

REGISTER OF RAINFALL IN 1931.

Kept at Bolebrooke Hartfield
in the County of Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.09	.02	.17	—	—	—	.02	.10	—	—	—	1
2	.15	.04	—	.24	.11	.01	—	.03	.51	—	—	—	2
3	.14	—	.18	.18	.147	—	—	.56	.92	—	—	.30	3
4	—	—	—	—	—	—	.03	.01	.14	—	.06	—	4
5	—	—	—	—	—	.68	.05	.15	.05	—	—	.30	5
6	—	.10	—	—	—	.01	—	.06	—	.11	.54	.09	6
7	—	—	—	—	—	.06	—	.21	—	.04	.34	—	7
8	—	.14	—	—	—	.16	.04	.14	—	—	.05	.05	8
9	—	.13	—	.02	—	.04	—	—	—	—	.75	—	9
10	—	.24	—	—	—	.15	—	.15	—	—	.63	—	10
11	.12	.65	—	—	—	—	—	—	—	—	.23	—	11
12	.11	—	—	—	—	—	.01	—	.01	—	—	—	12
13	.07	—	—	—	.09	—	—	.30	.19	—	—	—	13
14	—	.05	—	—	—	.05	.50	.48	—	—	—	—	14
15	—	—	—	.09	.09	.01	—	.22	—	—	—	.04	15
16	.03	.14	—	.16	.30	—	.16	.36	—	—	—	—	16
17	.02	.05	—	.14	—	—	.41	.18	.08	.03	—	—	17
18	—	.21	.02	.28	—	.13	.10	.60	—	.02	.59	—	18
19	.05	—	—	.50	—	.07	.37	.38	.09	—	—	—	19
20	—	—	—	.07	—	—	.13	.24	—	—	.01	—	20
21	—	.17	—	—	.52	—	—	—	—	—	—	—	21
22	.16	—	.13	—	—	—	—	—	—	—	.02	—	22
23	.61	.04	—	—	.16	—	—	.30	.05	—	.30	—	23
24	—	—	—	.81	.02	.12	.11	—	—	—	—	—	24
25	—	—	—	.65	—	—	.27	—	—	—	—	—	25
26	—	.06	—	.45	—	—	.25	—	.01	—	.47	—	26
27	.16	.33	—	.13	.24	—	.05	—	—	—	.02	—	27
28	—	.12	—	.06	—	—	—	—	—	—	—	—	28
29	.07	×	—	.11	.11	—	.05	—	—	.22	.02	—	29
30	.11	×	—	—	.02	—	.07	—	—	—	—	—	30
31	.41	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2.21	2.56	.35	4.06	3.13	1.49	2.62	4.39	2.15	.42	5.03	.78	YEAR'S TOTAL 29.19
*Days with ".01 in. or more:	14	16	4	16	11	12	16	18	11	5	14	5	142
*Days with ".04 in. or more:	12	16	2	15	9	9	14	15	9	3	10	5	119

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bolebroke, Hasfield
in the County of SussexDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
Ground Sea Level 175 ft.OK by previous dipstas.
Please mark period

NR 1932

OK previously.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

nil.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.59	.18	—	—	—	—	—	—	—	.04	—	1
2	.13	—	.58	—	.06	—	—	—	—	.03	—	—	2
3	.10	.12	.44	—	—	—	—	—	—	—	—	—	3
4	.19	.03	.04	—	.05	—	—	—	—	.06	—	—	4
5	.21	—	.58	—	.22	—	—	—	—	—	—	—	5
6	—	.15	.15	—	.39	—	—	—	—	.03	.09	—	6
7	.28	.08	—	—	.20	—	—	—	—	.29	—	—	7
8	.14	.03	—	—	.03	—	.19	—	—	—	—	—	8
9	—	—	—	—	.14	—	.09	—	—	.02	.12	—	9
10	—	.48	—	—	—	.005	.10	—	.05	.24	—	—	10
11	.11	—	—	—	—	.03	.13	.08	—	.05	—	—	11
12	—	—	—	—	—	.19	.08	—	1.32	—	—	—	12
13	.05	—	—	—	.07	—	.38	—	.27	.07	.15	—	13
14	—	—	—	—	—	—	.09	.03	—	.41	.28	—	14
15	.43	—	.13	—	—	—	.23	.22	—	.06	—	—	15
16	.03	—	.89	—	—	.18	.12	—	.13	—	—	—	16
17	—	—	.30	—	—	.04	—	.08	—	—	—	—	17
18	.07	—	.04	—	—	.22	—	—	—	—	.06	—	18
19	—	—	.17	—	—	.16	—	.01	.39	—	—	—	19
20	—	—	.07	.07	—	.41	—	—	.20	—	—	—	20
21	—	—	—	—	—	—	—	.39	.21	—	—	—	21
22	—	—	—	—	—	—	—	.28	—	.11	—	—	22
23	—	—	—	.07	.12	.12	—	—	.31	—	—	—	23
24	—	.62	—	.24	.02	.03	—	—	.24	—	.03	—	24
25	—	.24	—	.28	—	—	—	—	.04	.03	.09	.08	25
26	—	.71	—	.04	—	.04	—	—	.01	—	.03	.15	26
27	—	—	—	—	.11	.03	—	—	—	.23	—	.18	27
28	—	.02	—	—	—	—	—	—	—	.30	—	.15	28
29	.04	—	—	—	.12	—	.52	—	—	.06	—	—	29
30	.09	×	.06	.06	—	—	.07	—	.16	.05	—	—	30
31	.03	×	—	×	—	×	—	.06	×	—	×	.07	31
TOTAL	2.22	3.07	3.65	.76	1.53	1.45	2.00	1.15	3.33	2.04	.89	.63	YEAR'S TOTAL 22.72
*Days with .01 in. or more.	15	11	13	6	12	11	11	8	12	16	9	5	129
*Days with .04 in. or more.	13	8	13	6	10	8	11	6	11	12	7	5	110

40-9999

*See Instruction 2 (f) on other side.

(Signed)

B. Chant Agent for P. B. Mann

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION:

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bolebrooke
in the County of Sussex Hastfield.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	.03	—	.28	—	.11	.09	.19		1
2	.15	—	.02	—	—	—	—	.03	.72	.41	—	.40		2
3	.04	—	—	.19	—	—	—	—	.04	.56	—	.07		3
4	.21	—	.05	.05	—	—	—	—	—	.27	.10	.66		4
5	—	.01	.06	—	.13	—	—	.03	—	—	.02	.37		5
6	—	—	.29	—	.17	.28	—	.08	—	.21	—	.73		6
7	.05	—	—	.01	—	—	—	.12	—	.10	—	.25		7
8	—	—	—	—	.12	—	—	.02	—	—	.90	—		8
9	—	—	.05	—	—	—	—	—	.06	—	1.20	.27		9
10	—	—	.28	.22	—	—	—	.12	—	.02	1.30	—		10
11	1.01	—	.40	.17	—	—	—	.05	—	—	—	.21		11
12	.32	—	.11	—	—	—	.11	.14	—	—	—	.12		12
13	.66	—	.31	—	—	—	.15	.03	—	—	.02	.03		13
14	.25	—	.75	.18	—	—	—	—	—	—	.37	.47		14
15	.02	—	—	—	—	—	—	—	—	—	.09	.80		15
16	.23	—	.34	.02	.23	—	—	—	—	.05	.02	—		16
17	.12	—	.18	.04	.18	—	—	—	—	.07	—	.41		17
18	.15	—	.03	.49	—	—	.19	—	—	—	—	.54		18
19	—	—	.42	.12	—	.07	—	—	.36	—	—	.21		19
20	—	—	.08	—	—	—	.15	.03	—	.02	—	.02		20
21	—	—	—	.19	—	.16	.01	—	—	.06	—	—		21
22	—	—	—	—	—	—	.07	.06	.24	.04	—	.08		22
23	—	—	—	.48	—	.90	.08	.08	—	.01	—	.08		23
24	—	.03	.01	.15	—	.13	.48	.06	.15	.01	—	—		24
25	.14	—	—	.17	—	—	—	—	—	—	—	.64		25
26	.16	—	—	.27	—	.05	—	—	.09	—	—	.03		26
27	.02	—	—	.16	—	.04	—	—	—	—	—	.31		27
28	—	.10	—	.01	—	.10	—	.70	—	—	—	.45		28
29	—	—	—	—	—	—	—	.03	.12	—	—	—		29
30	.07	×	—	—	—	—	—	.17	—	—	—	.30		30
31	—	×	—	×	—	×	—	—	×	.09	×	.29		31
TOTAL	3.54	.14	3.38	2.92	.83	1.76	1.24	2.03	1.78	2.03	4.11	7.93	31.89	
*Days with or in. or more.	16	3	16	17	5	9	8	17	8	15	10	25	149	
*Days with .04 in. or more.	14	1	13	14	5	8	7	11	8	11	27	22	121	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. E. Mann

[110]

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at **Bolebrooke Heathfield**
in the County of **Sussex**
Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. **—** in.
Ground Sea Level **175** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	.03	.03	.03	.11	.05	.03	—	1.03	.16	.06	—	1
2	.11	—	.01	.05	—	—	—	—	.02	.40	.22	—	2
3	—	—	.18	.03	—	.11	—	—	.05	1.18	.11	—	3
4	—	.09	—	.33	—	.17	—	—	.61	.28	.02	.15	4
5	—	.44	—	.08	—	.17	—	—	.58	.10	—	—	5
6	.02	.16	.06	.24	—	.50	—	—	—	—	.15	—	6
7	.05	.01	—	.25	—	.12	—	—	—	.02	1.07	.12	7
8	—	—	—	.24	—	—	—	.06	—	.36	.57	.09	8
9	—	—	—	.14	—	.18	—	—	—	.54	.28	.03	9
10	.08	.02	.11	.06	—	.04	—	—	—	.19	.18	.20	10
11	.11	—	—	.27	—	.10	.26	—	—	—	.52	.02	11
12	—	.02	—	—	—	.22	.08	.83	—	—	1.04	—	12
13	.10	.24	—	.12	—	.04	—	—	.04	.01	.17	.03	13
14	—	—	—	.06	.18	.06	—	—	—	.01	.04	.09	14
15	—	.26	—	.66	.02	—	—	—	.34	.01	.22	.08	15
16	—	.06	—	.14	—	.40	—	—	.21	—	1.07	.05	16
17	.02	—	.03	.15	—	.12	.08	—	.04	—	.48	—	17
18	—	—	—	.32	—	.34	.30	—	.42	.08	.01	—	18
19	—	.01	—	.05	.60	.01	.08	—	.07	—	.07	—	19
20	—	.76	—	.12	.03	.03	.59	—	.06	—	.16	—	20
21	.01	.70	—	—	—	—	—	—	.02	.17	.03	—	21
22	.01	.10	—	—	—	—	—	.19	.15	—	—	—	22
23	—	—	.02	—	—	—	—	.32	—	—	—	—	23
24	.03	1.36	—	—	.15	—	—	1.65	.67	.07	—	.31	24
25	.14	.44	—	.19	—	.15	—	—	—	—	.01	.47	25
26	.01	—	—	—	.25	—	—	.13	.08	—	—	.37	26
27	.02	1.02	—	—	—	—	—	—	.10	.05	.15	.32	27
28	—	.04	—	—	.15	—	—	—	.03	.05	—	.39	28
29	—	X	—	—	—	—	—	—	.46	—	—	.52	29
30	.09	X	—	—	.04	—	—	1.08	.23	.13	.83	.46	30
31	—	X	—	X	.04	X	—	.13	X	.34	X	1.06	31 ✓
TOTAL	1.00	5.76	.44	3.53	1.57	2.81	1.42	4.39	5.21	4.15	7.46	4.76	YEAR'S TOTAL 42.50
*Days with .01 in. or more.	15	18	7	20	10	18	7	8	20	19	23	18	183
*Days with .04 in. or more.	8	13	3	18	8	16	6	8	17	15	19	15	146

Section

A

for the entry of Daily Observations.

843266/28

Station No.

581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Bolebrooke* *Hartfield*in the County of *Sussex*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*1* ft.....in.,, Ground ,, Sea Level*175* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>.41</i>	<i>.31</i>	—	<i>.51</i>	—	<i>.30</i>	<i>.44</i>	<i>.22</i>	—	—	<i>.06</i>	—		1
2	—	<i>.15</i>	—	<i>.01</i>	—	<i>.55</i>	<i>.18</i>	<i>.10</i>	—	—	—	—		2
3	—	—	—	<i>.51</i>	—	<i>.11</i>	<i>.03</i>	—	<i>.03</i>	—	<i>.28</i>	—		3
4	<i>.18</i>	—	<i>.12</i>	—	—	<i>.10</i>	—	—	<i>.48</i>	—	—	—		4
5	<i>.32</i>	—	<i>.04</i>	—	—	—	—	<i>.03</i>	<i>.46</i>	<i>.02</i>	<i>.15</i>	<i>.10</i>		5
6	<i>.41</i>	—	—	—	—	<i>.04</i>	—	<i>.05</i>	<i>.26</i>	<i>.08</i>	<i>1.78</i>	<i>.06</i>		6
7	<i>.65</i>	—	<i>.05</i>	—	—	<i>.03</i>	—	—	—	—	<i>.78</i>	—		7
8	<i>.55</i>	—	<i>.09</i>	—	—	—	<i>.02</i>	—	—	—	<i>.81</i>	—		8
9	<i>.56</i>	—	<i>.02</i>	—	—	—	<i>.51</i>	—	<i>.01</i>	<i>.19</i>	—	—		9
10	<i>.09</i>	—	—	—	—	—	<i>.12</i>	<i>.22</i>	<i>.05</i>	—	—	—		10
11	—	—	—	<i>.15</i>	—	—	<i>.22</i>	<i>.01</i>	—	—	<i>1.02</i>	—		11
12	—	—	—	<i>.03</i>	—	<i>.18</i>	<i>.33</i>	<i>.04</i>	<i>.25</i>	—	<i>.48</i>	<i>.18</i>		12
13	—	—	—	—	—	<i>.10</i>	<i>.06</i>	—	—	—	—	<i>.75</i>		13
14	—	<i>.05</i>	—	—	—	<i>.08</i>	<i>.75</i>	—	—	<i>.03</i>	<i>.18</i>	<i>.72</i>		14
15	—	<i>.12</i>	—	—	<i>.17</i>	—	<i>.05</i>	—	—	—	<i>.05</i>	<i>.48</i>		15
16	—	<i>.06</i>	—	—	<i>.75</i>	—	<i>.04</i>	—	—	—	<i>.15</i>	<i>.14</i>		16
17	<i>.34</i>	<i>.76</i>	—	—	—	<i>.17</i>	<i>.17</i>	—	—	<i>.02</i>	<i>.30</i>	<i>.81</i>		17
18	<i>.14</i>	<i>.05</i>	—	—	—	<i>.07</i>	—	<i>.02</i>	—	<i>.01</i>	<i>.20</i>	<i>.18</i>		18
19	<i>.30</i>	<i>.09</i>	—	—	—	<i>.35</i>	—	<i>.11</i>	—	<i>.05</i>	<i>.05</i>	—		19
20	<i>.34</i>	<i>.06</i>	—	<i>.42</i>	—	<i>.37</i>	<i>.08</i>	—	<i>.48</i>	—	—	—		20
21	—	—	—	<i>.40</i>	—	—	<i>.10</i>	—	<i>.01</i>	—	—	—		21
22	<i>.15</i>	<i>.37</i>	<i>.14</i>	—	<i>.06</i>	<i>.05</i>	<i>.07</i>	—	—	—	—	<i>.06</i>		22
23	<i>.04</i>	<i>.24</i>	<i>.03</i>	<i>.11</i>	<i>.02</i>	<i>.04</i>	<i>.56</i>	—	—	<i>.07</i>	—	—		23
24	<i>.04</i>	<i>.12</i>	—	—	—	—	<i>.01</i>	—	<i>.03</i>	<i>.30</i>	—	—		24
25	<i>.20</i>	<i>.02</i>	<i>.05</i>	<i>.22</i>	—	<i>.05</i>	<i>.28</i>	—	<i>.21</i>	<i>.01</i>	<i>.02</i>	—		25
26	—	<i>.17</i>	<i>.24</i>	<i>.04</i>	—	—	—	—	<i>.15</i>	<i>.33</i>	—	—		26
27	<i>.32</i>	<i>.03</i>	<i>.08</i>	<i>.04</i>	—	—	—	—	<i>.29</i>	<i>.28</i>	—	—		27
28	<i>.82</i>	—	—	—	—	—	<i>.63</i>	—	<i>.07</i>	—	—	<i>.12</i>		28
29	<i>.06</i>	<i>.10</i>	<i>.34</i>	—	—	<i>.88</i>	<i>.05</i>	—	—	<i>.04</i>	<i>.06</i>	<i>.03</i>		29
30	<i>.18</i>	~~X~~	—	—	—	<i>.21</i>	—	—	—	<i>.03</i>	—	<i>.01</i>		30
31	<i>.08</i>	~~X~~	<i>.37</i>	~~X~~	<i>.07</i>	~~X~~	<i>.14</i>	—	~~X~~	<i>1.25</i>	~~X~~	<i>.20</i>		31
TOTAL	<i>6.18</i>	<i>2.70</i>	<i>1.57</i>	<i>2.44</i>	<i>1.07</i>	<i>3.68</i>	<i>4.84</i>	<i>.80</i>	<i>2.78</i>	<i>1.71</i>	<i>6.37</i>	<i>3.84</i>	<i>38.98</i>	✓
* Days with .01 in. or more.	<i>21</i>	<i>16</i>	<i>15</i>	<i>11</i>	<i>5</i>	<i>18</i>	<i>22</i>	<i>9</i>	<i>14</i>	<i>15</i>	<i>16</i>	<i>14</i>	<i>173</i>	✓
* Days with .04 in. or more.	<i>21</i>	<i>14</i>	<i>10</i>	<i>9</i>	<i>4</i>	<i>17</i>	<i>19</i>	<i>6</i>	<i>10</i>	<i>9</i>	<i>15</i>	<i>12</i>	<i>146</i>	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Prof. Mann* [P.T.O.]

Section **A** for the entry of Daily Observations.Station No. **581**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at **Bolebrook**in the County of **Sussex**Diameter of Funnel of Gauge.....**5** in.Height of top of Gauge above Ground.....**1** ft.....in.,, Ground ,, Sea Level**175** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1.15	.01	—	.04	—	—	.02	—	—	—	.64	.25		1
2	—	.60	—	.45	—	—	—	—	.20	—	—	.70		2
3	.01	.30	.02	—	—	—	—	—	.03	.04	—	.33		3
4	1.14	1.50	—	.10	—	—	—	—	—	—	—	.26		4
5	.31	.10	.30	—	—	—	.21	—	—	—	—	—		5
6	.05	.02	.73	—	.20	—	—	—	—	.03	—	—		6
7	—	.74	.05	.11	.02	—	—	—	—	.04	—	—		7
8	—	.02	.20	—	.05	.06	—	—	—	—	.20	.42		8
9	—	—	—	.40	.10	—	.04	—	.37	—	—	.12		9
10	—	—	.48	.25	—	.41	—	—	—	—	—	.75		10
11	—	—	.60	—	.32	.03	.06	—	—	—	—	.16		11
12	.51	.23	.18	.04	.30	.24	—	.09	.19	—	—	.02		12
13	.25	.05	.48	.04	.02	.35	—	.55	.25	—	—	.89		13
14	.03	.02	.05	—	.10	.05	—	.48	.14	—	—	—		14
15	.10	.12	—	.27	.02	.01	.23	—	.16	—	—	—		15
16	.15	.07	.42	.25	—	.04	—	.34	.42	—	—	.03		16
17	.47	—	.10	.15	—	—	—	—	.27	—	.11	—		17
18	.73	.05	.10	—	.63	.67	—	—	.03	—	.14	—		18
19	.09	.13	.03	.23	.03	.12	.16	—	.14	—	—	.18		19
20	.71	.02	.09	.32	.60	.10	—	—	—	—	—	—		20
21	.60	.45	.06	.12	.03	—	—	.18	.03	—	—	.03		21
22	.63	—	.02	—	.10	.09	—	—	—	.78	.57	.07		22
23	.34	—	—	—	—	—	.15	—	—	.36	.02	.01		23
24	1.12	.17	—	—	.07	—	—	—	—	.34	—	—		24
25	.10	.48	.33	—	—	—	—	—	.11	.25	—	—		25
26	—	.57	.05	—	.04	—	—	—	—	.12	—	—		26
27	—	.22	—	.23	—	—	—	—	.07	.21	—	—		27
28	—	.11	—	.01	—	—	—	—	—	.02	—	.03		28
29	.18	*	—	—	—	—	—	.60	—	.10	.07	.04		29
30	.38	~~X~~	—	—	—	—	—	.01	—	.10	.10	—		30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.46	~~X~~	.02		31
TOTAL	8.06	5.98	4.29	3.01	2.63	2.17	.87	2.25	2.41	2.85	1.85	4.31	4.68	✓
* Days with .01 in. or more.	21	22	19	16	16	12	7	7	14	13	8	18	17.3	✓
* Days with .04 in. or more.	19	17	16	15	11	10	6	6	11	11	7	12	14.1	✓

Section

A

for the entry of Daily Observations

Station No.

581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at

Bolebroke, Harfield

in the County of

Sussex

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·02	·04	—	·37	·26	—	—	·22	·03	·62	·12		1
2	·06	—	—	·04	·02	—	—	—	—	·42	—	—		2
3	—	—	—	—	·23	—	·79	—	—	·56	·08	—		3
4	·04	—	—	—	—	—	·02	·05	·01	·06	—	·15		4
5	—	—	—	—	—	—	·07	—	—	·52	—	·02		5
6	·05	—	—	—	—	—	·31	—	·04	·01	—	—		6
7	·01	—	—	—	—	—	·14	·80	—	·31	—	·06		7
8	·25	—	—	—	—	·02	·10	·01	·02	·38	—	·09		8
9	·13	—	—	—	—	—	·32	·05	—	·10	—	·88		9
10	·12	·09	—	—	—	·25	—	·04	—	—	—	·19		10
11	·21	—	—	—	—	—	·01	—	—	—	·11	·33		11
12	·48	—	—	—	—	—	—	2·00	—	·05	·08	·02		12
13	·41	·16	—	—	·01	—	—	—	—	·10	·29	·14		13
14	·42	·23	—	—	·46	—	—	—	·04	—	—	·10		14
15	—	·20	—	—	—	—	·13	—	—	·30	—	·11		15
16	·60	—	—	—	—	—	—	·03	—	·12	·07	·34		16
17	—	·13	·01	—	·17	—	·03	—	—	·31	·03	—		17
18	·08	—	—	—	—	—	—	—	·12	·03	·50	—		18
19	—	—	—	—	—	—	—	·08	·09	—	·39	·20		19
20	—	—	—	—	·10	—	—	—	·10	—	·48	·14		20
21	·05	—	—	—	—	—	—	·05	·19	—	·12	·15		21
22	·01	—	—	—	—	·03	—	·03	—	—	·23	·16		22
23	—	—	—	—	—	—	—	—	—	—	·04	—		23
24	—	—	·10	—	·02	—	—	—	·23	—	·31	·04		24
25	·13	—	·38	·06	·06	—	·03	·03	·07	·02	·63	—		25
26	·47	·22	·08	·02	—	—	—	·18	·44	·36	—	·35		26
27	·05	·07	—	—	·04	·23	·46	—	·67	·01	·35	—		27
28	·10	·05	—	—	·70	·10	—	·26	·30	—	—	—		28
29	·19	X	—	·01	·34	—	—	—	·01	—	·05	·20		29
30	·08	X	—	·30	·54	—	—	—	·11	—	·50	—		30
31	·26	X	—	X	·08	X	—	—	X	·19	X	·38		31
TOTAL	4·20	1·17	·61	·43	3·14	·89	2·41	3·61	2·63	3·88	4·88	4·17	Year's Total 32·02	✓
* Days with ·01 in. or more.	22	9	5	5	14	6	12	13	16	19	18	21	160	✓
* Days with ·04 in. or more.	20	8	4	3	11	4	8	9	13	14	17	19	130	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Ray. Harris

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 581

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at ..Bolebrooke, Hartfield.....

in the County of Sussex.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1 ft. in.

,, Ground ,, Sea Level 175.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	—	.05	.10	.40	—	—	—	.21	.21	—	.03		1
2	.03	—	.02	.08	.03	—	—	.24	.08	.06	—	—		2
3	.27	—	—	.57	—	—	—	.33	—	—	.27	.43		3
4	.30	—	.43	.18	—	—	.03	.76	—	.46	.09	—		4
5	—	—	—	.16	—	—	.18	.25	—	.19	.53	.03		5
6	.28	—	—	.10	—	—	.17	.04	—	.12	.27	—		6
7	.11	.07	—	—	—	—	.11	.07	—	.03	.20	.10		7
8	.03	.09	.19	—	—	—	.03	—	—	.19	.19	.65		8
9	.06	.04	—	—	—	—	—	.10	—	.62	.86	.35		9
10	.14	—	—	—	—	.34	—	.19	—	.13	.04	—		10
11	—	—	.28	—	—	.04	—	—	.04	1.80	—	—		11
12	—	—	—	—	—	—	—	—	—	.05	—	.03		12
13	—	—	.02	.03	—	—	—	—	—	1.20	—	.08		13
14	.68	—	—	—	—	—	—	—	.02	.60	.55	—		14
15	.55	—	—	—	.65	.07	.07	—	.05	.50	.05	—		15
16	.50	—	.11	.07	.56	.16	.14	—	.06	—	.54	—		16
17	.29	.07	.03	.03	.02	—	.14	—	—	—	.08	—		17
18	.43	—	—	—	.02	.12	.05	—	—	.10	.38	—		18
19	.34	—	—	—	—	—	.19	—	—	.49	—	.05		19
20	.27	—	—	—	—	.09	.20	.91	.06	—	—	.04		20
21	.14	—	.13	—	—	.08	.33	—	.08	.01	—	—		21
22	.28	.25	—	—	—	.37	.50	—	.03	—	—	—		22
23	.13	—	.12	.08	—	.02	.06	—	—	.08	.55	—		23
24	.12	.18	—	.14	—	.01	.12	—	—	.21	.04	—		24
25	1.20	.23	.03	.05	—	.03	.06	.04	—	—	.63	—		25
26	.04	—	—	.06	—	.08	.31	—	—	.07	.19	.04		26
27	.01	.03	.06	.09	—	—	.12	—	—	.03	.48	—		27
28	—	.63	.03	—	—	.08	—	—	—	.11	.10	.12		28
29	—	~~X~~	—	—	—	—	—	—	—	.04	~~—~~	~~—~~		29
30	—	~~X~~	—	.22	—	—	—	—	—	—	.17	—		30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.01	~~X~~	—		31
TOTAL	6.27	1.59	1.50	1.96	1.68	1.49	2.81	2.03	.63	7.10	6.21	11.95	Year's Total 35.22	
* Days with .01 in. or more.	23	9	13	15	6	13	18	10	9	23	20	12	171	
* Days with .04 in. or more.	20	8	8	13	3	10	16	9	7	19	20	9	142	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

581 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340.

Kept at BOLEBROKE, HARTFIELDin the County of SUSSEXDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1...ft. — in.,, Ground ,, Sea Level 175 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	—	—	—	—	—	.02	—		1
2	—	—	—	—	—	—	—	—	—	.02	.29	—		2
3	—	.36	—	.05	—	—	.07	—	—	.26	1.30	.11		3
4	—	.17	—	.09	—	—	—	—	—	.24	.13	.08		4
5	—	—	—	.05	—	—	.14	—	—	.02	.94	.19		5
6	.14	.09	—	—	—	—	.27	—	—	.76	.07	—		6
7	.22	.24	—	—	—	—	.07	—	—	—	—	—		7
8	—	—	—	—	—	—	—	—	.03	.52	—	.24		8
9	—	—	—	—	—	—	—	—	—	.11	.42	.21		9
10	—	—	—	—	—	—	.55	.07	.02	.26	.12	—		10
11	—	—	—	—	—	—	.01	—	—	—	1.28	—		11
12	—	—	.30	—	—	—	.17	—	.02	—	.06	—		12
13	—	—	.80	—	—	—	—	—	.26	—	1.42	—		13
14	—	—	.45	—	—	—	—	—	—	.03	—	.35		14
15	—	—	—	—	.12	—	1.06	—	—	.09	.27	.01		15
16	—	—	.20	—	—	—	.05	—	.12	.73	.67	.06		16
17	—	—	.30	—	—	.07	.04	—	.09	—	.24	—		17
18	—	.45	.45	.50	—	—	.02	.03	.10	.37	.27	.17		18
19	—	.12	.07	—	—	—	.01	—	.53	—	—	.05		19
20	—	.04	.15	.04	—	—	—	.04	.03	—	.31	.07		20
21	—	—	—	—	.25	—	.48	—	.01	.13	.47	—		21
22	—	—	.03	—	.60	.11	—	—	.14	—	.03	—		22
23	—	.20	.07	.15	—	—	.01	—	—	—	.03	.02		23
24	—	—	—	.47	—	—	.16	—	—	—	—	—		24
25	—	—	.35	—	—	—	.05	—	—	.03	—	—		25
26	.66	.30	.32	.04	.75	—	.14	—	—	.02	—	—		26
27	.15	.40	—	—	—	—	.14	—	—	—	—	—		27
28	.90	.08	—	—	.15	—	—	—	—	—	—	—		28
29	—	.30	.20	—	.42	—	—	—	—	—	—	.19		29
30	—	~~X~~	—	.25	—	—	—	—	—	.20	—	—		30
31	—	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.65	~~X~~	.13		31
TOTAL	2.07	2.75	3.64	1.64	2.29	.18	3.44	.14	1.35	4.44	8.34	1.88	Year's Total	
* Days with .01 in. or more.	5	12	13	9	6	2	18	3	11	17	19	14	32.21	1
* Days with .04 in. or more.	5	12	12	9	6	2	14	2	6	12	16	12	108	"d"

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

REGIST

Kept at *The Grange*
in the County of *Crawley*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Le

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of thi

1932-1933 A/B

780112

582
COPY FOR OFFICIAL USE.
L ORGANIZATION.

surrounding station.
22/2/32
Blanch

Jan. 1, following

following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10	0.50	0.05	-	-	-	-	-	-	-	-	-	1
2	-	0.13	-	0.30	-	0.18	-	0.05	0.16	-	-	-	2
3	0.17	0.04	-	0.32	0.03	-	-	0.01	0.71	0.01	-	-	3
4	0.09	-	0.12	0.16	1.10	-	-	0.27	0.64	-	0.05	0.34	4
5	-	0.02	-	Trace	0.07	-	-	0.01	0.14	0.01	0.10	0.01	5
6	-	Trace	-	0.27	-	0.69	0.09	0.08	0.05	0.01	Trace	0.27	6
7	-	0.08	-	0.09	-	-	-	-	-	0.28	0.30	0.16	7
8	-	0.01	-	-	0.03	0.12	-	0.19	-	0.02	0.45	-	8
9	0.01	0.15	0.02	-	-	0.20	0.03	0.06	-	0.01	0.05	-	9
10	-	0.20	-	0.01	-	0.02	-	-	-	-	0.80	-	10
11	0.00	0.21	0.01	-	0.03	0.15	0.04	0.14	-	-	1.72	0.02	11
12	0.12	0.56	-	-	-	-	-	-	0.02	-	0.25	-	12
13	0.03	Trace	-	-	-	-	0.01	-	0.22	-	-	-	13
14	0.02	-	-	-	0.02	0.02	0.01	-	-	-	-	-	14
15	0.01	0.13	-	-	-	0.02	0.70	0.59	-	-	-	-	15
16	0.01	0.09	-	0.09	0.33	-	0.17	0.75	-	-	-	-	16
17	0.01	0.08	-	0.13	0.28	0.07	-	0.04	-	-	-	-	17
18	0.03	0.04	-	0.35	Trace	-	0.42	0.12	0.07	0.04	-	-	18
19	0.02	0.06	0.01	0.17	-	0.19	0.04	0.78	0.10	0.01	0.73	-	19
20	0.07	-	-	0.40	-	0.04	0.42	0.33	0.08	-	-	-	20
21	-	0.14	-	0.02	-	-	0.05	0.50	Trace	-	0.01	-	21
22	0.01	-	-	-	0.48	-	-	-	-	-	0.02	-	22
23	0.31	-	0.22	-	-	-	-	-	0.01	-	0.01	-	23
24	0.63	-	0.01	-	0.26	0.05	-	-	0.05	-	0.38	-	24
25	-	0.08	0.01	0.52	0.04	0.06	0.30	0.42	0.01	-	-	-	25
26	0.03	-	-	0.66	0.04	-	0.39	-	-	-	0.04	-	26
27	-	0.05	-	0.30	-	-	0.35	-	-	-	0.37	0.00	27
28	0.19	0.48	-	0.06	0.18	-	0.01	-	-	-	-	-	28
29	0.09	-	-	0.02	0.04	-	-	-	-	0.01	0.01	-	29
30	0.08	X	-	-	0.18	-	0.11	-	-	0.16	0.01	-	30
31	0.06	X	-	X	0.04	X	-	-	X	-	X	-	31
TOTAL	2.09	3.05	0.45	3.87	3.15	1.81	3.14	4.34	2.26	0.56	5.30	0.80	YEAR'S TOTAL
*Days with 0.01 in. or more.	21	19	8	17	16	13	16	16	13	10	17	5	171.1
*Days with 0.04 in. or more.	11	17	3	14	12	10	12	14	9	3	12	3	120.1

Section **A**

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Grange
in the County of Gloucestershire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft. in.
Ground Sea Level 450 ft.

No rain at end of Dec by surrounding stations.
22/12/31
S. J. H. H. H.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10	0.50	0.05	-	-	-	-	-	-	-	-	-	1
2	-	0.13	-	0.30	-	0.18	-	0.05	0.16	-	-	-	2
3	0.17	0.04	-	0.32	0.03	-	-	0.01	0.71	0.01	-	-	3
4	0.09	-	0.12	0.16	1.10	-	-	0.27	0.64	-	0.05	0.34	4
5	-	0.02	-	Trace	0.07	-	-	0.01	0.14	0.01	0.10	0.01	5
6	-	Trace	-	0.27	-	0.69	0.09	0.08	0.05	0.01	Trace	0.27	6
7	-	0.08	-	0.09	-	-	-	-	-	0.28	0.30	0.16	7
8	-	0.01	-	-	0.03	0.12	-	0.19	-	0.02	0.45	-	8
9	0.01	0.15	0.02	-	-	0.20	0.03	0.06	-	0.01	0.05	-	9
10	-	0.20	-	0.01	-	0.02	-	-	-	-	0.80	-	10
11	0.01	0.21	0.01	-	0.03	0.15	0.04	0.14	-	-	1.72	0.02	11
12	0.12	0.56	-	-	-	-	-	-	0.02	-	0.25	-	12
13	0.03	Trace	-	-	-	-	0.01	-	0.22	-	-	-	13
14	0.02	-	-	-	0.02	0.02	0.01	-	-	-	-	-	14
15	0.01	0.13	-	-	-	0.02	0.70	0.59	-	-	-	-	15
16	0.01	0.09	-	0.09	0.33	-	0.17	0.75	-	-	-	-	16
17	0.01	0.05	-	0.13	0.28	0.07	-	0.04	-	-	-	-	17
18	0.03	0.04	-	0.35	Trace	-	0.42	0.12	0.07	0.04	-	-	18
19	0.02	0.06	0.01	0.17	-	0.19	0.04	0.78	0.10	0.01	0.73	-	19
20	0.07	-	-	0.40	-	0.04	0.42	0.33	0.08	-	-	-	20
21	-	0.14	-	0.02	-	-	0.05	0.50	Trace	-	0.01	-	21
22	0.01	-	-	-	0.48	-	-	-	-	-	0.02	-	22
23	0.31	-	0.22	-	-	-	-	-	0.01	-	0.01	-	23
24	0.63	-	0.01	-	0.26	0.05	-	-	0.05	-	0.38	-	24
25	-	0.08	0.01	0.52	0.04	0.06	0.30	0.42	0.01	-	-	-	25
26	0.03	-	-	0.66	0.04	-	0.39	-	-	-	0.04	-	26
27	-	0.05	-	0.30	-	-	0.35	-	-	-	0.37	0.00	27
28	0.19	0.48	-	0.06	0.18	-	0.01	-	-	-	-	-	28
29	0.09	-	-	0.02	0.04	-	-	-	-	0.01	0.01	-	29
30	0.08	X	-	-	0.18	-	0.11	-	-	0.16	0.01	-	30
31	0.06	X	-	X	0.04	X	-	-	X	-	X	-	31
TOTAL	2.09	3.05	0.45	3.87	3.15	1.81	3.14	4.34	2.26	0.56	5.30	.80	YEAR'S TOTAL
*Days with "or in. or more.	21	19	8	17	16	13	16	16	13	10	17	5	171.1
*Days with "or in. or more.	11	17	3	14	12	10	12	14	9	3	12	3	120.1

40-9999

*See Instruction 2 (f) on other side.

(Signed)

L. J. H. H. H.

[P.T.O.]

Section

A

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No.

582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at GRANGE HILL. CRAWLEY DOWN
in the County of SUSSEX.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level 450 ft.

g in field adjoining her old property
Crawley Down (The Grange) return in
therefore continuation. see min 23 of 67685/26
Corrected from 2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

.08

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.01	.26					.01		.6			1
2						.17		.36	.01	.00		.40	2
3			.24						.08	.44		.54	3
4	.04	.02		.33						.72		.20	4
5	.19	.01	.09	.02	.04					.29	.12	.70	5
6					.14			.10			.04	.53	6
7	.02		.40		.16			.19		.28		.75	7
8	.07							.06				.34	8
9					.14			.02	.11	.19	1.25	.62	9
10			.08								1.46	.62	10
11			.25	.33				.13			1.14	.02	11
12	1.31		.55	.09				.03			.04	.34	12
13	.11		.02				.14	.18			.14	.09	13
14	.61		.26	.18			.49	.01			.04	.17	14
15	.22		.06								.40	.95	15
16	.02		.01		.05						.15	1.06	16
17	.28		.32		.33					.16		.01	17
18	.10		.11	.14						.03		.45	18
19	.12		.04	.52			.24					.39	19
20			.40	.04					.40	.02		.28	20
21			.05				.33	.04	.01			.04	21
22				.22		.22		.01		.15			22
23							.31	.09	.28			.14	23
24				.59		.22	.70					.09	24
25				.12		.03		.04	.22	.02			25
26	.27	.10		.35						.01		.72	26
27				.04		.12			.09			.05	27
28				.64		.02						.50	28
29				.05		.09		.70				.35	29
30		X		.10				.08	.10				30
31	.12	X		X		X		.05	X		X	.57	31
TOTAL	3.50	.39	2.88	376	.86	1.37	2.22	2.09	2.86	2.47	4.78	10.38	37.06
*Days with .01 in. or more.	14	4	15	17	6	7	16	17	9	13	10	27	145
*Days with .04 in. or more.	13	2	13	15	6	5	6	13	7	10	10	25	124

40-9999

*See Instruction 2 (f) on other side,

(Signed)

X MISS L. T. A. BUCKLEY X

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at ... Grange Hill

in the County of ... Crawley Down

Diameter of Funnel of Gauge... five in.

Height of top of Gauge above Ground... 10 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.02	.05	.01	.03	.04				.12	.36	.73		1
2	.23	.04	.03	.04	.05	.05	.12		.41	.06	.23			2
3	.08		.09	.06					.02	.50	.13			3
4		.02	.14	.02					.19	1.58	.14			4
5		.08		.24		.26			.32	.31	.01	.18		5
6		.40	.05	.07		.10			.54	.18	.02	.01		6
7	.08	.11	.01	.32		1.05				Trace	.19			7
8		.06		.29		.16					1.06	.14		8
9			.05	.29						.44	.66	.04		9
10	.07			.36		.40			.05	1.24	.28			10
11	.08		.11	.02		.08					.35			11
12	.19			.28		.08	.07				.69	.12		12
13		.04				.33		.45	.06		1.07			13
14	.14	.21		.19	.26	.03				Trace	.15	.02		14
15				.21		.22			Trace	.01	.05	.13		15
16		.30		.64		.03			.31		.23	.08		16
17		.09		.21		.20			.60		1.02			17
18				.08		.18	.05		.01		.35			18
19		.02		.38		.08	.25		.59	.10	.02	.04		19
20				.10	.69	.05	.19		.17		.10			20
21		.69		.12	.06	.05	.25		.05		.18			21
22		.56		.02					.02	.22	.02			22
23		.06						.29	.10					23
24			.07					.79	.01	.02		.10		24
25	.04	1.12			.20			1.47	.75			.32		25
26	.10	.42		.20	.16	.09			.10		.02	.37		26
27	.03	.27						.20		.04		.53		27
28	.03	.87							.14		.18	.37		28
29	.07				.09				.05	.07	.01	.50		29
30	.02							.07	.65	.03		.54		30
31	.08				.03			1.15		.14		.85		31
TOTAL	1.32	5.44	.60	4.10	1.53	3.48	.95	4.42	5.04	5.06	7.52	5.70	44.58	
* Days with .01 in. or more.	15	19	9	22	9	19	6	7	21	16	25	18	186	
* Days with .04 in. or more.	12	16	7	18	7	11	6	7	11	13	19	16	155	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) L. A. Buckley [P.T.O.]

(L. A. BUCKLEY.)

Section

A

for the entry of Daily Observations.

Station No. 582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Graze Hill
in the County of Crawley Down
SussexDiameter of Funnel of Gauge five in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level ft.

Days.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

1937.
Jan. 1, following

41

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1.30		.11	.22	~~.04~~	.04	.30	.16			.57		2.67	1
2	.41	.16	.03	.60		.27	.62	.10			.07	.04	2.30	2
3	.01	.03				.59	.25	.15					1.03	3
4			.01	.47		.03	.5		.07		.26		.89	4
5			.12			.13			.47		.39	.07	1.18	5
6	.35		.04					.12	.21	.03	.01	.02	.78	6
7	.41					.04		.10	.30		.90	.05	1.80	7
8	.65		.09			.03	.08		.01	.02	.71	.22	1.81	8
9	.49		.05				.08				.82	.07	1.57	9
10	.67		.08				.43		.06	.03		.19	1.41	10
11	.09						.13	.07					.29	11
12				.07			.24	.01			1.40		1.72	12
13				.03		.21	.45	.01	.08	.01	.47		1.26	13
14						.11	.04			.01		1.00	1.16	14
15		.06				.11	.67		.02	.03	.17	.89	1.95	15
16		.08					.02		.01		.04	.44	.59	16
17	.18	.10			.01		.08				.11	.16	.64	17
18	.13	.83			.46	.11		.03	.12	.03	.24	.76	2.37	18
19	.15	.17				.04	.24		.02	.02	.12		.76	19
20	.35	.07				.76	.03	.14		.08	.05		1.43	20
21	.42	.09	.16	.49			.04		.70				1.90	21
22		.03		.33	.01	.47	.13		.04				1.01	22
23	.15	.44	.15	.02	.15	.01	.14		.01			.10	1.17	23
24	.02	.07	.14	.10	.01		.72			.10			1.16	24
25	.04	.09					.04		.02	.42			.61	25
26	.16		.17	.24	.05		.10		.29	.08	.04		1.13	26
27	.01	.22	.20	.08		.07	.01		.09	.29		.04	1.01	27
28	.57	.04	.05				.22		.13	.25			1.23	28
29	.78		.20			.23			.02			.19	1.42	29
30	.03	X	.29			.28	.30			.09		.03	1.07	30
31	.28	X		X		X			X	.46	X	.01	.75	31
TOTAL	7.62	2.48	1.84	2.65	.69	3.53	5.41	.89	2.55	1.91	6.43	4.28	40.28	✓
*Days with or in. or more.	23.4	15.8	16.8	11.8	6.8	18.8	25.8	10.8	19.8	16.8	18.8	17.8	4.1	194.4
*Days with .04 in. or more.	19	13	14	9	3	15	22	7	12	8	17	14	15.3	✓✓

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

L. J. A. Buckley

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at

Graupe Hill, Crawley Down

in the County of

Sussex

Diameter of Funnel of Gauge

five in.

Height of top of Gauge above Ground

10 in.

,, Ground

,, Sea Level

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

41

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.41	.21	.13				.02				.23	.11	1.11	1
2	.95	.03		.12			.01		.01		.80	.43	2.35	2
3	.01	.95		.54					.02		.01	1.02	2.55	3
4	.03	.37							.03			.23	.66	4
5	.15	1.30		.02								.29	1.76	5
6	.36	.12	.41				.22					.01	1.12	6
7	.04	.03	.80	.01	.29					.03	.01		1.21	7
8		.75	.10	.20	.08				.05	.06		.10	1.34	8
9		.01	.16		.05	.09					.10	.17	.58	9
10		.11	.04	.39	.13	.02	.13		.10			.15	1.07	10
11			.75	.34	.02	.52	.01					.96	2.60	11
12			.34		.07	.03						.11	.55	12
13	.82	.30	.14	.01	.27	.35		.57	.20			.30	2.70	13
14	.21	.06	.62	.06		.14		.12	.21			.65	2.07	14
15	.02	.04	.14		.09			.62	.22				1.13	15
16	.33	.19		.31			.47	.36	.25			.01	1.92	16
17			.61	.37		.02			.43			.02	1.45	17
18	.45		.09	.13		.12			.53		.11		1.23	18
19	.73	.06	.03	.07	.40	.42			.02		.18	.10	2.01	19
20	.14	.17	.07	.24	.01	.10	.17		.08			.20	1.18	20
21	.63		.09	.28	.82	.02			.02			.01	1.87	21
22	.74	.59	.02	.09	.03		.01			.01	.14	.06	1.69	22
23	.61	.04			.16	.13	.03			1.13	.31	.16	2.57	23
24	.41	.03					.15			.77	.03	.01	1.40	24
25	.94	.29			.03				.02	.63		.02	1.93	25
26	.07	.47	.30		.02				.08	.26		.01	1.21	26
27		.45	.05			.03				.03			.56	27
28		.36		.26					.03	.21			.86	28
29	.14			.02						.07		.02	.25	29
30	.11	~~X~~				.01		.07			.07	.05	.31	30
31	.30	~~X~~		~~X~~		~~X~~		.01	~~X~~	.04	~~X~~		.35	31
TOTAL	8.40	6.93	4.89	3.46	2.47	2.00	1.22	1.69	2.10	3.24	1.99	5.20	43.59	✓
* Days with .01 in. or more.	23	23	19	18	15	14	10	6	17	11	11	25	192	✓
* Days with .04 in. or more.	21	21	17	14	10	8	5	5	10	8	8	16	143	✓

Year's Total

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) L. J. A. Buckley [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at

Grange Hill, Crawley, Down

in the County of

Sussex

Diameter of Funnel of Gauge. ~~5~~ in.

Height of top of Gauge above Ground. 10 in.

Ground Sea Level

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

50

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.25	.07		.13	.15				.10	.25	.46		1
2	.03	.02			.31	.15			.18	.05	.03	.09		2
3	.05				.05		.15			.44		.01		3
4					.12					.87	.07	.01		4
5	.02						.20	.10		.20		.23		5
6	.06			.07			.42		.02	.44				6
7							.16		.06	.01	.02	.02		7
8	.02					.01	.26	.40	.01	.41		.09		8
9	.33						.43	.02	.02	.42	.01	.19		9
10	.14							.04		.14		1.00		10
11	.15	.10				.09	.01	.02				.15		11
12	.20							.04			.12	.24		12
13	.30	.01			.01		.01	.02		.05	.06	.01		13
14	.38	.08								.11	.47	.29		14
15	.44	.04			.45				.04			.02		15
16	.07	.10			.01		.33				.01			16
17	.59	.02	.02		.02			.04		.07	.02	.33		17
18		.11	.01		.20		.03		.05	.18	.08			18
19	.12				.01				.20	.01	.58	.34		19
20								.12	.07		.44	.12	X	20
21		.01			.02				.13		.52	.07	X	21
22	.08							.05	.14		.02	.14	X	22
23	.02					.04		.02			.32	.25	X	23
24											.01	.02	X	24
25			.12						.88		.38	.05	X	25
26	.14		.30	.05	.05		.03	.03	.03	.03	.49	.03		26
27	.42	.19	.05					.10	.32	.32		.35		27
28	.14	.06			.10	.27	.46		.85	.01	.41	.01		28
29	.08	.07			.44	.14		.41	.16			.04		29
30	.29	X			.32				.01		.12	.11		30
31	.10	X		.13	.44	X			.10		.07	.50		31
TOTAL	4.39	.99	.50	.25	2.68	.70	2.49	1.41	3.27	3.97	4.64	4.71	Year's Total	30.18
* Days with .01 in. or more.	24	12	6	2	16	8	12	14	17	19	21	27	17	✓
* Days with .04 in. or more.	19	8	4	2	11	6	8	9	12	15	14	19	12	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) L. T. Buckley [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Grange Hillin the County of SussexDiameter of Funnel of Gauge five in.Height of top of Gauge above Ground 1.0 ft.Ground Sea Level 4.50 ft.Nov. 9th 6.5 in 3 hrs.

9 a.m. - 12.0.

X snow

see notes other side

Entry Dec. 31 ~~not to be made~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.50		.37		.63			.07	.29		.01	.13		1 2.00
2	.01		.09	.16	.31				.10			.05		2 .72
3	.03		.01	.03	.02			.29	.26	.02	.01			3 .67
4	.49			.46			.03	.32	.01		.26	.41		4 1.98
5	.14	.02	.43	.20			.07	.89	.10	.54	.10	.02		5 2.57
6			.01	.11	.06		.25	.11		.12	.75	.08		6 1.49
7	.39		.02		.09		.28	.02			.23			7 1.03
8	.06	.05					.06	.06			.16	.22		8 .61
9	.02	.11	.18				.01			.41	.10	.76		9 1.59
10	.12	.07						.22		.53	.98	.49		10 2.47
11	.20					.21		.29	.05	.07	.04			11 .86
12		.01	.24		.01	.09				1.32	.02	.03		12 1.72
13					.01	.12				.01	.02			13 .16
14			.03	.05		.06	.05		.02	1.58	.01	.04		14 1.84
15	.81		.01	.06	.06	.03	.08		.01	.32	.62	.02		15 2.02
16	.53				1.04	.03	.05		.31	.84	.06			16 2.86
17	.30		.08	.11	.28	.23	.32		.18	.10	.52			17 2.02
18	.36	.12	.02		.01						.09			18 .60
19	.49				.01	.09	.19			.16	.41			19 1.35
20	.38						.14		.01	.50	.15	.02		20 1.05
21	.27					.72	.83	.08	.11	.15		.05		21 2.06
22	.09	.06	.12			.32	.10		.20	.02				22 .81
23	.29	.35	.04	.04		.37	.06			.15	.07			23 1.22
24			.03	.12		.01	.09	.02		.05	.80			24 1.12
25	.21	.15		.11		.01	.04			.18	.01			25 .71
26	1.21	.22	.04	.02		.01	.05	.03			.72	.01		26 2.31
27	.10		.01	.04		.04	.01			.14	.31	.02		27 .67
28	.03	.15	.09	.19						.05	.34			28 .83
29			.05	.24		.12				.12	.12	.08		29 .73
30		X								.06	.04			30 .10
31		X		.63		X		.07	.29	X	.13	.06		31 .07
TOTAL	6.53	1.68	1.50	1.55	1.90	2.36	2.78	2.63	1.38	4.15	6.92	2.36	Year's Total	39.72
* Days with .01 in. or more.	28	112	148	156	181	16	20	13	182	212	26	186	205	
* Days with .04 in. or more.	148	810	118	184	86	11	167	9	88	18	201	140	1532	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) L. J. Buckley

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 582

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Grange Hill

in the County of Sussex

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 10 in.

Ground Sea Level 4.50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.06	.17		.21						.99			1
2		.01									.02		.03	2
3		.08		.20						.12	.42	.03	.85	3
4		.29		.07			.03			.15	1.27	.10	1.91	4
5		.16		.03						.25	.10	.08	.62	5
6		.01					.05			.04	.63	.19	.92	6
7	.23	.16					.28			.64			1.31	7
8	.27	.24					.13			.66			1.30	8
9							.1					.28	.34	9
10									.01	.14	.48	.22	.85	10
11							.30	.11	.01	.30	.12	.03	.85	11
12		S.04		.08			.02				1.32		1.46	12
13		S.04	.08	.08			.32		.14		.03		.69	13
14		S.02	.80			.03	.06		.12		1.74		2.77	14
15			S.42	.04						.07		.46	.99	15
16					.21		1.02			.06	.79		2.08	16
17	S.04	S.45	.21			.09	.09		.25	.44	.70	.03	2.30	17
18			.27				.06		.04		.58	.04	.99	18
19	S.02	.26	.31	.41			.01	.02	.08	.33	.15	.15	1.40	19
20		.12	.9	.02			.03		.47		.21		.94	20
21		.02	.10	.03			.08	.02	.02	.11	.28	.02	.68	21
22	S.05	.01			.47		.21		.01	.08	.36		1.19	22
23			.03		.38	.14	.01		.13				.69	23
24		.10	.11	.25	.01	.01			.01		.03		.87	24
25				.24			.18				.01	.03	.46	25
26			.49			.01	.03						.53	26
27	S.86	.26	.48	.25	.39								2.24	27
28	S.11	.46		.04	.03		.12					.01	.75	28
29	S.68	.08		.06	.18							.30	1.30	29
30	S.30	X	.21	.01	.11				.02				.65	30
31	S.01	X		X		X			X	.23	X	.03	.33	31
TOTAL	2.69	2.98	3.60	2.02	1.98	.28	3.04	.15	1.31	4.61	9.24	2.00	33.70	Year's Total
* Days with .01 in. or more.	10	20	14	15	9	5	20	3	13	15	20	16	160	
* Days with .04 in. or more.	9	15	13	4	7	2	13	1	7	15	16	9	118	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) L. I. A. BUCKLEY [B.T.O.]

Kept at *Brockhurst Observa*
in the County of *Su*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

583
EAST GRINSTEAD
BROCKHURST OBS.
1931 - 1937

583
COPY FOR OFFICIAL USE.
LL ORGANIZATION.
1.

Y.
following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.12		.30		.17		.04	.14	.01		.01	1
2	.18	.04		.25		.01		.03	.63	.01			2
3	.11		.14	.20	1.40			.34	.64		.02	.28	3
4		.03*			.02		.03	.01	.37	.02	.10	.01	4
5				.26		.67	.10	.06	.05	.03	.02	.25	5
6		.09		.08		.01	.03			.30	.50	.13	6
7		.04		.01	.03	.18		.20		.03	.44	.01	7
8		.13			.03	.16	.06	.09		.02	.05	.05	8
9	.03*	.13		.03		.04					.77	.01	9
10	.01	.23	.02*			.15	.04	.17		.01	1.68	.01	10
11	.10	.57			.01				.03	.01	.28		11
12	.04	.04			.02		.04		.23		.01	.01	12
13	.05		.01		.01		.04	.69					13
14	.02*	.04*	.01		.02	.03	.67	.80			.02		14
15	.01	.10	.01	.08	.29		.24	.58			.01	.04	15
16	.03	.11*		.15	.31	.01	.03	.23			.01		16
17	.02	.03*		.30*	.01	.02	.40	.16	.07	.04			17
18	.03	.14*	.01	.24		.11	.07	.60	.03	.03	.69		18
19	.07	.01		.50		.10	.57	.54	.08		.02		19
20		.10	.01	.06			.07	.32	.01		.01		20
21	.02	.09			.47						.03		21
22	.25	.02	.17	.02	.01				.09		.01		22
23	.61	.02	.03		.18	.05			.03		.33	.02	23
24			.02	.44	.03	.07	.16	.37	.02		.01		24
25	.03	.01		.81			.39				.03	.01	25
26		.06		.34			.34		.04	.01	.40		26
27	.19	.38		.05	.17		.03				.03		27
28	.09	.16*		.04						.02	.01	.02	28
29	.12	X			.17		.10			.23	.01	.02*	29
30	.09*	X			.03		.03	.01					30
31	.46	X		X	.01	X			X		X		31
TOTAL	2.56	2.69	0.43	4.16	3.22	1.78	3.44	5.24	2.46	0.77	5.49	0.88	YEAR'S TOTAL 33.12
*Days with ".01 in. or more.	22	24	10	19	19	15	20	18	15	14	25	15	216
*Days with ".04 in. or more.	13	18	2	16	7	10	15	15	10	3	10	5	124

Section **A**

for the entry of *Early Observations.*

583
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at *Brookhurst Observatory, East Ginstead*
in the County of *Sussex*

Station No. 583

Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *0* in.
Ground Sea Level *435* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<i>.12</i>		<i>.30</i>		<i>.17</i>		<i>.04</i>	<i>.14</i>	<i>.01</i>		<i>.01</i>	1
2	<i>.18</i>	<i>.04</i>		<i>.25</i>		<i>.01</i>		<i>.03</i>	<i>.63</i>	<i>.01</i>			2
3	<i>.11</i>		<i>.14</i>	<i>.20</i>	<i>1.40</i>			<i>.34</i>	<i>.64</i>		<i>.02</i>	<i>.28</i>	3
4		<i>.03*</i>			<i>.02</i>		<i>.03</i>	<i>.01</i>	<i>.37</i>	<i>.02</i>	<i>.10</i>	<i>.01</i>	4
5				<i>.26</i>		<i>.67</i>	<i>.10</i>	<i>.06</i>	<i>.05</i>	<i>.03</i>	<i>.02</i>	<i>.25</i>	5
6		<i>.09</i>		<i>.08</i>		<i>.01</i>	<i>.03</i>			<i>.30</i>	<i>.50</i>	<i>.13</i>	6
7		<i>.04</i>		<i>.01</i>	<i>.03</i>	<i>.18</i>		<i>.20</i>		<i>.03</i>	<i>.44</i>	<i>.01</i>	7
8		<i>.13</i>			<i>.03</i>	<i>.16</i>	<i>.06</i>	<i>.09</i>		<i>.02</i>	<i>.05</i>	<i>.05</i>	8
9	<i>.03*</i>	<i>.13</i>		<i>.03</i>		<i>.04</i>					<i>.77</i>	<i>.01</i>	9
10	<i>.01</i>	<i>.23</i>	<i>.02*</i>			<i>.15</i>	<i>.04</i>	<i>.17</i>		<i>.01</i>	<i>1.68</i>	<i>.01</i>	10
11	<i>.10</i>	<i>.57</i>			<i>.01</i>				<i>.03</i>	<i>.01</i>	<i>.28</i>		11
12	<i>.04</i>	<i>.04</i>			<i>.02</i>		<i>.04</i>		<i>.23</i>		<i>.01</i>	<i>.01</i>	12
13	<i>.05</i>		<i>.01</i>		<i>.01</i>		<i>.04</i>	<i>.69</i>					13
14	<i>.02*</i>	<i>.04*</i>	<i>.01</i>		<i>.02</i>	<i>.03</i>	<i>.67</i>	<i>.80</i>			<i>.02</i>		14
15	<i>.01</i>	<i>.10</i>	<i>.01</i>	<i>.08</i>	<i>.29</i>		<i>.24</i>	<i>.58</i>			<i>.01</i>	<i>.04</i>	15
16	<i>.03</i>	<i>.11*</i>		<i>.15</i>	<i>.31</i>	<i>.01</i>	<i>.03</i>	<i>.23</i>			<i>.01</i>		16
17	<i>.02</i>	<i>.03*</i>		<i>.30*</i>	<i>.01</i>	<i>.02</i>	<i>.40</i>	<i>.16</i>	<i>.07</i>	<i>.04</i>			17
18	<i>.03</i>	<i>.14*</i>	<i>.01</i>	<i>.24</i>		<i>.11</i>	<i>.07</i>	<i>.60</i>	<i>.03</i>	<i>.03</i>	<i>.69</i>		18
19	<i>.07</i>	<i>.01</i>		<i>.50</i>		<i>.10</i>	<i>.57</i>	<i>.54</i>	<i>.08</i>		<i>.02</i>		19
20		<i>.10</i>	<i>.01</i>	<i>.06</i>			<i>.07</i>	<i>.32</i>	<i>.01</i>		<i>.01</i>		20
21	<i>.02</i>	<i>.09</i>			<i>.47</i>						<i>.03</i>		21
22	<i>.25</i>	<i>.02</i>	<i>.17</i>	<i>.02</i>	<i>.01</i>				<i>.09</i>		<i>.01</i>		22
23	<i>.61</i>	<i>.02</i>	<i>.03</i>		<i>.18</i>	<i>.05</i>			<i>.03</i>		<i>.33</i>	<i>.02</i>	23
24			<i>.02</i>	<i>.44</i>	<i>.03</i>	<i>.07</i>	<i>.16</i>	<i>.37</i>	<i>.02</i>		<i>.01</i>		24
25	<i>.03</i>	<i>.01</i>		<i>.81</i>			<i>.39</i>				<i>.03</i>	<i>.01</i>	25
26		<i>.06</i>		<i>.34</i>			<i>.34</i>		<i>.04</i>	<i>.01</i>	<i>.40</i>		26
27	<i>.19</i>	<i>.38</i>		<i>.05</i>	<i>.17</i>		<i>.03</i>				<i>.03</i>		27
28	<i>.09</i>	<i>.16*</i>		<i>.04</i>						<i>.02</i>	<i>.01</i>	<i>.02</i>	28
29	<i>.12</i>	X			<i>.17</i>		<i>.10</i>			<i>.23</i>	<i>.01</i>	<i>.02*</i>	29
30	<i>.09*</i>	X			<i>.03</i>		<i>.03</i>	<i>.01</i>					30
31	<i>.46</i>	X		X	<i>.01</i>	X			X		X		31
TOTAL	<i>2.56</i>	<i>2.69</i>	<i>0.43</i>	<i>4.16</i>	<i>3.22</i>	<i>1.78</i>	<i>3.44</i>	<i>5.24</i>	<i>2.46</i>	<i>0.77</i>	<i>5.49</i>	<i>0.88</i>	YEAR'S TOTAL <i>33.12</i>
*Days with or more.	<i>22</i>	<i>24</i>	<i>10</i>	<i>19</i>	<i>19</i>	<i>15</i>	<i>20</i>	<i>18</i>	<i>15</i>	<i>14</i>	<i>25</i>	<i>15</i>	<i>216</i>
*Days with or more.	<i>13</i>	<i>18</i>	<i>2</i>	<i>16</i>	<i>7</i>	<i>10</i>	<i>15</i>	<i>15</i>	<i>10</i>	<i>3</i>	<i>10</i>	<i>5</i>	<i>124</i>

40-9999 * snow

*See Instruction 2 (f) on other side.

(Signed) *W.S. Fooks, FRAS*

[P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1932.

Kept at Brockhurst Observatory, East Grinstead
in the County of Sussex

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 435 ft.

714673/26
File number

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.01	—	.08	.47	—	.01	.11	—	.10	.05	—	1
2	.02	—	—	.18	.05	—	—	.01	.04	.04	.03	.31	2
3	—	—	—	.03	.14	.10	—	—	.44	.04	—	.02	3
4	.03	.01	—	—	—	.13	—	—	—	—	.02	—	4
5	.31	.01	—	—	.02	.02	.21	—	.12	—	—	—	5
6	.69	—	.03	.27	—	—	.01	—	.06	.01	—	—	6
7	.13	—	.08	.04	—	—	.63	—	.02	.05	—	—	7
8	—	—	.20	.10	.19	—	.01	.01	.27	.80	—	—	8
9	observed ill	—	—	.19	.84	—	—	—	—	.05	—	—	9
10	1.39	.08*	.02*	.34	.10	—	—	—	.02	.06	—	—	10
11	.19	.23*	.01*	.20*	.01	.01	.04	—	.02	.02	.02	—	11
12	.50	.15*	—	—	.01	—	—	.02	.04	.43	—	.02	12
13	.05	.05	—	.21	.04	—	.01	—	—	1.06	—	.01	13
14	.12	—	—	.46	.12	—	—	.01	—	.06	—	—	14
15	.05	.02	—	.09	.06	—	—	—	.01	.09	—	.01	15
16	.09	—	—	.19	.12	—	—	—	—	—	—	.01	16
17	.01	—	—	.08	—	—	.01	—	—	.03	—	—	17
18	.03	—	—	—	.01	—	.01	—	.07	—	.09	.01	18
19	.02	—	—	.03	.02	—	—	—	.04	.29	.02	—	19
20	.02	—	—	.12	.04	—	.02	.23	—	1.07	.13	.01	20
21	.01	—	.01	.02	.55	—	.01	.10	—	.39	—	.05	21
22	.03	—	.26	.01	.06	—	.21	.05	.48	.37	.45	.02	22
23	.01	.10	.09	.13	.06	—	—	—	.12	1.14	—	.11	23
24	—	.03	—	—	—	—	.50	—	.18	.07	.02	—	24
25	.01	—	—	.01	—	—	.58	—	.13	.30	.05	.02	25
26	—	—	.02	.08	—	—	.27	.04	—	.05	.02	—	26
27	—	—	.39	.17	.20	.04	.19	—	.07	.55	.09	.01	27
28	—	—	.02	.04	.16	—	.16	—	—	.25	.01	—	28
29	—	—	.55	—	.17	—	.01	.45	.15	.52	.01	.01	29
30	—	×	.03	.03	—	1.15	.06	.01	.08	.02	.66	.12	30
31	—	×	.09	×	.01	×	.10	—	×	—	×	.06	31
TOTAL	3.82	0.69	1.80	3.10	3.45	1.45	3.05	1.04	2.36	7.86	1.67	0.80	YEAR'S TOTAL 31.09
*Days with .01 in. or more.	22	10	14	24	23	6	20	11	19	26	15	16	206
*Days with .04 in. or more.	12	5	7	18	17	4	11	6	15	22	7	4	128

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at Brookhurst Observatory, East Grinsteadin the County of SussexDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. 0 in.Ground Sea Level 435 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·44	·21	—	—	—	—	—	—	·02	·05	—		1
2	·38	—	·65	—	·10	—	—	—	—	·02	—	—		2
3	·11	·13	·48	—	—	—	—	—	—	—	·05	—		3
4	·16	·03	·02	—	·09	—	—	—	—	—	·02	—		4
5	·24	—	·43	—	·25	—	—	—	—	—	—	—		5
6	—	·16	·03	—	·65	—	—	—	—	·08	·11	—		6
7	·32	·06	·01	—	·19	—	—	—	—	·16	—	·03		7
8	·08	—	—	—	·02	—	·21	—	—	·03	—	—		8
9	—	·01	—	—	·07	—	·11	—	—	·10	·12	—		9
10	·01	·49	—	—	—	·02	·14	—	—	·25	·02	—		10
11	·15	—	—	—	·02	·05	·04	·15	·05	·03	·02	—		11
12	—	—	—	·02	—	·20	·10	—	1·21	—	—	—		12
13	·06	—	—	—	·09	·01	·43	·05	·23	·07	·15	—		13
14	—	—	—	—	·01	—	·05	·01	—	·40	·38	·01		14
15	·48	—	·17	—	—	—	·47	·30	—	·08	—	—		15
16	·03	—	·84	—	—	·21	·10	—	—	·02	—	—		16
17	—	—	·36	—	—	·09	—	·07	·11	—	·07	—		17
18	·09	·02*	·14	—	—	·23	—	—	—	—	·01	—		18
19	—	·09*	·18	·01	—	·05	—	·02	·31	—	·03	·02		19
20	—	·02*	·12	·04	—	·43	—	—	·20	—	·01	—		20
21	—	·08*	—	—	—	·02	—	·38	·20	·02	—	·01		21
22	—	—	—	—	—	·14	—	·29	—	·32	·02	—		22
23	—	—	—	·14	·13	·10	—	·01	·38	·02	·01	—		23
24	—	·60*	—	·19	·02	·03	—	—	·41	—	·01	—		24
25	—	·42	—	·34	—	·03	·01	—	·04	·02	·07	·05		25
26	—	·78	—	·12	—	·08	—	—	·01	·05	·04	·11		26
27	—	—	—	—	·11	·04	—	—	—	·18	—	·16		27
28	—	·01	—	—	·04	—	·39	—	—	·32	—	·19		28
29	·05	×	—	—	·15	—	·22	—	—	·05	—	—		29
30	·08	×	·15	·01	·04	—	·06	—	·25	·06	—	·06		30
31	·11	×	·01	×	—	×	—	·05	×	·01	×	—		31
TOTAL	2·42	3·34	3·80	0·87	1·98	1·73	2·33	1·33	3·40	2·31	1·19	0·64	25·34	
*Days with ·01 in. or more.	16	15	15	8	16	16	13	10	12	22	18	9	170	
*Days with ·04 in. or more.	14	10	11	5	12	11	12	7	11	13	9	5	120	

40-9999

*Snow

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

W. S. Franks

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Brockhurst Observatory, East Grinstead*
in the County of *Sussex*Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft *0* in.
,, Ground ,, Sea Level *4.35* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	—	—	—	.06	—	.31	—	.15	.02	.39		1
2	.05	—	.23	—	—	.01	—	.02	.86	.51	—	.41		2
3	.03	.01	—	.52	—	—	—	—	.02	.80	—	.12		3
4	.17	—	.09	.02	—	—	—	—	.01	.15	.11	.70		4
5	.01	—	.05	—	.15	—	—	.03	—	.01	.03	.52		5
6	.02	—	.33	.01	.15	.25	—	.31	—	.30	.02	.72		6
7	.06	—	—	—	—	.04	—	.06	—	.12	—	.29		7
8	—	.01	—	—	.11	—	—	.02	.01	—	1.27	—		8
9	.02	—	.06	—	—	—	—	.01	.03	.01	1.64	.40		9
10	—	.02	.28	.33	—	—	—	.11	.01	.02	1.50	—		10
11	1.14	—	.40	.14	—	—	—	.06	—	—	—	.36		11
12	.17	—	.05	—	—	—	.12	.17	—	—	.05	.06		12
13	.52	—	.45	.17	—	—	.19	.02	—	.02	.04	.05		13
14	.25	—	.60	.06	—	.01	—	—	.01	—	.42	.71		14
15	.02	—	—	—	.03	—	—	—	—	.01	.15	.57		15
16	.27	.01	.37	.06	.33	—	—	—	.01	.08	—	.02		16
17	.10	—	.20	.01	.10	—	—	—	—	.04	—	.39		17
18	.24	—	.03	.53	—	—	.22	—	.01	—	—	.57		18
19	—	—	.37	.07	—	.02	—	.01	.40	.03	—	.31		19
20	—	—	.10	.02	—	.01	.30	.03	.01	—	—	.04		20
21	—	—	.01	.19	—	.17	—	—	—	.12	—	—		21
22	—	.02	—	—	—	—	.29	.07	.23	.02	—	.14		22
23	—	.01	—	.51	—	.88	—	.01	—	—	—	.10		23
24	—	.03	.03	.18	—	.14	.50	.18	.18	.02	—	—		24
25	.25	—	—	.24	—	—	—	—	—	—	—	.67		25
26	.04	.02	—	.09	—	.10	—	.01	.11	—	—	.08		26
27	.03	—	—	.18	—	.01	—	—	.01	—	—	.42		27
28	—	.22*	—	.08	—	.04	—	.67	—	—	—	.35		28
29	—	X	—	—	—	—	.02	.05	.10	—	.03	—		29
30	.10	X	—	—	—	—	—	.06	—	—	—	.45		30
31	.02	X	—	X	—	X	.01	—	X	.19*	X	.11		31
TOTAL	3.53	0.35	3.65	3.41	0.87	1.74	1.65	2.21	2.01	2.60	5.28	8.95	36.25	Year's Total
* Days with .01 in. or more.	21	9	17	19	6	13	8	20	16	18	12	26	185	
* Days with .04 in. or more.	13	1	14	15	5	8	6	11	6	10	8	25	122	

40-9999

* with snow

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

H. S. Frankes, F.R.A.S. [P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Brockhurst, East Grinstead

in the County of Sussex

Diameter of Funnel of Gauge as before in.

Height of top of Gauge above Ground " ft in.

,, Ground ,, Sea Level " ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

99

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.04	.01	.07	.05	.01			.13	.18	.33	.70		1
2	.09		.06	.06		.08	.09		.26	.10	.07			2
3		.01	.24	.02		.01				.44	.33			3
4		.09		.28		.01			.08	1.64	.12	.01		4
5		.44	.07	.08		.30			.43	.25	.01	.19		5
6	.06	.10	.02	.28		.09			.56	.22	.01	.01		6
7	.05			.31		.86				.01	.18	.01		7
8		.01		.24		.10				.01	1.07	.11		8
9			.04	.18				.03		.37	.50	.06		9
10	.09		.03	.08		.20			.03	.81	.34	.03		10
11	.13	.01	.06	.29		.09				.13	.16	.12		11
12		.02				.08	.45			.01	.78	.01		12
13	.12	.26		.14	.04	.34	.07	.68	.06	.01	1.13			13
14				.05	.16	.04			.03	.01	.14	.03		14
15		.26		.60	.02	.49				.02	.07	.10		15
16		.06		.33	.01				.42	.01	.26	.09		16
17	.04		.11	.06		.15			.42	.01	1.10	.03		17
18				.35		.19	.02	.01	.24		.38	.01		18
19				.12	.68	.17	.22		.46	.06	.03	.04		19
20		.78		.12	.02	.30	.13		.08		.10	.01		20
21	.03	.55		.09		.50	.74		.06		.14			21
22	.01	.07							.05	.19	.02			22
23			.06					.16	.07	.01	.01			23
24	.04	.92			.23			.45		.01		.09		24
25	.12	.54		.20	.11			1.87	.77	.01	.01	.28		25
26	.02	.12			.01	.14					.02	.46		26
27	.05	.95						.19	.09	.03	.02	.52		27
28	.04	.05			.05				.10	.01	.15	.33		28
29		X						.01	.04	.05	.01	.25		29
30	.11	X		.07	.06			.05	.68	.02		.45		30
31		X		X	.01	X		1.26	X	.10	X	.60		31
TOTAL	1.25	5.28	0.70	4.02	1.45	4.15	1.72	.13	.18	.33	.70	.99	Year's Total.	
* Days with .01 in. or more.	16	19	10	22	13	19	7	11	21	27	28	25	58	218
* Days with .04 in. or more.	13	15	7	21	8	17	6	8	19	13	19	16	16	12

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

Frederick J. Hanbury

[P.T.O.]



Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1936.

in the County of Sussex.....

Diameter of Funnel of Gauge.....in. *as before*

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.32	.14	.03	.56	—	.35	.42	.24	—	—	.07	.05		1
2	.01	.14	.01	.01	—	.58	.27	.13	—	—	.01	.01		2
3	—	.01	.01	.50	.01	.09	.05	.01	.03	—	.23	—		3
4	.24	—	.11	—	—	.11	—	.01	.47	—	—	.03		4
5	.32	—	.04	—	—	.01	—	.05	.27	.03	.20	.03		5
6	.43	—	—	—	—	.06	—	.07	.24	.04	.27	.05		6
7	.68	—	.07	—	—	.02	.02	—	.01	—	.73	.02		7
8	.48	—	.10	—	—	—	.02	—	.02	.01	.52	.22		8
9	.57	—	.02	—	.01	—	.73	—	.03	.17	.27	—		9
10	.07	—	—	—	—	—	.18	.01	.01	—	—	—		10
11	—	—	—	.07	—	—	.25	.01	—	—	1.10	.01		11
12	—	—	—	.02	.01	.07	.41	.01	.25	.01	.43	.17		12
13	—	—	—	—	—	.17	.03	—	.01	.01	.01	.63		13
14	—	.05	—	—	—	.09	.70	—	—	.02	.16	.73		14
15	—	.11	—	.02	—	—	.02	—	—	—	.04	.32		15
16	.10	.07	—	—	.07	—	.04	—	.01	—	.16	.13		16
17	.20	.89	—	—	1.20	.10	.05	.02	.01	.04	.28	.62		17
18	.05	.17	—	—	—	.02	.20	.01	—	.02	.16	.11		18
19	.31	.05	.02	—	—	.45	.02	.10	—	.04	.04	.01		19
20	.46	.06	.03	.46	—	—	.02	.01	.56	—	—	.01		20
21	—	.03	—	.33	.01	.36	.10	—	.11	—	—	—		21
22	.13	.40	.15	.02	.15	.02	.09	—	.01	—	.01	.09		22
23	.03	.12	.12	.11	—	—	.76	—	.01	.10	—	—		23
24	.04	.10	—	—	.01	—	.01	—	.02	.33	—	—		24
25	.15	.01	.10	.24	.02	.02	.10	—	.50	.01	.03	.01		25
26	.01	.22	.22	.04	—	.04	.02	—	.07	.32	—	.02		26
27	.39	.02	.02	.02	—	—	.01	.01	.16	.26	.01	—		27
28	.81	.01	.09	—	—	—	.13	—	.02	—	—	.13		28
29	.07	.08	.20	—	—	.67	.05	—	—	.06	.07	.02		29
30	.19	~~X~~	.01	—	.01	.21	.01	—	—	.06	—	.01		30
31	.27	~~X~~	.14	~~X~~	.05	~~X~~	.14	—	~~X~~	.04	~~X~~	.02		31
TOTAL	6.33	2.68	1.49	2.40	1.55	3.44	4.85	.78	2.82	2.57	5.80	3.45	38.16	✓
* Days with .01 in. or more.	24	19	19	13	11	19	28	14	21	18	21	24	23.1	✓
* Days with .04 in. or more.	21	14	11	8	4	14	18	5	9	11	16	12	16.3	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Frederick L. Hays

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Brockhurst, East Crinstead

in the County of Sussex

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

WITH ENCL. 100

RECEIVED 25 JAN 1938

TIME 1000

INITIALS IF ACKNOWLEDGED

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1.03	.02	.01	.06	—	—	.01	—	.01	.01	.72	.34		1
2	.03	.58	—	.53	—	—	—	—	.03	.03	.01	.85		2
3	.01	.23	.03	—	—	—	—	—	.02	.01	.01	.27		3
4	.13	1.42	—	.06	—	—	—	—	—	—	.01	.25		4
5	.31	.12	.09	—	—	—	.21	—	—	.01	.01	—		5
6	.04	.02	—	—	.22	—	—	—	.01	.04	.02	—		6
7	—	.77	.08	.14	.03	—	—	—	.03	.05	—	.03		7
8	.01	.02	.05	—	.05	.08	—	—	—	.01	.14	.21		8
9	—	—	—	.33	.12	.02	.14	—	.38	—	.01	.07		9
10	—	—	.75	.28	.06	.39	—	—	.01	—	—	.86		10
11	—	—	.41	—	.11	.04	.10	—	—	—	.01	.12		11
12	.57	.23	.15	.01	.28	.31	.07	.33	.23	—	—	.27		12
13	.18	.06	.52	.05	.01	.19	—	.10	.23	—	—	.46		13
14	.03	.03	.02	.01	.11	.03	—	.62	.18	.10	.01	.12		14
15	.17	.10	—	.27	—	.02	.27	.02	.36	—	—	.08		15
16	.11	.21	.48	.25	—	.04	—	.35	.57	—	—	.02		16
17	.50	—	.12	.15	—	—	—	—	.20	—	.13	—		17
18	.78	.05	.09	.01	.39	.49	—	—	.02	—	.17	.07		18
19	.10	.14	.08	.23	.03	.09	.45	—	.07	.01	—	.12		19
20	.63	.02	.05	.22	.67	.08	—	—	.04	.01	—	.03		20
21	.52	.45	.06	.08	.03	—	.02	.02	.01	.02	.02	.04		21
22	.62	.09	.02	.01	.13	.11	.03	—	—	.71	.49	.09		22
23	.40	.01	.01	—	.01	—	.15	—	—	.70	.01	.01		23
24	1.14	.19	.01	—	.05	—	—	—	.02	.49	—	.01		24
25	.08	.45	.25	—	.01	—	—	—	.08	.31	—	.02		25
26	—	.56	.03	—	.01	—	—	—	.01	.04	.01	.01		26
27	—	.20	—	.21	—	—	—	—	.03	.22	—	—		27
28	.01	.08	—	.02	—	.01	—	—	—	.02	—	.02		28
29	.04	X	—	—	—	.03	—	.38	—	.07	.05	.04		29
30	.37	X	—	—	—	.02	—	.01	.01	.06	.11	—		30
31	.20	X	—	X	—	X	—	—	X	.22	X	.03		31
TOTAL	7.98	6.05	4.21	2.92	2.32	1.95	1.39	1.83	2.35	3.04	1.94	4.44	40.42	
* Days with .01 in. or more.	5 ²⁵	6 ²⁴	7 ²¹	5 ¹⁹	7 ¹⁸	6 ¹⁶	4 ¹⁰	3 ⁸	12 ²²	7 ²⁶	4 ¹⁸	9 ²⁶	84 ²²⁷	
* Days with .04 in. or more.	20	18	14	14	11	10	6	5	10	11	7	17	143	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Frederick J. Hambury [P.T.O.]

REGIST

Kept at *Dorridge, Gic*
in the County of *Surrey*

Diameter of Funnel of Gauge *5*
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASURE

An observer who does not conform to the
year in the space on the right of this

TIDEBROOK - DOWNGATE

1931 - 1933

584
COPY FOR OFFICIAL USE.
ORGANIZATION.

Jan. 1, following

Flowing

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.09	—	.07	—	—	—	.04	—	—	—	—	1
2	.14	.08	—	.16	.14	.03	—	—	.96	—	—	—	2
3	.04	.03	.16	.09	1.03	—	—	.22	.90	—	—	.23	3
4	—	.05	—	—	—	—	.05	.01	.18	—	.15	—	4
5	—	—	—	.26	—	.49	.04	.46	.09	—	—	.25	5
6	—	.05	—	.04	—	—	—	.05	—	.29	.58	.05	6
7	—	.08	—	—	.04	.15	—	.09	—	.14	.53	—	7
8	—	.10	.03	—	—	.18	—	.16	—	—	.10	.19	8
9	—	.21	—	—	—	.01	—	—	—	—	.99	.01	9
10	—	.18	.07	—	—	.15	—	.10	—	—	2.03	—	10
11	.13	.56	—	—	—	—	.04	—	.01	—	.46	—	11
12	.32	—	—	—	—	—	—	—	.32	.02	—	—	12
13	.11	—	—	—	.012	—	—	.17	—	—	—	—	13
14	.01	.09	—	—	—	.08	.63	.25	—	—	—	—	14
15	—	.05	—	.11	.05	—	.10	.23	—	—	.06	—	15
16	—	.15	—	.15	.26	.03	.01	.06	—	—	—	—	16
17	.04	.05	—	¹⁴⁴ Snow .35	.01	—	.42	—	.05	—	—	—	17
18	—	.16	—	.35	—	.09	.10	.57	—	.01	.54	—	18
19	.06	—	—	.46	—	—	.26	.36	.11	—	—	—	19
20	—	.15	.01	.24	—	—	—	.37	—	—	—	—	20
21	—	—	.16	—	.40	—	.04	—	—	—	.03	—	21
22	.27	—	.03	—	.16	—	—	—	.06	—	—	—	22
23	.72	—	—	—	.40	.17	—	—	—	—	.31	—	23
24	—	—	—	.65	—	.04	.06	.40	—	—	—	.06	24
25	—	—	—	.49	—	—	.34	—	—	—	—	—	25
26	—	.10	—	.19	—	—	.37	—	—	—	.31	—	26
27	.20	.37	—	.14	.25	—	.08	—	—	—	.17	—	27
28	.09	.12	—	.06	—	—	—	—	—	—	—	—	28
29	.07	—	—	—	.14	—	.12	—	—	.23	—	.05	29
30	.05	×	—	—	.02	—	.06	—	—	—	—	—	30
31	.47	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2.72	2.67	.46	3.90	3.02	1.42	2.72	3.48	2.68	.69	6.26	.84	30.86
*Days with "or in. or more.	15	19	6	16	13	11	16	16	9	5	13	7	146
*Days with ".04 in. or more.	14	18	3	16	11	8	14	15	8	3	12	6	128

REGISTER OF RAINFALL IN 1931.

Kept at Doungali, Tiddesbrook, Wadhwa
in the County of Sunder

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 350 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.09	—	.07	—	—	—	.04	—	—	—	—	1
2	.14	.08	—	.16	.14	.03	—	—	.96	—	—	—	2
3	.04	.03	.16	.09	1.03	—	—	.22	.90	—	—	.23	3
4	—	.05	—	—	—	—	.05	.01	.18	—	.15	—	4
5	—	—	—	.26	—	.49	.04	.46	.09	—	—	.25	5
6	—	.05	—	.04	—	—	—	.05	—	.29	.58	.05	6
7	—	.08	—	—	.04	.15	—	.09	—	.14	.53	—	7
8	—	.10	.03	—	—	.18	—	.16	—	—	.10	.19	8
9	—	.21	—	—	—	.01	—	—	—	—	.99	.01	9
10	—	.18	.07	—	—	.15	—	.10	—	—	2.03	—	10
11	.13	.56	—	—	—	—	.04	—	.01	—	.46	—	11
12	.32	—	—	—	—	—	—	—	.32	.02	—	—	12
13	.11	—	—	—	.012	—	—	.17	—	—	—	—	13
14	.01	.09	—	—	—	.08	.63	.25	—	—	—	—	14
15	—	.05	—	.11	.05	—	.10	.23	—	—	.06	—	15
16	—	.15	—	.15	.26	.03	.01	.06	—	—	—	—	16
17	.04	.05	—	⁴⁴ Snow	.01	—	.42	—	.05	—	—	—	17
18	—	.16	—	.35	—	.09	.10	.57	—	.01	.54	—	18
19	.06	—	—	.46	—	—	.26	.36	.11	—	—	—	19
20	—	.15	.01	.24	—	—	—	.37	—	—	—	—	20
21	—	—	.16	—	.40	—	.04	—	—	—	.03	—	21
22	.27	—	.03	—	.16	—	—	—	.06	—	—	—	22
23	.72	—	—	—	.40	.17	—	—	—	—	.31	—	23
24	—	—	—	.65	—	.04	.06	.40	—	—	—	.06	24
25	—	—	—	.49	—	—	.34	—	—	—	—	—	25
26	—	.10	—	.19	—	—	.37	—	—	—	.31	—	26
27	.20	.37	—	.14	.25	—	.08	—	—	—	.17	—	27
28	.09	.12	—	.06	—	—	—	—	—	—	—	—	28
29	.07	—	—	—	.14	—	.12	—	—	.23	—	.05	29
30	.05	×	—	—	.02	—	.06	—	—	—	—	—	30
31	.47	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	2.72	2.67	.46	3.90	3.02	1.42	2.72	3.48	2.68	.69	6.26	.84	30.86
*Days with "or in. or more.	15	19	6	16	13	11	16	16	9	5	13	7	146
*Days with "or in. or more.	14	18	3	16	11	8	14	15	8	3	12	6	128
YEAR'S TOTAL													

Section

A

for the entry of Daily Observations.

Station No. 584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dowgate, Tidebrook.

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

Ground Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.02		.29	.36	.02	.02			.02	.09		1
2	.63			.23	.03				.05		.04	.53	2
3				.10	.20				.46				3
4	.04					.11					.03		4
5	.35		.03		.05		.13						5
6	.64		.01	.09	.01				.10				6
7	.02		.09	.05			.07		.11	.03			7
8			.24	.04	.19				.13	.72			8
9	.27	.02		.19	.56					.07			9
10	.89			.45	.10	.10				.08	.05		10
11	.23	.11		.17	.02				.04	.02	.01		11
12	.42	.01	.05		.05				.07	.25		.01	12
13	.16			.14	.18				.02	1.40		.02	13
14	.27			.14						.02			14
15	.06			.07	.06		.01			.08			15
16	.24			.20	.07							.01	16
17				.12						.03			17
18	.03								.06				18
19	.02								.02	.31	.14		19
20				.04			.04	.02		1.44	.30		20
21				.19	.38		.02			.42	.01	.03	21
22	.02		.31		.10			.02	.94	.27	.62		22
23		.10	.05		.04		.18		.17	1.11	.01	.16	23
24		.03					.95		.27	.03	.01		24
25		.01					1.00		.20	.60	.08		25
26							.31	.20		.02	.04	.01	26
27			.29	.27	.13		.18			.59	.07	.07	27
28			.01		.09		.28			.24		.01	28
29			.56	.03	.05		.01	.22	.17	.54		.01	29
30		X	.16		.06	.89		.08	.06	.01	.32	.07	30
31		X		X		X	.22	.02	X		X	.09	31
TOTAL	3.82	.30	1.80	2.81	2.73	1.12	3.42	.56	2.87	8.30	1.82	1.02	YEAR'S TOTAL 30.57
*Days with .01 in. or more.	17	7	11	18	20	4	14	6	16	23	15	12	163
*Days with .04 in. or more.	13	1	8	17	17	3	11	3	14	15	10	5	117

584

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Dorneyall Tidebrook
in the County of Sussex.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.62	.19							.01	.04			1
2	.27		.74		.06					.01				2
3	.12	.13	.23							.01				3
4	.20	.04	.05		.10									4
5	.22		.42		.22						.01			5
6			.12		.35					.03	.11			6
7	.32	.22	.06		.18					.58		.02		7
8	.15	.02			.04		.29			.02				8
9		.38					.13			.04	.19			9
10	.01					.12	.14			.22				10
11	.13				.01		.15	.06	.11	.01				11
12				.12		.22	.11		1.19		.01			12
13	.04				.05		.41	.19	.34	.45	.14			13
14							.05	.02		.26	.35			14
15	.07		.45			.26	.02	.56		.04		.02	.02	15
16	.50		.18				.25							16
17			.38			.04		.23	.14		.04			17
18	.05		.12			.07					.01			18
19	.04	.05	.03	.04		.35					.01	.01	.01	19
20		.02	.07	.33		.35		.08	.20					20
21		.04						.17	.22					21
22						.24		.29	.03					22
23				.15		.07			.61	.07	.01			23
24		.44		.22	.06	.03			.44		.02			24
25		.06		.30	.07				.09	.02	.14	.07		25
26		.58		.10		.02					.09	.08		26
27				.01	.13	.02			.01	.19		.25		27
28							.16			.33		.21		28
29	.06				.25		.14			.05				29
30		X	.09				.05		.20			.07		30
31	.12	X		X		X		.06	X		X			31
TOTAL	2.33	2.60	3.43	1.27	1.52	1.79	1.90	1.66	3.58	2.34	1.17	.73	Year's Total	24.32
*Days with or in. or more.	16	12	14	8	12	12	12	9	12	17	14	8		146
*Days with .04 in. or more.	14	10	13	7	11	9	11	9	10	10	8	5		117

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

E. P. Gatty

[P.T.O.]

585 - 284231

585
COPY FOR OFFICIAL USE.

REGISTER

TURNERS HILL,
THE OLD MANSE

SH RAINFALL ORGANIZATION.

IN 1931.

Moved to 5 on 1/12/31
time of observation
9 a.m.

Kept at The Old Manse
in the County of Swase
Diameter of Funnel of Gauge 8 in
Height of top of Gauge above Ground 1
Ground Sea Level about

1931 - 36

780112

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4	10	3			18			24	2		1	1
2	10	6		32	3	1		3	54		1	1	2
3	14	1	15	34	118		3	35	79		4	30	3
4		3		16	9		4	2	26	3	4	2	4
5		1				70	3	12	5			27	5
6		8		21		1		1		33	30	16	6
7		2		10	4	19	2	17		5	47		7
8	1	16	1	1	2	18		8		1	14	4	8
9	2	23				6					77	2	9
10	2	29	3	2		13	5	17			172	1	10
11	11	55				1		1	3	1	28		11
12	6	1			1		1		24		1	1	12
13	5				5								13
14	3	10			2	3	72	60					14
15	2	10	2	10	31		17	55			2	4	15
16	2	5		4	30	5	1	35					16
17	3	5		50	2		44	4	7	5	74		17
18	3	5		26		26	15	75	11				18
19	8		1	32			50	45	7		2		19
20	1	14		3		1	6	51		2	1	2	20
21	1	3	25		48		1						21
22	27	1	4	1				1	3		4		22
23	51	5	2	1	25	5			6		33		23
24	4	2	1	59	5	5	23	49	2		2	1	24
25					4		52		2		4		25
26	20	6		20			40				37		26
27	9	48		12	20		2				4		27
28	7	8		3						4		3	28
29	10				16		12			15		2	29
30	53	X			5		3				2		30
31	9	X		X		X			X		X		31
TOTAL	2.80	2.77	.54	3.37	3.30	1.92	3.56	4.71	2.56	.71	5.46	.97	32.70
*Days with "or in. or more.	26	25	10	19	18	15	20	18	14	10	21	15	211
*Days with "or in. or more.	16	17	8	13	13	10	12	13	10	5	14	5	131

FORM 1090.

REGISTER OF RAINFALL IN 1931

Kept at *The Old Mauser Turners Hill*

in the County of *Sussex*

Diameter of Funnel of Gauge *8* in.

Height of top of Gauge above Ground *1* ft. *6* in.

Ground Sea Level *about 500* ft.

Footnote *Moved to Hill House on 1/12/30*

Time of Observation
Previously at Hill House
9 a.m.
days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	4	10	3			18			24	2		1	1
2	10	6		32	3	1		3	54		1	1	2
3	14	1	15	34	118		3	35	79		4	30	3
4		3		16	9		4	2	26	3	4	2	4
5		1				70	3	12	5			27	5
6		8		21		1		1		33	30	16	6
7		2		10	4	19	2	17		5	47		7
8	1	16	1	1	2	18		8		1	14	4	8
9	2	23				6					47	2	9
10	2	29	3	2		13	5	17			172	1	10
11	11	55				1		1	3	1	28		11
12	6	1			1		1		24		1	1	12
13	5				5								13
14	3	10			2	3	72	60					14
15	2	10	2	10	31		17	55			2	4	15
16	2	5		4	30	5	1	35					16
17	3	5		50	2		44	4	7	5	74		17
18	3	5		26		26	15	75	11				18
19	8		1	32			50	45	7		2		19
20	1	14		3		1	6	51		2	1	2	20
21	1	3	25		48		1						21
22	27	1	4	1				1	3		4		22
23	51	5	2	1	25	5			6		33		23
24	4	2	1	59	5	5	23	49	2		2	1	24
25					4		52		2		4		25
26	20	6		20			40				37		26
27	9	48		12	20		2				4		27
28	7	8		3						4		3	28
29	10				16		12			15		2	29
30	53	×			5		3				2		30
31	9	×		×		×			×		×		31
TOTAL	2.80	2.77	57	3.37	3.30	1.92	2.56	4.71	2.56	71	5.46	97	32.70
*Days with "or in. or more.	26	25	10	19	18	15	20	18	14	10	21	15	211
*Days with "or in. or more.	16	17	8	13	13	10	12	13	10	5	14	5	131

(Signed) *Am Rabinovich*

Section

A

for the entry of Daily Observations.

Station No. 585

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Old Manse, Turners Hill

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 500 ft.

day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13	2	-	9	45	-	1	20	-	10	5	1	1
2	3	-	-	20	8	-	-	2	12	2	3	34	2
3	-	-	-	3	12	1	-	2	-	3	-	-	3
4	4	-	-	-	-	10	-	-	45	9	2	-	4
5	35	-	3	-	2	16	11	-	15	-	-	-	5
6	82	1	1	27	-	5	-	-	7	3	-	-	6
7	11	-	5	2	-	-	5	-	7	3	-	-	7
8	-	1	24	3	-	-	1	-	20	28	1	-	8
9	32	-	2	28	21	-	-	-	-	50	-	-	9
10	88	20	2	34	56	2	-	-	-	-	-	-	10
11	12	15	1	17	7	-	-	-	5	6	3	2	11
12	43	10	-	1	-	-	-	3	4	47	-	2	12
13	4	-	-	22	-	-	2	-	3	110	-	2	13
14	14	2	-	44	-	-	-	2	-	6	2	1	14
15	12	-	-	7	11	-	-	-	-	9	-	2	15
16	12	-	-	22	17	-	-	-	-	1	1	2	16
17	2	-	-	10	-	-	7	-	-	6	-	1	17
18	5	-	-	1	-	-	3	28	5	-	11	-	18
19	2	-	-	10	-	-	-	-	-	39	2	-	19
20	-	-	-	3	-	-	5	-	6	116	17	-	20
21	4	1	1	7	-	-	-	2	-	48	-	5	21
22	3	2	21	-	10	-	41	6	57	33	44	3	22
23	-	6	2	-	10	-	-	-	15	98	-	15	23
24	2	4	-	-	16	3	37	-	17	7	3	2	24
25	-	-	-	-	-	-	60	-	2	43	8	2	25
26	-	-	9	20	-	-	15	2	-	2	4	-	26
27	-	-	40	22	-	4	8	-	1	56	8	2	27
28	-	-	20	6	23	-	15	-	-	25	1	-	28
29	-	-	40	2	32	-	4	32	16	48	2	3	29
30	-	X	5	-	6	72	20	3	8	1	55	5	30
31	-	X	13	X	-	X	10	-	X	-	X	-	31
TOTAL	3.83	= 64	1.89	3.20	3.36	1.13	2.45	1.02	2.45	8.09	1.72	- 87	30.65
*Days with or in. or more.	20	11	16	23	15	8	17	11	18	26	18	17	200
*Days with .04 in. or more.	15	5	9	16	14	5	13	4	15	20	8	4	128

40-9999

*See Instruction 2 (f) on other side.

(Signed) R. M. Ravenshaw

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

585

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *The Old Manse, Turners Hill*in the County of *Gussey*Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1* ft *6* in.,, Ground ,, Sea Level *500* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	4	56	34						5	3	7			1
2	35		69		10					3				2
3	6	15	18								2			3
4	30	5	3		11									4
5	10	1	35		30					1				5
6	1	18	7		72					5	10			6
7	30	6	1		12					10	1			7
8	9	2			2		11			4				8
9		35			5					5	14			9
10		1				3	25			30	2			10
11	19					15	9	22		3				11
12				4		23			1.43					12
13	6				7	4	57	15	1	12	18			13
14							6			42	47			14
15	70		26				32	30		8				15
16	3		85			25	23							16
17		1	33			5			10		7			17
18	10	2	8			23		8		2				18
19	1	7	30			4		2	25		5	17	1	19
20			6	3		30					1	2		20
21		3						44	28	3	1			21
22						1.08		28	35	21				22
23				12	27	45				5				23
24		77		20					32					24
25		53		38		7			3	3	3	10		25
26		66		12		12			1	3	8	5		26
27		1		1	27					19		19		27
28		1			1		40			33		20		28
29	9	X								5		1		29
30	8	X	14	2	70				37	6		5		30
31	15	X	2	X		X			X	2	X	3		31
TOTAL	2.56	3.32	4.01	.92	2.76	2.94	2.03	1.49	3.20	2.28	1.26	.72	27.49	
*Days with ".01 in. or more.	17	18	15	8	12	13	8	7	11	23	14	9	155	
*Days with ".04 in. or more.	14	10	12	5	10	12	8	6	8	14	8	6	113	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

R. H. Ravenshaw

[P.T.O.]



AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

Kept at The Old Manse. Turners Hill

in the County of.....Sussex

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....1 ft. 6 in.

Ground Sea Level 570 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	✓	-	-	21		25	4	13	1	45		1
2	-	-	24	-	-	1		-	60	41		42		2
3	08	3	-	23	-	-		7	1	85		10		3
4	22	2	9	1	7	-		-			9	75		4
5	02	-	-	-	12	-		-			5	53		5
6	03	-	36	3	15	4		5		22	7	68		6
7	07	-	-	-	-	-		30		20		26		7
8	-	05		-	16	-		-	8			5		8
9	-	-	8	-	-	-		4		1	2.15	55		9
10	02	-	21	35	-	-		-			98	3		10
11	100	-	58	9	-	-		10			4	37		11
12	18	-	2	-	-	-	7	18			17	7		12
13	47	-	22	23	-	-	20				4	17		13
14	23	-	54	4	-	-					35	87		14
15	03	-	3	1	3	-				5	14	94		15
16	29	1	28	10	23	-				10	2	1		16
17	13		11	4	8	-					2	43		17
18	17		7	37	-	-	19			3		47		18
19	-		36	11	-	-	-		37	2		19		19
20	-		5	4	-	-	39	3				3		20
21	-	1	1	-	-	12	2	-		14				21
22	-	2	-	24	-	-	38	6	25		2	20		22
23	-	2	-	50	-	65	-	-		3		3		23
24	-	3	3	19	-	1	90	15	17	2		1		24
25	23	-	-	26	-	-		-		4		72		25
26	03	-	-	6	-	4		-	7	1		3		26
27	01	10	-	40	-	1		-		1		45		27
28	-	15	-	5	-	3		40				32		28
29	-	-	-	-	-	-		4	8			1		29
30	08	×		5	-	-		7	2			66		30
31	03	×		×	-	×			×	5	×	7		31
TOTAL	3.32	-44	3.28	3.40	-84	1.12	2.15	1.74	1.69	2.32	4.15	8.87	33.32	
* Days with .01 in. or more.	19	10	17	21	7	9	7	13	10	17	14	30	174	
* Days with .04 in. or more.	12	3	13	18	6	5	6	12	8	10	10	23	126	

Worth Priory

COPY FOR OFFICIAL USE.

Station No. 585

Section A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

107/24

Kept at Worth Priory, Crawley

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	.05	.03	.03	.01	.04	.13	—	.35	.07	.10	—		1
2	.07	—	.04	.04	—	trace	trace	—	.01	.44	.19	—		2
3	trace	.03	.08	.03	—	.02	trace	—	.27	1.67	.13	—		3
4	—	.11	—	.20	—	.21	—	—	.38	.20	.02	.33		4
5	—	.34	.02	.05	—	.14	—	—	.52	.16	trace	.01		5
6	.04	.15	.01	.24	—	.78	—	—	—	trace	.19	.01		6
7	.04	.02	—	.27	—	.21	—	—	—	trace	.96	.12		7
8	trace	trace	.03	.32	—	trace	—	.01	—	.45	.54	.03		8
9	.02	—	trace	.29	—	.48	—	—	.02	1.09	.16	trace		9
10	.05	—	.08	.06	—	.08	—	—	—	—	.21	.11		10
11	.17	trace	—	.27	—	.08	.07	—	—	trace	.60	.01		11
12	—	.03	—	—	—	.31	.07	.40	.04	—	1.05	—		12
13	.12	.28	—	.14	trace	.02	—	—	—	.01	.16	trace		13
14	trace	—	—	.01	.18	.21	—	—	.01	.04	.03	.11		14
15	—	.27	—	.54	.01	—	—	—	.27	trace	.22	.08		15
16	—	.07	trace	.23	trace	.21	trace	trace	.63	.01	.98	.01		16
17	.03	—	.06	.08	—	.17	trace	.01	trace	—	.39	—		17
18	—	trace	—	.36	.02	.09	.12	—	.55	.08	.02	.01		18
19	—	.01	—	.12	.80	.04	.18	—	.07	.01	.11	trace		19
20	trace	.63	—	.13	.01	.06	.46	—	.07	—	.14	—		20
21	.02	.44	—	.05	—	—	—	—	.01	.15	.02	—		21
22	trace	.10	trace	trace	—	—	—	.50	.08	—	.01	—		22
23	—	—	.07	—	trace	—	—	.49	trace	.04	—	.09		23
24	.03	1.00	—	—	.20	—	—	1.58	.80	.01	—	.29		24
25	.07	.56	—	.19	.28	.05	—	trace	—	—	.03	.50		25
26	.09	.08	trace	—	—	—	—	.20	.15	.02	.01	.42		26
27	—	.81	—	—	trace	—	—	—	.15	—	.16	.35		27
28	—	.04	—	—	.26	—	trace	trace	.03	.06	.01	.37		28
29	trace	X	—	—	trace	—	—	trace	.53	trace	—	.48		29
30	.08	X	—	.01	.01	—	—	1.20	.05	.12	.80	.63		30
31	—	X	—	X	trace	X	—	trace	X	.32	X	1.12		31
TOTAL	1.06	5.02	.42	3.66	1.78	3.20	1.03	4.39	4.99	4.95	7.24	5.08	Year's Total 42.82	
* Days with .01 in. or more.	14	19	9	22	10	18	6	8	21	19	26	20	192	
* Days with .04 in. or more.	10	15	5	18	5	16	6	6	16	14	18	14	143	

Section

A

for the entry of Daily Observations.

Station No.

585

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ...Worth Priory, Turner's Hill...in the County of ...Sussex...Diameter of Funnel of Gauge.....6.....in.Height of top of Gauge above Ground...1...ft....7...in.,, Ground ,, Sea Level ...500...ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.39	.14	.03	.67	—	.41	.50	.07	—	—	.07	.03		1
2	.01	.03	TR	—	—	.46	.24	.13	—	—	TR	TR		2
3	—	—	TR	.44	—	.07	.01	—	.02	—	.24	—		3
4	—	—	.10	—	—	.13	TR	—	.47	—	TR	.03		4
5	.22	—	.03	—	—	TR	—	.09	.18	.02	.27	.01		5
6	.44	—	—	—	—	.04	TR	.09	.18	.02	.73	.02		6
7	.65	—	.07	—	—	.02	.04	TR	TR	—	.54	.03		7
8	.46	—	.04	—	TR	—	.03	—	TR	TR	.56	.20		8
9	.59	—	.02	—	TR	—	.30	—	.06	.02	.16	TR		9
10	.06	—	TR	TR	—	—	.13	.01	TR	—	—	—		10
11	TR	.03	—	.03	—	—	.15	.03	—	—	1.10	—		11
12	—	—	—	.15	.02	.17	.46	TR	.22	TR	.49	.15		12
13	—	—	—	TR	—	.10	.02	.43	—	TR	—	.56		13
14	—	.03	—	—	—	.10	.54	TR	TR	.02	.14	.61		14
15	—	.09	—	TR	—	TR	.03	TR	.03	—	.04	.28		15
16	.35	.09	—	.01	—	—	.08	TR	TR	—	.16	.19		16
17	.08	.80	—	—	1.89	.07	—	.01	TR	.02	.28	.63		17
18	.15	.09	—	—	—	.15	.21	—	.04	TR	.10	.11		18
19	.29	.09	.01	—	—	.57	TR	.14	TR	.03	.03	—		19
20	.40	.06	.11	.54	—	TR	.01	TR	.46	—	—	—		20
21	—	TR	—	.33	.01	.45	.07	—	.04	—	—	—		21
22	.11	.48	.12	TR	.15	TR	.10	—	TR	—	—	.11		22
23	.03	.11	.26	.10	.02	—	.48	—	—	.10	—	—		23
24	.03	.10	—	—	TR	—	.01	—	.02	.34	—	TR		24
25	.14	TR	.10	.27	.05	—	.16	—	.31	.02	.02	—		25
26	TR	.21	.25	.04	—	.01	—	—	.09	.36	—	.04		26
27	.43	.02	.02	—	—	—	—	TR	.11	.27	—	—		27
28	.77	—	.18	—	—	—	.56	—	.03	—	TR	.14		28
29	.02	.10	.28	—	—	.19	.10	—	—	.04	.08	.02		29
30	.15	X	TR	—	.03	.28	—	—	TR	.09	—	TR		30
31	.24	X	.18	X	.01	X	.18	—	X	.52	X	.23		31
TOTAL	6.01	2.47	1.80	2.58	2.18	3.22	4.51	.57	2.26	1.87	5.01	3.39	35.87	✓
* Days with .01 in. or more.	22	16	16	10	8	16	23	8	15	14	17	18	183	✓
* Days with .04 in. or more.	18	12	11	8	3	14	17	5	11	7	15	12	133	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ...R.J. Stonor... [P.T.O.]

REC

586

WORTH LODGE

1931 - 1940

586
COPY FOR OFFICIAL USE.

INFALL ORGANIZATION.

93 |.

Kept at Worth
in the County of _____

Diameter of Funnel of Gaug
Height of top of Gauge above

Ground

Sea Level

78 01 12

586

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.08	.01	.24		.13		.04	.21	.01			1
2	.21	.05		.87	.05				.54	.01		.09	2
3	.12		.14	.22	<u>1.03</u>			.26	<u>.56</u>		.05	.16	3
4		.04		.08	.03		.03	.01	.19	.02	.07	.02	4
5	.01			.26		.63	.07	.09	.05	.01	.06	.17	5
6	.01	.08		.11		.05	.03			.28	.27	.19	6
7		.01			.03	.13		.20	.03	.05	.47		7
8	.01	.14	.02		.03	.21	.03	.09		.02	.10	.02	8
9		.10		.02		.03					.87	.01	9
10		.18	.04			.10	.03	.17		.01	<u>1.27</u>		10
11	.10	<u>.48</u>							.03	.01	.28		11
12	.05						.03		.20			.01	12
13	.03						.05	.04			.01		13
14	.01	.13				.04	.71	.47			.01		14
15	.03	.09		.07	.22		.24	.32				.04	15
16	.01	.06		.17	.30	.05		.23	.05				16
17	.03	.06		.40			.45	.13	.06	.05			17
18	.05	.10		.23		.28	.09	<u>.87</u>	.01	.02	.71		18
19	.08	.01		.33		.07	.36	.30	.06		.01		19
20		.14	<u>.22</u>	.03			.10	.28			.03		20
21	.01	.01	.04		.43						.01		21
22	.39		.02	.02					.02				22
23	.40	.04		.02	.25	.04			.07		.29		23
24				<u>.79</u>	.04	.04	.39	.47	.01		.01		24
25	.07			.39	.03		.32				.04		25
26		.06		.29			.28				.40		26
27	.18	.40		.04	.32		.02				.03		27
28	.10	.10		.02					.6	.02	.01		28
29	.08	X			.18		.12	.01		.16	.01	.04	29
30	.16	X			.05		.01						30
31	<u>.53</u>	X		X	.01	X			X		X		31
TOTAL	2.68	2.36	.49	4.05	3.00	1.80	3.36	3.98	2.09	.67	5.01	.75	YEAR'S TOTAL
*Days with ".01 in. or more.	24	21	7	30	15	13	19	17	15	13	22	19	196
*Days with ".04 in. or more.	14	18	4	14	10	12	12	15	10	4	15	6	132

REGISTER OF RAINFALL IN 1931.

Kept at Worth Lodge, Worth
in the County of Susser

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 340 ft.

Station No. 586

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.08	.01	.24		.13		.04	.21	.01			1
2	.21	.05		.87	.05				.54	.01		.09	2
3	.12		.14	.22	<u>1.03</u>			.26	<u>.56</u>		.05	.16	3
4		.04		.08	.03		.03	.01	.19	.02	.07	.02	4
5	.01			.26		<u>.63</u>	.07	.09	.05	.01	.06	.17	5
6	.01	.08		.11		.05	.03			<u>.28</u>	.27	<u>.19</u>	6
7		.01			.03	.13		.20	.03	.05	.47		7
8	.01	.14	.02		.03	.21	.03	.09		.02	.10	.02	8
9		.10		.02		.03					.87	.01	9
10		.18	.04			.10	.03	.17		.01	<u>1.27</u>		10
11	.10	<u>.48</u>							.03	.01	.28		11
12	.05						.03		.20			.01	12
13	.03						.05	.04			.01		13
14	.01	.13				.04	<u>.71</u>	.47			.01		14
15	.03	.09		.07	.22		.24	.32				.04	15
16	.01	.06		.17	.30	.05		.23	.05				16
17	.03	.06		.40			.45	.13	.06	.05			17
18	.05	.10		.28		.28	.09	<u>.87</u>	.01	.02	.71		18
19	.08	.01		.33		.07	.36	.30	.06		.01		19
20		.14	<u>.22</u>	.03			.10	.28			.03		20
21	.01	.01	.04		.43						.01		21
22	.39		.02	.02					.02				22
23	.40	.04		.02	.25	.04			.07		.29		23
24				<u>.79</u>	.04	.04	.39	.47	.01		.01		24
25	.07			.39	.03		.32				.04		25
26		.06		.29			.28				.40		26
27	.18	.40		.04	.32		.02				.03		27
28	.10	.10		.02					.02	.02	.01		28
29	.08	X			.18		.12	.01		.16	.01	.04	29
30	.16	X			.05		.01						30
31	<u>.53</u>	X		X	.01	X			X		X		31
TOTAL	2.68	2.36	.49	4.05	3.00	1.80	3.36	3.98	2.09	.67	5.01	.75	YEAR'S TOTAL <u>30.24</u>
*Days with ".01 in. or more.	20	21	7	20	15	13	19	17	15	13	22	10	196
*Days with ".04 in. or more.	14	18	4	14	10	12	12	15	10	4	15	6	132

586
586

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Worth Lodge, Worth

in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

Ground Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.01		.11	.39			.10	.01	.07	.03	.01	1
2	.03			.20	.09			.01	.12	.01	.02	.24	2
3	.01			.05	.14	.04			.49	.04			3
4						.19			.11		.02		4
5	.19	.01	.02		.01	.03	.15						5
6	.63			.32					.04	.09		.01	6
7	.16		.13	.04			.08		.06	.15			7
8	.01			.03	.25				.22	.49			8
9	.47	.10		.16	.44					.02			9
10	.76	.35	.02	.39	.08				.02	.06	.02		10
11	.18	.06		.08	.02		.07		.05	.01	.03	.01	11
12	.33	.05						.01	.07	.39			12
13	.02	.01		.24	.04		.02		.01	1.11		.02	13
14	.12	.01		.30	.08			.01		.02			14
15	.04			.06	.15					.09			15
16	.08			.21	.06								16
17				.10	.01		.03			.05			17
18	.02								.15		.11		18
19	.01								.06	.29	.02		19
20				.15	.03		.04	.18		.98	.20		20
21	.03	.01		.03	.60		.01	.02		.36		.07	21
22	.02	.01	.23	.02	.07		.14	.05	.47	.30	.36	.01	22
23	.01	.09	.01	.10	.20	.10			.16	1.01		.16	23
24		.05		.01	.01		.62		.05	.07	.04	.01	24
25	.01						.73		.07	.39	.04	.02	25
26			.03	.10			.20	.04		.02	.02	.01	26
27			.44	.22	.23	.07	.36			.54	.06		27
28			.01	.03	.21		.17			.24			28
29			.59	.03	.15	.03	.01	.42	.18	.45		.02	29
30		X	.12	.06	.01	1.21	.08		.13	.01	.65	.14	30
31		X	.08	X		X	.10		X		X	.07	31
TOTAL	3.24	.76	1.68	3.04	3.27	1.67	2.81	.84	2.47	7.26	1.62	.80	29.46
*Days with ".01 in. or more.	21	12	10	24	22	7	16	9	19	26	14	14	195
*Days with ".04 in. or more.	11	6	6	18	16	5	12	5	16	20	7	5	127

Section **A** for the entry of Daily Observations.Station No. **586**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933

Kept at Worth Lodge, Worth
in the County of Worth, SussexDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.38	.26							.03	.06			1
2	.30		.64		.13					.02				2
3	.05	.15	.29								.03			3
4	.29	.03	.01		.28									4
5	.16		.42		.11									5
6	.01	.19	.06		.57					.06	.10			6
7	.27	.04	.01		.08					.14		.03		7
8	.10				.01		.09			.03				8
9		.10			.06		.22			.06	.15			9
10		.18				.03	.05			.35	.01			10
11	.18				.04	.27	.05	.14	.01	.02	.01			11
12				.04	.02	.32	.13		1.35					12
13	.10				.06	.01	.46	.09	.15	.04	.20			13
14							.12			.37	.47	.01		14
15	.78		.20				.09	.22		.06	.04			15
16	.03		.73			.23	.41		.01	.03				16
17	.01	.06	.38			.06		.07	.07		.08			17
18	.19	.01	.07			.22					.01			18
19		.02	.26			.07		.01	.35		.05	.03		19
20			.06	.01		.20			.07		.01	.01		20
21		.04						.39	.22	.02				21
22						.19		.28		.14	.01			22
23				.13	.13	.24			.25	.04				23
24		.60		.13		.18			.60		.02			24
25		.50		.30		.27			.03	.04	.03	.07		25
26		.65		.10		.10				.05	.04	.10		26
27		.01			.25	.01	.01			.18		.18		27
28		.02			.02		.31			.28		.23		28
29	.07	X		.15			.05			.07		.01		29
30	.10	X	.06		.08		.05		.30	.04		.05		30
31	.10	X	.02	X		X		.07	X	.02	X			31
TOTAL	2.78	2.98	3.47	.86	1.84	2.40	2.04	1.27	3.41	2.09	1.32	.72	Year's Total	25.18
*Days with or in. or more.	17	16	15	7	14	15	13	8	12	22	17	10	166	
*Days with .04 in. or more.	14	11	12	6	11	12	12	7	9	15	9	5	123	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 586

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at Worth Lodge, Worth
in the County of SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 340 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01		.01			.09		.34	.05	.16	.01	.37		1
2	.04		.22			.01			<u>1.03</u>	.33	.01	.40		2
3	.02	.02		.16				.10	.01	<u>1.25</u>	.08	.12		3
4	.17	.01	.14	.03	.17					.23		.69		4
5	.01		.02		.04			.05			.04	.44		5
6	.01		.34	.01	.18	.13		.23		.20	.06	.67		6
7	.07	.04				.04				.18		.28		7
8		.02			.14			.04	.14		1.10	.02		8
9			.10		.02						<u>1.19</u>	.49		9
10			.21	.33				.08			1.00	.02		10
11	<u>1.23</u>		.47	.11				.03			.08	.35		11
12	.10	.01	.01				.20	.19			.14	.07		12
13	.49		.22	.17			.48	.01			.04	.29		13
14	.21		<u>.56</u>	.04		.15				.03	.39	<u>.96</u>		14
15	.03		.03		.04	.01				.06	.14	.74		15
16	.22		.32	.13	<u>.37</u>					.12	.01			16
17	.05		.10	.08	.07					.04		.37		17
18	.16		.14	.34			.31					.31		18
19			.39	.01				.01	.32	.01	.01	.18		19
20			.05	.03			.37	.03				.02		20
21				.24		.18	.01	.01		.14				21
22		.01					<u>.72</u>	.14	.25	.01	.01	.16		22
23		.01		.53		<u>.64</u>			.02	.01		.05		23
24		.03	.04	.26		.02	.62	.21	.17					24
25	.22	.01		.35						.05		.68		25
26	.02			.13		.15			.05			.05		26
27	.01			<u>.69</u>		.02				.01		.41		27
28		<u>.20</u>		.03		.10		<u>.76</u>				.31		28
29		X					.01	.09	.11			.01		29
30	.08	X		.06				.04	.05			.42		30
31	.03	X		X		X			X	.03	X	.09		31
TOTAL	3.18	.86	3.37	3.73	1.03	1.57	2.72	2.36	2.20	2.86	4.26	8.97	56.58	
* Days with .01 in. or more.	20	10	18	20	8	12	8	17	11	17	16	28	185	
* Days with .04 in. or more.	12	2	14	15	7	8	6	12	9	10	10	24	129	

Year's Total.

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

C. W. W. W.

P.T.O.

Section **A** for the entry of Daily Observations.

Station No. 586

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WORTH Lodge, WORTH
in the County of SussexDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<u>.24</u>	.05	.03	.03	.01	.03	.15		.41	.11	.18			1
2	.06		<u>.12</u>	.04		.01			.03	.48	.10			2
3		.04	.07	.05		.03			.29	<u>1.63</u>	.13			3
4		.09		.20		.38			.17	.26	.01	.32		4
5		.31	.04	.06		.05	.01		.52	.13	.02	.01		5
6	.04	.12		.28		<u>.83</u>					.16	.02		6
7	.07	.03		.24		.12				.02	1.02	.14		7
8		.01	.02	.29				.04		.45	.68	.03		8
9	.03			.26		.66			.02	.87	.10			9
10	.07		.10			.10					.35	.10		10
11	.19			.27		.06	.17			.01	.56	.01		11
12		.04	.01			.32		.34	.05		<u>1.05</u>			12
13	.13	.19		.18	.06	.05				.01	.15	.01		13
14	.01			.10	.16	.16			.02	.01	.05	.13		14
15		.21		<u>.62</u>		.01			.31		.29	.08		15
16		.07	.03	.13		.16			.34	.02	.84	.01		16
17	.03			.06		.19	.01	.01	.01		.36			17
18				.27	.02	.12	.21	.01	.42	.08	.02	.02		18
19		.01		.07	<u>.61</u>	.05	.23		.06	.01	.12	.01		19
20	.01	.42		.14	.04	.07	<u>.28</u>		.04		.15			20
21	.03	.62		.04					.03	.16	.02			21
22		.03						.61	.08					22
23			.07					.67	.01	.07	.01	.09		23
24	.03	<u>.98</u>			.23			<u>1.40</u>	<u>.58</u>	.01		.28		24
25	.08	.35		.21	.17	.05					.01	.54		25
26	.12	.29						.19	.10	.03	.02	.45		26
27	.01	.71							.15		.11	.42		27
28	.01	.03			.13				.13	.07	.01	.27		28
29	.08	X						.07	.47	.02		.48		29
30		X		.02	.01			1.04	.12	.08	.69	.75		30
31		X		X		X		.01	X	.30	X	<u>.89</u>		31
TOTAL	1.24	4.60	.49	3.56	1.44	3.45	1.06	4.39	4.36	4.83	7.21	5.06	Year's Total	
* Days with .01 in. or more.	18	20	9	21	20	20	7	11	23	22	27	22	210	
* Days with .04 in. or more.	10	15	5	19	7	16	5	8	17	13	19	14	148	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Clonia

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

586

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ... WORTH LODGE, WORTH

in the County of ... SUSSEX

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 1 1/2 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.36	.14	.04	.49	-	.31	.58	.12	-	-	.06	.03		1
2	.01	.05	-	.01	-	.56	.17	.12	-	trace	-	-		2
3	-	-	-	.40	-	.02	.04	-	.11	-	.27	-		3
4	-	-	.10	-	-	.14	trace	-	.30	-	-	.06		4
5	.45	-	.03	-	-	-	.28	.06	.40	.02	.32	.03		5
6	.47	-	-	-	-	.06	-	-	.25	.05	.62	.03		6
7	.50	-	.11	-	-	.03	.08	-	.01	-	.47	.03		7
8	.36	-	.04	-	-	-	.09	-	-	trace	.64	.20		8
9	.47	-	.03	-	-	-	.28	-	.08	.04	.01	.01		9
10	.07	-	-	-	-	-	.15	.07	-	-	-	trace		10
11	-	.04	-	.06	-	-	.17	-	-	-	1.31	-		11
12	-	-	-	.02	.03	.23	.31	.01	.20	.01	.57	.15		12
13	-	-	-	.01	-	.05	.05	-	-	.01	-	.59		13
14	-	.04	-	-	-	.09	.58	-	.05	.02	.19	.62		14
15	-	.06	-	-	-	-	-	-	-	-	.04	.22		15
16	.21	.11	-	.02	1.24	-	-	-	-	-	.18	.15		16
17	.08	.83	-	-	-	.26	.09	.03	.02	.02	.24	.36		17
18	.17	.20	-	-	-	-	.12	-	-	.02	.10	.12		18
19	.28	.05	.08	.02	-	.53	trace	.09	-	.15	.04	-		19
20	.36	.08	.06	.43	-	-	.04	-	.54	-	-	-		20
21	-	.06	-	.36	.01	.41	.11	-	.01	-	-	-		21
22	.16	.41	.13	-	.18	-	.20	-	-	-	-	.09		22
23	.02	.06	.19	.09	-	-	.05	-	-	.11	-	.01		23
24	.03	.09	-	-	-	-	.02	-	.03	.37	-	-		24
25	.13	-	.16	.26	.08	-	.04	-	.32	.10	.04	-		25
26	.01	.16	.20	-	-	.03	.01	-	.06	.26	-	.05		26
27	.45	.05	.04	.08	-	trace	-	.01	.13	.28	-	-		27
28	.72	-	.33	-	-	.46	.35	-	.02	-	-	.11		28
29	.02	.08	.11	-	-	.32	.10	-	-	.04	.10	.02		29
30	.15	~~X~~	.01	-	.02	.35	.01	-	-	.45	-	-		30
31	.22	~~X~~	.22	~~X~~	.02	~~X~~	.19	-	~~X~~	.79	~~X~~	.19		31
TOTAL	5.70	2.51	1.88	2.25	1.58	3.85	4.81	.51	2.53	2.74	5.40	3.07	36.13	Year's total
* Days with .01 in. or more.	23	17	17	13	7	16	25	8	16	17	17	29	196	✓
* Days with .04 in. or more.	18	17	14	8	3	13	22	5	12	11	16	13	151	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column; no entries required.

(Signed) Mary C. Nick [P.T.O.]

July 1st & 14th equal highest.
Aug 1st & 2nd ditto

Section **A** for the entry of Daily Observations.Station No. **586**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at **NORTH LODGE, NORTH,**in the County of **SUSSEX**Diameter of Funnel of Gauge.....**5** in.Height of top of Gauge above Ground.....**1** ft.....in.,, Ground ,, Sea Level**340**.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.80	.02	.02	.08	—	—	—	—	.02	—	.78	.72		1
2	.02	.38	—	.44	—	—	—	—	.03	trace	.01	1.02		2
3	.01	.27	trace	—	—	—	—	—	.04	—	trace	.16		3
4	.10	1.10	—	.01	—	—	—	—	—	—	—	.25		4
5	.27	.10	.34	—	—	—	.19	trace	—	trace	—	—		5
6	.07	.02	1.01	trace	.42	—	.01	—	—	.03	—	—		6
7	—	.67	.09	.18	—	—	—	—	.05	.08	.02	.03		7
8	—	.01	.13	—	.07	.09	—	—	—	—	.13	.11		8
9	—	—	—	.36	.10	.03	.10	trace	.36	—	.01	.13		9
10	—	—	.71	.32	.05	.61	.01	trace	—	trace	—	.82		10
11	—	—	.33	trace	.11	.02	.02	—	trace	trace	—	.10		11
12	.47	.28	.12	.01	.26	.03	.03	.35	.18	trace	—	.21		12
13	.20	.05	.58	.07	trace	—	—	.06	.24	—	—	.64		13
14	.03	.03	.18	.03	.07	.01	—	.65	.14	—	trace	.01		14
15	.29	.10	—	.23	—	trace	.33	—	.21	—	—	.02		15
16	—	.19	.45	.40	—	.08	—	.36	.50	—	—	.02		16
17	.42	.01	.05	.11	—	—	—	—	.44	—	.09	—		17
18	.59	.06	—	.09	.24	.32	—	—	.03	—	.23	.06		18
19	.13	.17	.06	.19	.02	.13	.37	—	.08	.01	.01	.11		19
20	.53	.01	.07	.26	.87	.05	—	trace	.01	trace	—	.02		20
21	.61	.58	.03	.11	.01	—	.04	trace	.02	trace	.05	.04		21
22	.58	.06	.01	trace	.14	.12	.11	—	—	1.03	.49	.05		22
23	.32	.04	trace	—	—	trace	.07	—	—	.80	.01	.01		23
24	.73	.29	.01	—	.06	—	—	—	.03	.53	—	.01		24
25	.10	.41	.29	—	.06	—	—	—	.08	.28	—	.02		25
26	trace	.36	.05	—	.01	—	—	trace	—	.03	—	trace		26
27	.02	.25	trace	.22	—	—	—	—	.11	.20	trace	—		27
28	.13	.11	—	.02	—	trace	—	—	—	.03	—	.03		28
29	.08	~~X~~	—	—	—	.02	—	.01	—	.12	.06	.05		29
30	.28	~~X~~	—	—	—	.02	—	.03	—	.02	.09	trace		30
31	.24	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.22	~~X~~	.01		31
TOTAL	7.02	5.57	4.48	3.13	2.49	1.53	1.28	1.46	2.57	3.38	1.98	4.65	Year's Total	
* Days with .01 in. or more.	24	25	19	18	15	13	11	6	18	13	13	25	39.54	✓
* Days with .04 in. or more.	20	19	14	14	12	7	7	4	12	8	8	13	200	✓
													138	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Mary C. Dick [P.T.O.]

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATIONStation No. **586**

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at **WORTH LODGE, WORTH**in the County of **SUSSEX**Diameter of Funnel of Gauge.....**5** in.Height of top of Gauge above Ground.....**1** ft. in.,, Ground ,, Sea Level**340** ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	04	02	—	—	29	22	—	—	19	04	04	09		1
2	07	—	—	05	07	trace	34	—	—	38	—	01		2
3	01	—	—	—	07	—	02	—	—	78	07	—		3
4	03	—	—	trace	—	01	22	17	—	28	trace	16		4
5	trace	—	—	trace	—	trace	42	trace	01	53	—	01		5
6	04	—	—	—	—	trace	09	—	07	01	02	02		6
7	02	—	—	—	—	03	18	30	01	33	trace	07		7
8	29	—	—	—	—	—	19	34	02	44	01	08		8
9	06	01	—	—	—	01	trace	03	—	11	—	92		9
10	10	09	—	—	—	06	01	01	—	01	—	12		10
11	15	trace	—	—	—	—	trace	trace	—	trace	13	21		11
12	32	01	—	—	02	—	—	04	—	04	06	01		12
13	37	16	—	—	trace	—	—	—	—	12	45	32		13
14	31	10	—	—	45	—	—	—	02	—	02	03		14
15	07	35	—	—	01	—	78	—	—	32	01	35		15
16	33	01	02	—	05	—	—	03	—	06	02	28		16
17	—	10	01	—	13	—	03	—	03	17	06	—		17
18	09	trace	—	—	01	trace	03	—	54	01	49	trace		18
19	trace	01	—	—	—	—	—	09	18	—	45	32		19
20	trace	—	—	—	05	—	—	—	09	—	57	01		20
21	06	—	—	—	—	—	—	07	16	—	03	14		21
22	01	—	—	trace	—	05	—	03	trace	01	32	19		22
23	trace	01	—	trace	02	trace	—	—	—	—	02	—		23
24	trace	01	21	—	trace	—	—	—	93	—	41	04		24
25	14	—	23	02	05	—	03	04	02	04	43	02		25
26	39	16	05	trace	01	trace	—	—	26	30	01	37		26
27	16	05	trace	—	13	26	35	—	93	01	39	trace		27
28	06	07	—	—	41	15	—	40	12	—	—	04		28
29	28	~~X~~	—	trace	31	—	—	trace	01	—	09	10		29
30	06	~~X~~	—	26	39	—	—	—	12	08	37	—		30
31	15	~~X~~	—	~~X~~	15	~~X~~	—	—	~~X~~	22	~~X~~	39		31
TOTAL	3.61	1.16	.52	.33	2.62	.79	2.69	1.55	3.71	4.29	4.47	4.30	30.04	✓
* Days with .01 in. or more.	25	15	5	3	18	8	13	12	18	22	23	25	184	✓
* Days with .04 in. or more.	21	8	3	2	13	3	8	8	7	17	15	18	123	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *May C. Dick* [P.T.O.]

Section



for the entry of Daily Observations

Station No. 586

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at WORTH LODGE, WORTH

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 340 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	05	-	06	18	33	-	03	01	05	-	-	05		1
2	04	trace	01	03	02	-	06	37	32	01	02	-		2
3	43	trace	trace	44	trace	-	trace	21	trace	-	26	51		3
4	13	-	38	17	-	-	06	1.03	-	trace	10	03		4
5	01	01	01	21	07	-	11	.03	-	39	62	09		5
6	37	-	02	trace	65	-	19	.03	-	12	11	trace		6
7	06	05	-	-	01	-	02	.03	-	05	13	19		7
8	02	10	14	-	-	-	02	trace	-	45	38	51		8
9	09	07	trace	-	-	-	-	20	-	40	47	39		9
10	21	trace	trace	-	-	19	-	22	06	15	07	01		10
11	trace	01	22	-	trace	22	-	trace	-	1.42	02	02		11
12	-	trace	trace	-	01	11	-	-	03	01	01	02		12
13	-	-	02	05	-	03	-	-	01	1.56	02	04		13
14	71	-	01	04	-	03	04	-	trace	30	58	05		14
15	43	-	01	trace	1.37	05	trace	-	24	65	18	01		15
16	36	-	06	12	15	18	17	-	11	07	40	-		16
17	29	11	03	02	19	trace	01	-	trace	01	08	-		17
18	44	01	02	-	trace	06	12	-	trace	11	35	-		18
19	34	trace	trace	-	-	-	09	-	trace	41	01	03		19
20	29	-	01	-	-	37	72	trace	10	trace	-	06		20
21	09	34	12	-	-	31	12	trace	10	02	-	01		21
22	25	-	03	03	-	36	04	-	trace	trace	06	-		22
23	01	trace	01	12	-	01	10	01	-	06	74	01		23
24	23	28	trace	07	-	02	03	-	-	13	01	trace		24
25	1.02	19	04	03	-	trace	04	05	-	01	65	01		25
26	07	trace	01	01	-	02	01	-	trace	06	27	02		26
27	02	15	09	09	-	03	trace	01	trace	10	32	-		27
28	01	30	04	01	-	11	trace	-	-	11	12	13		28
29	trace	X	-	27	-	01	01	-	-	05	04	01		29
30	-	X	-	59	-	trace	-	01	-	01	11	-		30
31	-	X	-	X	-	X	10	66	X	02	X	02		31
TOTAL	5.97	1.62	1.34	2.48	2.80	2.11	2.09	2.87	1.05	6.68	6.13	2.22	37.36	
* Days with .01 in. or more.	25	12	21	18	9	17	21	14	9	26	27	22	214	
* Days with .04 in. or more.	20	9	9	12	6	10	14	7	7	19	21	10	144	

† Spare column, no entries required.

(Signed) Mary C. Dix [P.T.O.]

* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No. 586

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at WORTH LODGE, WORTH

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 340 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.01	trace			trace						.02	.01		1
2		.09		.16						.14	.43	.01		2
3	.01	.31		.07			trace			.15	1.16	.08		3
4	trace	.15		.03			trace			.22	.05	.07		4
5		.01					.25			.03	.70	.13		5
6	.21	.13			trace		.25			.59	.03	.01		6
7	.25	.21					.15	trace		.01	trace	trace		7
8	trace	trace		.01			.02		trace	.66	.01	.30		8
9				.01			trace	.02	trace	.17	.49	.22		9
10			trace				.22	.15	.01	.22	.08	.01		10
11		.03		.05			.04				1.21	.02		11
12		.02	.22	.03			.40		.22	.01	.04			12
13		.01	.80	trace		.08			.08		1.71	.01		13
14			.37	.06			.04	trace	trace	.09	.01	.42		14
15	.01		.01	trace	.31		1.09		.03	.13	.60	.02		15
16	.04	.38	.22	.01		.09	.12		.17	.43	.77	.03		16
17			.27			.01	.05		trace	.03	.63			17
18	.01	.26	.19	.41			.03	.04	.07	.28	.16	.13		18
19		.09	.08	.04			.08		.47	.01	.30	.04		19
20		.02	.07	.04			.03	.02	trace	.09	.14	.02		20
21	.06	.01	.02		.51		.16	trace	.03	.04	.32			21
22	trace	trace	.03		.22	.16	.01		.09	trace	.01			22
23		.11	.12	.25	trace		trace	trace		trace	.02	.02		23
24		trace	trace				.17			.01	trace	.01		24
25	.01		.60		.61	.01	.05			.06	.01	.01		25
26	.69	.25	.43	.68	.37	.01	.06				trace	trace		26
27	.40	.38		.04	.01		.05			trace				27
28	.30	.04		.03	.15		trace					trace		28
29	.62	.19	.21	.01	.10					trace		.34		29
30	.26	X	.01		trace					.18		.04		30
31	.03	X		X		X			X	.93	X	.08		31
TOTAL	2.91	2.69	3.65	1.93	1.68	.36	3.27	.23	1.17	4.48	8.90	2.03	33.30	
* Days with .01 in. or more.	14	19	16	17	8	6	20	4	9	22	23	23	181	
* Days with .04 in. or more.	8	13	12	10	6	3	16	2	6	16	16	11	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Mary C. Dix

P.T.O.

587 - 284374

587
COPY FOR OFFICIAL USE.

ISH RAINFALL ORGANIZATION.
IN 1931.

REGISTERED

CRAWLEY.
THE BEECHES
1931 - 40

Kept at The Beeches, Crawley
in the County of Sussex
Diameter of Funnel of Gauge 8"
Height of top of Gauge above Ground
Ground Sea Level

780112

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.05	-	.29	.01	.75	-	-	.10	-	.05	-	1
2	-	-	.04	.50	-	-	-	.04	-	-	-	-	2
3	.05	.05	-	-	1.02	-	-	.20	.52	.04	-	.32	3
4	-	.02	.03	.44	-	-	.10	.10	.53	-	.10	.02	4
5	-	-	-	-	-	.43	-	.64	.13	-	-	-	5
6	-	.10	.04	.09	-	-	-	-	-	.24	.27	-	6
7	-	T	-	.10	-	.15	-	.15	-	-	.51	-	7
8	.09	.09	.07	-	-	.21	.02	.04	-	-	.12	-	8
9	-	.28	.10	-	-	.05	-	.10	-	-	1.00	-	9
10	-	.04	-	-	-	.07	.04	-	-	-	1.05	-	10
11	.40	.61	-	-	-	-	-	.18	-	.06	.36	-	11
12	.20	-	-	-	-	-	.60	~~7.07~~ .27	-	-	-	-	12
13	-	-	-	-	-	T	-	.07	-	-	-	-	13
14	-	.12	-	-	-	-	.68	.99	-	-	-	-	14
15	-	.03	-	.09	.26	-	.31	.61	-	-	-	-	15
16	.02	.10	-	.18	.30	.12	.10	.22	.08	-	-	-	16
17	-	.03	.04	.43	-	-	.40	.08	.05	-	-	-	17
18	.07	-	-	.20	-	.22	.16	.95	-	-	.66	-	18
19	.05	.06	-	-	-	T	.33	.31	-	-	-	-	19
20	-	.07	-	.20	-	-	.15	.20	-	-	-	-	20
21	.21	.01	-	.10	-	-	-	.05	-	-	-	-	21
22	.30	.03	.20	-	-	-	-	-	.04	-	-	-	22
23	.31	.02	-	.02	.10	-	-	-	1.03	-	.33	-	23
24	-	-	-	.75	.40	-	.30	.43	-	.02	.01	-	24
25	-	.03	-	.40	.23	-	.25	-	-	-	.02	-	25
26	.10	T	-	.45	-	-	.31	-	-	-	.42	-	26
27	.13	.43	-	-	-	-	-	-	-	-	-	-	27
28	.12	-	-	-	.30	-	-	-	-	.04	-	-	28
29	.08	-	-	-	.01	-	-	-	-	-	-	-	29
30	-	X	-	-	-	-	.05	-	-	-	-	-	30
31	.67	X	-	X	.24	X	-	-	X	.03	X	-	31
TOTAL	2.50	2.17	0.52	4.24	2.88	2.00	3.80	5.36	2.75	0.43	4.90	0.34	YEAR'S TOTAL 31.89
*Days with ".01 in. or more.	15	14	7	15	10	8	15	18	9	6	13	2	137
*Days with ".04 in. or more.	14	12	6	14	8	8	14	18	9	4	11	1	119

W. M. Langley

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at The Bickers, Crawley
in the County of Sussex
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
Ground Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.05	-	.29	.01	.75	-	-	.10	-	.05	-	1
2	-	-	.04	.50	-	-	-	.04	-	-	-	-	2
3	.05	.05	-	-	1.02	-	-	.20	.52	.04	-	.32	3
4	-	.02	.03	.44	-	-	.10	.10	.53	-	.10	.02	4
5	-	-	-	-	-	.43	-	.64	.13	-	-	-	5
6	-	.10	.04	.09	-	-	-	-	-	.24	.27	-	6
7	-	T	-	.10	-	.15	-	.15	-	-	.51	-	7
8	.09	.09	.07	-	-	.21	.02	.04	-	-	.12	-	8
9	-	.28	.10	-	-	.05	-	.10	-	-	1.00	-	9
10	-	.04	-	-	-	.07	.04	-	-	-	1.05	-	10
11	.40	.61	-	-	-	-	-	.18	-	.06	.36	-	11
12	.20	-	-	-	-	-	.60	~~7.07~~ .27	-	-	-	-	12
13	-	-	-	-	-	T	-	.07	-	-	-	-	13
14	-	.12	-	-	-	-	.68	.99	-	-	-	-	14
15	-	.03	-	.09	.26	-	.31	.61	-	-	-	-	15
16	.02	.10	-	.18	.30	.12	.10	.22	.08	-	-	-	16
17	-	.03	.04	.43	-	-	.40	.08	.05	-	-	-	17
18	.07	-	-	.20	-	.22	.16	.95	-	-	.66	-	18
19	.05	.06	-	-	-	T	.33	.31	-	-	-	-	19
20	-	.07	-	.20	-	-	.15	.20	-	-	-	-	20
21	.21	.01	-	.10	-	-	-	.05	-	-	-	-	21
22	.30	.03	.20	-	-	-	-	-	.04	-	-	-	22
23	.31	.02	-	.02	.10	-	-	-	1.03	-	.33	-	23
24	-	-	-	.75	.40	-	.30	.43	-	.02	.01	-	24
25	-	.03	-	.40	.23	-	.25	-	-	-	.02	-	25
26	.10	T	-	.45	-	-	.31	-	-	-	.42	-	26
27	.13	.43	-	-	-	-	-	-	-	-	-	-	27
28	.12	-	-	-	.30	-	-	-	-	.04	-	-	28
29	.08	-	-	-	.02	-	-	-	-	-	-	-	29
30	-	×	-	-	-	-	.05	-	-	-	-	-	30
31	.67	×	-	×	.24	×	-	-	×	.03	×	-	31
TOTAL	2.50	2.17	0.52	4.24	2.88	2.00	3.80	5.36	2.75	0.43	4.90	0.34	31.89
*Days with "or in. or more.	15	14	7	15	10	8	15	18	9	6	13	2	137
*Days with ".04 in. or more.	14	12	6	14	8	8	14	18	9	4	11	1	119
YEAR'S TOTAL													

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Wm. Langley

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

587

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at

Orleton Lodge, Crawley

in the County of

Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 260 ft.

Continuation for Crawley
(The Beeches)
Feb 10th snow.
blast says very loud &
strong wind possibly some
blowing

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				11	43			04		04	03		1
2		02		19	12				18		02	21	2
3		T		09	11				39	06			3
4						18					02		4
5			02				12		12				5
6	1.40			31	T				04				6
7	15		10	T			14		05	07			7
8		T	16	02	21				17	47			8
9	35	SNOW 07		17	40					03			9
10	95	SNOW 44		27	06					04			10
11	20	SNOW 02		23	T				04	02		64	11
12	40	SNOW 02		02					07	48			12
13				22	02					1.03			13
14	15			20	06					02		04	14
15	08			02	05					08			15
16	05			18									16
17	06			10			11			04			17
18	02						03		13		12		18
19									05	31	03		19
20				20	03			31		92	20		20
21	03			02	52					34		08	21
22		T	23	T	10		10	03	38	28	34		22
23		06		11	35	07			14	88		16	23
24		04					44			04	04		24
25							74		10	38	03		25
26			02	08			19	T		T			26
27		T	46	22	22	08	44			48	08		27
28				03	21		18			24			28
29			57	06	17		T		17	39		04	29
30		X	07	T	44	1.21	06		11		63	10	30
31		X	06	X		X	11		X		X	05	31
TOTAL	3.84	0.67	1.69	2.85	3.50	1.54	2.66	0.38	2.14	6.64	1.54	0.72	YEAR'S TOTAL 28.17
*Days with "or in. or more.	12	7	9	21	17	4	12	3	15	22	11	8	141
*Days with ".04 in. or more.	10	4	7	16	15	4	11	2	15	19	6	8	117

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Nasir Longley ESQ.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

587

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at *Dukta Lodge, Hawley*
in the County of *Sussex*Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *0* in.
,, Ground ,, Sea Level *260* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04	42	23							30				1
2	35		64		18					01	02			2
3	06	15	35		T						01			3
4	21	01	T		13									4
5	17		37		19									5
6		19	T		50					13	09			6
7	29	05	07		08					16		02		7
8	04						08			04				8
9							19			02	14			9
10		23				T	07			36	04			10
11	19				07	12	04	16		02				11
12						17	06		119					12
13	08				04	03	53	06	21	04	22			13
14				03			12	17		33	48			14
15	69		14				03			03	04			15
16			77			24	42	08		02				16
17		05	32			05			05		06			17
18	15		07			21								18
19		05	53			06			21		06			19
20			06	06		12			02					20
21		05				T			17	02				21
22						T		25		11				22
23				07	07	11			18	04				23
24		60		12		13			35		03			24
25		75		29		17			06	03	02	11		25
26		73		08		14				03	05	11		26
27					37					17		15		27
28					02					23		21		28
29	05				04			36		04				29
30	09	X	04	45						07		06		30
31	09	X		X		X		06	X		X			31
TOTAL	2.50	3.28	3.59	1.10	1.69	1.55	1.90	1.15	2.44	2.20	1.26	0.86	Year's Total	23.32
*Days with .01 in. or more.	14	12	12	7	11	12	10	7	9	21	13	6	134	
*Days with .04 in. or more.	14	11	12	6	10	11	9	7	8	13	9	5	116	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Masil Lytle

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 587

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at *Oletha Lodge Crawley*
in the County of *Sussex*

File No. 234180/33

Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *0* in.
,, Ground ,, Sea Level *260* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	.12	—	.24	—	.15	—	.37		1
2	—	—	.20	.03	—	—	—	—	1.09	.30	—	.42		2
3	.06	—	—	.12	—	—	—	.10	—	.92	—	.04		3
4	.18	—	.08	.05	.07	—	—	—	—	.20	.06	.64		4
5	—	—	.03	—	.10	—	—	.05	—	—	.05	.43		5
6	.02	—	.32	—	.15	.07	—	.15	—	.19	.07	.68		6
7	.06	—	—	—	—	.04	—	.07	—	.17	—	.28		7
8	—	.02	—	—	.11	—	—	.03	.10	—	1.04	—		8
9	—	—	.07	—	—	—	—	—	—	—	1.11	.75		9
10	—	—	.38	.27	—	—	—	.07	—	—	.96	—		10
11	1.12	—	.45	.13	—	—	—	.03	—	—	.06	.33		11
12	.10	—	—	—	—	—	.19	.18	—	—	.02	.05		12
13	.53	—	.14	.15	—	—	.22	T	—	—	.02	.15		13
14	.18	—	.61	.08	T	—	—	—	—	—	.42	.79		14
15	.03	—	.05	—	T	—	—	—	—	.06	.13	.79		15
16	.20	—	.32	.07	.30	—	—	—	—	.12	—	—		16
17	.05	—	.07	.05	.08	—	—	—	—	T	—	.36		17
18	.10	—	T	.34	—	—	.30	—	—	—	—	.32		18
19	—	—	.43	.04	—	—	—	—	.37	.06	—	.12		19
20	—	—	.02	.02	—	—	.28	.03	—	—	—	—		20
21	—	—	—	.31	—	.20	.03	—	—	.11	—	—		21
22	—	—	—	—	—	—	.57	.27	.24	—	—	.12		22
23	—	—	—	.48	—	.40	—	—	—	—	.02	.02		23
24	—	.05	.04	.15	—	.01	.42	.04	.16	—	.01	—		24
25	.13	—	—	.20	—	—	—	—	—	.07	—	.53		25
26	.13	—	—	.14	—	.15	—	—	.04	—	—	.03		26
27	—	—	—	.04	—	.02	—	—	—	—	—	.36		27
28	—	.15	—	—	—	.10	—	.75	—	—	—	.29		28
29	—	—	—	—	—	—	.02	.08	.15	—	—	—		29
30	.06	×	—	—	—	—	—	.02	T	—	—	.41		30
31	.04	×	—	×	—	×	—	—	×	.05	×	.05		31
TOTAL	2.99	0.22	3.21	2.67	0.81	1.11	2.03	2.11	2.15	2.40	3.97	8.33	Year's Total	
*Days with or in. or more.	16	3	15	18	6	9	8	15	7	12	13	24	146	
*Days with .04 in. or more.	14	2	13	16	6	7	6	11	7	12	9	22	128	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Basil Longley

[P.T.O.]

File No. 234180/33

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 587

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Oleton Lodge Hawley
in the County of Surrey

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 0 ft. 0 in.
Ground Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22	.04	.01	.02	.02	.03	.11	-	.10	.17	.12	-		1
2	.03	-	.09	.04	-	.09	-	-	-	.43	.09	-		2
3	-	.02	.11	.06	-	-	-	-	.11	1.47	.12	-		3
4	-	.09	-	.19	-	.24	-	-	.46	.58	-	.40		4
5	-	.31	.03	.05	-	.18	-	-	-	.05	-	-		5
6	-	-	-	.23	-	.89	-	-	-	-	.12	T		6
7	.06	.12	-	.23	-	.16	-	-	-	-	1.00	.13		7
8	-	-	-	.29	-	-	-	-	-	.48	.85	-		8
9	.02	-	-	.34	-	.48	-	-	-	.93	.07	-		9
10	.04	-	.10	T	-	.08	-	-	-	-	.33	.08		10
11	.18	-	-	.29	-	.08	.21	-	-	-	.48	-		11
12	-	.02	-	-	-	.32	.06	.30	-	-	.76	-		12
13	.11	.19	-	.19	-	-	-	-	-	-	.16	-		13
14	-	-	-	.02	.12	.14	-	-	-	-	.05	.11		14
15	-	.19	-	.54	-	.18	-	-	.36	-	.23	.08		15
16	-	.06	.01	.13	-	-	-	-	.44	-	.83	-		16
17	.02	-	.04	.11	-	.17	-	-	-	-	.31	-		17
18	-	-	-	.28	.05	.08	.09	T	.45	.05	.02	-		18
19	-	-	-	.06	.62	.04	.15	-	.06	-	.16	-		19
20	-	.52	-	.15	.03	.07	.39	-	.05	-	T	-		20
21	.02	.46	-	.02	-	-	-	-	-	.18	-	-		21
22	-	.12	-	T	-	-	-	.64	.08	-	-	-		22
23	-	-	.07	T	-	-	-	.45	-	.08	-	-		23
24	.02	.90	-	-	.15	-	-	1.47	.54	-	-	.39		24
25	.05	.29	-	.21	.23	.09	-	-	-	-	-	.49		25
26	.11	-	-	-	-	-	-	.19	.12	-	.04	.40		26
27	-	1.09	-	-	-	-	-	-	.13	-	.10	.35		27
28	-	.06	-	-	.17	-	-	-	.54	.04	-	.22		28
29	-	X	-	-	-	-	-	.03		-	-	.46		29
30	.07	X	-	-	-	-	-	.96	.16	.09	.67	.74		30
31	-	X	-	X	-	X	-	-	X	.38	X	.83		31
TOTAL	.95448	.46345	.139332	1.01404	3.63493	6.51468	38.85							
* Days with .01 in. or more.	13	16	8	20	8	17	6	7	15	13	20	13	156	
* Days with .04 in. or more.	8	14	5	17	6	16	6	6	15	13	19	13	138	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

Haril Longley

P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 583

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Oulton Lodge Crawley

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	40	12	02	43		24	68	13			08	04		1
2		T				46	14	12						2
3			12	32			03		13		26			3
4			03			13			32			03		4
5	35							05	28		25	04		5
6	45		09			04		05	23	07	107			6
7	50		05			02	03				53	04		7
8	37		02				05				50	17		8
9	40						45		12	04				9
10	05						11							10
11		T		05	04		10	02			110			11
12				04		24	29		12		71	15		12
13				02		04	04					56		13
14		T				08	52		03		19	68		14
15		16									04	28		15
16	24	12		04	T		04				17	15		16
17	04	75			02	02					20	49		17
18	13	21				17	19				09	12		18
19	27	03	T			63		09		05				19
20	29	06	09	75					50					20
21		04				36	09							21
22	12	40	14		15		14					11		22
23	02	03	27	10			48			12				23
24	02	06							06	42				24
25	15		15	30	02				17	10	07			25
26		14	19	04						26		06		26
27	53	T	07						14	28				27
28	71		29			12	18		03			12		28
29	02	07	09			03	21			03	10	T		29
30	14	✕			07	33				35				30
31	19	✕	25	✕		✕	18		✕	60	✕	21		31 d
TOTAL	5.39	2.19	1.87	2.09	0.30	2.91	3.95	0.46	2.13	2.32	5.36	3.25	32.82	✓
* Days with .01 in. or more.	21	13	15	(11)	5	15	17	6	12	11	15	16	159	✓
* Days with .04 in. or more.	18	11	12	(10)	3	12	17	5	10	10	15	15	138	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Habil Crawley

[P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

587

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ... *Deleters Lodge, Hawley* ...

in the County of ... *Surrey* ...

Diameter of Funnel of Gauge ... *8* ... in.

Height of top of Gauge above Ground ... *1* ft. *0* ... in.

„ Ground „ Sea Level ... *260* ... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>.77</i>	<i>.02</i>	-	-	-	-	-	-	<i>.03</i>	-	<i>.94</i>	<i>.68</i>		1
2	<i>.02</i>	<i>.43</i>	-	<i>.49</i>	-	-	-	-	<i>.03</i>	-	-	<i>.69</i>		2
3	<i>T</i>	<i>.22</i>	-	-	-	-	-	-	<i>.05</i>	-	-	<i>.09</i>		3
4	<i>.10</i>	<i>1.14</i>	-	-	-	-	-	-	-	-	-	<i>.24</i>		4
5	<i>.25</i>	-	<i>1.23</i>	-	-	-	<i>.14</i>	-	-	-	-	-		5
6	<i>.06</i>	<i>.08</i>		-	<i>.37</i>	-	-	-	-	<i>.03</i>	-	-		6
7	-	<i>.60</i>		<i>.16</i>	-	-	-	-	<i>.03</i>	<i>.09</i>	-	<i>.04</i>		7
8	-	-	<i>.10</i>	-	<i>.07</i>	<i>.09</i>	-	-	-	-	<i>.17</i>	<i>.16</i>		8
9	-	-	-	<i>X</i>	<i>.08</i>	-	<i>.09</i>	-	<i>.38</i>	-	-	<i>.09</i>		9
10	-	-	<i>.69</i>	<i>.52</i>	<i>.07</i>	<i>.59</i>	-	-	-	-	-	<i>.89</i>		10
11	-	-	<i>.30</i>	-	<i>.06</i>	<i>✓</i>	-	-	-	-	-	<i>.06</i>		11
12	<i>.54</i>	<i>.23</i>	<i>.10</i>	<i>✓</i>	<i>.22</i>	<i>20</i>	-	<i>.23</i>	<i>.19</i>	-	-	<i>.26</i>		12
13	<i>.19</i>	<i>.05</i>	<i>.49</i>	<i>.06</i>	-	<i>✓</i>	-	<i>✓</i>	<i>.24</i>	-	-	<i>.65</i>		13
14	<i>.02</i>	<i>.02</i>	<i>.02</i>	<i>.29</i>	-	-	-	<i>.40</i>	<i>.15</i>	-	-	-		14
15	<i>.32</i>	<i>.09</i>	-	<i>.26</i>	-	-	<i>.31</i>	-	<i>.09</i>	-	-	-		15
16	-	<i>.14</i>	<i>.54</i>	<i>.49</i>	-	-	-	<i>.42</i>	<i>.21</i>	-	-	-		16
17	<i>.51</i>	-	<i>.05</i>	<i>.09</i>	-	-	<i>.02</i>	-	<i>✓</i>	-	<i>.09</i>	-		17
18	<i>.49</i>	<i>✓</i>	-	<i>.02</i>	<i>.20</i>	<i>✓</i>	-	-	<i>✓</i>	-	<i>.19</i>	<i>.04</i>		18
19	<i>.11</i>	<i>.24</i>	<i>.03</i>	<i>.19</i>	-	<i>✓</i>	<i>.33</i>	-	<i>.83</i>	<i>T</i>	-	-		19
20	<i>.56</i>	-	<i>.07</i>	<i>.27</i>	<i>.86</i>	<i>.29</i>	-	-	<i>✓</i>	<i>T</i>	-	<i>.16</i>		20
21	<i>.60</i>	<i>.55</i>	<i>T</i>	<i>.15</i>	<i>.03</i>		<i>.03</i>	-	<i>.03</i>	<i>T</i>	-	<i>.04</i>		21
22	<i>.31</i>	<i>.02</i>	-	-	<i>.13</i>	<i>.06</i>	<i>.06</i>	-	-	<i>.88</i>	<i>.41</i>	<i>.06</i>		22
23	<i>.56</i>	<i>.05</i>	-	-	-	-	<i>.11</i>	-		<i>.66</i>	-	-		23
24	<i>.11</i>	<i>.27</i>	-	-	<i>.02</i>	-	-	-	<i>✓</i>	<i>.56</i>	-	-		24
25	-	<i>.38</i>	<i>.29</i>	-	<i>.05</i>	-	-	-	<i>15</i>	<i>.35</i>	-	-		25
26	-	<i>.32</i>	<i>.03</i>	-	-	-	-	-		<i>.03</i>	-	-		26
27	<i>T</i>	<i>.23</i>	-	<i>.19</i>	-	-	-	-	<i>✓</i>	<i>.21</i>	-	-		27
28	<i>.08</i>	<i>.10</i>	-	-	-	<i>T</i>	-	-	-	<i>.07</i>	-	<i>.05</i>		28
29	<i>.11</i>	-	-	-	-	-	-	<i>T</i>	-	<i>.10</i>	<i>.08</i>	-		29
30	<i>.28</i>	<i>X</i>	-	-	-	<i>.02</i>	-	<i>.23</i>	-	<i>T</i>	<i>.12</i>	-		30
31	<i>.22</i>	<i>X</i>	-	<i>X</i>	-	<i>X</i>	-	-	<i>X</i>	<i>.32</i>	<i>X</i>	-		31
TOTAL	<i>6.21</i>	<i>5.18</i>	<i>3.94</i>	<i>3.38</i>	<i>2.16</i>	<i>1.45</i>	<i>1.12</i>	<i>1.28</i>	<i>2.39</i>	<i>3.30</i>	<i>2.00</i>	<i>4.20</i>	Year's Total <i>36.61</i>	
* Days with .01 in. or more.														
* Days with .04 in. or more.	<i>20</i>	<i>18</i>	<i>11</i>	<i>14</i>	<i>10</i>	<i>7</i>	<i>6</i>	<i>5</i>	<i>11</i>	<i>9</i>	<i>7</i>	<i>16</i>	<i>134</i>	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Max Dodge

[P.T.O.]

X. Measured at 6.00 a.m. (S.F.)

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Oileta Dodge Casely

in the County of Sussex

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	58	19	—	—	16	04	03	08		1
2	12	—	—	04	02	—	15	—	—	34	—	—		2
3	—	—	—	—	09	—	02	—	—	64	04	—		3
4	03	—	—	—	—	—	24	03	—	19	—	12		4
5	—	—	—	—	—	—	31	—	—	50	—	—		5
6	04	—	—	—	—	—	04	—	09	—	02	—		6
7	02	—	—	—	—	02	09	28	—	26	—	09		7
8	33	—	—	—	—	—	43	30	—	39	—	04		8
9	13	—	—	—	—	—	—	—	—	08	—	83		9
10	13	19	—	—	—	08	—	03	—	—	—	14		10
11	16	—	—	—	—	—	—	—	—	—	19	20		11
12	34	—	—	—	T	—	—	02	—	03	50	—		12
13	41	19	—	—	T	—	—	—	—	09	34	—		13
14	31	09	—	—	40	—	—	—	05	—	—	02		14
15	28	33	—	—	—	—	48	—	—	—	—	40		15
16	—	—	03	—	—	—	—	03	—	52	02	24		16
17	—	11	—	—	10	—	—	—	03	—	04	—		17
18	09	—	—	—	T	—	—	—	15	—	45	—		18
19	—	—	—	—	—	—	—	09	06	—	43	22		19
20	—	—	—	—	—	—	—	—	10	—	69	—		20
21	05	—	—	—	—	—	—	—	14	—	03	19		21
22	—	—	—	—	—	03	—	08	—	—	28	18		22
23	—	—	—	—	—	—	—	02	—	—	02	—		23
24	—	—	18	—	—	—	—	—	94	—	45	03		24
25	15	—	23	T	09	—	03	—	—	04	39	—		25
26	39	22	09	—	—	—	—	—	29	31	—	36		26
27	14	04	—	—	04	25	36	—	—	—	42	—		27
28	05	06	—	—	38	16	—	42	09	—	—	05		28
29	21	—	—	—	28	—	—	—	—	—	06	19		29
30	09	X	—	T	25	—	—	—	10	08	32	—		30
31	16	X	—	X	14	X	—	—	X	21	X	36		31 "d"
TOTAL	3.59	1.21	0.51	0.04	2.32	0.41	2.13	1.28	2.18	3.90	4.32	4.06	26.05	✓
* Days with .01 in. or more.	21	8	4	1	11	6	10	10	12	17	19	19	138	✓
* Days with .04 in. or more.	19	8	3	1	10	4	8	5	11	16	14	14	116	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

584

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Milton Lodge Crawley*

in the County of *Sussex*

Diameter of Funnel of Gauge *8* in.

Height of top of Gauge above Ground *1* ft. *—* in.

„ Ground „ Sea Level *260* ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>T</i>	<i>-</i>	<i>06</i>	<i>23</i>	<i>34</i>	<i>-</i>	<i>T</i>	<i>-</i>	<i>13</i>	<i>-</i>	<i>-</i>	<i>17</i>		1
2	<i>04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>08</i>	<i>30</i>	<i>33</i>	<i>-</i>	<i>02</i>	<i>-</i>		2
3	<i>37</i>	<i>-</i>	<i>-</i>	<i>58</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>35</i>	<i>-</i>	<i>-</i>	<i>26</i>	<i>53</i>		3
4	<i>11</i>	<i>-</i>	<i>40</i>	<i>14</i>	<i>-</i>	<i>-</i>	<i>11</i>	<i>110</i>	<i>-</i>	<i>45</i>	<i>09</i>	<i>-</i>		4
5	<i>-</i>	<i>-</i>	<i>-</i>	<i>13</i>	<i>08</i>	<i>-</i>	<i>22</i>	<i>16</i>	<i>-</i>	<i>15</i>	<i>55</i>	<i>07</i>		5
6	<i>40</i>	<i>-</i>	<i>02</i>	<i>-</i>	<i>30</i>	<i>-</i>	<i>23</i>	<i>02</i>	<i>-</i>	<i>-</i>	<i>04</i>	<i>-</i>		6
7	<i>04</i>	<i>10</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>02</i>	<i>04</i>	<i>-</i>	<i>19</i>	<i>14</i>	<i>08</i>		7
8	<i>T</i>	<i>09</i>	<i>15</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>33</i>	<i>44</i>	<i>60</i>		8
9	<i>06</i>	<i>06</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>14</i>	<i>-</i>	<i>50</i>	<i>60</i>	<i>34</i>		9
10	<i>20</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>18</i>	<i>-</i>	<i>24</i>	<i>-</i>	<i>21</i>	<i>06</i>	<i>-</i>		10
11	<i>-</i>	<i>-</i>	<i>21</i>	<i>-</i>	<i>-</i>	<i>T</i>	<i>-</i>	<i>-</i>	<i>06</i>	<i>140</i>	<i>-</i>	<i>-</i>		11
12	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>T</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>02</i>		12
13	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>07</i>	<i>08</i>	<i>-</i>	<i>04</i>	<i>149</i>	<i>04</i>	<i>-</i>		13
14	<i>62</i>	<i>-</i>	<i>-</i>	<i>11</i>	<i>11</i>	<i>-</i>	<i>02</i>	<i>-</i>	<i>-</i>	<i>31</i>	<i>55</i>	<i>06</i>		14
15	<i>42</i>	<i>-</i>	<i>03</i>	<i>-</i>	<i>127</i>	<i>07</i>	<i>10</i>	<i>-</i>	<i>41</i>	<i>45</i>	<i>07</i>	<i>-</i>		15
16	<i>39</i>	<i>-</i>	<i>08</i>	<i>11</i>	<i>14</i>	<i>13</i>	<i>13</i>	<i>-</i>	<i>-</i>	<i>19</i>	<i>48</i>	<i>-</i>		16
17	<i>31</i>	<i>10</i>	<i>03</i>	<i>-</i>	<i>16</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>11</i>	<i>-</i>		17
18	<i>40</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>09</i>	<i>08</i>	<i>08</i>	<i>-</i>	<i>-</i>	<i>02</i>	<i>33</i>	<i>-</i>		18
19	<i>29</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>14</i>	<i>-</i>	<i>-</i>	<i>39</i>	<i>-</i>	<i>-</i>		19
20	<i>25</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>35</i>	<i>68</i>	<i>-</i>	<i>12</i>	<i>-</i>	<i>-</i>	<i>-</i>		20
21	<i>08</i>	<i>04</i>	<i>13</i>	<i>-</i>	<i>-</i>	<i>18</i>	<i>13</i>	<i>-</i>	<i>09</i>	<i>-</i>	<i>-</i>	<i>-</i>		21
22	<i>21</i>	<i>34</i>	<i>02</i>	<i>-</i>	<i>-</i>	<i>34</i>	<i>03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>04</i>	<i>-</i>		22
23	<i>T</i>	<i>-</i>	<i>-</i>	<i>11</i>	<i>-</i>	<i>-</i>	<i>10</i>	<i>-</i>	<i>-</i>	<i>10</i>	<i>70</i>	<i>-</i>		23
24	<i>25</i>	<i>17</i>	<i>-</i>	<i>13</i>	<i>-</i>	<i>-</i>	<i>08</i>	<i>-</i>	<i>-</i>	<i>10</i>	<i>-</i>	<i>-</i>		24
25	<i>85</i>	<i>17</i>	<i>06</i>	<i>03</i>	<i>-</i>	<i>-</i>	<i>02</i>	<i>02</i>	<i>-</i>	<i>-</i>	<i>55</i>	<i>-</i>		25
26	<i>10</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>14</i>	<i>22</i>	<i>-</i>		26
27	<i>-</i>	<i>14</i>	<i>08</i>	<i>09</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>05</i>	<i>26</i>	<i>-</i>		27
28	<i>-</i>	<i>33</i>	<i>02</i>	<i>-</i>	<i>-</i>	<i>15</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>18</i>	<i>13</i>	<i>27</i>		28
29	<i>-</i>	<i>X</i>	<i>-</i>	<i>23</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>		29
30	<i>-</i>	<i>X</i>	<i>-</i>	<i>58</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>		30
31	<i>T</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>19</i>	<i>17</i>	<i>X</i>	<i>03</i>	<i>X</i>	<i>-</i>		31
TOTAL	<i>539</i>	<i>157</i>	<i>129</i>	<i>247</i>	<i>249</i>	<i>155</i>	<i>244</i>	<i>254</i>	<i>118</i>	<i>668</i>	<i>568</i>	<i>214</i>	<i>3542</i>	Year's Total
* Days with .01 in. or more.	<i>19</i>	<i>10</i>	<i>15</i>	<i>12</i>	<i>8</i>	<i>9</i>	<i>18</i>	<i>10</i>	<i>7</i>	<i>19</i>	<i>21</i>	<i>9</i>	<i>135</i>	†
* Days with .04 in. or more.	<i>19</i>	<i>10</i>	<i>8</i>	<i>11</i>	<i>8</i>	<i>9</i>	<i>14</i>	<i>8</i>	<i>7</i>	<i>17</i>	<i>20</i>	<i>8</i>	<i>139</i>	†

† Spare column, no entries required

(Signed)

Paul Doyle

* See Instruction 3 (f) on other side.

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 587

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Moleton Lodge, Crawley

in the County of Sussex

Diameter of Funnel of Gauge. 8 in.

Height of top of Gauge above Ground. 1 ft. 7 in.

Ground Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	-	-	-	-	-	-	-	-	-	†	1
2	-	11	-	12	-	-	-	-	-	24x	42	03		2
3	-	34	-	05	-	-	-	-	-	x	1.10	11		3
4	-	14	-	02	-	-	-	-	-	20	09	06		4
5	-	-	-	-	-	-	x24	-	-	T	64	14		5
6	31	11	-	-	-	-	x	-	-	54	T	T		6
7	21	23	-	-	-	-	13	-	-	-	02	32		7
8	-	-	-	-	-	-	-	-	-	56	-	-		8
9	-	-	-	-	-	-	-	-	-	x	48	26		9
10	-	-	-	-	-	-	29	09	-	x	06	T		10
11	-	03	-	-	-	-	03	-	-	-	1.15	T		11
12	-	-	26	04	-	-	45	-	13	-	05	T		12
13	-	02	74	-	-	33	07	-	18	-	1.60	T		13
14	-	-	50	09	-	-	83	-	-	x	-	44		14
15	-	-	03	-	32	-	10	-	-	67x	49	T		15
16	05	33	22	-	-	09	-	-	x	x	1.02	03		16
17	-	-	19	-	-	-	x	-	-	-	40	-		17
18	-	25	23	42	-	-	17	-	83	x	22	15	14	18
19	-	09	06	-	-	-	x	-	x	-	15	02		19
20	-	-	-	07	-	-	08	✓	-	-	20	T		20
21	07	-	-	-	19	-	20	03	-	x	35	-		21
22	-	-	-	-	46	20	✓	-	13	-	-	-		22
23	-	-	-	22	-	-	17	-	-	09	-	-		23
24	-	11	-	17	-	-	x	-	-	✓	27	T		24
25	-	-	x	-	-	-	03	05	-	05	T	-		25
26	99	25	x	-	18	✓	02	-	-	-	-	-		26
27	45	43	-	-	-	-	12	-	-	-	-	-		27
28	38	03	-	14	x	-	-	-	-	-	-	-		28
29	30	19	20	-	x	-	-	-	-	1.04	-	29		29
30	13	x	-	09	-	-	-	-	-	x	-	02		30
31	03	x	-	x	-	x	-	-	x	x	x	08		31
TOTAL	2.72	2.66	3.69	1.43	1.41	0.65	2.98	0.12	1.27	4.07	8.96	1.94	Year's Total	31.90
* Days with .01 in. or more.	10	15	11	11	6	5	19	2	6	16	19	13		133
* Days with .04 in. or more.	9	12	10	10	6	3	15	1	6	15	17	9		113

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

REGIST

Kept at *Milland House*
in the County of *Sussex*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Lev

THE MORNING MEASUR

An observer who does not conform to the
year in the space on the right of this

588

MILLAND HOUSE

1931 - 1939

588
COPY FOR OFFICIAL USE.
ORGANIZATION.

780112

Following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>h</i>	<i>.04</i>	<i>h</i>	<i>.18</i>		<i>.03</i>		<i>.01</i>	<i>.24</i>				1
2	<i>.17</i>	<i>.05</i>		<i>.47</i>			<i>h</i>	<i>.03</i>	<i>.85</i>			<i>.07</i>	2
3	<i>.10</i>	<i>h</i>	<i>.18</i>	<i>.34</i>	<i>.60</i>		<i>.01</i>	<i>.20</i>	<i>.82</i>		<i>.15</i>	<i>.17</i>	3
4	<i>h</i>	<i>h</i>	<i>.03</i>	<i>h</i>	<i>.04</i>		<i>.10</i>	<i>.05</i>	<i>.08</i>	<i>.01</i>	<i>.15</i>	<i>h</i>	4
5		<i>.02</i>	<i>h</i>	<i>.12</i>	<i>h</i>	<i>.43</i>	<i>.05</i>	<i>.48</i>	<i>h</i>	<i>h</i>	<i>.10</i>	<i>.21</i>	5
6		<i>.08</i>		<i>.18</i>		<i>.14</i>	<i>.05</i>	<i>h</i>		<i>.33</i>	<i>.26</i>	<i>.03</i>	6
7		<i>h</i>		<i>h</i>	<i>.19</i>	<i>.14</i>		<i>.34</i>		<i>.08</i>	<i>.47</i>	<i>h</i>	7
8		<i>.09</i>	<i>h</i>	<i>.01</i>	<i>h</i>	<i>.28</i>		<i>.22</i>		<i>h</i>	<i>.15</i>	<i>.04</i>	8
9		<i>.15</i>	<i>.02</i>	<i>.02</i>		<i>.04</i>	<i>h</i>	<i>h</i>			<i>.76</i>	<i>.01</i>	9
10	<i>.02</i>	<i>.10</i>	<i>h</i>			<i>.14</i>	<i>h</i>	<i>.12</i>		<i>h</i>	<i>.70</i>	<i>h</i>	10
11	<i>.11</i>	<i>.43</i>			<i>h</i>	<i>h</i>		<i>h</i>	<i>.01</i>		<i>.35</i>	<i>h</i>	11
12	<i>.04</i>	<i>.01</i>					<i>.25</i>	<i>.08</i>	<i>.29</i>		<i>h</i>	<i>h</i>	12
13	<i>.01</i>		<i>h</i>		<i>h</i>		<i>h</i>	<i>.02</i>	<i>h</i>		<i>h</i>	<i>h</i>	13
14	<i>.01</i>	<i>.14</i>	<i>h</i>		<i>.01</i>		<i>.54</i>	<i>.50</i>			<i>h</i>		14
15	<i>.02</i>	<i>.06</i>		<i>.04</i>	<i>.10</i>		<i>.08</i>	<i>.25</i>			<i>.01</i>	<i>.04</i>	15
16	<i>h</i>	<i>.03</i>		<i>.12</i>	<i>.30</i>	<i>.10</i>	<i>.02</i>	<i>.02</i>	<i>.09</i>		<i>h</i>		16
17	<i>.02</i>	<i>.02</i>		<i>.15</i>	<i>.03</i>	<i>h</i>	<i>.39</i>	<i>h</i>	<i>.05</i>	<i>.02</i>			17
18	<i>.03</i>	<i>.05</i>	<i>.03</i>	<i>.07</i>	<i>h</i>	<i>.43</i>	<i>.08</i>	<i>1.15</i>	<i>h</i>	<i>h</i>	<i>.55</i>		18
19	<i>.08</i>	<i>h</i>	<i>h</i>	<i>.47</i>		<i>.12</i>	<i>.37</i>	<i>.13</i>	<i>.01</i>		<i>h</i>		19
20	<i>h</i>	<i>.10</i>	<i>.03</i>	<i>.03</i>		<i>h</i>		<i>.44</i>			<i>.02</i>	<i>h</i>	20
21	<i>.03</i>	<i>h</i>	<i>.02</i>	<i>h</i>	<i>.30</i>			<i>h</i>			<i>.02</i>		21
22	<i>.36</i>	<i>.03</i>	<i>.28</i>		<i>h</i>				<i>.01</i>		<i>h</i>		22
23	<i>.46</i>	<i>h</i>	<i>h</i>	<i>.06</i>	<i>.62</i>	<i>.01</i>			<i>.03</i>		<i>.35</i>	<i>.02</i>	23
24	<i>.04</i>	<i>h</i>	<i>h</i>	<i>.62</i>	<i>.08</i>	<i>.07</i>	<i>.52</i>	<i>.57</i>	<i>h</i>		<i>h</i>	<i>h</i>	24
25	<i>.18</i>			<i>.31</i>	<i>.15</i>		<i>.28</i>				<i>.04</i>	<i>h</i>	25
26	<i>h</i>	<i>.03</i>		<i>.26</i>			<i>.40</i>				<i>.30</i>		26
27	<i>.19</i>	<i>.44</i>		<i>h</i>	<i>.57</i>		<i>.06</i>			<i>h</i>	<i>.04</i>	<i>h</i>	27
28	<i>.03</i>	<i>.20</i>		<i>.08</i>	<i>h</i>					<i>.01</i>	<i>h</i>		28
29	<i>.10</i>	<i>X</i>		<i>h</i>	<i>.45</i>		<i>.13</i>			<i>.05</i>	<i>h</i>		29
30	<i>h</i>	<i>X</i>		<i>h</i>	<i>h</i>				<i>h</i>		<i>h</i>		30
31	<i>.38</i>	<i>X</i>		<i>X</i>	<i>.26</i>	<i>X</i>			<i>X</i>		<i>X</i>	<i>.02</i>	31
TOTAL	<i>2.38</i>	<i>2.07</i>	<i>0.59</i>	<i>3.53</i>	<i>3.70</i>	<i>1.93</i>	<i>3.33</i>	<i>4.61</i>	<i>2.48</i>	<i>0.50</i>	<i>4.42</i>	<i>0.61</i>	YEAR'S TOTAL
*Days with ".01 in. or more.	<i>20</i>	<i>19</i>	<i>7</i>	<i>18</i>	<i>14</i>	<i>12</i>	<i>16</i>	<i>17</i>	<i>11</i>	<i>6</i>	<i>17</i>	<i>9</i>	<i>166</i>
*Days with ".04 in. or more.	<i>12</i>	<i>13</i>	<i>2</i>	<i>15</i>	<i>12</i>	<i>10</i>	<i>14</i>	<i>13</i>	<i>7</i>	<i>3</i>	<i>14</i>	<i>5</i>	<i>120</i>

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at *Milland House*

in the County of *Sussex* Station No. *588*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *0* in.

Ground Sea Level *425* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>tr</i>	<i>.04</i>	<i>tr</i>	<i>.18</i>		<i>.03</i>		<i>.01</i>	<i>.24</i>				1
2	<i>.17</i>	<i>.05</i>		<i>.47</i>			<i>tr</i>	<i>.03</i>	<i>.85</i>			<i>.07</i>	2
3	<i>.10</i>	<i>tr</i>	<i>.18</i>	<i>.34</i>	<i>.60</i>		<i>.01</i>	<i>.20</i>	<i>.82</i>		<i>.15</i>	<i>.17</i>	3
4	<i>tr</i>	<i>tr</i>	<i>.03</i>	<i>tr</i>	<i>.04</i>		<i>.10</i>	<i>.05</i>	<i>.08</i>	<i>.01</i>	<i>.15</i>	<i>tr</i>	4
5		<i>.02</i>	<i>tr</i>	<i>.12</i>	<i>tr</i>	<i>.43</i>	<i>.05</i>	<i>.48</i>	<i>tr</i>	<i>tr</i>	<i>.10</i>	<i>.21</i>	5
6		<i>.08</i>		<i>.18</i>		<i>.14</i>	<i>.05</i>	<i>tr</i>		<i>.33</i>	<i>.26</i>	<i>.03</i>	6
7		<i>tr</i>		<i>tr</i>	<i>.19</i>	<i>.14</i>		<i>.34</i>		<i>.08</i>	<i>.47</i>	<i>tr</i>	7
8		<i>.09</i>	<i>tr</i>	<i>.01</i>	<i>tr</i>	<i>.28</i>		<i>.22</i>		<i>tr</i>	<i>.15</i>	<i>.04</i>	8
9		<i>.15</i>	<i>.02</i>	<i>.02</i>		<i>.04</i>	<i>tr</i>	<i>tr</i>			<i>.76</i>	<i>.01</i>	9
10	<i>.02</i>	<i>.10</i>	<i>tr</i>			<i>.14</i>	<i>tr</i>	<i>.12</i>		<i>tr</i>	<i>.70</i>	<i>tr</i>	10
11	<i>.11</i>	<i>.43</i>			<i>tr</i>	<i>tr</i>		<i>tr</i>	<i>.01</i>		<i>.35</i>	<i>tr</i>	11
12	<i>.04</i>	<i>.01</i>					<i>.25</i>	<i>.08</i>	<i>.29</i>		<i>tr</i>	<i>tr</i>	12
13	<i>.01</i>		<i>tr</i>		<i>tr</i>		<i>tr</i>	<i>.02</i>	<i>tr</i>		<i>tr</i>	<i>tr</i>	13
14	<i>.01</i>	<i>.14</i>	<i>tr</i>		<i>.01</i>		<i>.54</i>	<i>.50</i>			<i>tr</i>		14
15	<i>.02</i>	<i>.06</i>		<i>.04</i>	<i>.10</i>		<i>.08</i>	<i>.25</i>			<i>.01</i>	<i>.04</i>	15
16	<i>tr</i>	<i>.03</i>		<i>.12</i>	<i>.30</i>	<i>.10</i>	<i>.02</i>	<i>.02</i>	<i>.09</i>		<i>tr</i>		16
17	<i>.02</i>	<i>.02</i>		<i>.15</i>	<i>.03</i>	<i>tr</i>	<i>.39</i>	<i>tr</i>	<i>.05</i>	<i>.02</i>			17
18	<i>.03</i>	<i>.05</i>	<i>.03</i>	<i>.07</i>	<i>tr</i>	<i>.43</i>	<i>.08</i>	<i>1.15</i>	<i>tr</i>	<i>tr</i>	<i>.55</i>		18
19	<i>.08</i>	<i>tr</i>	<i>tr</i>	<i>.47</i>		<i>.12</i>	<i>.37</i>	<i>.13</i>	<i>.01</i>		<i>tr</i>		19
20	<i>tr</i>	<i>.10</i>	<i>.03</i>	<i>.03</i>		<i>tr</i>		<i>.44</i>			<i>.02</i>	<i>tr</i>	20
21	<i>.03</i>	<i>tr</i>	<i>.02</i>	<i>tr</i>	<i>.30</i>			<i>tr</i>			<i>.02</i>		21
22	<i>.36</i>	<i>.03</i>	<i>.28</i>		<i>tr</i>				<i>.01</i>		<i>tr</i>		22
23	<i>.46</i>	<i>tr</i>	<i>tr</i>	<i>.06</i>	<i>.62</i>	<i>.01</i>			<i>.03</i>		<i>.35</i>	<i>.02</i>	23
24	<i>.04</i>	<i>tr</i>	<i>tr</i>	<i>.62</i>	<i>.08</i>	<i>.07</i>	<i>.52</i>	<i>.57</i>	<i>tr</i>		<i>tr</i>	<i>tr</i>	24
25	<i>.18</i>			<i>.31</i>	<i>.15</i>		<i>.28</i>				<i>.04</i>	<i>tr</i>	25
26	<i>tr</i>	<i>.03</i>		<i>.26</i>			<i>.40</i>				<i>.30</i>		26
27	<i>.19</i>	<i>.44</i>		<i>tr</i>	<i>.57</i>		<i>.06</i>			<i>tr</i>	<i>.04</i>	<i>tr</i>	27
28	<i>.03</i>	<i>.20</i>		<i>.08</i>	<i>tr</i>					<i>.01</i>	<i>tr</i>		28
29	<i>.10</i>	<i>X</i>		<i>tr</i>	<i>.45</i>		<i>.13</i>			<i>.05</i>	<i>tr</i>		29
30	<i>tr</i>	<i>X</i>		<i>tr</i>	<i>tr</i>				<i>tr</i>		<i>tr</i>		30
31	<i>.38</i>	<i>X</i>		<i>X</i>	<i>.26</i>	<i>X</i>			<i>X</i>		<i>X</i>	<i>.02</i>	31
TOTAL	<i>2.38</i>	<i>2.07</i>	<i>0.59</i>	<i>3.53</i>	<i>3.70</i>	<i>1.93</i>	<i>3.33</i>	<i>4.61</i>	<i>2.48</i>	<i>0.50</i>	<i>4.42</i>	<i>0.61</i>	YEAR'S TOTAL <i>30.15</i>
*Days with ".01 in. or more.	<i>20</i>	<i>19</i>	<i>7</i>	<i>18</i>	<i>14</i>	<i>12</i>	<i>16</i>	<i>17</i>	<i>11</i>	<i>6</i>	<i>17</i>	<i>9</i>	<i>166</i>
*Days with ".04 in. or more.	<i>12</i>	<i>13</i>	<i>2</i>	<i>15</i>	<i>12</i>	<i>10</i>	<i>14</i>	<i>13</i>	<i>7</i>	<i>3</i>	<i>14</i>	<i>5</i>	<i>120</i>

Section

A

for the entry of Daily Observations.

Station No. 588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at Milland House
in the County of SussexDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 425 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.01		.24	.68			$\frac{1}{2}$	.02	.03	$\frac{1}{2}$	$\frac{1}{2}$	1
2	$\frac{1}{2}$	$\frac{1}{2}$		.26	.04			.01	.28		$\frac{1}{2}$	.35	2
3	$\frac{1}{2}$			.10	.03	.04			.52	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	3
4	.01			$\frac{1}{2}$		.18	.01				$\frac{1}{2}$	$\frac{1}{2}$	4
5	.26		.01		.01	$\frac{1}{2}$	.16		.18			$\frac{1}{2}$	5
6	.49		$\frac{1}{2}$	.22					.13				6
7	.02		.04				$\frac{1}{2}$		.11	.21		$\frac{1}{2}$	7
8			.27	$\frac{1}{2}$	.41				.42	.39			8
9	.88	$\frac{1}{2}$		.12	.23				$\frac{1}{2}$	.05			9
10	1.05	.22		.31	.05	.08			.08	.04	.12		10
11	.21			.02	.01		.49	.10	.05	.03	.02	.03	11
12	.49			$\frac{1}{2}$	$\frac{1}{2}$			.03	.14	.36	.01	$\frac{1}{2}$	12
13	.15	.01		.22	.07		.41		$\frac{1}{2}$	.93	$\frac{1}{2}$	.03	13
14	.19	.01		.09	.03			$\frac{1}{2}$		$\frac{1}{2}$	.05	$\frac{1}{2}$	14
15	.06	$\frac{1}{2}$		.02	.30			$\frac{1}{2}$		.06	$\frac{1}{2}$	$\frac{1}{2}$	15
16	.20			.17	$\frac{1}{2}$		.05			$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	16
17	.01			.12			.02			.05		$\frac{1}{2}$	17
18	.03			$\frac{1}{2}$	.02		.07		.01		.09		18
19	.01				$\frac{1}{2}$		$\frac{1}{2}$		.03	.22	$\frac{1}{2}$	.01	19
20	$\frac{1}{2}$			.32	.16			1.16	$\frac{1}{2}$	.85	.21	.01	20
21	$\frac{1}{2}$		$\frac{1}{2}$	.13	1.17			.31		.43	$\frac{1}{2}$	.10	21
22	.02	$\frac{1}{2}$	.20	.04	.05		.27	.03	.36	.38	.39	$\frac{1}{2}$	22
23	.01	.07		.05	.28		.06	$\frac{1}{2}$	.17	.89	$\frac{1}{2}$	.14	23
24		.05		$\frac{1}{2}$			.51		.16	.11	.02	$\frac{1}{2}$	24
25	$\frac{1}{2}$	$\frac{1}{2}$			$\frac{1}{2}$	.03	1.06		.01	.43	.02	.01	25
26			.06	.05			.27			.08	.02	$\frac{1}{2}$	26
27			.55	.33	.18	.19	.26			.34	$\frac{1}{2}$	$\frac{1}{2}$	27
28			.05	.06	.10		.16			.01	$\frac{1}{2}$		28
29			.41	.23	.20	.06	$\frac{1}{2}$	.26	.21	.43	.06	.10	29
30	$\frac{1}{2}$	×	.02	.09	.20	1.62	.08		.34	$\frac{1}{2}$	.60	.22	30
31		×	.22	×	$\frac{1}{2}$	×	.04		×	$\frac{1}{2}$	×	.08	31
TOTAL	4.19	0.37	1.83	3.19	4.22	2.20	3.92	1.90	3.22	6.32	1.61	1.08	YEAR'S TOTAL 34.05
*Days with ".01 in. or more.	18	6	10	21	20	7	16	7	18	21	12	11	167
*Days with ".04 in. or more.	11	3	8	19	15	6	14	4	14	18	7	6	125

Section

A

for the entry of Daily Observations.

Station No. 588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at Milland House

in the County of Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

Ground Sea Level 425 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	.51	.11	tr.	.01					tr.	tr.		1
2	.39		.64		.85						.02		2
3	tr.	.10	.32		tr.						tr.		3
4	.21	.03	tr.		.33						.04		4
5	.12	tr.	.65								tr.		5
6	tr.	.18	.06		.28					.09	.06		6
7	.08	.07	.01		.10					.16	tr.	.03	7
8	.02	tr.			tr.		.26			.12			8
9		tr.					.31			.09	.08		9
10	tr.	.22				.02	.04	.01		.41	.02		10
11	.30	tr.			.04	.08	.08	.29		.03	.01		11
12		tr.		.01	.02	tr.	.20		1.32			.02	12
13	.06				.10	.32	.59	.17	.11	.18	.04		13
14	tr.				tr.		.32	tr.		.26	.30	tr.	14
15	.55		.38			tr.	.04	.30		.03	tr.		15
16	.02		.95			.18	.10		.05	.05	tr.		16
17			.36			.13	tr.	.06	.06		.05		17
18	.35	.02	.14			.26					tr.		18
19	tr.	.02	.14	tr.		tr.		tr.	.40		.02	.02	19
20		.14	.10	.07		.10			.14		tr.	tr.	20
21		.01				.07		.09	.12	tr.		tr.	21
22						.26	.06	.40	.11	.45	.04	tr.	22
23		tr.		.17	.10	.13			.28	.07	tr.		23
24		1.45		.15		.08			.43	tr.	tr.		24
25		1.09		.40					.06		.05	.07	25
26		1.07		.07		.30			2.13	.01	tr.	.03	26
27		tr.			.42				.01	.15	tr.	.35	27
28		tr.			.01		.30			.09	tr.	.15	28
29	.06		.01	.07						.03		tr.	29
30	.11	X	.13				.04		.33	.02		.07	30
31	.16	X	.01	X		X		.01	X	tr.	X		31
TOTAL	2.62	4.91	4.04	0.94	2.26	1.93	2.34	1.33	5.55	2.24	.73	.74	29.63
*Days with .01 in. or more.	14	13	15	7	11	12	12	8	14	17	12	8	143
*Days with .04 in. or more.	12	10	12	6	8	11	12	6	13	12	8	4	114

YEAR'S TOTAL

Section

A

for the entry of Daily Observations.

Station No. 588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at Milland Housein the County of SussexDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 425 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<u>tr</u>					<u>.07</u>		<u>.36</u>	<u>.15</u>	<u>.09</u>	<u>.01</u>	<u>.46</u>		1
2	<u>.08</u>		<u>tr</u>	<u>.14</u>	<u>.02</u>	<u>tr</u>			<u>1.30</u>	<u>.28</u>	<u>.01</u>	<u>.37</u>		2
3	<u>.02</u>	<u>.05</u>	<u>.01</u>	<u>.02</u>				<u>tr</u>		<u>.33</u>	<u>tr</u>	<u>.26</u>		3
4	<u>.15</u>		<u>.08</u>	<u>.07</u>	<u>.16</u>			<u>.12</u>		<u>.37</u>	<u>.04</u>	<u>.45</u>		4
5	<u>tr</u>		<u>.01</u>	<u>tr</u>	<u>tr</u>			<u>.15</u>		<u>tr</u>	<u>.05</u>	<u>.52</u>		5
6	<u>.04</u>		<u>.35</u>	<u>tr</u>	<u>.13</u>	<u>.11</u>		<u>.28</u>		<u>.25</u>	<u>.16</u>	<u>1.15</u>		6
7	<u>.07</u>					<u>.05</u>		<u>.15</u>		<u>.12</u>	<u>tr</u>	<u>.42</u>		7
8					<u>.22</u>	<u>tr</u>		<u>tr</u>	<u>.28</u>	<u>tr</u>	<u>.86</u>	<u>.11</u>		8
9	<u>.01</u>	<u>tr</u>	<u>.14</u>								<u>.92</u>	<u>.54</u>		9
10	<u>tr</u>		<u>.28</u>	<u>.28</u>				<u>.02</u>			<u>.58</u>	<u>.04</u>		10
11	<u>.72</u>	<u>tr</u>	<u>.41</u>	<u>.20</u>			<u>.15</u>	<u>.02</u>			<u>tr</u>	<u>.49</u>		11
12	<u>.06</u>	<u>tr</u>	<u>tr</u>	<u>tr</u>			<u>.12</u>	<u>.36</u>			<u>.02</u>	<u>.15</u>		12
13	<u>.48</u>		<u>.02</u>	<u>.05</u>			<u>.92</u>	<u>.12</u>		<u>.01</u>	<u>.25</u>	<u>.18</u>		13
14	<u>.13</u>		<u>.42</u>	<u>.03</u>				<u>tr</u>			<u>.31</u>	<u>.96</u>		14
15	<u>tr</u>	<u>tr</u>	<u>.02</u>		<u>.12</u>	<u>.02</u>				<u>.08</u>	<u>.14</u>	<u>.39</u>		15
16	<u>.22</u>	<u>tr</u>	<u>.39</u>		<u>tr</u>					<u>.01</u>	<u>tr</u>	<u>tr</u>		16
17	<u>.08</u>		<u>.01</u>		<u>.01</u>					<u>.03</u>	<u>tr</u>	<u>.30</u>		17
18	<u>.08</u>		<u>.21</u>	<u>.24</u>					<u>.02</u>	<u>tr</u>	<u>tr</u>	<u>.59</u>		18
19			<u>.32</u>	<u>.09</u>		<u>.03</u>		<u>.02</u>	<u>.15</u>		<u>tr</u>	<u>.15</u>		19
20			<u>.01</u>	<u>.05</u>	<u>tr</u>	<u>.02</u>	<u>.49</u>	<u>tr</u>	<u>tr</u>	<u>.02</u>	<u>tr</u>	<u>tr</u>		20
21			<u>tr</u>	<u>.80</u>		<u>.13</u>		<u>.03</u>	<u>tr</u>	<u>.11</u>	<u>tr</u>	<u>tr</u>		21
22		<u>tr</u>		<u>tr</u>			<u>.01</u>	<u>.37</u>	<u>.28</u>		<u>tr</u>	<u>.13</u>		22
23		<u>.01</u>		<u>.26</u>		<u>.65</u>			<u>.05</u>		<u>tr</u>	<u>.01</u>		23
24		<u>.01</u>	<u>.06</u>	<u>.10</u>		<u>.27</u>	<u>.40</u>	<u>.56</u>	<u>.14</u>		<u>tr</u>	<u>tr</u>		24
25	<u>.25</u>	<u>tr</u>	<u>tr</u>	<u>.16</u>	<u>tr</u>	<u>.03</u>			<u>tr</u>	<u>.15</u>		<u>.76</u>		25
26	<u>.04</u>			<u>.15</u>		<u>.20</u>			<u>.06</u>	<u>tr</u>		<u>.02</u>		26
27	<u>tr</u>			<u>.14</u>		<u>.05</u>			<u>tr</u>	<u>tr</u>		<u>.31</u>		27
28				<u>tr</u>		<u>.32</u>		<u>.87</u>		<u>.01</u>	<u>.01</u>	<u>.41</u>		28
29	<u>tr</u>							<u>.16</u>	<u>.15</u>		<u>.02</u>	<u>.01</u>		29
30	<u>.08</u>	<u>X</u>						<u>.03</u>	<u>.09</u>	<u>tr</u>	<u>tr</u>	<u>.36</u>		30
31	<u>.07</u>	<u>X</u>		<u>X</u>		<u>X</u>			<u>X</u>	<u>tr</u>	<u>X</u>	<u>.12</u>		31
TOTAL	<u>2.58</u>	<u>.07</u>	<u>2.74</u>	<u>2.78</u>	<u>.66</u>	<u>1.95</u>	<u>2.09</u>	<u>3.62</u>	<u>2.67</u>	<u>1.86</u>	<u>3.38</u>	<u>9.66</u>	<u>34.06</u>	Year's Total.
* Days with .01 in. or more.	<u>17</u>	<u>3</u>	<u>16</u>	<u>16</u>	<u>6</u>	<u>13</u>	<u>6</u>	<u>16</u>	<u>11</u>	<u>14</u>	<u>14</u>	<u>27</u>	<u>159</u>	
* Days with .04 in. or more.	<u>15</u>	<u>1</u>	<u>10</u>	<u>14</u>	<u>4</u>	<u>9</u>	<u>5</u>	<u>11</u>	<u>10</u>	<u>9</u>	<u>9</u>	<u>24</u>	<u>121</u>	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

S. Thompson

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at MILLAND HOUSE

in the County of SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 42.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	½	.18	.01	.02	.13	.20		.07	.18	.44	½		1
2	½		½			.01			.01	.48	.04			2
3	½	½	.01	.01		.03			.46	1.25	.10			3
4		.11	½	.28		.13		.01	.04	.53	.01	.17		4
5		.26	.11	.16		.03			.38	.05	.01	½		5
6	.02	.01	.03	.29		.99				½	.17	½		6
7		½	½	.30		.10				.03	.64	.10		7
8			.02	.38		.03				.37	.48	½		8
9	.02			.41		.34			.11	1.10	.18			9
10	.21		.23	½		.03				½	.38	.02		10
11	.18	.01	½	.15		.23	.09				.61	½		11
12	½	.07		½		.38		.09	.07		.95			12
13	.05	.15		.21	.05	.06			½		.19			13
14	½	½		½	.14	.06			.04	½	.21	.25		14
15		.21		.58	½	.01			.14	.01	.38	.03		15
16		.09	.04	.06		.14			.70	.03	.94	.01		16
17	½	½	½	.12	.01	.23		.05		½	.22			17
18		.01		.37	.01	.03	.14		.43	.03	.01	½		18
19		.04		.06	.44	.03	.24		.09	.04	.23	½		19
20		.57		.07	.18	.02	.06		.02		.32			20
21	.01	.56		½		½			½	.05	.01			21
22	½	.02	½					.02	.05		½			22
23	½	½	.07		½			.40	½	.36	½	.17		23
24	.04	.74	½		.13			1.06	.44	.03		.38		24
25	.04	.40		.14	.10	.05		½			.02	.33		25
26	½	.43				½		.15	.11		½	.60		26
27		.71					½	½	.18		.12	.42		27
28		.15			.18			½	.52	.02	½	.27		28
29	½	×						.17	.43	.01	.01	.52		29
30	.05	×		.06				.89	.08	.15	.80	.59		30
31	½	×		×	.01	×		.02	×	.54	×	.52		31
TOTAL	.71	4.54	.69	3.66	1.27	3.06	.73	2.86	4.37	5.26	7.47	4.38	39.00	
* Days with .01 in. or more.	10	18	8	18	11	21	5	10	20	19	25	15	180	
* Days with .04 in. or more.	7	14	5	16	7	12	5	7	18	12	19	12	134	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

S. Thompson

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at Milland House

in the County of Sussex

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 0 in.

,, Ground ,, Sea Level ...425 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.10	.08	.35		.40	.60	.15			.08	.06		1
2	.01	.13	tr.	tr.		.55	.05	.11	tr.		tr.	tr.		2
3	tr.	tr.		.39		.02	.05		.24		.35	tr.		3
4			.10	tr.		.13	tr.		.24		.13	.03		4
5	.35		.02			tr.		.05	tr.		.01	.02		5
6	.75					.03		tr.	.32		.67	tr.		6
7	.29		.11				.02		.03		.20	.15		7
8	.40		.14				.08		tr.		.44	.12		8
9	.51		.07				.30		.06		tr.	tr.		9
10	.14		tr.				.03	.28	tr.		tr.			10
11	.06	.48		.07				.31	.02		1.47			11
12	tr.			tr.		.40	.30		.32		.31	.12		12
13						.05	.02		tr.	.01	.01	.42		13
14		.09				.12	.52		.02	.02	.25	.90		14
15	.02	.02					.02		.17	tr.	.05	.31		15
16	.32	.23					.05		tr.		.15	.13		16
17	.04	1.04				.23	tr.	tr.	.02	.02	.18	.54		17
18	.14	.27				.12	.28		tr.	.02	tr.	.15		18
19	.29	.05	.06	.06		.30		.11		tr.	.01	tr.		19
20	.26	.08	.12	.47		.14	.02	tr.	.85	tr.				20
21		.03	tr.	.41	.01	.24	.18		tr.					21
22	.14	.45	.07		.48	.03	.21			tr.		.07		22
23	.03	tr.	.33	.10	.05		.39		tr.	.08		tr.		23
24	.09	.06	tr.				.07		.05	.34		tr.		24
25	.07	tr.	.15	.25	.03		.12		.17	.13	.03	tr.		25
26	.04	.16	.09			tr.	.06		.03	.20	tr.	tr.		26
27	.54	tr.	.04				tr.		.10	.36		tr.		27
28	.99	tr.	.35			.78	.21		tr.	tr.	tr.	.13		28
29	.02	.12	.04			.10	.01			.04	.22	.04		29
30	.20	~~tr.~~	tr.			.45	.01			.09	tr.	tr.		30
31	.21	~~tr.~~	.23	~~tr.~~		~~tr.~~	.22		~~tr.~~	.20	~~tr.~~	.33		31
TOTAL	6.16	3.31	2.00	2.10	.57	4.09	3.82	1.01	2.64	1.51	4.56	3.52	35.29	✓
* Days with .01 in. or more.	25	15	16	8	4	17	24	6	15	12	17	16	175	✓
* Days with .04 in. or more.	21	13	15	8	2	14	17	6	10	8	13	14	141	✓

† Spare column, no entries required

(Signed)

J. Thompson

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Milland House

in the County of Sussex

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 0 in.

,, Ground ,, Sea Level 425.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.60	.15	tr	.03						.02	1.13	.77		1
2	tr	.63		.43					.09		.01	.64		2
3	.02	.18									tr	.02		3
4	.11	.91		.03					tr			.23		4
5	.25	.09	.17	tr			.16							5
6	.19	.04	.74	.01	.14		.01			.02	.01			6
7		.60	tr	.08	.20				.03	.17	tr	.11		7
8	tr	.01	.03	tr	.18	.03				tr	.03	.07		8
9	tr	tr		.41	.05	.10	.06		.30			.10		9
10	tr		.67	.15	.20	.20	tr					.57		10
11			.11		.23	.01	.13					.02		11
12	.57	.27	.21	.04	.47	.34	tr	.28	.14			.34		12
13	.29	.05	.96	.17	.01	.05		.08	.20			.93		13
14	.01	.03	.20	.63	tr			.08	.11			.01		14
15	.32	.11	tr	.31			.37		.09					15
16	tr	.14	.60	.22		.18		.46	.60			tr		16
17	.81	.02	.17	.04		.02			.22		.07			17
18	.38	.05	.03	.01	.01	.09			tr		.09	.11		18
19	.10	.14	.09	.30		.13			.01			.04		19
20	.50	tr	.06	.20	.63				.01			.01		20
21	.81	.38	.05	.02	.01		tr			tr	.02	.07		21
22	.62	.04	.06		.15	.20	.18			1.17	.66	.15		22
23	.24	.14	.02		.09		.03			.32	.18	.02		23
24	.50	.42	tr		.02				.09	.65	tr	.01		24
25	.25	.39	.30		.34				.05	.25	tr	.01		25
26	tr	.29	.02							.13				26
27	.11	.12		.09					tr	.59				27
28	.08	.09		tr				tr		.10	.01	.01		28
29	.04	X								.01	.07	.01		29
30	.37	X				.02			tr	.21	.34			30
31	.33	X		X		X			X	.52	X	.04		31
TOTAL	7.50	5.29	4.49	3.17	2.73	1.37	.94	.90	1.94	4.16	2.62	4.29	39.40	✓
* Days with .01 in. or more.	23	24	18	18	15	12	7	4	13	13	12	23	182	✓
* Days with .04 in. or more.	21	21	14	13	11	8	5	4	10	10	7	14	138	✓

† Spare column, no entries required

(Signed)

J. Thompson

[P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at MILLAND HOUSE ^{Lat 51° 03' N}
^{Long 0° 49' W.}
in the County of WEST SUSSEX

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level.....4.25.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.04			t	.09	.10		.02	.09	t	.10		1
2	.05	t	.02	.02	.04					.27		.02		2
3	t				.04	t	.01			.65	.05	t		3
4	.03						.40	.07		.27	t	.15		4
5	t						.13			.35	t	t		5
6	.04					t	.06		.07	.03	.03	t		6
7	t						.26	.02	.13	.24	t	.06		7
8	.34						.05	.02	t	.27		.02		8
9	.12	.02				.13	t			.02		1.06		9
10	.13					.01	.01	.93	t	.05	t	.12		10
11	.08								t	.02	.22	.18		11
12	.46	t			.07		t	.01		.13	.05	t		12
13	.38	t								.23	.61	.23		13
14	.53	t			.09		.04		.01		t	t		14
15	.12	.04			t		.54			.48	.01	.37		15
16	.35	.01	.01				t	.01		.04	.03	.25		16
17		.10	.01				.07		.17	.10	t			17
18	.09		t			.01		.08	.26	t	.44			18
19	.04							.08	.15		.36	.03		19
20	t							.18	.05		.85	.01		20
21	t							.02	.10		.03	.34		21
22	t			t		.05		.15	t		.25	.30		22
23				.02		t			t		.03			23
24	t	t	.13						.35		.41			24
25	.15	t	.17	.03	.10		.03		.01	.05	1.30	.10		25
26	.38	.20	.04		t	t			.10	.13		.28		26
27	.15	.03	t		.09	.25	.58		.04	.02	.41			27
28	.05	.08			.27	.12		.52	.02		t	.14		28
29	.15				.35			.01	t	.01	.15	.10		29
30	.10	~~X~~		t	.24				.10	.12	.22			30
31	.15	~~X~~		~~X~~	.22	~~X~~			~~X~~	.25	~~X~~	.34		31
TOTAL	3.90	.53	.36	.07	1.51	.66	2.28	2.02	1.58	3.82	5.45	4.20	26.37	✓
* Days with .01 in. or more.	22	8	5	3	10	7	13	12	15	22	19	20	155	✓
* Days with .04 in. or more.	20	5	3	0	10	5	10	6	11	17	13	16	116	✓
Year's Total														

† Spare column, no entries required.

(Signed) *A. M. Osley* Secretary to the British Rainfall Organization P.T.O.

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 588

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at ... MILLAND HOUSE

in the County of ... W. SUSSEX

Diameter of Funnel of Gauge... as before in.

Height of top of Gauge above Ground... ft. in.

,, Ground ,, Sea Level ... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	-	.08	.18	.22	-	-	.01	.15	-	-	.06		1
2	.05	-	-	.07	-	-	.20	.80	.15	-	.04	.02		2
3	.44	-	-	.42	-	-	.02	.19	-	-	.38	.47		3
4	.13	-	.34	.20	.08	-	.17	.89	-	.45	.31	.03		4
5	-	-	.61	.19	.12	-	.52	tr	-	.33	.51	.19		5
6	.17	-	.08	-	-	-	.46	.02	-	-	.18	.01		6
7	.10	-	-	-	-	-	.02	.12	-	-	.38	.30		7
8	.04	.23	.26	-	-	-	.05	tr	-	.38	.45	.44		8
9	.04	.08	yr	-	-	-	-	.11	-	.30	.11	.08		9
10	.25	tr	-	-	-	.07	-	.15	.06	.35	.02	tr		10
11	-	tr	.31	-	-	-	-	-	-	.68	.02	-		11
12	-	.03	tr	-	tr	tr	-	-	-	-	tr	-		12
13	-	-	tr	.09	-	.05	.22	-	.13	1.45	.01	-		13
14	.78	-	tr	-	.09	.04	.02	-	.01	.31	.77	.03		14
15	.47	-	-	-	1.02	.37	.06	-	-	.13	.34	.02		15
16	.49	-	.15	.11	.12	.14	.12	-	.13	.08	.37	tr		16
17	.28	.07	.03	.05	.19	tr	.34	-	-	.02	.08	-		17
18	.27	tr	.04	-	-	.05	.33	-	-	.03	.40	-		18
19	.26	-	tr	-	-	-	.44	-	-	.09	tr	.04		19
20	.37	-	-	-	-	-	.11	-	-	-	-	.02		20
21	.08	.27	.08	-	-	.09	tr	-	.03	-	-	-		21
22	.30	.28	.03	.01	-	.20	.02	tr	.01	-	.06	-		22
23	.03	-	.05	.12	-	tr	.05	tr	-	-	.94	-		23
24	.32	-	tr	-	-	.10	.13	tr	-	.07	-	.02		24
25	.68	.25	.07	tr	-	-	.10	tr	-	-	.60	-		25
26	-	-	.01	-	-	-	tr	tr	-	.12	.40	.02		26
27	tr	.18	.09	.08	-	-	-	-	-	tr	.26	-		27
28	-	.18	.03	.15	-	.20	-	-	-	.08	.14	.22		28
29	-	-	-	.13	-	-	.13	-	-	.08	.04	-		29
30	-	✕	-	.65	-	.03	-	-	-	.07	.08	-		30
31	-	✕	-	✕	-	✕	.35	-	✕	.04	✕	-		31
TOTAL	5.55	1.57	1.66	2.45	1.84	1.34	3.86	2.29	.67	5.06	6.89	1.97	Year's Total	35.15
* Days with .01 in. or more.	20	9	16	14	7	11	21	8	8	19	24	16		173
* Days with .04 in. or more.	19	8	11	13	7	10	17	6	5	17	21	8		142

† Spare column, no entries required.

(Signed)

A. N. Dibley for Mrs. Stephen J. Thompson.

P.T.O.

* See Instruction 3 (f) on other side.

REGI

Kept at Ripsley
in the County of W. Sussex

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro
Ground Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

589
RIPSLEY

1931 - 1940

780112

DAY.
the following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03	.28		.05		.02	.16	.02				1
2	.19	.06		.47				.02	.83		.01	.06	2
3	.09		.15	.23	.60		.03	.19	.94		.15	.25	3
4		.02	.04		.04		.18	.07	.09	.03	.22	.01	4
5		.01		.12		.40	.05	.53		.01	.12	.15	5
6		.08		.17		.02	.05			.37	.27	.04	6
7					.16	.30		.35		.07	.43		7
8		.12		.01	.04	.28		.23		.01	.15	.06	8
9		.16	.03	.03		.04					.72		9
10		.15					.03	.13			.66		10
11	.11	.53			.02	.16			.02		.46		11
12	.04	.02					.25	.08	.29				12
13	.02		.01				.02	.02					13
14	.01	.15					.53	.69			.01		14
15	.02	.06		.04	.13		.10	.27			.01	.06	15
16		.04		.14	.31	.13		.03	.04				16
17	.01			.18	.04	.02	.38	.01	.12	.04			17
18	.03	.07	.05	.08		.25	.06	1.19			.58		18
19	.08			.48		.70	.26	.13					19
20		.11	.04	.05				.58			.03		20
21	.04		.03		.27								21
22	.40	.03	.26		.03				.03				22
23	.59			.08	.41	.08			.04		.38	.04	23
24	.04			.52	.09	.08	.45	.54					24
25	.18			.47	.19		.35				.05		25
26		.03		.28			.41				.31		26
27	.21	.47			.56		.07				.06		27
28		.12		.08	.02								28
29	.14				.53		.15			.08			29
30		X									.01		30
31	.38	X		X	.15	X			X		X	.02	31
TOTAL	2.58	2.35	.61	3.61	3.49	2.46	3.32	5.80	2.86	.63	4.63	.69	YEAR'S TOTAL 32.03
*Days with "or in. or more.	18	19	8	18	17	13	17	18	10	8	19	9	174
*Days with ".04 in. or more.	13	13	5	16	14	10	14	13	9	4	14	8	132

Kept at Ripsey
in the County of W. Sussex
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.02	.	.48	.	.05	.	.02	.16	.02	.	.	1
2	.19	.06	.	.47	.	.	.	.02	.83	.	.01	.06	2
3	.09	.	.15	.23	.60	.	.03	.19	.94	.	.15	.25	3
4	.	.02	.04	.	.04	.	.13	.07	.09	.03	.22	.01	4
5	.	.01	.	.12	.	.40	.05	.53	.	.01	.12	.15	5
6	.	.08	.	.17	.	.02	.05	.	.	.37	.27	.04	6
7	.	.	.	.	.16	.38	.	.35	.	.07	.43	.	7
8	.	.12	.	.01	.04	.28	.	.23	.	.01	.15	.06	8
9	.	.16	.03	.03	.	.04	.	.	.	.	.72	.	9
10	.	.15	.	.	.	.	.03	.13	.	.	.66	.	10
11	.11	.53	.	.	.02	.16	.	.	.02	.	.46	.	11
12	.04	.02	.	.	.	.	.25	.08	.29	.	.	.	12
13	.02	.	.01	.	.	.	.02	.02	.	.	.	.	13
14	.01	.15	.	.	.	.	.53	.69	.	.	.01	.	14
15	.02	.06	.	.04	.13	.	.10	.27	.	.	.01	.06	15
16	.	.04	.	.14	.31	.13	.	.03	.04	.	.	.	16
17	.01	.	.	.18	.04	.02	.38	.01	.12	.04	.	.	17
18	.03	.07	.05	.08	.	.25	.06	1.19	.	.	.58	.	18
19	.08	.	.	.48	.	.70	.26	.13	.	.	.	.	19
20	.	.11	.04	.05	.	.	.	.58	.	.	.03	.	20
21	.04	.	.03	.	.27	.	.	.	.	.	.	.	21
22	.40	.03	.26	.	.03	.	.	.	.03	.	.	.	22
23	.59	.	.	.08	.41	.08	.	.	.04	.	.38	.04	23
24	.04	.	.	.52	.09	.08	.45	.54	.	.	.	.	24
25	.18	.	.	.47	.19	.	.35	.	.	.	.05	.	25
26	.	.03	.	.28	.	.	.41	.	.	.	.31	.	26
27	.21	.47	.	.	.56	.	.07	.	.	.	.06	.	27
28	.	.12	.	.08	.02	.	.	.	.	.	.	.	28
29	.14	.	.	.	.53	.	.15	.	.	.08	.	.	29
30	.	×	.	.	.	.	.	.	.	.	.01	.	30
31	.38	×	.	×	.15	×	.	.	×	.	×	.02	31
TOTAL	2.58	2.35	.61	3.61	3.49	2.46	3.32	5.00	2.86	.63	4.63	.69	YEAR'S TOTAL
*Days with "or in. or more.	18	19	8	18	17	13	17	18	10	8	19	9	174
*Days with "04 in. or more.	13	13	5	16	14	10	14	13	9	4	14	8	132

Section

A

for the entry of Daily Observations.

Station No.

589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at Ripseyin the County of W. SurreyDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft 0 in.,, Ground ,, Sea Level 400 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.03	.	.25	.59	.	.	.	.03	.04	.02	.	1
2	.	.	.	.29	.09	.	.	.02	.21	.	.02	.44	2
3	.	.	.	.12	.04	.03	.	.01	.63	.	.	.	3
4	.03	.	.	.	.	.20	.	.	.	.	.01	.	4
5	.35	.08	.02	.	.01	.	.14	.	.14	.	.	.	5
6	.60	.	.	.24	.	.	.	.	.18	.	.	.	6
7	.03	.	.05	.	.	.	.03	.	.12	.20	.	.	7
8	.	.	.26	.02	.30	.	.	.	.44	.40	.	.	8
9	.96	.	.	.14	.31	.	.	.	.	.07	.	.	9
10	.99	.14	.	.33	.05	.09	.	.	.05	.05	.12	.	10
11	.29	.	.	.02	.02	.	.49	.10	.08	.02	.03	.05	11
12	.56	.	.	.	.	.	.	.04	.15	.35	.01	.	12
13	.20	.	.	.23	.09	.	.43	.	.01	.94	.	.05	13
14	.18	.03	.	.08	.03	.	.	.	.	.02	.04	.	14
15	.10	.	.	.03	.32	.	.	.	.	.06	.	.	15
16	.24	.	.	.18	.03	.	.04	.	.	.	.	.01	16
17	.02	.	.	.10	.	.	.	.	.	.09	.	.	17
18	.04	.	.	.	.04	.	.11	.	.04	.	.10	.	18
19	.	.	.	.	.	.	.	.	.03	.28	.01	.	19
20	.	.	.	.31	.13	.	.	1.08	.	.89	.24	.01	20
21	.	.	.01	.10	1.14	.	.	.29	.	.46	.	.09	21
22	.02	.	.18	.03	.04	.	.28	.04	.38	.32	.44	.	22
23	.	.06	.	.06	.33	.	.03	.	.14	.99	.	.14	23
24	.	.06	.	.	.	.	.48	.	.18	.11	.03	.	24
25	.	.	.	.	.	.04	1.21	.	.02	.45	.03	.	25
26	.	.	.04	.06	.	.	.23	.	.	.04	.03	.	26
27	.	.	.55	.36	.14	.11	.30	.	.	.32	.	.03	27
28	.	.	.	.04	.08	.	.21	.	.	.02	.	.	28
29	.	.	.49	.23	.23	.02	.	.25	.22	.48	.09	.10	29
30	.	×	.01	.10	.56	1.44	.04	.	.34	.	.64	.23	30
31	.	×	.22	×	.	×	.10	.	×	.	×	.09	31
TOTAL	4.74	.36	1.86	3.40	4.66	2.23	4.15	1.83	3.47	6.63	1.93	1.24	YEAR'S TOTAL
*Days with ".01 in. or more.	16	6	10	22	21	4	15	8	19	22	16	11	173
*Days with ".04 in. or more.	12	3	4	19	14	5	13	6	15	19	9	8	133

40-9999

*See Instruction 2 (f) on other side,

(Signed)

M. D. Brangnet

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ripsey

in the County of W. Sussex

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

Ground Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	.58	.11	.	.01	.	.	.	.	.	.	.		1
2	.52	.	.72	.	.50	.	.	.	.	.	.03	.		2
3	.	.11	.44	.	.	.	.	.	.	.	.01	.		3
4	.23	.06	.	.	.31	.	.	.	.	.	.03	.		4
5	.13	.01	.69	.	.	.	.	.	.	.	.	.		5
6	.	.19	.08	.	.30	.	.	.	.	.11	.06	.		6
7	.09	.08	.02	.	.09	.	.	.	.	.15	.	.03		7
8	.08	.	.	.	.	.	.24	.	.08	.06	.	.		8
9	.	.	.	.	.01	.	.31	.	.	.13	.10	.		9
10	.	.20	.	.	.	.02	.06	.01	.	.46	.02	.		10
11	.30	.	.	.	.06	.10	.20	.25	.05	.05	.	.		11
12	.	.	.	.04	.	.11	.19	.	1.20	.	.	.02		12
13	.07	.	.	.	.10	.21	.65	.08	.16	.14	.06	.		13
14	.	.	.	.	.01	.	.11	.02	.	.30	.30	.		14
15	.56	.	.38	.	.	.	.08	.33	.	.02	.	.		15
16	.01	.	1.08	.	.	.19	.09	.	.04	.06	.	.		16
17	.	.	.41	.	.	.13	.	.07	.08	.	.06	.		17
18	.38	.03	.12	.	.	.27	.	.	.	.	.	.		18
19	.	.05	.19	.	.	.	.	.01	.35	.	.03	.		19
20	.	.13	.09	.09	.	.09	.	.	.15	.	.	.		20
21	.	.61	.	.	.	.06	.	.09	.15	.02	.	.		21
22	.	.	.	.	.	.26	.03	.38	.05	.44	.05	.		22
23	.	.	.	.18	.13	.10	.	.	.47	.08	.	.		23
24	.	1.25	.	.16	.	.08	.	.	.28	.	.01	.		24
25	.	1.04	.	.42	.	.	.	.	.07	.	.06	.09		25
26	.	1.05	.	.07	.	.25	.	.	2.05	.02	.	.03		26
27	.	.07	.	.	.41	.	.01	.	.01	.16	.	.23		27
28	.	.	.	.	.	.	.27	.	.	.08	.	.14		28
29	.05	X	.02	.05	.	.	.	.	.	.01	.	.		29
30	.12	X	.14	.	.	.	.08	.	.33	.04	.	.09		30
31	.27	X	.14	X	.	X	.	.02	X	.	X	.		31
TOTAL	2.88	4.80	4.49	1.01	2.23	1.84	2.22	1.26	5.29	2.33	.81	.63	Year's total	29.82
*Days with ".01 in. or more.	14	15	14	7	11	13	13	10	14	18	12	7		148
*Days with ".04 in. or more.	12	11	12	7	8	12	11	7	13	14	7	4		118

Section

A

for the entry of Daily Observations.

Station No.

589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at R.H. 5264in the County of W. SurreyDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.	.	.	.	.	.05	.	.42	.20	.14	.	.48		1
2	.48	.	.08	.14	.03	.02	.	.	1.38	.27	.02	.41		2
3	.04	.05	.	.03	.	.	.	.	.	.34	.	.23		3
4	.17	.	.10	.07	.14	.	.	.12	.	.39	.04	.49		4
5	.	.	.01	.	.02	.	.	.16	.	.	.06	.54		5
6	.06	.	.36	.01	.15	.11	.	.15	.	.29	.19	1.24		6
7	.09	.	.	.	.	.05	.	.28	.	.17	.	.48		7
8	.	.	.	.	.23	.	.	.	.38	.	.91	.09		8
9	.01	.	.12	.	.	.	.	.	.	.	.92	.56		9
10	.02	.	.28	.30	.	.	.	.06	.	.	.57	.04		10
11	.99	.	.42	.20	.	.	.12	.03	.	.	.	.49		11
12	.06	.	.02	.	.	.	.11	.38	.	.	.02	.14		12
13	.52	.	.03	.05	.	.	.81	.12	.	.02	.23	.19		13
14	.13	.	.44	.04	.	.	.	.	.	.	.32	1.03		14
15	.01	.	.02	.	.14	.03	.	.	.	.09	.14	.39		15
16	.26	.	.43	.	.02	.	.	.	.	.	.	.		16
17	.11	.	.02	.	.	.	.	.	.	.04	.01	.30		17
18	.09	.	.11	.27	.	.	.	.	.04	.	.	.57		18
19	.	.	.41	.09	.	.06	.	.	.17	.	.	.14		19
20	.	.	.02	.05	.03	.01	.48	.05	.	.01	.	.		20
21	.	.	.01	.32	.	.17	.	.02	.	.16	.	.		21
22	.	.	.	.	.	.	.06	.34	.31	.	.	.15		22
23	.	.05	.	.30	.	.69	.	.	.02	.	.	.		23
24	.	.03	.07	.12	.	.03	.33	.15	.19	.	.	.		24
25	.31	.01	.	.20	.	.22	.	.	.	.22	.	.75		25
26	.04	.	.	.17	.	.20	.	.	.10	.	.	.01		26
27	.	.	.	.08	.	.06	.	.	.	.01	.	.33		27
28	.	.	.	.	.	.28	.	.95	.	.	.02	.41		28
29	.	.	.	.	.	.	.	.16	.17	.	.03	.01		29
30	.11	X	.	.	.	.	.	.25	.07	.	.	.40		30
31	.06	X	.	X	.	X	.	.	X	.	X	.11		31
TOTAL	2.96	.14	2.95	2.44	.79	1.98	1.91	3.91	3.03	2.17	3.48	9.98	35.7	
*Days with or in. or more.	19	4	18	17	8	14	6	16	11	13	14	26	168	
*Days with .04 in. or more.	15	2	11	15	4	10	6	14	10	10	9	24	130	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) P.T.O.

Section **A** for the entry of Daily Observations.Station No. **589**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at **Riassey**in the County of **W. Sussex**Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground...**1**.....ft. **2**.....in.,, Ground ,, Sea Level**400**.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26	.10	.04	.21	.	.31	.49	.31	.	.	.08	.07		1
2	.02	.12	.	.	.	.43	.16	.12	.	.	.	.		2
3	.	.	.	.38	.	.22	.36	.	.25	.	.37	.02		3
4	.	.	.11	.	.	.09	.	.	.25	.	.14	.04		4
5	.35	.	.02	.	.	.04	.	.06	.02	.	.01	.		5
6	.73	.	.	.	.	.03	.	.03	.40	.	.64	.		6
7	.29	.	.10	.	.	.	.03	.	.03	.	.20	.16		7
8	.46	.	.12	.	.	.	.06	.	.	.	.50	.11		8
9	.65	.	.07	.	.	.	.30	.	.07	.02	.	.		9
10	.15	.	.	.	.	.	.05	.24	.	.	.	.		10
11	.05	.35	.	.08	.	.	.	.11	.	.	.57	.		11
12	.	.	.	.01	.	.35	.36	.	.36	.	.34	.13		12
13	.	.	.	.	.	.10	.02	.	.	.	.01	.54		13
14	.	.11	.	.	.	.11	.61	.	.02	.02	.24	.99		14
15	.02	.	.	.	.	.	.03	.	.14	.02	.07	.41		15
16	.46	.25	.	.	.	.	.07	.	.	.	.15	.11		16
17	.03	.96	.	.	.	.17	.03	.02	.03	.02	.16	.69		17
18	.14	.32	.	.	.	.17	.35	.	.	.02	.	.18		18
19	.31	.06	.08	.02	.	.31	.	.16	.	.	.02	.02		19
20	.30	.08	.13	.56	.	.15	.02	.	1.22	.	.	.		20
21	.	.02	.	.40	.01	.23	.23	.	.02	.	.	.		21
22	.15	.44	.08	.	.49	.04	.18	.	.	.	.	.08		22
23	.03	.	.34	.11	.05	.	.61	.	.	.08	.	.		23
24	.08	.07	.	.	.	.	.08	.	.06	.38	.	.		24
25	.07	.	.10	.23	.04	.	.15	.	.09	.12	.04	.		25
26	.04	.16	.13	.	.	.	.08	.	.09	.33	.	.		26
27	.59	.	.04	.	.	.	.	.	.10	.35	.	.		27
28	.98	.	.34	.	.	.	.21	.	.	.	.	.13		28
29	.03	.14	.07	.	.	.68	.01	.	.	.06	.23	.10		29
30	.19	~~X~~	.	.	.02	.48	.	.	.	.14	.	.		30
31	.18	~~X~~	.32	~~X~~	.	~~X~~	.12	.	~~X~~	.19	~~X~~	.40		31
TOTAL	6.66	3.18	2.09	2.20	.61	3.91	4.68	1.01	3.18	1.75	3.77	4.16	Year's Total 38.78	37.17 ✓
* Days with .01 in. or more.	25	14	16	9	5	17	24	8	16	13	17	16	180	✓ 188
* Days with .04 in. or more.	21	13	18	7	3	16	18	6	11	8	14	15	147	✓

Section

A

for the entry of Daily Observations

Station No.

589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Rishersley* in the County of *W. Sussex* Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1*.....ft.....in.,, Ground ,, Sea Level.....*4.0.0*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.63	.14	.	.04	.	.	.	.	.02	.03	1.14	.76		1
2	.02	.79	.	.41	.	.	.	.	.06	.	.	.60		2
3	.01	.22	.	.	.	.	.	.	.	.	.	.02		3
4	.09	.93	.	.03	.	.	.	.	.	.	.	.23		4
5	.26	.08	.16	.	.	.	.18	.	.	.	.	.		5
6	.17	.06	.19	.02	.15	.	.02	.	.	.03	.04	.		6
7	.	.60	.	.10	.20	.	.	.	.03	.18	.	.10		7
8	.	.01	.02	.	.14	.03	.	.	.	.	.	.09		8
9	.	.	.	.47	.10	.10	.08	.	.29	.	.03	.09		9
10	.	.	.68	.16	.13	.21	.01	.	.	.	.	.60		10
11	.	.	.13	.	.31	.	.13	.	.	.	.	.01		11
12	.60	.26	.22	.08	.53	.39	.02	.15	.13	.	.	.34		12
13	.26	.04	.87	.19	.02	.67	.	.19	.31	.	.	.99		13
14	.02	.03	.29	.88	.	.	.	.05	.13	.	.	.		14
15	.31	.13	.	.05	.	.	.35	.45	.05	.	.	.		15
16	.	.12	.58	.22	.	.90	.	.	.54	.	.	.		16
17	.74	.02	.17	.05	.	.02	.	.	.30	.	.11	.		17
18	.39	.06	.02	.01	.01	.05	.	.	.	.	.08	.12		18
19	.	.15	.09	.27	.	.14	.07	.	.02	.	.	.03		19
20	.64	.	.06	.30	.65	.01	.	.	.01	.	.	.02		20
21	.84	.38	.06	.02	.01	.	.01	.	.	.	.02	.08		21
22	.55	.04	.06	.	.21	.19	.14	.	.	1.08	.66	.18		22
23	.26	.15	.02	.	.13	.	.08	.	.	.34	.18	.02		23
24	.49	.42	.	.	.62	.	.	.	.05	.65	.	.		24
25	.23	.41	.38	.	.40	.	.	.	.12	.32	.	.		25
26	.	.32	.03	.	.	.	.	.	.	.12	.	.		26
27	.10	.10	.	.10	.	.	.	.	.	.63	.	.		27
28	.06	.08	.	.04	.	.	.	.	.	.10	.	.03		28
29	.03	X	.	.	.	.	.	.	.	.04	.10	.		29
30	.39	X	.	.	.	.03	.	.02	.	.25	.32	.07		30
31	.34	X	.	X	.	X	.	.	X	.53	X	.02		31
TOTAL	7.431	5.541	3.95	3.24	3.01	1.44	1.09	.85	2.06	4.30	2.68	4.40	Year's Total 34.89	40.00
* Days with .01 in. or more.	23	24	18	19	15	12	11	5	14	13	10	20	184	
* Days with .04 in. or more.	9	21	14	15	11	8	7	4	10	11	8	15	143	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Rephignyin the County of West SussexDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft.....in.,, Ground ,, Sea Level 4.00.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.04	.	.	.	.08	.05	.	.03	.09	.	.09		1
2	.05	.	.	.02	.01	.	.	.	.	.27	.	.02		2
3	.	.	.	.	.07	.	.03	.	.	.77	.10	.		3
4	.	.	.	.	.	.	.37	.04	.	.32	.	.20		4
5	.	.	.	.	.	.	.21	.05	.	.37	.	.		5
6	.08	.	.	.	.	.01	.09	.	.09	.03	.04	.01		6
7	~~.30~~	.	.	.	.	.	.30	.03	.13	.36	.	.07		7
8	.30	.	.	.	.	.	.12	.03	.	.39	.	.02		8
9	.18	.03	.	.	.	.15	.	.	.	.04	.	.14		9
10	.15	.	.	.	.	.02	.02	.80	.	.04	.	.15		10
11	.18	.	.	.	.	.	.	.	.	.02	.21	.18		11
12	.54	.	.	.	.08	.	.01	.04	.	.13	.07	.		12
13	.36	.01	.	.	.	.	.05	.	.	.27	.70	.28		13
14	.52	.01	.	.	.10	.	.52	.	.02	.	.	.		14
15	.14	.05	.	.	.01	.	.	.	.	.45	.02	.39		15
16	.48	.01	.03	.	.01	.	.	.02	.	.06	.02	.22		16
17	.	.10	.01	.	.	.	.07	.	.18	.12	.	.		17
18	.10	.	.01	.	.	.01	.	.	.37	.01	.45	.		18
19	.04	.	.	.	.	.	.	.10	.12	.	.37	.04 (snow)		19
20	.	.	.	.	.	.	.	.12	.11	.	.74	.		20
21	.02	.	.	.	.	.	.	.05	.10	.	.03	.30 (snow)		21
22	.	.	.	.01	.	.05	.	.16	.	.	.27	.29 (snow)		22
23	.	.	.	.02	.	.	.	.	.	.	.04	.		23
24	.	.	.12	.	.	.	.	.	.37	.	.46	.		24
25	.17	.01	.16	.03	.14	.	.03	.01	.	.07	.34	.27 (snow)		25
26	.36	.24	.04	.	.	.02	.	.	.12	.15	.	.06		26
27	.17	.03	.	.	.07	.28	.57	.	.04	.02	.49	.		27
28	.06	.08	.	.	.30	.17	.	.50	.02	.	.	.14		28
29	.14	~~X~~	.	.	.40	.	.	.03	.03	.01	.18	.10		29
30	.10	~~X~~	.	.	.20	.	.	.	.09	.10	.24	.		30
31	.21	~~X~~	.	~~X~~	.26	~~X~~	.	.	~~X~~	.28	~~X~~	.36		31
TOTAL	4.37	.61	.37	.08	1.65	.79	2.44	1.98	1.82	4.37	5.77	4.33	Year's Total	
* Days with .01 in. or more.	22	11	6	4	12	9	14	14	15	23	18	20	28.58	✓
* Days with .04 in. or more.	20	5	3	-	9	5	10	9	10	18	15	17	148	168 ✓
	4.98	5.35	5.43	7.08	7.87									

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

10.31

(Signed)

12.29 14.11 18.48 24.25 28.58

P.T.O.

Section



for the entry of Daily Observations

Station No. 589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at R. Wisley House

in the County of West Sussex

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground. 1 ft. in.

Ground Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.	.10	.21	.24	.	.	.	.19	.	.	.11	.	1
2	.05	.	.	.05	.	.	.15	.65	.45	.	.04	.02	.	2
3	.44	.	.	.48	.	.	.	.29	.	.	.38	.48	.	3
4	.17	.	.40	.19	.02	.	.19	.94	.01	.44	.17	.03	.	4
5	.	.	.01	.20	.19	.	.47	.02	.	.30	.65	.19	.	5
6	.26	.	.08	.	.	.	.56	.03	.	.	.19	.	.	6
7	.05	.16	.	.	.	.	.04	.12	.	.04	.26	.33	.	7
8	.07	.26	.26	.	.	.	.06	.	.	.33	.45	.51	.	8
9	.06	.09	.	.	.	.	.	.14	.	.33	.19	.32	.	9
10	.26	.	.	.	.	.10	.	.20	.06	.30	.03	.	.	10
11	.	.	.31	.	.	.	.	.	.	.69	.05	.	.	11
12	.	.07	.	.	.	.02	.	.	.	.	.	.	.	12
13	.	.	.01	.11	.	.05	.17	.	.15	1.42	.01	.	.	13
14	.82	.	.	.06	.11	.04	.09	.	.02	.24	.80	.03	.	14
15	.52	.	.	.05	.90	.30	.05	.	.05	.23	.23	.03	.	15
16	.45	.	.14	.06	.28	.20	.15	.	.11	.10	.40	.	.	16
17	.32	.08	.05	.04	.21	.	.37	.	.	.03	.10	.	.	17
18	.35	.05	.05	.	.	.06	.24	.	.	.	.41	.	.	18
19	.31	.	.	.	.	.	.57	.	.	.13	.	.05	.	19
20	.44	.23	.03	.	.	.02	.12	.	.	.	.	.02	.	20
21	.10	.13 .05	.08	.	.	.08	.04	.	.05	.	.	.	.	21
22	.33	.31	.04	.	.	.20	.04	.	.02	.	.08	.	.	22
23	.02	.	.	.13	.	.	.04	.	.	.	1.00	.	.	23
24	(snow) .32	.	.	.02	.	.14	.01	.	.	.07	.	.	.	24
25	.74	.23	.08	.	.	.	.22	.	.	.	.75	.	.	25
26	.01	.	.01	.	.	.	.	.02	.	.11	.45	.	.	26
27	.	.19	.10	.09	.	.	.	.	.	.08	.25	.	.	27
28	.	.22	.03	.20	.	.23	.05	.	.	.11	.16	(snow) .25	.	28
29	.	X	.	.15	.	.	.16	.	.	.07	.07	.	.	29
30	.	X	.	.65	.	.05	.	.	.	.09	.12	.	.	30
31	.	X	.	X	.	X	.48	.	X	.05	X	.	.	31
TOTAL	6.09	1.79	1.78 2.69	2.69	1.95	1.49	4.27	2.41	1.11	5.16	7.24	2.37	Year's Total 38.35	
* Days with .01 in. or more.	21	11	17	16	7	13	22	9	10	20	24	13	183	
* Days with .04 in. or more.	19	11	12	15	6	10	21	6	7	19	21	8	155	

† Spare column, no entries required.

(Signed) [P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No. 589

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1924

Kept at RIPSLEY HOUSE

in the County of WEST SUSSEX

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											.02			1
2		(.42)		.28						.06	.49	.02		2
3		(.48)		.04						.19	1.25	.12		3
4		.14		.06						.32	.04	.04		4
5		.03					.10			.10	.48	.23		5
6	.34	.37					.32			.55	.02			6
7	.25	.25			.02		.09							7
8										.50	.05	.29		8
9								.01	.02	.26	.49	.10		9
10							.16	.05		.20	.10			10
11		.06		.01			.27				1.35			11
12		.02	.33	.04			.15		.14		.13			12
13			.93				.08		.19		1.09			13
14			.33	.09			.14		.02	.22		.61		14
15							1.00		.05	.03	.63	.03		15
16	snow	.50	.20	.08		.04	.08		.28	.61	1.19	.03		16
17	6 1/2" snow	.34					.02				.63	.14		17
18	snow	.35	.25	.42			.05	.02	.13	.27	.03			18
19		.09		.13			.09		.73		.22	.01		19
20				.06			.02	.30		.32	.17			20
21	7 1/2"				.24		.02			.05	.53			21
22	snow	.01			.10	.28			.19					22
23		.07	.19	.03		.06					.04			23
24				.08			.24							24
25	7 1/2"		.58		.04		.05			.02				25
26	.70	.32	.55		.24									26
27	frozen rain and snow	.58	.02	.29			.04							27
28	snow	.09		.18	.18									28
29	(6) snow	.29	.18	.09	.14							.32		29
30	4 1/2" snow			.04						.34				30
31	✓									1.03		.10		31
TOTAL	2.62	4.66	3.90	1.92	.96	.38	2.92	.38	1.75	5.07	8.95	2.14	Year's Total	
	2.01	3.63												
		6.47	10.37	12.29	13.25	13.63	16.55	16.93	18.68	23.75	32.70	34.84	34.64	
* Days with .01 in. or more.	11	17	11	16	7	3	18	4	9	17	20	13	1246	
* Days with .04 in. or more.	10	14	10	14	6	3	15	2	7	15	17	9	122	

* rain gauge frozen out of ground included snow on 16th, 18th & 22nd

* rain gauge frozen in ground

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. B. Alexander

for W. D. Bosanquet

[B.R.O.]

X HASLEMERE (BEL C

Section



for the entry of Daily
AIR MINISTRY.—M

FORM 1090

REGISTE

Kept at House Cottage, Bell
in the County of W. Sussex

Diameter of Funnel of Gauge.....5

Height of top of Gauge above Ground....

„ Ground „ Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to this r
year in the space on the right of this para

HASLEMERE BELL VALE

1936

780112

n No.

589/5

ORGANIZATION

514526/36X

House Cottage
Bell Vale
Haslemere
Sussex

Cond. for W.D.
15 Nov. 1936
C.M.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-055	23	22	32	-	28	-	21	-	-	21	-		1
2	-035	10	04	43	-	28	56	32	-	-	10	-		2
3	-01	5.41	13	02	-	53	48	11	-	-	01	02		3
4	-	-	-	40	-	21	07	Trace	34	-	33	-		4
5	-	-	13	-	-	10	02	Trace	38	-	16	-		5
6	-023	-	02	-	-	-	-	07	05	-	02	04		6
7	-071	-	-	-	-	04	-	03	37	-	68	10		7
8	-028	-	10	-	-	01	03	4	02	-	21	-		8
9	-042	-	12	-	Trace	-	01	01	-	Trace	41	19		9
10	-067	-	07	-	-	-	38	-	01	-	01	-		10
11	-16	-	-	-	-	Trace	24	01	Trace	-	1-76	-		11
12	-05	3.42	-	12	-	-	01	01	Trace	-	40	-		12
13	-	-	-	02	06	39	35	-	39	-	02	-		13
14	-	-	-	-	-	06	02	-	01	Trace	01	67		14
15	-	09	-	-	-	14	49	-	Trace	07	22	1-13		15
16	-	-	-	-	-	-	02	-	00	-	10	42		16
17	PARTS snow	48	22	-	Trace	-	06	-	01	-	19	15		17
18	-03	1-02	-	-	03	14	Trace	03	-	05	21	76		18
19	-13	17	-	-	-	40	35	-	-	01	Trace	17		19
20	-38	02	05	-	-	62	Trace	16	-	-	02	-		20
21	-41	09	19	49	-	04	05	04	1-18	-	-	-		21
22	-	03	-	45	Trace	14	09	-	02	-	-	-		22
23	-16	62	15	-	0-51	13	18	-	-	02	-	07		23
24	-05	-	23	09	07	-	52	-	-	09	-	-		24
25	-09	08	-	-	-	-	05	-	09	6-40	-	-		25
26	-09	-	13	30	01	03	16	-	18	11	06	05		26
27	-	16	17	11	-	Trace	09	-	12	20	-	-		27
28	-67	-	03	-	-	-	21	-	05	26	-	-		28
29	-97	-	38	-	-	-	11	-	01	06	-	17		29
30	-04	X	10	-	-	47	Trace	-	-	-	16	07		30
31	-23	X	01	X	03	X	-	-	X	18	X	-		31
TOTAL	6.34	3.27	2.24	2.43	71	3.73	4.76	78	3.33	1.66	5.08	Year's Total	36.84	183
* Days with .01 in. or more.	23	14	17	10	6	17	25	9	17	12	20	14	35	183
* Days with .04 in. or more.	21	12	14	8	3	15	10	5	11	10	14	13	144	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

REV. A.C. LUCY

[P.T.O.]

X HASLEMERE (BEL)

COPY FOR OFFICIAL USE

589/5

Section



for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Borse Bottage, Bell Vale

in the County of W. Sussex

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft.....10 in.

„ Ground „ Sea Level 30.0 ft.

NB Postal address Borse Bottage
(Borse Bottage being)
300 yds within
(the Sussex border)

Bell Vale
Haslemere
Surrey

Cond. for W.B.
15 Nov. 1936
C.M.P.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-055	23	29	30	-	28	-	21	-	-	21	-		1
2	-035	10	04	43	-	28	56	32	-	-	10	-		2
3	-01	5.47	13	-	02	53	48	11	-	-	01	02		3
4	-	-	-	40	-	21	07	trace	34	-	33	-		4
5	-	-	13	-	-	10	02	trace	38	-	16	-		5
6	-023	-	02	-	-	-	-	07	05	-	02	04		6
7	-071	-	-	-	-	04	-	03	37	-	68	10		7
8	-028	-	10	-	-	01	03	4	02	-	21	-		8
9	-042	-	12	-	trace	-	01	01	-	trace	41	19		9
10	-067	-	07	-	-	-	38	-	01	-	01	-		10
11	-16	-	-	-	-	trace	24	01	trace	-	1.76	-		11
12	-05	3.42	-	12	-	-	01	01	trace	-	40	-		12
13	-	-	-	02	06	39	35	-	39	-	02	-		13
14	-	-	-	-	-	06	02	-	01	trace	01	67		14
15	-	09	-	-	-	14	49	-	trace	07	22	1.13		15
16	-	-	-	-	-	-	02	-	00	-	10	42		16
17	PARTS snow -48	-22	-	-	trace	-	06	-	01	-	19	15		17
18	-03	1.02	-	-	03	14	trace	03	-	05	21	76		18
19	-13	17	-	-	-	40	35	-	-	01	trace	17		19
20	-38	-02	05	-	-	62	trace	16	-	-	02	-		20
21	-41	-09	-19	-49	-	04	05	04	1.18	-	-	-		21
22	-	03	-	45	trace	14	09	-	02	-	-	-		22
23	-16	-62	-15	-	0.51	-13	-18	-	-	02	-	07		23
24	-05	-	23	-09	07	-	52	-	-	09	-	-		24
25	-09	-08	-	-	-	-	05	-	09	6.40	-	-		25
26	-09	-	-13	-30	-01	03	-16	-	18	-11	06	05		26
27	-	-16	-17	-11	-	trace	-09	-	-12	-20	-	-		27
28	-67	-	-03	-	-	-	-21	-	-05	-26	-	-		28
29	-97	-	-38	-	-	-	-11	-	-01	-06	-	-17		29
30	-04	X	-10	-	-	-47	trace	-	-	-	16	-07		30
31	-23	X	-01	X	-03	X	-	-	X	-18	X	-		31
TOTAL	23.84	3.27	2.24	2.43	71	3.73	1.55	78	3.33	1.66	5.08	4.01	39.39	Year's Total
* Days with .01 in. or more.	23	14	17	10	6	17	25	9	17	12	20	14	35	183
* Days with .04 in. or more.	21	12	14	8	3	15	19	5	11	10	14	13	144	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) X REV. A.C. LUCY X [P.T.O.]

Kept at St. Catharines
in the County of Hamilton

590
ST. CATHARINES POINT

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea Level.....

1931 - 1940

THE MORNING MEASUREMENT

An observer who does not conform to the requirements of this paragraph shall be reported to the Meteorological Office.

AY.
the following

Jan. 1, following

Please read the Notes and Instructions Overhead.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2				.63					.65				2
3			.69									.20	3
4													4
5						.42							5
6										.42			6
7													7
8													8
9													9
10											.96		10
11		.31											11
12													12
13													13
14							.75						14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23	.43												23
24								.72					24
25													25
26													26
27					1.27								27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.52	2.34	1.18	3.15	3.88	1.74	3.07	2.94	2.10	0.62	4.75	0.62	28.91
*Days with or in. or more.	19	21	8	16	18	12	16	19	11	7	18	7	142
*Days with .04 in. or more.	15	16	5	15	16	10	11	13	7	4	15	4	131

40-9999 64.1 59.5 29.9 80.1 98.6 44.3 77.9 74.6 53.4 15.7 120.7 15.8 734.6

*See Instruction 2 (f) on other side.

(Signed)

The Meteorological Office [P.T.O.]

Section

A

for the entry of

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

590
FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at St. Catherine's Point
in the County of Hants.

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
,, Ground ,, Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2				.63					.65				2
3			.69									.20	3
4													4
5						.42							5
6										.42			6
7													7
8													8
9													9
10											.96		10
11		.31											11
12													12
13													13
14							.75						14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23	.43												23
24								.72					24
25													25
26													26
27					1.27								27
28													28
29		X											29
30													30
31		X		X		X			X		X		31
TOTAL	2.52	2.34	1.18	3.15	3.88	1.74	3.07	2.94	2.10	0.62	4.75	0.62	28.91
*Days with or in. or more.	19	21	8	16	18	12	16	19	11	7	18	7	142
*Days with .04 in. or more.	15	16	5	15	16	10	11	13	7	4	15	4	131

40-9999 64.1 59.5 29.9 80.1 98.6 44.3 77.9 74.6 53.4 15.7 120.7 15.8 734.6

*See Instruction 2 (f) on other side.

(Signed)

The Meteorological Office [P.T.O.]

Section

A

for the entry of Daily Observations.

590
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

Kept at *St. Catherine's Point*
in the County of *Hants*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		<i>tr</i>											I
2				<i>.30</i>								<i>.35</i>	2
3													3
4													4
5													5
6	<i>.39</i>												6
7													7
8													8
9													9
10		<i>tr</i>											10
11		<i>tr</i>											11
12													12
13													13
14													14
15											<i>0.61</i>		15
16													16
17													17
18													18
19													19
20										<i>1.35</i>			20
21					<i>1.24</i>								21
22								<i>.51</i>	<i>.97</i>				22
23		<i>tr</i>											23
24		<i>tr</i>					<i>.98</i>						24
25													25
26													26
27													27
28													28
29			<i>.30</i>										29
30		<i>x</i>				<i>.82</i>					<i>.83</i>		30
31		<i>x</i>		<i>x</i>		<i>x</i>			<i>x</i>		<i>x</i>		31
TOTAL	<i>2.91</i>	<i>0.00</i>	<i>1.30</i>	<i>2.35</i>	<i>4.00</i>	<i>1.44</i>	<i>2.72</i>	<i>1.07</i>	<i>3.35</i>	<i>6.97</i>	<i>2.50</i>	<i>1.31</i>	YEAR'S TOTAL <i>29.92</i>
*Days with or in. or more.	<i>16</i>	<i>0</i>	<i>8</i>	<i>19</i>	<i>21</i>	<i>4</i>	<i>12</i>	<i>4</i>	<i>14</i>	<i>20</i>	<i>4</i>	<i>10</i>	<i>113</i>
*Days with or in. or more.	<i>12</i>	<i>0</i>	<i>7</i>	<i>16</i>	<i>16</i>	<i>4</i>	<i>11</i>	<i>3</i>	<i>14</i>	<i>18</i>	<i>4</i>	<i>7</i>	<i>118</i>

40-9999 *73.9* *0.0* *33.1* *59.8* *101.5* *36.6* *69.1* *27.2* *85.1* *176.9* *46.9* *33.3*

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at St. Catherine's Point
in the County of Dublin

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

221/5

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2			.65										2
3													3
4													4
5	0.46												5
6													6
7													7
8													8
9													9
10													10
11													11
12									1.40				12
13							.35						13
14										.53	.51		14
15								.31					15
16													16
17													17
18						.46							18
19													19
20													20
21													21
22													22
23													23
24				.045									24
25													25
26													26
27					.95							.41	27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.57	3.35	2.60	1.37	2.32	1.29	1.26	0.98	3.18	2.36	1.09	0.94	YEAR'S TOTAL 23.37
*Days with or in. or more.	14	11	10	5	7	10	9	5	12	12	6	7	108
*Days with or in. or more.	13	11	9	5	6	8	7	5	10	11	6	5	96

Section

A

for the entry of Daily Observations.

Station No.

590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *St. Catherine's Point*in the County of *Glants*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2					.71									2
3														3
4														4
5														5
6			.48							.38				6
7														7
8									.75					8
9											1.33			9
10														10
11	.69													11
12														12
13														13
14														14
15												.79		15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23				.40		.47								23
24							.33							24
25		.02												25
26														26
27														27
28								.64						28
29		X												29
30		X												30
31		X		X		X			X		X			31
TOTAL	2.57	0.02	2.54	2.23	1.29	1.12	0.59	1.70	2.45	1.83	4.37	8.26	29.00	Year's Total
*Days with .01 in. or more.	16	1	15	12	6	6	5	10	11	18	9	26	132	
*Days with .04 in. or more.	14	0	12	11	6	4	3	8	9	10	7	24	108	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 590

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1935.

Kept at St. Catherine Point

in the County of Cork

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3										1.34				3
4														4
5														5
6						.37								6
7				.57							1.54			7
8	0.43													8
9														9
10			.59											10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19					.40		.08							19
20														20
21														21
22														22
23														23
24		.74							.61					24
25														25
26														26
27														27
28														28
29														29
30		X						1.37				.87		30
31		X		X		X			X		X			31
TOTAL	1.37	3.37	1.40	3.05	1.04	2.10	0.16	3.60	3.79	3.82	7.79	4.59	36.08	Year's Total
*Days with or in. or more.	9	14	8	17	7	16	2	10	21	23	21	18	166	
*Days with .04 in. or more.	8	13	5	14	6	13	2	9	17	14	19	17	137	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

/ (Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A**

for the entry of Daily Observations.

Station No. **590**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

221/5

Kept at St Catherine's Point
in the County of Hants

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level not ft. mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2								.09						2
3				.38										3
4														4
5														5
6														6
7														7
8														8
9							.79							9
10														10
11		.65									1.17			11
12														12
13														13
14														14
15														15
16														16
17												.53		17
18						1.03								18
19														19
20									.97					20
21														21
22														22
23														23
24					.09									24
25			.27											25
26														26
27														27
28	.69													28
29														29
30		X												30
31		X		X		X			X	.31	X			31
TOTAL	5.09	2.73	2.08	1.54	0.32	3.04	3.64	0.21	2.74	1.51	5.43	2.39	30.72	✓
* Days with .01 in. or more.	22	14	15	8	5	16	18	5	16	11	16	15	161	✓
* Days with .04 in. or more.	20	10	13	8	4	13	14	3	11	9	14	13	132	✓
40-9999	129.2	69.3	52.9	39.1	8.1	77.2	92.5	5.3	69.6	38.3	137.8	60.8	780.1	

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations.

Station No.

590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 221/5

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at

St. Catherine's Point (C.G. Station)

in the County of

Down

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....8.....ft.....in.

„ Ground „ Sea Level 15.0.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	.89										.97			1
2														2
3														3
4		0.89												4
5														5
6			1.24											6
7												2.30		7
8					.44									8
9									.71					9
10				.27										10
11														11
12						.29								12
13														13
14														14
15							.80							15
16								.63						16
17														17
18														18
19														19
20														20
21														21
22										.65				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	6.10	5.00	4.10	2.18	1.50	.72	1.40	1.14	2.99	2.44	2.23	5.69	35.82	✓
* Days with 0.2 mm. or more.	26	22	17	14	12	8	10	6	13	12	10	19	169	✓
* Days with 1.0 mm. or more.	23	19	15	13	8	4	14	3	11	9	7	15	144	✓

(141w) * See Instruction 2 (f) on other side.

40-9999.154.8 126.8 104.0 55.4 38.2 18.3† Space column, no entries required, except year's total. 145.0 9101

(Signed)

75.9

62.1

56.8

145.0

9101

[P.T.O.]

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 590

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 91.

REGISTER OF RAINFALL IN 1938.

Kept at St. Catherine's Point (C.G. Station)

in the County of Hants.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 7 ft. 8 in.

Ground Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1									30					1
2										86				2
3														3
4														4
5														5
6														6
7														7
8														8
9												59		9
10														10
11														11
12														12
13	49													13
14														14
15														15
16														16
17		28												17
18														18
19														19
20														20
21														21
22								49						22
23														23
24														24
25			13	03							88			25
26														26
27					20	13	131							27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	93.7	22.3	8.1	0.9	26.1	10.9	35.7	31.3	41.8	111.6	120.1	75.1	577.6	Year's Total
* Days with 0.2 mm. or more.	25	10	5	2	12	6	13	7	14	19	22	18	153	
* Days with 1.0 mm. or more.	18	7	3	0	8	5	8	4	12	12	18	15	110	

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 520

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at St. Catherine's Point (L.G. Station)

in the County of Hants

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 8 ft. 8 in.

Ground Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2									.36					2
3				.65								.39		3
4			.43											4
5														5
6														6
7														7
8														8
9											.86			9
10														10
11														11
12														12
13										1.78				13
14														14
15														15
16					.50									16
17														17
18							.59							18
19														19
20								.69						20
21														21
22						.43								22
23														23
24														24
25	1.09													25
26														26
27														27
28		.45												28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	134.6	35.4	33.9	61.5	37.9	51.8	60.8	52.5	22.4	187.0	194.9	42.4	915.1	Year's Total
* Days with 0.2 mm. or more.	20	10	13	15	7	13	18	9	5	16	22	17	165	
* Days with 1.0 mm. or more.	17	8	9	12	6	10	13	7	4	14	20	11	131	

(141w)

* See Instruction 2 (f) on other side.

† Spare column, no entries required, except year's total.

40-9999.

530

139

133

242

149

204

239

(Signed) 2.07

88

7.36

7.67

1.67

36.01

P.T.O.

221/5

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 590 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1934

Kept at 89 Catherine's Point (C.C.G. Station)

in the County of Anants

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 8 ft. 8 in.

Ground Sea Level 150 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4										49				4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13			64								143			13
14												44		14
15							113							15
16		62												16
17														17
18				23										18
19									91					19
20														20
21														21
22						24								22
23														23
24														24
25														25
26	113				38									26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	97.3	95.4	87.8	24.4	24.6	7.3	84.2	5	56.3	99.1	209.2	60.3	846.2	Year's Total
* Days with 0.2 mm. or more.	11	15	13	15	7	3	16	0	12	14	20	15	141	
* Days with 1.0 mm. or more.	8	12	10	8	4	1	11	0	9	13	14	14	104	

(144w)

* See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

3.83 3.44 3.46 96 1.97 29 3.31 (Signed) 2.22 3.90 8.24 2.37 33.32 P.T.O.

REGISTRY

591

591
COPY FOR OFFICIAL USE.
LL ORGANIZATION.

Kept at *Am Coastguard*
in the County of *Devon*

BLACK GANG I.O.W.

Diameter of Funnel of Gauge, *5*
Height of top of Gauge above Ground
Ground Sea Le

1931 - 1938

THE MORNING MEASURE

An observer who does not conform to the
year in the space on the right of this paragraph.

Y. 180112

following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	45	05		43	19			09	49				2
3	15		44	61	22		01	10	42			22	3
4				05	14		18	12	16	18	16		4
5						535					X	13	5
6		33		76	04	09		12	02	52	24		6
7				18	46	24		01			33	17	7
8		13			095	38		12			21		8
9		22		02		045					78	13	9
10		06				08		07		50	57		10
11	18	29					10				35		11
12	13	11				03			14				12
13	04												13
14	02	76				055	43						14
15	02	06			13			16	16			02	15
16		2200		08	76	02		102	10				16
17				10			61	19	19				17
18	05		04	20		05	03	84	08	30			18
19	16			14				13					19
20		21	08	16	30			25			04		20
21													21
22	76	01	20								03		22
23	32			03	23						76		23
24	02				14		33	85					24
25	08	04			08	24	18				06	03	25
26		02					37				1.00		26
27	23	17			185						11		27
28	03	04			085								28
29	08				245			15	04	06			29
30		X	04		03								30
31	34	X		X	10	X		102	X		X	06	31
TOTAL	2.62	1.19	2.81	4.07	1.45	2.54	2.99	1.90	0.64	4.50	4.6		YEAR'S TOTAL
*Days with or in. or more.	14	15	5	182	17	11	9	14	9	3	15	134	
*Days with or in. or more.	35	12	5	110	16	9	7	12	8	3	184	54	114

REGISTER OF RAINFALL IN 1931

Kept at *Am Coastguard Blackgang*
in the County of *Walsby*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
Ground Sea Level *420* ft.

Pr. amount by 1936's.
Totals 029
19/1/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								2	20				1
2	45	05		43	19			09	48				2
3	15		44	61	22		01	10	42			22	3
4				05	14		18	12	16		16		4
5						535					X	13	5
6		33		26	04	09		12	02	52	24		6
7				18	46	24		01			33	17	7
8		13			095	38		12			21		8
9		22		62		045					28	13	9
10		06				08		07		50	57		10
11	18	29					10				35		11
12	15	01				03			14				12
13	04												13
14	02	26				055	43						14
15	02	06			13			16				02	15
16		2200		08	26	02		102	10				16
17				10			61	19					17
18	05		04	20		05	03	84	08	30			18
19	16			14				13					19
20		21	08	16	30			25			04		20
21													21
22	26	01	20								03		22
23	32			03	23						26		23
24	02				14		33	85					24
25	08	04			08	24	18				06	03	25
26		02					37				1.00		26
27	23	17			1255						11		27
28	03	04			085								28
29	08				245			15	04	06			29
30		X	04		03								30
31	34	X		X	10	X		02	X		X	06	31
TOTAL	262	73	119	251	407	145	254	299	190	64	450	45	YEAR'S TOTAL
*Days with .01 in. or more.	14	13	5	18	17	11	9	14	9	3	15	6	134
*Days with .04 in. or more.	13	12	5	11	16	9	7	12	8	3	15	5	114

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Blackgang, Wm Coastguard
in the County of Hampshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	12			11	53						07	10	1
2	01			32	04			22			01		2
3				10	02	80			31				3
4	03					20							4
5	25			05			05		14				5
6	39								24				6
7	09			10						22			7
8			26		27				14	45			8
9	18			12	05					04		08	9
10	15	04		22	06	19				11		20	10
11	30				03				06		01		11
12	55					01	05			21			12
13				34	09		21	02		113		02	13
14	29				11						57	02	14
15				05	51					12	10	02	15
16	37						01						16
17				19					02	02			17
18	02				06		01		02		18		18
19				01	01		01		03	25			19
20			02	07	10			37		142	17	10	20
21			06		149			04		27			21
22	05		20		14		01	51	101	30	37		22
23					12		48		24	62		12	23
24		03					67			02	03		24
25							50		17	39	11		25
26			11	10			01			06			26
27			27	25	19		03			70			27
28			02	06	03		18						28
29			32	05	12			03	47	40		22	29
30		X	06	20		85			22		77	06	30
31		X		X		X	21		X		X	10	31
TOTAL	2.80	07	1.32	2.54	3.97	2.05	2.43	1.19	3.07	6.73	2.39	1.04	YEAR'S TOTAL
*Days with 01 in. or more.	14	2	9	17	19	5	14	6	13	18	11	11	139
*Days with 04 in. or more.	11	1	7	16	15	4	8	4	10	16	8	8	108

Section

A

for the entry of Daily Observations.

Station No.

59+

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Im Cranstoun Blackgang Chale
in the County of Isle of WightFile No. 666921/26Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 4 23 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	17	88	.									16		1
2	10	.	50		33									2
3	04	09	45		.									3
4	37	15	.		35									4
5	16	02	33		.									5
6	.	22			86						16			6
7	09	.			.					35				7
8	.	02			03		26							8
9	.	01			.		21				08			9
10	.	12			02		03			23				10
11	24				.	21	.	06						11
12	.			02	.		.		1.60	Rainfall for Jan.				12
13	02				07		30		03		24			13
14	39									42	58			14
15		.	15					43		21	.			15
16		.	53			06								16
17		31				.		14	08					17
18	24		22			44			02					18
19			08			1.			18		10	04		19
20		03				25			15					20
21				01		.		22						21
22						05			45		01			22
23				68		12		10	39	22				23
24		47		59		20			.	15		20		24
25		1.40		12	19				32					25
26		40		15					09			28		26
27					94				34					27
28						05			08					28
29	30.			09			30		06					29
30	06	X					02		T			13		30
31		X	T	X		X			X		X			31
TOTAL	324	381	2.57	1.66	2.19	1.38	1.12	1.05	3.31	2.06	1.17	1.01	Year's Total	23.57
*Days with .01 in. or more.	12	12	8	7	8	8	6	5	10	9	6	5	95	96
*Days with .04 in. or more.	11	8	8	5	6	8	4	5	8	9	5	5	81	82

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Inhabitant

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.Station No. **591**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *4 m Crossford Blackgang*in the County of *Sh. of Wight*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft *0* in.,, Ground ,, Sea Level *420* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						10		20	55			66		1
2	21		10		57				47	15		32		2
3	05	03								29		26		3
4			14	14						28	04	32		4
5					09			20		08		57		5
6			53	08	23	01		05		13	62	48		6
7	03							19		40		14		7
8					24					47	1.12	7		8
9			12						52		120			9
10			16	15							59	34		10
11	86		28	14			23	18				36		11
12			03									09		12
13	25			03							24	05		13
14	22						02			04	08	87		14
15										08	11	88		15
16	21		24		04				04			13		16
17	31		08							02		47		17
18	11		23	30						0		28		18
19			26									26		19
20									25					20
21				44		22			03	03				21
22									21			24		22
23				40		52		06		08		62		23
24			08	20		02	29		06			52		24
25				11						10		68		25
26						21			14			08		26
27				38								37		27
28	24	06				04		67				34		28
29								08	13			01		29
30	11	X							05	03		62		30
31		X		X		X		16	X		X	09		31
TOTAL	2.32	0.9	2.68	2.24	1.17	1.12	54	1.79	2.51	1.88	4.00	9.00	29.47	
* Days with .01 in. or more.	11	2	12	11	5	7	23	9	11	14	8	26	119	
* Days with .04 in. or more.	4	1	11	10	5	5	32	9	10	11	8	24	106	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Blackburn Chase
in the County of Devon WightDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft 0 in.Ground Sea Level 420 ft.

March corrected for Arith by cards.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							11				22	04	1
2		10				16				38			2
3		65	02	09		05				95	10		3
4						15			70		07	12	4
5			12	11					26	17	02	17	5
6				29		39					68		6
7				48							162	21	7
8	41			16					07	113	59		8
9	27			42		27			23		13		9
10	38		65			06					16	09	10
11	16		25								40		11
12						18		30			130		12
13	04			41		15			10		15		13
14		03		17		05			28		03	30	14
15		35		57	02				12	19	20	10	15
16		04		15					23		151		16
17						45			17		18		17
18				26	15				32		41		18
19		05			24				07		68		19
20		08		15	04						05		20
21		23								15	02		21
22				10	01			05	14	20			22
23		72	05					64				20	23
24					19			45	69			36	24
25		58		66								23	25
26								18	04			27	26
27		33			15			13	10	10		06	27
28		40							15	08	04	15	28
29								30	35	06	42	23	29
30		X		02				140	03	19		53	30
31		X		X		X		01	X		X	25	31
TOTAL	126	356	129	354	83	191	11	349	405	360	948	391	3415
*Days with "or in. or more.	5	12	5	15	7	10	7	9	18	14	22	16	131
*Days with "or in. or more.	5	11	4	14	5	10	1	8	17	11	19	16	121

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Mr. Barker

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Blackburn*
 in the County of *S. W.*
 Diameter of Funnel of Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. *0* in.
 „ Ground „ Sea Level *4.20* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	71	35	02	10		29					12	07		1
2		05		37		06	28		T		T			2
3				11			11	05	08		07			3
4			15			18			30		50	20		4
5	07				T	01			25		14	08		5
6	55				07	T	02	03	02		12			6
7	28						03	02			54	12		7
8	73		07				58		44		81			8
9	67		39				42							9
10	35						02				07			10
11		20							03		1.75	08		11
12		47				28	41		42					12
13						03					42	31		13
14		28				10	28		02		04	24		14
15	02								03	01	10	14		15
16	76	30			07		05		T	03	13	23		16
17	09	46			06	40	38	05	19		10	25		17
18	20					98	10			04	T	19		18
19	25	07				25	02	19		03				19
20	15	47		21		24	03	T	94	11				20
21				33		03	11				2			21
22	22	12	23	03	03						2	07		22
23			07	12	15		10			06	2			23
24	35		22	T					01	29	2			24
25			43	23		04			04	10	2			25
26	04	05	07			06			16	08	2			26
27	15	30					15			15	2			27
28	23		25			2	14				T	10		28
29	68	01	15			54				19	21	04		29
30	24	X	03		T	21				15		T		30
31	12	X	16	X	T	X	24		X	24	X	23		31
TOTAL	5.96	31.3	21.8	1.50	38.24	3.70	4.07	3.4	2.93	1.48	4.56	2.25	32.06	32.58
*Days with .01 in. or more.	21	13	13	8	45	16	19	5	14	13	15	15	48	167
*Days with .04 in. or more.	20	12	10	7	4	13	14	3	9	10	14	15	12	131

40-9999

† Spare column, no entries required.

*See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations.

Station No. 591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 %

Kept at *St. Mary's Church*in the County of *Low*Diameter of Funnel of Gauge... *5* in.Height of top of Gauge above Ground... *1* ft... *0* in.,, Ground ,, Sea Level *472* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.65	.01		.30			T			.T	1.15	.15		1
2	T	.39		.75					.13		.8	.27		2
3	.07	.18		.							.8	.02		3
4	.06	.84		.								.33		4
5	.22		.09	.			.28	.02				.11		5
6	.15	.35	1.07	x	T		.06			T		.05		6
7		.45	.05	x						.06		2.15		7
8			.04		.59	T						.07		8
9				x	.08	T			.73					9
10			.33	x	.21	.73						.55		10
11	.02		.06	-										11
12	.76	.40	.22	x		.30	.29	.44	.46			.25		12
13		.04	.78	✓			.07	.03	.06			.65		13
14	.25	.02	.17	-				.06	.12			.01		14
15		.21		x		.02	.82		.20					15
16	.08	.08	.35	+				.63	.22		.03			16
17	.43	T	.04	-			.03		.32		.32	.20		17
18	.26	.10	T	✓					.22		.19			18
19	.33	.18	.04	x		.13			.07		.17	.35		19
20	.17	.10	.19	+		.06					.41	.11		20
21	.28	.31	T	✓	.08		.02				.40			21
22	.58	.13	.09		.12		.01			.47		.15		22
23	.31	.57	.03		T		.14			.62		.18		23
24	.32	.28			.02		.04		.04	.43		.06		24
25	.12	.37	.44		.33			.03						25
26		.28								.23				26
27	.04	.15		.18						.20				27
28	.29	.06									.04			28 <i>miss</i>
29	.08									.11	.01	T		29
30	.52	X								.22	.26			30
31	.46	X		X		X			X	.38	X	.03		31
TOTAL	6.13	5.40	4.02	2.47	1.42	7.4	1.86	1.18	2.60	27.2	2.68	5.63	37.76	✓
* Days with .01 in. or more.	24	.22	16	(15)	7	5	10	5	12	9	10	19	123	154
* Days with .04 in. or more.	23	19	15	(12)	6	4	7	3	11	9	8	16	86	133

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

No daily records were kept 6 April to 21 April

Section



for the entry of Daily Observations

Station No. 591

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Blackgang (H.M. Coastguard).....

in the County of ...Hants.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft. 0.....in.

,, Ground ,, Sea Level 4.20.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		18												1
2														2
3														3
4	03													4
5		T												5
6	13	T												6
7	20	01												7
8	24													8
9	09													9
10														10
11	35													11
12	40													12
13	52	↓												13
14	20													14
15	40													15
16	11		.03											16
17	01	↑	.02											17
18														18
19	15													19
20	01													20
21	09													21
22	06													22
23	T													23
24			.07											24
25	12	.04												25
26			.08											26
27	04	.21												27
28	03	.02												28
29	04													29
30		X												30
31	10	X												31
TOTAL	3.32	.79	.40											
* Days with .01 in. or more.	21	9	4											
* Days with .04 in. or more.	17	3	3											

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Kept at Ventnor. Hosp
in the County of ...

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
,, Ground ,, Sea Lev

THE MORNING MEASURE

An observer who does not conform to the rules should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	trace	trace	trace	15.1	-	-	-	0.6	5.2	0.3	-	trace	1
2	5.7	1.1	-	15.9	-	-	-	2.1	9.6	0.3	-	1.5	2
3	2.9	trace	19.3	0.6	4.7	-	0.3	1.8	15.3	-	0.3	4.0	3
4	-	trace	1.4	-	6.5	-	5.4	1.7	3.9	3.8	3.6	trace	4
5	-	6.0	-	8.5	-	9.9	0.6	6.2	0.5	0.2	1.5	4.3	5
6	-	1.7	-	4.5	0.8	2.7	-	0.3	0.2	9.4	4.1	4.4	6
7	-	trace	-	trace	13.0	5.5	-	2.6	0.5	1.2	7.4	0.9	7
8	trace	4.0	-	0.3	0.8	11.8	4	1.9	-	1.6	1.7	4.2	8
9	-	6.1	-	trace	trace	0.4	0.7	-	-	-	22.1	3.4	9
10	-	3.1	trace	-	-	3.7	1.7	1.4	-	-	22.8	trace	10
11	5.3	7.9	-	-	0.7	0.3	-	0.2	0.7	-	6.9	-	11
12	1.8	0.4	-	-	-	-	1.1	-	6.8	-	-	-	12
13	2.5	-	-	-	-	trace	-	-	0.2	-	-	-	13
14	0.7	6.3	-	-	0.5	0.7	15.1	8.5	6.4	-	tr	-	14
15	0.7	1.7	-	0.5	2.8	-	2.8	10.6	0.5	-	-	0.4	15
16	trace	2.5	-	3.4	7.5	0.7	-	0.5	2.1	-	-	-	16
17	-	3.4	-	2.2	-	-	20.2	-	3.9	tr	tr	-	17
18	0.8	0.3	1.1	3.5	-	1.2	1.0	17.8	tr	0.4	7.6	-	18
19	5.8	-	-	3.6	-	2.3	0.3	4.9	-	-	tr	-	19
20	trace	6.3	1.2	4.1	-	-	-	5.3	-	tr	1.0	-	20
21	0.4	-	1.3	-	6.4	trace	-	-	-	-	0.6	-	21
22	7.2	trace	5.4	-	0.2	-	-	-	-	-	0.3	-	22
23	8.7	trace	-	0.9	7.1	trace	-	-	tr	-	7.2	trace	23
24	0.7	trace	-	14.0	1.9	1.3	6.2	-	-	-	tr	trace	24
25	2.9	0.3	-	2.7	1.2	-	6.3	16.4	-	-	1.8	trace	25
26	-	2.3	-	1.8	trace	-	9.5	-	tr	-	13.1	1.5	26
27	6.4	5.5	-	-	29.8	-	tr	-	-	0.4	5.0	-	27
28	1.3	2.6	0.2	0.6	trace	-	-	-	-	1.0	-	1.6	28
29	2.9	X	1.1	-	7.2	-	1.4	-	-	0.7	tr	-	29
30	trace	X	0.7	-	0.3	-	-	1.9	tr	-	1.4	-	30
31	8.6	X	-	X	2.2	X	0.4	0.8	X	-	X	0.5	31
TOTAL	65.3	61.5	31.7	82.2	93.6	40.5	73.0	85.5	55.8	19.3	108.4	23.7	YEAR'S TOTAL
Days with 0.2 mm. or more.	18	18	9	17	18	12	16	19	14	11	18	11	181
Days with 1.0 mm. or more.	13	15	7	12	12	8	11	14	8	5	15	7	127

FORM 109

REGISTER OF RAINFALL IN 1931

Kept at Ventnor, Royal Naval Hospital
in the County of Hants.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 54 ft.

100
150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	trace	trace	trace	15.1	-		-	0.6	5.2	0.3	-	trace	1
2	5.7	1.1	-	15.9	-		-	2.1	9.6	0.3	-	1.5	2
3	2.9	trace	19.3	0.6	4.7		0.3	1.8	15.3	-	0.3	4.0	3
4	-	trace	1.4	-	6.5		5.4	1.7	3.9	3.8	3.6	trace	4
5	-	6.0	-	8.5	-	9.9	0.6	6.2	0.5	0.2	1.5	4.3	5
6	-	1.7	-	4.5	0.8	2.7	-	0.3	0.2	9.4	4.1	4.4	6
7	-	trace	-	trace	13.0	5.5	-	2.6	0.5	1.2	7.4	0.9	7
8	trace	4.0	-	0.3	0.8	11.8	tr	1.9	-	1.6	1.7	4.2	8
9	-	6.1	-	trace	trace	0.4	0.7		-	-	22.1	0.4	9
10	-	3.1	trace	-	-	3.7	1.7	1.4	-	-	22.8	trace	10
11	5.3	7.9	-	-	0.7	0.3	-	0.2	0.7	-	6.9	-	11
12	1.8	0.4	-	-	-		1.1		6.8	-	-	-	12
13	2.5	-	-	-	-	trace	-		0.2	-	-	-	13
14	0.7	6.3	-	-	0.5	0.7	15.1	8.5	6.4	-	tr	-	14
15	0.7	1.7	-	0.5	2.8		2.8	10.6	0.5	-	-	0.4	15
16	trace	2.5	-	3.4	7.5	0.7	-	0.5	2.1	-	-	-	16
17	-	3.4	-	2.2	-		20.2		3.9	tr	tr	-	17
18	0.8	0.3	1.1	3.5	-	1.2	1.0	17.8	tr	0.4	7.6	-	18
19	5.8	-	-	3.6	-	2.3	0.3	4.9	-	-	tr	-	19
20	trace	6.3	1.2	4.1	-		-	5.3	-	tr	1.0	-	20
21	0.4	-	1.3	-	6.4	trace	-		-	-	0.6	-	21
22	7.2	trace	5.4	-	0.2		-		-	-	0.3	-	22
23	8.7	trace	-	0.9	7.1	trace	-		tr	-	7.2	trace	23
24	0.7	trace	-	14.0	1.9	1.3	6.2		-	-	tr	trace	24
25	2.9	0.3	-	2.7	1.2		6.3	16.4	-	-	1.8	trace	25
26	-	2.3	-	1.8	trace		9.5		tr	-	13.1	1.5	26
27	6.4	5.5	-	-	29.8		tr		-	0.4	5.0	-	27
28	1.3	2.6	0.2	0.6	trace		-		-	1.0	-	1.6	28
29	2.9	X	1.1	-	7.2		1.4		-	0.7	tr	-	29
30	trace	X	0.7	-	0.3		-	1.9	tr	-	1.4	-	30
31	8.6	X	-	X	2.2	X	0.4	0.8	X	-	X	0.5	31
TOTAL	65.3	61.5	31.7	82.2	93.6	40.5	73.0	85.5	55.8	19.3	108.4	23.7	YEAR'S TOTAL 740.5
Days with 0.2 mm. or more.	18	18	9	17	18	12	16	19	14	11	18	11	181
Days with 1.0 mm. or more.	13	15	7	12	12	8	11	14	8	5	15	7	127

Section

A

for the entry of Daily Observations.

592
FOR OFFICIAL USE.

FORM 1.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Ventnor. Royal Naval Hospital
in the County of Hants.
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level 59 ft.

100
Daily values
150.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.7	0.4	-	2.5	17.0	-	-	tr	-	0.9	3.9	tr	1
2	tr	0.3	-	6.2	0.6	-	-	4.4	0.4	tr	tr	10.4	2
3	0.6	-	-	5.3	0.9	19.6	trace	-	11.9	0.7	-	0.2	3
4	0.4	-	-	-	-	7.9	1.2	tr	-	-	tr	-	4
5	7.3	-	tr	-	-	0.2	0.2	-	3.3	-	-	-	5
6	13.5	-	tr	2.3	-	-	trace	-	6.1	tr	-	-	6
7	2.1	-	tr	1.2	1.4	-	-	-	0.3	4.6	-	-	7
8	tr	-	7.3	0.8	7.3	-	-	-	2.6	9.2	-	-	8
9	0.9	0.1	-	4.4	2.6	-	-	-	-	0.3	-	-	9
10	6.3	0.3	tr	8.1	1.7	5.4	-	-	0.8	3.4	0.3	0.9	10
11	9.5	0.2	-	0.6	0.8	-	trace	-	tr	1.9	tr	0.6	11
12	9.0	tr	-	0.5	-	0.3	-	tr	2.7	7.3	tr	tr	12
13	1.8	-	-	4.9	2.9	-	5.9	tr	tr	26.6	1.1	0.7	13
14	9.0	-	-	0.2	2.5	-	-	0.4	-	tr	16.1	tr	14
15	0.5	-	-	0.9	23.6	-	trace	-	-	3.4	0.4	0.3	15
16	7.5	-	-	4.1	tr	-	trace	-	-	tr	-	tr	16
17	0.5	-	-	0.6	-	-	1.5	-	0.7	0.8	-	-	17
18	0.8	-	-	-	0.2	-	1.0	-	0.7	-	3.6	tr	18
19	0.2	-	-	0.3	0.4	-	-	-	1.3	7.4	0.2	tr	19
20	-	-	0.7	2.3	0.6	-	0.8	9.8	tr	39.9	4.3	tr	20
21	0.6	-	0.8	tr	29.8	-	-	1.2	-	6.8	tr	2.9	21
22	0.5	tr	5.5	-	0.7	-	trace	9.6	24.2	7.3	10.9	1.1	22
23	0.3	tr	tr	-	7.7	-	11.5	-	10.2	17.8	1.0	5.0	23
24	-	0.8	-	-	0.3	-	29.9	-	3.7	1.6	0.2	-	24
25	-	-	-	-	tr	-	12.5	-	1.1	12.6	2.3	tr	25
26	-	-	2.5	2.0	-	-	0.2	-	-	1.2	0.5	-	26
27	-	tr	5.2	6.2	4.3	tr	0.9	-	tr	25.8	-	0.3	27
28	-	-	-	1.1	0.7	-	6.6	-	-	0.2	-	0.6	28
29	-	-	6.2	2.0	3.0	4.3	trace	0.2	11.2	11.9	tr	2.5	29
30	-	X	3.2	6.2	-	17.0	2.5	-	5.9	-	21.3	5.1	30
31	-	X	tr	X	-	X	1.8	-	X	-	X	6.2	31
TOTAL	75.0	2.1	31.4	62.7	109.0	54.7	76.5	25.6	87.1	191.6	66.1	36.8	YEAR'S TOTAL
Days with 0.2 mm. or more.	20	5	8	22	21	7	14	6	17	22	14	14	170
Days with 1.0 mm. or more.	10	0	6	15	12	5	10	4	12	17	9	7	107

(144w)

40-9999.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

592
FOR OFFICIAL USE.

FORM

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923

Kept at

Ventnor Hospital

in the County of

Hants

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

Daily Values 100
150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.6	20.3	2.9	-	-	-	-	-	-	6	0.2	3.4	1
2	4.0	5	18.0	-	9.8	-	-	-	-	-	0.3	-	2
3	1.3	6.0	4.4	-	5	-	-	-	-	-	0.8	-	3
4	9.8	1.1	5	-	8.2	-	-	-	-	-	-	-	4
5	6.0	5	10.0	-	5	-	-	-	-	-	-	-	5
6	-	6.6	5	-	6.8	-	-	-	-	1.6	1.7	-	6
7	2.0	0.3	5	-	-	-	-	-	-	6.2	5	0.6	7
8	1.4	5	-	-	11	-	7.5	-	-	2.1	-	-	8
9	5	0.3	-	-	0.7	-	6.1	-	-	5	2.7	-	9
10	-	5.2	-	-	0.8	-	1.4	0.7	-	8.7	-	-	10
11	10.4	-	-	-	-	1.7	5	1.5	-	-	-	0.9	11
12	-	-	-	0.4	0.9	-	0.3	-	46.8	-	5	5	12
13	5	-	-	-	1.2	-	8.7	0.6	0.3	2.4	5.3	-	13
14	-	-	-	-	5	-	3.8	5	-	12.0	11.8	5	14
15	11.1	-	2.9	-	-	-	1.8	10.3	-	7.7	0.3	-	15
16	-	0.2	16.1	-	-	2.3	5	-	5	0.2	5	-	16
17	-	-	8.2	-	-	0.4	-	4.1	3.1	-	0.3	-	17
18	7.3	5	5.5	-	-	11.5	-	-	-	-	5	-	18
19	5	0.3	2.4	-	-	0.5	-	-	7.3	-	1.7	0.3	19
20	-	0.8	5	1.9	-	4.2	-	0.3	14.3	-	5	5	20
21	-	-	-	0.5	0.3	-	-	5.0	3.0	5	5	-	21
22	-	-	-	-	-	0.2	-	5.1	11.5	5.4	0.2	5	22
23	-	0.8	-	17.3	0.2	0.4	-	-	12.5	6.8	-	-	23
24	-	9.3	-	9.5	-	4.5	-	-	4.3	5	-	-	24
25	-	28.6	-	10.5	4.5	-	-	-	1.1	-	5	5.8	25
26	-	10.7	-	3.3	3.1	-	-	-	8.5	2.0	5	0.2	26
27	-	-	-	-	21.3	-	0.4	-	0.4	8.6	5	10.8	27
28	5	-	-	0.9	-	0.8	4.2	-	-	2.1	5	0.6	28
29	6.2	X	0.3	0.9	1.7	-	5	-	0.6	0.3	-	0.9	29
30	1.3	X	5	-	-	-	1.0	-	2.4	-	-	1.9	30
31	3.7	X	-	X	-	X	5	-	X	0.9	X	5	31
TOTAL	66.1	90.5	70.7	45.2	60.6	26.5	35.2	27.6	11.3	167.0	25.3	25.4	YEAR'S TOTAL
Days with 0.2 mm. or more.	13	14	10	9	14	10	10	8	14	15	11	10	138
Days with 1.0 mm. or more.	13	8	9	5	9	5	8	5	11	12	5	4	94
(144w)	2.60	3.56	2.78	1.78	2.39	1.04	1.39	1.09	4.45	2.64	1.00	1.00	25.73
40-9999.													[P.T.O.]

(Signed)

[P.T.O.]

592 ~~229~~

A

FORM 1091.

Kept at Ventnor Hospital
in the County of Sanito.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
 Ground .. Sea Level ft.

Daily Values.

100
150

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.2	Gr	-	-	3.1	0.3	-	2.3	15.9	3.1	Gr	17.2	1
2	6.7	-	2.5	-	1.7	Gr	-	-	10.6	9.0	0.6	9.2	2
3	0.8	0.3	-	Gr	-	-	-	-	Gr	13.7	Gr	11.0	3
4	5.8	-	2.9	8.1	2.0	-	-	-	-	1.5	0.8	7.9	4
5	Gr	-	0.7	-	Gr	-	-	4.2	-	5.2	0.5	14.3	5
6	Gr	-	13.6	1.1	6.1	Gr	0.6	2.3	-	11.2	14.1	14.0	6
7	0.4	-	-	-	-	-	0.6	5.1	-	3.6	0.2	4.1	7
8	-	-	-	-	4.8	Gr	-	0.3	18.6	-	38.8	0.3	8
9	0.2	-	2.6	Gr	Gr	-	-	Gr	-	-	28.0	6.3	9
10	0.6	Gr	3.8	3.4	-	-	-	0.4	Gr	-	10.1	0.3	10
11	21.6	-	8.7	5.5	-	-	-	0.2	-	-	-	10.3	11
12	0.4	Gr	1.1	-	-	-	-	2.2	-	-	-	2.4	12
13	6.3	-	Gr	0.6	-	-	-	Gr	-	Gr	5.8	1.0	13
14	6.4	-	7.1	0.2	-	-	-	-	-	1.0	1.9	20.5	14
15	0.7	-	-	-	1.2	-	-	-	Gr	3.2	3.3	12.1	15
16	4.1	-	10.0	Gr	0.6	-	-	-	2.0	-	Gr	3.3	16
17	6.9	-	1.8	0.4	-	-	-	-	0.2	0.2	Gr	8.2	17
18	2.5	-	4.0	6.3	-	-	-	-	Gr	0.2	-	6.2	18
19	-	-	8.7	-	-	Gr	-	0.2	9.8	Gr	-	6.2	19
20	-	-	0.2	1.8	0.4	-	0.8	-	0.6	-	-	-	20
21	-	-	0.6	8.5	-	6.8	-	0.8	0.2	0.5	-	Gr	21
22	-	-	Gr	-	-	-	-	1.0	6.6	0.3	-	5.2	22
23	-	-	-	10.7	-	10.7	-	-	1.0	1.6	-	0.9	23
24	-	0.3	1.7	2.0	-	Gr	6.8	-	0.7	Gr	-	Gr	24
25	4.6	0.5	Gr	2.1	-	Gr	0.2	-	Gr	1.7	-	15.2	25
26	0.4	-	-	-	-	6.7	Gr	-	1.9	0.5	-	1.1	26
27	0.6	-	-	11.7	-	Gr	-	-	Gr	0.3	-	7.1	27
28	-	Gr	-	-	-	7.3	-	18.7	-	-	0.4	7.2	28
29	-	X	-	-	-	-	-	1.5	3.9	0.3	0.3	0.2	29
30	1.7	X	-	-	-	-	-	-	0.9	0.2	-	17.0	30
31	0.5	X	-	X	-	X	-	5.3	X	0.2	X	2.7	31
TOTAL	71.4	1.1	20.0	62.4	19.9	31.8	9.0	44.5	72.9	57.5	112.8	211.4	YEAR'S TOTAL 30.09
*Days with 0.2 mm. or more.	20	3	16	14	8	5	5	14	14	20	13	28	160
*Days with 1.0 mm. or more.	10	0	13	11	6	4	1	9	9	11	7	24	105
(T44W)	2.81	0.04	2.76	2.46	0.78	1.25	0.35	1.75	2.8	2.26	4.44	8.32	30.09
40-9999				M			(Signed)						P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1935.

Kept at Ventnor Hospital
in the County of Hants.Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
,, Ground ,, Sea Level _____ ft.

Daily Values.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	tr	tr	7.2	—	1.7	2.6	4.0	—	0.6	2.2	3.4	2.7	1
2	—	tr	tr	—	—	1.6	—	—	Tr	10.8	Tr	—	2
3	—	tr	1.8	—	tr	0.5	—	tr	1.5	22.6	0.6	—	3
4	—	4.4	—	5.4	—	1.9	—	—	21.3	6.2	3.2	6.4	4
5	—	12.2	3.0	1.1	—	2.4	—	—	6.8	2.3	1.5	3.6	5
6	—	2.3	2.3	7.0	—	10.3	—	—	—	1.3	15.6	1.5	6
7	—	—	—	14.0	tr	0.5	—	—	—	1.2	44.2	3.9	7
8	3.8	—	0.3	9.4	—	—	0.2	—	1.5	10.5	11.0	Tr	8
9	6.2	—	tr	6.6	—	12.9	—	—	4.0	15.9	0.9	Tr	9
10	19.8	0.2	17.7	—	—	2.0	—	—	—	1.0	8.8	1.1	10
11	2.4	0.6	1.4	—	—	1.1	—	—	0.4	0.9	11.4	Tr	11
12	0.8	0.8	—	—	—	5.0	—	6.6	1.8	—	28.5	—	12
13	0.4	5.5	—	11.5	0.7	0.4	—	—	—	0.9	2.5	—	13
14	tr	0.2	—	4.0	0.6	2.3	—	—	3.7	2.6	Tr	8.5	14
15	—	3.8	—	13.4	0.7	0.3	—	—	13.5	1.7	11.6	1.8	15
16	—	0.7	0.4	2.0	tr	—	—	—	4.1	0.9	27.9	—	16
17	—	—	2.8	tr	1.6	9.4	—	1.3	3.0	Tr	8.5	—	17
18	—	tr	—	6.4	5.9	1.5	—	0.2	9.9	0.4	Tr	—	18
19	—	—	—	2.9	13.9	3.6	1.2	—	1.8	0.7	7.9	0.9	19
20	—	5.2	—	0.9	0.7	1.1	—	—	Tr	—	15.3	—	20
21	tr	7.1	—	0.6	—	tr	0.2	—	0.2	3.3	Tr	—	21
22	tr	1.6	—	0.2	—	—	—	1.6	2.2	—	—	—	22
23	tr	—	0.8	—	0.3	—	—	11.2	—	7.1	—	5.7	23
24	0.8	19.3	—	—	7.7	—	—	21.1	16.7	0.5	—	6.8	24
25	3.4	4.3	—	4.4	tr	tr	—	—	—	—	—	5.3	25
26	tr	6.7	tr	—	tr	—	—	4.1	0.8	0.5	—	8.1	26
27	—	11.9	tr	—	—	—	—	3.4	1.9	1.0	2.3	15.9	27
28	—	1.3	—	—	1.8	—	—	1.3	2.9	Tr	0.5	5.5	28
29	—	X	—	—	tr	—	—	7.1	5.6	0.5	0.9	8.3	29
30	1.3	X	—	1.3	—	—	—	36.8	1.9	0.9	10.7	21.7	30
31	—	X	—	X	—	X	—	0.2	X	6.2	X	5.8	31
TOTAL	87.8	88.1	37.7	91.1	35.6	59.4	5.6	94.9	106.1	102.1	217.2	113.5	990.8
*Days with 0.2 mm. or more.	9	18	10	17	11	18	4	12	22	25	21	18	185
*Days with 1.0 mm. or more.	6	13	7	14	6	14	2	10	18	16	17	17	140
(144W)	1.56	2.47	1.48	3.59	1.40	2.34	2.2	3.74	4.18	4.02	8.55	4.47	39.02
40-9999							(Signed)						P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1936.

Kept at *Ventnor Hospital*
in the County of *Dorset*, *Dorset*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft. mm.

Daily Values

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	10.9	8.7	0.2	5.2	-	5.3	8.6	-	2.1	-	5.2	1.3	1
2	0.3	0.3	0.2	0.5	-	3.0	1.0	2.4	0.5	-	0.4	2.1	2
3	-	-	-	8.9	2.1	-	1.9	-	1.4	-	13.2	0.3	3
4	2.1	-	3.3	-	-	3.0	6.1	-	9.1	-	5.5	6.5	4
5	5.5	-	2.1	-	1.4	-	2.1	0.8	3.9	-	1.0	0.8	5
6	12.9	-	-	-	-	0.6	2.1	2.1	4.3	2.1	14.7	-	6
7	2.5	-	3.6	-	-	-	2.1	-	-	-	13.9	2.9	7
8	7.0	-	10.5	-	-	-	14.9	-	2.1	-	14.6	5.3	8
9	5.5	-	3.5	-	-	-	8.7	-	4.3	2.1	7.8	2.1	9
10	1.3	0.4	2.1	-	-	-	0.3	-	-	-	2.1	-	10
11	9.1	20.8	2.1	1.9	-	-	2.1	-	2.8	-	35.5	0.8	11
12	0.2	0.2	-	2.1	-	5.4	11.5	-	9.8	-	5.8	2.1	12
13	-	Trace	-	-	-	0.3	-	-	-	0.5	2.9	9.2	13
14	-	3.8	-	1.9	-	2.6	22.2	-	0.6	0.6	0.2	6.6	14
15	-	1.1	-	-	-	-	-	-	0.7	2.1	2.4	5.3	15
16	8.9	5.0	-	0.3	0.3	-	2.2	-	-	2.1	2.3	2.6	16
17	0.3	11.6	-	-	-	14.2	0.2	1.0	4.2	1.8	0.4	11.4	17
18	7.4	1.5	-	-	-	23.8	4.4	-	2.1	-	2.1	3.2	18
19	6.6	0.4	3.0	0.8	-	20.8	-	1.1	-	3.1	2.1	-	19
20	9.3	0.7	1.6	4.0	-	9.0	2.1	-	20.8	0.2	-	-	20
21	0.2	3.1	0.3	9.6	2.1	1.3	2.1	-	2.1	2.1	-	-	21
22	3.0	11.2	6.1	2.1	1.2	-	2.5	-	-	2.1	-	2.1	22
23	2.1	-	2.0	2.7	0.2	-	1.5	-	-	1.5	-	2.1	23
24	8.0	0.3	1.3	-	2.3	-	-	-	1.2	8.0	-	-	24
25	1.1	-	7.0	6.1	-	-	0.3	-	0.3	3.9	2.1	-	25
26	1.8	2.9	-	2.1	-	3.9	0.3	-	0.6	1.1	-	-	26
27	4.9	5.5	0.7	-	-	-	7.5	-	4.5	4.0	-	2.1	27
28	16.4	Trace	6.6	-	-	-	0.3	-	-	2.1	-	1.9	28
29	0.3	1.6	1.3	-	-	3.1	2.1	-	-	8.0	5.8	0.7	29
30	6.7	X	1.1	-	0.2	7.6	-	-	-	0.9	-	2.1	30
31	3.2	X	6.7	X	2.1	X	6.0	-	X	1.8	X	5.6	31
TOTAL	133.3	59.1	59.0	41.9	5.6	103.9	100.4	5.3	69.0	35.4	133.7	68.6	YEAR'S TOTAL
*Days with 0.2 mm. or more.	25	18	18	11	6	15	19	4	16	13	18	18	181
*Days with 1.0 mm. or more.	20	12	14	8	3	13	14	3	11	9	15	14	136

(144W)

40-9999

(Signed)

P.T.O.

Section



for the entry of Daily Observations.

Station No. 224

AIR MINISTRY METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at

Ventnor (Hospital)

in the County of

I. of Wight, Hants

TL 150 400
Daily Values.

Diameter of Funnel of Gauge

5 in.

Height of top of Gauge above Ground

1 ft. in.

,, Ground ,, Sea Level

59 ft.

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	24.2	-	-	6.5	-	-	-	-	-	tr	21.8	4.6		1
2	0.3	9.8	-	2.6	-	-	-	-	3.8	1.2	-	8.3		2
3	1.8	4.8	-	-	-	-	tr	-	-	-	-	tr		3
4	1.8	22.2	-	-	-	-	-	3	-	-	-	9.3		4
5	7.2	0.3	4.6	0.3	-	-	5.3	-	-	-	-	-		5
6	2.6	7.2	31.1	3.1	1.8	-	2.6	-	-	4	-	3.8		6
7	-	16.0	-	1.8	-	tr	-	-	2	3	-	53.4		7
8	-	-	1.4	tr	11.3	1.3	-	-	-	tr	5	3.5		8
9	-	tr	-	6.7	1.8	1.5	1.2	-	20.4	-	-	3		9
10	0.3	-	10.3	6.1	10.0	2.8	tr	tr	-	-	-	16.8		10
11	tr	-	9	tr	1.7	1.8	6.8	tr	-	-	-	1.1		11
12	8.5	10.6	8.5	1.3	5.3	9.0	1.2	17.7	11.0	-	-	4.8		12
13	12.3	1.2	17.3	0.6	2	-	-	1.2	1.4	-	-	23.8		13
14	0.9	0.2	2.3	-	1.6	-	-	1.6	3.2	-	-	2.4		14
15	7.7	3.7	tr	7.0	-	-	17.4	2.2	6.7	-	-	8.7		15
16	-	2.1	9.0	3.9	-	1.2	-	18.7	2.2	-	2.0	-		16
17	10.6	tr	2.2	-	-	-	6	-	9.7	-	3.3	tr		17
18	5.7	2.6	-	0.4	-	-	-	-	7.5	-	6.9	7.9		18
19	4.3	2.5	9	3.8	-	3.7	-	-	5	-	2.4	2.1		19
20	3.9	2.3	4.4	5.5	-	1.0	-	-	tr	-	-	1.5		20
21	6.1	9.6	3.5	1.3	1.8	-	9	-	2	tr	5	2.9		21
22	14.1	2.1	3.0	-	9	-	2.9	-	-	19.8	6.2	3.5		22
23	2.6	2.7	4	-	7	-	2.1	-	-	6.4	2.8	4		23
24	5.4	12.2	-	-	6	-	tr	-	tr	8.3	-	1.1		24
25	4.3	10.4	10.4	-	6.4	-	-	-	1.3	4	tr	tr		25
26	-	7.2	-	-	-	-	-	-	-	5.2	-	-		26
27	-	4.4	-	3.2	-	-	-	-	-	4.4	-	tr		27
28	5.8	2.3	-	tr	-	-	-	-	-	1.8	tr	tr		28
29	5.3	-	-	-	-	9	-	-	-	2.4	4	2		29
30	7.4	×	-	-	-	5	-	-	-	3.2	5.8	-		30
31	10.5	×	-	×	-	×	-	-	×	7.5	×	tr		31
TOTAL	153.6	136.4	110.2	54.7	43.1	21.7	40.0	41.7	69.1	60.3	52.6	160.4	943.2	✓
* Days with 0.2 mm. or more.	24	22	16	16	13	10	10	6	13	13	11	21	175	✓✓
* Days with 1.0 mm. or more.	21	20	13	13	8	6	7	5	10	9	8	18	138	✓✓
Year's Total														

Section



for the entry of Daily Observations.

Station No. 592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1938.

Kept at ...*Wentworth (R.N. Hospital)*...in the County of ...*S. of Wight, Hants*...

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

,, Ground ,, Sea Level.....~~59~~ 60.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	-	2.5	-	-	3.4	1.2	-	-	7.7	0.8	-	3.8		1
2	.5	tr	-	.2	tr	-	tr	-	-	^{1.02 in} 25.8	1.4	3.1		2
3	-	-	-	-	2.6	-	1.4	-	-	^{59 in} 15.0	2.8	-		3
4	.2	-	-	-	0.3	-	1.8	2.2	-	2.8	⁸² tr	2.1		4
5	-	-	-	-	-	-	2.5	-	-	15.2	⁰⁵ 0.6	0.2		5
6	4.2	-	-	-	-	tr	0.9	-	6.1	^{01 in} 0.3	1.3	1.1		6
7	3.2	tr	-	-	-	tr	12.5	-	2.9	4.2	tr	1.2		7
8	4.8	-	-	-	-	tr	3.8	0.1	-	^{18 in} 4.5	0.2	2.9		8
9	2.2	2.0	-	-	-	-	tr	-	-	3.5	-	13.6		9
10	1.1	.2	-	-	-	-	2.2	-	-	-	tr	3.6		10
11	8.8	-	-	-	-	-	0.4	-	-	-	0.8	3.2		11
12	11.6	-	-	-	1.1	-	tr	-	-	3.2	tr	tr		12
13	13.9	tr	-	-	tr	-	-	-	-	5.8	7.2	2.3		13
14	8.0	tr	-	-	2.9	-	1.8	-	0.3	-	tr	tr		14
15	1.1	1.5	tr	-	0.2	-	3.7	0.2	-	4.6	0.5	11.9		15
16	6.8	1.6	1.3	-	tr	-	-	0.9	-	tr	tr	7.1		16
17	-	6.7	1.9	-	tr	-	0.3	-	5.8	16.4	1.3	tr		17
18	3.7	tr	tr	-	tr	0.4	-	-	3.0	0.4	11.6	-		18
19	tr	-	-	-	tr	-	-	2.7	2.3	-	19.1	0.4		19
20	tr	-	-	-	-	-	-	0.6	0.3	-	12.5	0.2		20
21	1.8	-	-	-	-	-	-	-	4.7	-	1.6	7.0		21
22	1.7	-	-	tr	-	0.4	-	16.0	tr	-	8.5	3.9		22
23	.3	-	tr	tr	-	tr	-	-	0.7	-	2.9	0.3		23
24	tr	-	4.0	-	0.2	tr	-	-	3.9	-	10.2	tr		24
25	4.1	1.3	3.2	tr	4.7	-	0.4	tr	-	0.8	21.5	1.9		25
26	7.0	6.3	.3	-	0.2	tr	-	0.8	7.9	4.1	-	10.5		26
27	3.5	1.0	-	-	6.2	3.3	7.1	0.3	0.4	-	8.1	tr		27
28	1.1	4.3	-	-	1.6	2.4	-	11.8 ⁵	1.1	-	0.4	1.7		28
29	.8	~~X~~	-	tr	5.8	0.3	-	-	tr	0.6	4.6	0.6		29
30	1.5	~~X~~	-	.5	tr	1.8	0.2	-	1.3	0.8	5.1	-		30
31	4.7	~~X~~	-	~~X~~	3.6	~~X~~	-	-	~~X~~	5.5	~~X~~	6.1		31
TOTAL	96.6	27.4	10.7	0.7	32.8	9.8	39.0	35.3	48.4	114.3	122.2	88.4	625.9	Year's Total
* Days with 0.2 mm. or more.	24	10	5	2	13	7	14	9	15	19	21	23	162	✓
* Days with 1.0 mm. or more.	20	9	4	0	9	4	9	5 ⁴	11	13	16	18	117	✓

(141w)

* See Instruction 2 (f) on other side

† Spare column, no entries required, except year's total.

40-9999. 380 1.08 42 03 1.29 39 1.54 (Signed) 139 1.91 4.50 4.81 3.49 24.65 ✓ [P.T.O.]

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No. 592

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Ventnor (R.N. Hospital)

in the County of I. of W. W. W. W.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	1.5	-	0.9	3.6	2.7	-	1.0	-	3.9	-	3.4	1.7		1
2	tr	-	tr	2.4	-	-	-	10.2	9.0 ³⁵	-	8.4	1.4		2
3	8.4	-	-	18.7	-	-	1.6	7.4 ²⁰	-	-	6.4	7.4		3
4	1.5	-	12.0	2.3	3.6	-	7.0	5.1 ⁰⁹	0.9	18.5	2.8	1.4		4
5	-	-	1.5	6.4	2.8	-	2.1	2.2	-	2.3	15.5	1.5		5
6	11.9	-	3.7	0.6	-	-	3.2 ¹³	2.1	-	0.5	24.3	-		6
7	0.2	7.1	-	-	-	3.0	0.7	0.3	-	tr	0.2	6.6		7
8	tr	3.3	3.0	-	-	-	0.5	tr	-	22.1	3.2	2.3		8
9	1.8	0.2	-	-	-	-	-	1.2	-	5.9	29.9	6.3		9
10	2.3	tr	0.4	-	-	1.2	-	7.8	7.1	11.2	4.9	tr		10
11	0.4	0.2	4.3	-	-	0.4	-	-	-	23.4	0.2	-		11
12	2.2	0.3	-	-	-	2.0	-	-	-	2.3	-	tr		12
13	2.2	-	-	3.3	-	tr	5.0	-	1.2	51.8	0.3	2.9		13
14	14.2	-	-	0.4	0.3	2.4 ⁶¹	1.3	-	-	17.9	15.7	3.0		14
15	18.7	-	-	0.2	20.0	15.4	0.6	-	0.7	3.2	11.0	tr		15
16	7.0	1.0	0.4	3.7	5.2	1.5	10.1	-	0.3	3.7	7.9	-		16
17	2.6	9.7	0.2	tr	4.9	0.7	1.6	-	-	27.1	1.6	-		17
18	1.2	tr	-	-	tr	0.4	15.2	-	-	-	19.9	1.0		18
19	7.1	tr	tr	-	-	-	4.2	-	-	0.5	-	2.3		19
20	17.1	-	-	-	-	1.5	tr	14.3	0.4	-	-	0.2		20
21	1.7	3.5	2.1	-	-	0.2	1.0	-	0.3	-	-	-		21
22	6.1	2.9	1.1	tr	-	8.5	0.5	-	-	-	1.1	-		22
23	tr	0.3	2.9	4.7	-	0.3	1.2	0.2	-	-	16.9	-		23
24	13.6	tr	1.8	3.6	-	4.6	0.9	-	-	-	0.2	-		24
25	23.3	9.3	1.1	6.1	-	-	2.1	-	-	1.5	11.6	-		25
26	0.2	-	-	-	-	-	-	0.4	-	2.4	5.6	-		26
27	tr	2.0	1.6	0.2	-	2.6	-	-	-	0.5	3.5	tr		27
28	-	10.4	0.2	0.9	-	0.4	-	-	-	-	7.4	5.0		28
29	-	-	0.7	1.1	-	tr	1.6	-	-	3.6	9.3	tr		29
30	-	~~X~~	-	19.0	-	-	-	-	-	11.1	0.6	0.2		30
31	-	~~X~~	-	~~X~~	-	~~X~~	0.2	-	~~X~~	12.0	~~X~~	-		31
TOTAL	145.2	41.2	37.9	47.2	39.5	45.1	61.6	48.2	23.8	221.5	202.8	43.2	987.2	
* Days with 0.2 mm. or more.	22	13	17	17	7	16	21	11	9	20	26	15	194	
* Days with 1.0 mm. or more.	19	8	11	12	6	10	15	8	4	17	20	13	143	

(141w)

* See Instruction 2 (f) on other side.

Spare column, no entries required, except year's total.

40-9999. 5.72 1.62 1.49 3.04 1.56 1.78 2.43 (Signed) 1.90 94 8.72 7.98 1.70 38.28 P.T.O.

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No. 592 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1934

Kept at Ventnor (R.N. Hospital).....

in the County of I. S. Wight. Hants.....

Diameter of Funnel of Gauge.....2.....in.

Height of top of Gauge above Ground.....1.....ft. 0.....in.

„ Ground „ Sea Level.....60.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	-	tr	-	-	tr	-	-	-	-	-	2.2	-		1
2	-	12.4	-	3.2	2.9 ¹¹	-	0.8 ⁰³	-	-	tr	12.0	2.5		2
3	0.6	8.8	-	-	-	-	-	-	-	8.5	25.4	5.2		3
4	0.9	2.2	-	0.3	-	-	12.9	-	-	12.4	1.1	2.0		4
5	-	0.5	-	-	-	-	1.8	-	-	tr	16.3	3.0		5
6	18.8	4.6	-	-	0.3 ⁰¹	-	3.2	-	-	11.9	4.4	2.7		6
7	4.0	6.0	-	0.2	-	-	tr	-	-	tr	-	-		7
8	-	tr	-	0.3	-	-	-	-	0.9 ⁰⁴	6.5	4.7	8.0		8
9	-	-	-	tr	-	-	-	0.2 ⁰¹	1.0 ⁰⁴	4.2	9.3	5.8		9
10	-	-	-	-	-	-	10.7	tr	tr	8.4	2.2	1.6		10
11	-	1.7	0.3	tr	-	-	-	-	-	-	27.8	-		11
12	-	0.9	2.4	tr	-	tr	3.2	-	18.4	-	tr	-		12
13	-	0.2	18.1	tr	-	tr	-	tr	1.5	1.8	49.3	-		13
14	-	tr	6.2	0.3	-	-	18.6	tr	2.9	2.3	1.4	10.0		14
15	-	tr	tr	1.1	0.4 ⁰²	-	10.7	-	1.9	-	24.8	tr		15
16	tr	16.9	13.2	tr	-	0.6 ⁰⁴	0.3	-	2.6	9.9	24.6	1.7		16
17	-	-	10.9	-	-	-	1.6	-	-	-	6.2	tr		17
18	0.7 ⁰³	10.8	4.1	4.9	-	-	tr	-	1.5	5.9	1.4	3.5		18
19	-	1.8	0.3	1.8	-	-	0.2	-	24.7	-	5.4	tr		19
20	-	tr	-	0.2 ⁰¹	-	-	-	-	2.7	8.8	0.5	tr		20
21	tr	tr	tr	-	tr	-	-	-	0.3	tr	8.4	-		21
22	-	-	0.5	tr	-	4.6 ⁰⁸	tr	-	4.5	0.3	tr	-		22
23	-	4.6	3.4	0.3 ⁰¹	tr	tr	tr	-	-	0.9	1.7	-		23
24	-	tr	0.2	-	-	-	8.7	-	-	-	tr	tr		24
25	-	tr	19.9	3.7 ¹²	1.1 ⁰⁴	0.8 ⁰³	1.6 ⁰⁶	-	-	-	-	-		25
26	33.4	5.7	8.8	tr	9.6 ²⁸	-	3.1 ¹²	-	-	-	-	-		26
27	14.0	8.4	tr	-	1.5 ⁰⁶	-	2.4 ⁰⁴	-	-	-	-	-		27
28	14.4	0.3	-	tr	2.1 ⁰⁸	-	-	-	-	4.6	-	-		28
29	16.4	11.2	2.5	6.8 ⁰⁷	2.1 ⁰⁸	-	-	-	-	tr	-	7.4		29
30	1.0	✕	0.3	0.6 ⁰⁴	-	-	-	-	-	5.0	-	3.4		30
31	0.4	✕	-	✕	-	✕	-	-	✕	9.2	✕	4.6		31
TOTAL	104.6	100.0	91.6	23.1	20.0	6.0	79.8	0.2	62.9	100.6	229.1	61.4	879.3	Year's Total
* Days with 0.2 mm. or more.	11	17	15	13	8	3	15	1	12	16	20	14	145	
* Days with 1.0 mm. or more.	7	13	10	6	6	1	12	0	10	14	19	14	112	

(141w)

* See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

4.12 3.94 3.61 91/ 79 24

3.14 (Signed)

248 396 902 242

34.64 ✓

[P.T.O.]

Kept at Ventnor Park.
in the County of Isle of Wight

Diameter of Funnel of Gauge Five
Height of top of Gauge above Ground
Ground Sea Level

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

592/5
COPY FOR OFFICIAL USE.
FALL ORGANIZATION.

31.

Jan. 1, following

DAY.
the following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	---	Trace	Trace	.52	---	---	---	.03	.19	.01	---	---	1
2	.18	.03	---	.58	---	---	---	.11	.30	Trace	---	.05	2
3	.11	Trace	.72	.01	.17	---	Trace	Trace	.63	---	---	.11	3
4	Trace	---	.02	---	.20	---	.22	.05	.11	.16	.12	Trace	4
5	---	.22	---	.27	---	.42	.01	.13	.01	Trace	.07	.13	5
6	---	.06	---	.15	.02	.09	---	Trace	Trace	Trace	.16	.17	6
7	---	Trace	---	Trace	.47	.19	---	.09	.01	.06	.22	.01	7
8	---	.11	---	Trace	.01	.42	Trace	.09	---	.05	.05	.18	8
9	---	.16	---	---	---	.01	.02	Trace	---	Trace	.71	.01	9
10	---	.15	---	---	Trace	.15	.05	.04	---	---	.87	---	10
11	.19	.24	---	---	.01	.01	---	Trace	.03	Trace	.23	---	11
12	.07	.01	---	---	Trace	Trace	.04	Trace	.29	---	.01	---	12
13	.08	---	Trace	---	---	Trace	Trace	---	---	---	---	---	13
14	.02	.20	Trace	---	.01	.02	.53	.30	.17	---	Trace	---	14
15	.02	.06	---	.01	.10	---	.06	.42	.02	---	---	.02	15
16	---	.06	---	.12	.27	.01	Trace	.01	.08	---	---	---	16
17	---	.10	---	.06	---	---	.75	---	.13	Trace	Trace	---	17
18	.04	Trace	.03	.07	---	.05	.04	.68	Trace	.01	.24	---	18
19	.22	Trace	---	.13	---	.07	.03	.16	---	---	---	---	19
20	Trace	.24	.03	.14	---	---	---	.19	---	Trace	.08	---	20
21	.01	---	.04	---	.23	Trace	---	Trace	---	---	.01	---	21
22	.26	Trace	.22	---	Trace	---	---	---	---	---	.01	---	22
23	.29	---	Trace	.03	.26	Trace	---	---	Trace	---	.22	---	23
24	.02	---	---	.47	.05	.05	.21	.55	Trace	---	Trace	Trace	24
25	.10	Trace	---	.08	.04	---	.5	---	Trace	---	.05	---	25
26	---	.08	---	.06	Trace	---	.33	---	Trace	---	.47	.01	26
27	.22	.20	---	Trace	1.18	---	Trace	---	---	.01	.19	---	27
28	.04	.06	Trace	.01	Trace	---	---	---	---	.04	.01	.06	28
29	.10	---	.01	Trace	.18	---	.04	.06	---	.02	Trace	Trace	29
30	Trace	X	.02	---	Trace	---	.01	.02	Trace	---	.03	---	30
31	.24	X	---	X	.08	X	---	---	X	---	X	.03	31
TOTAL	2.21	1.98	1.10	2.98	3.28	1.49	2.59	2.93	1.97	.36	3.75	.78	YEAR'S TOTAL
*Days with or in. or more.	4	2	5	4	4	4	4	3	3	4	5	5	47
*Days with or in. or more.	14	14	3	12	12	8	11	13	9	4	14	6	120

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at Ventnor Park.
in the County of Isle of Wight
Diameter of Funnel of Gauge Five in.
Height of top of Gauge above Ground --- ft. Six in.
Ground Sea Level 196.13 ft.

low up 1929
up 1930

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	---	Trace	Trace	.52	---	---	---	.03	.19	.01	---	---	1
2	.18	.03	---	.58	---	---	---	.11	.30	Trace	---	.05	2
3	.11	Trace	.72	.01	.17	---	Trace	Trace	.63	---	---	.11	3
4	Trace	---	.02	---	.20	---	.22	.05	.11	.16	.12	Trace	4
5	---	.22	---	.27	---	.42	.01	.13	.01	Trace	.07	.13	5
6	---	.06	---	.15	.02	.09	---	Trace	Trace	Trace	.16	.17	6
7	---	Trace	---	Trace	.47	.19	---	.09	.01	.06	.22	.01	7
8	---	.11	---	Trace	.01	.42	Trace	.09	---	.05	.05	.18	8
9	---	.16	---	---	---	.01	.02	Trace	---	Trace	.71	.01	9
10	---	.15	---	---	Trace	.15	.05	.04	---	---	.87	---	10
11	.19	.24	---	---	.01	.01	---	Trace	.03	Trace	.23	---	11
12	.07	.01	---	---	Trace	Trace	.04	Trace	.29	---	.01	---	12
13	.08	---	Trace	---	---	Trace	Trace	---	---	---	---	---	13
14	.02	.20	Trace	---	.01	.02	.53	.30	.17	---	Trace	---	14
15	.02	.06	---	.01	.10	---	.06	.42	.02	---	---	.02	15
16	---	.06	---	.12	.27	.01	Trace	.01	.08	---	---	---	16
17	---	.10	---	.06	---	---	.75	---	.13	Trace	Trace	---	17
18	.04	Trace	.03	.07	---	.05	.04	.68	Trace	.01	.24	---	18
19	.22	Trace	---	.13	---	.07	.03	.16	---	---	---	---	19
20	Trace	.24	.03	.14	---	---	---	.19	---	Trace	.08	---	20
21	.01	---	.04	---	.23	Trace	---	Trace	---	---	.01	---	21
22	.26	Trace	.22	---	Trace	---	---	---	---	---	.01	---	22
23	.29	---	Trace	.03	.26	Trace	---	---	Trace	---	.22	---	23
24	.02	---	---	.47	.05	.05	.21	.55	Trace	---	Trace	Trace	24
25	.10	Trace	---	.08	.04	---	.25	---	Trace	---	.05	---	25
26	---	.08	---	.06	Trace	---	.33	---	Trace	---	.47	.01	26
27	.22	.20	---	Trace	1.18	---	Trace	---	---	.01	.19	---	27
28	.04	.06	Trace	.01	Trace	---	---	---	---	.04	.01	.06	28
29	.10	Trace	.01	Trace	.18	---	.04	.06	---	.02	Trace	Trace	29
30	Trace	X	.02	---	Trace	---	.01	.02	Trace	---	.03	---	30
31	.24	X	---	X	.08	X	---	---	X	---	X	.03	31
TOTAL	2.21	1.98	1.10	2.98	3.28	1.49	2.59	2.93	1.97	.36	3.75	.78	YEAR'S TOTAL
*Days with or in. or more.	4	2	5	4	4	4	4	3	3	4	5	5	47
*Days with or more.	14	14	3	12	12	8	11	13	9	4	14	6	120

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

THE SURVEYOR

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Met. Station. Ventnor. Park.
in the County of Isle of Wight.

Diameter of Funnel of Gauge ~~5~~ in. 5"
Height of top of Gauge above Ground ~~6~~ ft. 6" in.
Ground Sea Level 196 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.01	---	.09	.62								1
2	Trace	0	---	.24	.02								2
3	.02	---	---	.20	.03								3
4	.01	---	Trace	---	---								4
5	.22	Trace	Trace	---	---								5
6	.38	---	---	.08	Trace								6
7	.07	---	---	.02	Trace								7
8	---	---	.27	.01	.33								8
9	.01	Trace	Trace	.14	.12								9
10	.13	Trace	Trace	.29	.06								10
11	.37	Trace	Trace	.01	.02								11
12	.20	---	Trace	Trace	.19								12
13	.04	---	---	.15	.09								13
14	.31	---	---	Trace	.87								14
15	.01	Trace	---	.02	---								15
16	.25	---	---	.13	---								16
17	.01	---	---	.01	---								17
18	.01	---	---	Trace	.07								18
19	Trace	---	---	Trace	Trace								19
20	---	---	.02	.07	Trace								20
21	.02	---	.04	---	1.13								21
22	.01	Trace	.18	---	.06								22
23	Trace	Trace	---	---	.28								23
24	---	.02	---	---	.01								24
25	---	---	---	Trace	Trace								25
26	---	---	.09	.08	---								26
27	---	---	.18	.23	.14								27
28	---	---	Trace	.02	.02								28
29	---	---	.21	.06	.10								29
30	Trace	X	.12	.17	---								30
31	---	X	---	X	---	X			X		X		31
TOTAL	2.19	.03	1.11	2.02	4.16	= 9.51 + 22.54 =							31.90
*Days with .01 in. or more.	8	2	1	6	5	= 22 + 14 =							36
*Days with .04 in. or more.	10	---	4	13	13	= 43 + 52 =							95

Kept at **Ventnor Cemetery**
in the County of **Isle of**
Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea

592/6
VENTNOR CEMETARY
1932 - 1940

14/11/11

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of the

Jan. 1, following

780112

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						---	---	---	Trace	.02	.17	---	1
2						---	---	.10	.04	Trace	Trace	.43	2
3						.66	Trace	---	.44	Trace	---	Trace	3
4						.34	.04	Trace	---	---	Trace	---	4
5						Trace	Trace	---	.04	---	---	---	5
6						---	Trace	---	.41	Trace	---	---	6
7						---	---	---	Trace	.16	---	---	7
8						---	---	---	.10	.36	---	---	8
9						---	---	---	---	.03	---	---	9
10						.13	---	---	.03	.17	Trace	Trace	10
11						Trace	Trace	---	Trace	.06	Trace	.02	11
12						Trace	---	Trace	.13	.28	---	Trace	12
13						---	.21	Trace	Trace	1.02	.01	.06	13
14						---	---	---	---	---	.75	Trace	14
15						---	Trace	---	---	.10	.01	Trace	15
16						---	Trace	---	---	Trace	.01	.01	16
17						---	.03	---	.02	Trace	---	---	17
18						---	.06	---	Trace	---	.08	Trace	18
19						---	Trace	---	.05	.40	Trace	Trace	19
20						---	---	.46	Trace	1.68	Trace	---	20
21						---	---	.05	.39	.30	.13	.13	21
22						---	---	.60	.40	.23	.40	.26	22
23						---	.32	---	.09	.74	.40	---	23
24						---	1.42	---	.26	.07	Trace	Trace	24
25						---	.50	---	.05	.48	Trace	Trace	25
26						---	Trace	---	---	.04	.02	Trace	26
27						Trace	.03	---	Trace	.99	.02	Trace	27
28						Trace	.36	---	---	Trace	Trace	.01	28
29						.03	Trace	Trace	.50	1.26	Trace	.12	29
30		X				.81	.13	---	.16	---	Trace	.21	30
31		X		X		X	.07	Trace	X	Trace	X	.26	31
TOTAL						1.97	3.17	1.21	3.11	8.93	2.44	1.51	YEAR'S TOTAL
*Days with or in. or more.						X ⁵	X ¹¹	X ⁴	X ¹⁶	X ¹⁹	X ¹¹	X ¹⁰	14
*Days with or in. or more.						4	9	14	14	17	4	4	52

40-9999

*See Instruction 2 (f) on other side.

(Signed)

NX THE SURVEYOR

[P.T.O.]

REGISTER OF RAINFALL IN 1933.

Kept at **Ventnor Cemetery**
in the County of **Isle of Wight**.

Diameter of Funnel of Gauge **6** in.
Height of top of Gauge above Ground **1** ft. **0** in.
Ground Sea Level **420.00** (approx)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						---	---	---	Trace	.02	.17	---	1
2						---	---	.10	.04	Trace	Trace	.43	2
3						.66	Trace	---	.44	Trace	---	Trace	3
4						.34	.04	Trace	---	---	Trace	---	4
5						Trace	Trace	---	.04	---	---	---	5
6						---	Trace	---	.41	Trace	---	---	6
7						---	---	---	Trace	.16	---	---	7
8						---	---	---	.10	.36	---	---	8
9						---	---	---	---	.03	---	---	9
10						.13	---	---	.03	.17	Trace	Trace	10
11						Trace	Trace	---	Trace	.06	Trace	.02	11
12						Trace	---	Trace	.13	.28	---	Trace	12
13						---	.21	Trace	Trace	1.02	.01	.06	13
14						---	---	---	---	---	.75	Trace	14
15						---	Trace	---	---	.10	.01	Trace	15
16						---	Trace	---	---	Trace	.07	.01	16
17						---	.03	---	.02	Trace	---	---	17
18						---	.06	---	Trace	---	.08	Trace	18
19						---	Trace	---	.05	.40	Trace	Trace	19
20						---	---	.46	Trace	1.68	Trace	---	20
21						---	---	.05	.39	.30	.18	.13	21
22						---	---	.60	.40	.23	.40	.26	22
23						---	.32	---	.09	.74	.02	---	23
24						---	1.42	---	.26	.07	Trace	Trace	24
25						---	.50	---	.05	.48	Trace	Trace	25
26						---	Trace	---	---	.04	.02	Trace	26
27						Trace	.03	---	Trace	.99	.02	Trace	27
28						Trace	.36	---	---	Trace	Trace	.01	28
29						.03	Trace	Trace	.50	1.26	Trace	.12	29
30		X				.81	.13	---	.16	---	Trace	.21	30
31		X		X		X	.07	Trace	X	Trace	X	.26	31
TOTAL						1.97	3.17	1.21	3.11	8.93	2.44	1.51	YEAR'S TOTAL
*Days with or in. or more.						X ⁵	X ¹¹	X ⁴	X ¹⁶	X ⁸	X ¹¹	X ¹⁰	
*Days with or in. or more.						4	9	14	14	17	4	7	

Section

A

for the entry of Daily Observations.

Station No. 592/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at VENTNOR (CEMETERY)in the County of ISLE OF WIGHTDiameter of Funnel of Gauge 6" in.Height of top of Gauge above Ground 12" inGround Sea Level 430 (approx) ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	~~.12~~ ^{.84}	.10	---	)))	---	---	---	---	trace	.01	.11	1
2	Trace	---	.72	---	.41	---	---	---	---	---	.01	---	2
3	.06	.23	.16	---	---	---	---	---	---	---	.02	---	3
4	.38	.05	---	---	.35	---	---	---	---	---	---	---	4
5	Trace	trace	.37	---	---	---	---	---	---	---	---	---	5
6	---	.29	trace	---	.27	---	---	---	---	.06	.38	---	6
7	.09	---	trace	---	---	---	---	---	---	.26	---	.01	7
8	.06	---	---	---	.04	---	.32	---	---	.08	---	---	8
9	---	.02	---	---	.02	---	.32	---	---	---	.09	---	9
10	---	.22	---	---	.04	---	.06	.02	---	.35	---	---	10
11	.37	---	---	---	---	.03	trace	.06	---	---	trace	.50	11
12	---	---	---	.01	.03	---	trace	---	1.98	---	---	trace	12
13	Trace	---	---	---	.03	---	.36	.01	.02	.08	.22	---	13
14	---	---	---	---	---	---	.03	---	---	.50	.47	---	14
15	.39	---	.11	---	---	---	.06	.50	---	.31	.02	---	15
16	---	trace	.64	---	---	.12	---	---	---	.02	.01	---	16
17	---	trace	.32	---	---	.02	---	.20	.15	---	.01	---	17
18	.36	trace	.23	---	---	.39	---	---	---	---	trace	---	18
19	---	trace	.13	.07	---	.02	---	---	.30	---	.10	.03	19
20	---	.03	trace	.01	---	.17	---	.02	.26	---	trace	trace	20
21	---	trace	---	---	trace	---	---	.18	.18	trace	trace	---	21
22	---	---	---	---	---	.02	---	.21	.44	.22	.02	---	22
23	---	trace	---	.80	trace	.20	---	---	.47	.27	---	---	23
24	---	.35	---	.43	trace	.09	---	---	.10	---	---	---	24
25	---	.83	---	.50	.09	---	---	---	.04	---	trace	.25	25
26	---	.21	---	.14	.13	---	---	---	.47	.05	trace	trace	26
27	---	---	---	---	.82	---	.01	---	.02	.35	trace	.40	27
28	Trace	---	---	.01	---	.03	.19	---	.02	.05	---	.01	28
29	Trace	---	---	.05	.05	---	trace	---	---	trace	---	.03	29
30	.02	X	---	---	---	---	.04	---	.11	---	---	.07	30
31	.17	X	---	X	---	X	---	---	X	.03	X	---	31
TOTAL	1.94	3.27	2.78	1.74	2.28	1.09	1.40	1.20	4.46	2.63	1.06	.42	YEAR'S TOTAL
*Days with or more.	X 10	X 10	X 9	X 9	X 12	X 10	X 9	X 8	X 14	X 14	X 12	X 10	127
*Days with or more.	9	8	9	6	9	5	7	5	11	12	5	5	91

40-9999

*See Instruction 2 (f) on other side.

(Signed)

THE SURVEYOR

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. **592/6**

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

Kept at **Ventnor**

in the County of **Wants**

Diameter of Funnel of Gauge **5** in.

Height of top of Gauge above Ground **1** ft **0** in.

Ground Sea Level **44** ft.

Get Partics from Room 25

Jan. 1, following

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3		.01								.55				3
4														4
5														5
6					.20									6
7														7
8									.87		1.50			8
9														9
10														10
11	.86													11
12		.01												12
13														13
14												.88		14
15														15
16														16
17														17
18														18
19			.41											19
20														20
21														21
22														22
23				.44		.42								23
24		.01					.25							24
25		.01												25
26														26
27														27
28								.72						28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	2.93	0.04	2.56	2.36	.76	1.19	0.32	1.71	3.10	2.24	4.12	9.27	Year's Total	30.60
*Days with .01 in. or more.	19	4	15	12	8	6	4	12	13	17	13	28		151
*Days with .04 in. or more.	11	0	14	10	6	4	1	9	11	10	7	24		107

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Sect

A

for the entry of Daily Observations.

Station No.

592/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Ventnor Public Park*in the County of *Isle of Wight*

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

,, Ground ,, Sea Level *111.5* ft.*(Rainfall taken at Cemetery)**2.0.75*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							.22							1
2														2
3										.97				3
4								.88						4
5														5
6														6
7				.61							1.72			7
8														8
9						.61								9
10	1.44		.58											10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19					.56									19
20														20
21														21
22														22
23														23
24		.72												24
25														25
26														26
27														27
28														28
29														29
30		X						1.45				.79		30
31		X		X		X			X		X			31
TOTAL	2.12	3.56	1.37	3.69	1.44	2.72	0.28	3.44	4.36	4.10	8.56	4.25	40.19	
*Days with ".01 in. or more.	10	19	9	15	12	20	2	12	23	24	21	18	185	
*Days with ".04 in. or more.	7	14	7	15	6	14	2	10	19	16	17	16	143	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.
(Signed)

[P.T.O.]

Section **A**

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. **593/6**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

224/5

Kept at **Ventnor Park (bemetery)**

in the County of **Isle of Wight**

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level **445** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.43										1
2								.12						2
3				.43										3
4														4
5														5
6														6
7														7
8			0.31											8
9														9
10														10
11		.78									1.41			11
12														12
13														13
14							.83							14
15														15
16														16
17												.56		17
18						1.28								18
19														19
20									1.16					20
21														21
22														22
23														23
24					.09									24
25			0.31											25
26														26
27														27
28	.68													28
29										.40				29
30		X												30
31		X		X		X			X		X			31
TOTAL	5.09	2.80	2.38	1.97	0.23	5.16	4.04	0.30	3.36	1.52	5.47	2.75	35.07	✓
* Days with .01 in. or more.	21	15	16	11	4	16	19	5	16	13	18	18	172	✓
* Days with .04 in. or more.	19	12	14	9	2	14	14	3	11	10	17	14	139	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

224/5

592/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 0.

REGISTER OF RAINFALL IN 1937.

Kept at *Ventnor Park (Gymnasium)*
in the County of *Isle of Wight*

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground....1 ft. 0 in.

,, Ground ,, Sea Level 44.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.97										.87			1
2														2
3														3
4														4
5														5
6			1.27											6
7														7
8														8
9									.82					9
10					.59									10
11														11
12								.83						12
13						.36								13
14														14
15				.30			.62							15
16														16
17												2.04		17
18														18
19														19
20														20
21														21
22										.78				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X		X		X				31
TOTAL	✓ 6.09	✓ 5.37	✓ 4.20	✓ 2.12	✓ 1.94	✓ .82	✓ 1.62	✓ 1.83	✓ 3.04	✓ 2.37	✓ 2.10	✓ 6.15	Year's Total 37.65	✓
* Days with .01 in. or more.	25	22	16	15	12	10	10	6	11	13	11	20	171	✓
* Days with .04 in. or more.	22	20	14	14	10	6	7	3	11	9	8	18	142	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 592/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 90

REGISTER OF RAINFALL IN 1938

Kept at ... Ventnor Cemetery

in the County of ... Isle of Wight

Diameter of Funnel of Gauge ... 5 in.

Height of top of Gauge above Ground ... 1 ft. 0 in.

Ground Sea Level ... 445 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									31					1
2										1.00				2
3														3
4														4
5														5
6														6
7							39							7
8														8
9														9
10														10
11														11
12	52													12
13														13
14														14
15														15
16												46		16
17														17
18														18
19														19
20														20
21														21
22								82						22
23														23
24														24
25			22								82			25
26		24												26
27					25	17								27
28														28
29														29
30		X		01										30
31		X		X		X			X		X			31
TOTAL	3.89	1.08	.51	.01	1.34	5.44	1.53	1.66	2.14	4.76	4.86	3.42	Year's Total	25.67
* Days with .01 in. or more.	24	10	5	1	13	8	13	8	15	20	21	21		159
* Days with .04 in. or more.	20	9	4	0	9	4	9	7	11	14	16	18		121

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [Signature] [P.F.O.]

Section

A

for the entry of Daily Observations

Station No.

592/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at *Wentnor, Weymouth*in the County of *Isle of Wight*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level 44.5.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2									.33					2
3				.77								.29		3
4			.52											4
5														5
6														6
7														7
8														8
9											1.19			9
10														10
11														11
12														12
13										2.04				13
14														14
15					.74	.65								15
16														16
17														17
18							.69							18
19														19
20								.47						20
21														21
22														22
23														23
24														24
25	.91	.38												25
26														26
27														27
28														28
29														29
30		~~X~~												30
31		~~X~~		~~X~~		~~X~~			~~X~~		~~X~~			31
TOTAL	5.65	1.59	1.46	2.56	1.66	1.84	2.42	2.09	.87	8.72	8.67	1.70	39.23	Year's Total
* Days with .01 in. or more.	22	11	18	16	7	15	20	11	8	20	25	15	188	
* Days with .04 in. or more.	19	7	10	13	7	10	13	10	4	17	20	13	143	

† Spare column, no entries required.

(Signed) P.T.O.

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at *Ventnor & Cemetery*

in the County of *Dorset*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6										.57				6
7														7
8														8
9								.01						9
10														10
11														11
12														12
13			.75								1.89			13
14							.67					.35		14
15														15
16														16
17														17
18														18
19									.93					19
20														20
21														21
22						.20								22
23														23
24														24
25			.75											25
26	1.23				.39									26
27														27
28														28
29		.62		.24								.35		29
30		X												30
31		X		X		X			X		X			31
TOTAL	3.85	3.90	3.69	4.89	.60	.22	3.23	.01	2.48	4.38	9.04	2.57	36.06	✓
* Days with .01 in. or more.	11	17	13	10	8	2	13	1	13	17	22	14	141	✓
* Days with .04 in. or more.	8	13	10	5	5	1	12	0	9	16	18	13	110	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section **A** for the entry
AIR MINIS
FORM 1090.

REGI

Kept at Fern Bank
in the County of Hamp

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEAN

An observer who does not conform
year in the space on the right of this paragraph.

593
BENCHURCH
FERN BANK
1931 - 1932

593
FOR OFFICIAL USE.
FALL ORGANIZATION.

03/ .

780112

DAY.

the following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			Trace	58		Trace		04	18	02		Trace	1
2	20	04		60		Trace	Trace	06	40	02		05	2
3	14		17	03	22		02	04	28		Trace	18	3
4		Trace	04		17		27	05	07	22	11	Trace	4
5		24		29		50	03	11	02	01	05	17	5
6		07		18	02	09		02	02	44	10	16	6
7				Trace	43	26		12		09	28	01	7
8	Trace	17		01	02	45	Trace	10		05	07	24	8
9	Trace	29	Trace	Trace	Trace	02	03	Trace			90	01	9
10	Trace	17	Trace	Trace	Trace	18	07	01		Trace	88		10
11	20	31			03	02	Trace	02	03		27		11
12	04	01			Trace		07	Trace	30				12
13	07				Trace	Trace	Trace	Trace					13
14	03	16			02	03	62	27	17		Trace		14
15	02	06		02	12		10	60	03			03	15
16		06		13	32	01		02	08				16
17		09		07			16	Trace	12				17
18	05	01	04	07		11	08	17	03	02	35		18
19	19			12		05	05	20				Trace	19
20		28	03	12				27		Trace	04		20
21	01		05		26	Trace				Trace	03		21
22	27	Trace	25		01						01		22
23	36	Trace		03	25	Trace			Trace	Trace	30	Trace	23
24	01		Trace	55	12	10	25	56			01	01	24
25	10	01		07	09		26				08		25
26		11		09	Trace		43				48	02	26
27	28	25		Trace	1.50		03			02	18		27
28	06	09	Trace	05	01					02		10	28
29	09		02		49		09	09		02	Trace	Trace	29
30	Trace	X	02		01			03	Trace		05		30
31	36	X		X	13	X	01		X		X	02	31
TOTAL	2.50	2.45	1.22	3.03	4.22	1.82	3.17	3.38	2.18	1.93	4.19	1.00	2.09
*Days with or in. or more.	18	18	8	17	19	12	17	19	13	11	18	12	182
*Days with 04 in. or more.	14	15	5	13	12	8	12	14	8	4	15	6	124

40-9999

*See Instruction 2 (f) on other side.

(Signed) Arthur Maycliffe [P.T.O.]

Section

A

for the entry of Daily Observations.

593
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/.

Kept at *Turn Bank, Banchurch*
in the County of *Hampshire*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *5* in.,, Ground ,, Sea Level *about 250* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Trace	Trace	Trace	58	Trace	Trace	Trace	04	18	02	Trace	Trace	1
2	20	04	Trace	60	Trace	Trace	Trace	06	40	02	Trace	05	2
3	14	Trace	11	03	22	Trace	02	04	18	Trace	Trace	18	3
4	Trace	Trace	04	Trace	17	Trace	24	05	07	22	11	Trace	4
5	Trace	24	Trace	29	Trace	50	03	11	02	01	05	17	5
6	Trace	04	Trace	18	02	09	Trace	02	02	44	10	16	6
7	Trace	Trace	Trace	Trace	43	26	Trace	12	Trace	09	28	01	7
8	Trace	17	Trace	01	02	45	Trace	10	Trace	05	04	24	8
9	Trace	29	Trace	Trace	Trace	02	03	Trace	Trace	Trace	90	01	9
10	Trace	17	Trace	Trace	Trace	18	07	01	Trace	Trace	88	Trace	10
11	20	31	Trace	Trace	03	02	Trace	02	03	Trace	24	Trace	11
12	04	01	Trace	Trace	Trace	Trace	07	Trace	30	Trace	Trace	Trace	12
13	04	Trace	Trace	Trace	Trace	Trace	Trace	Trace	Trace	Trace	Trace	Trace	13
14	03	16	Trace	Trace	02	03	62	24	44	Trace	Trace	Trace	14
15	02	06	Trace	02	12	Trace	10	60	03	Trace	Trace	03	15
16	Trace	06	Trace	13	32	01	Trace	02	08	Trace	Trace	Trace	16
17	Trace	09	Trace	07	Trace	Trace	16	Trace	12	Trace	Trace	Trace	17
18	05	01	04	04	Trace	11	08	44	03	02	35	Trace	18
19	19	Trace	Trace	12	Trace	05	05	20	Trace	Trace	Trace	Trace	19
20	Trace	28	03	12	Trace	Trace	Trace	24	Trace	Trace	04	Trace	20
21	01	Trace	05	Trace	26	Trace	Trace	Trace	Trace	Trace	03	Trace	21
22	27	Trace	25	Trace	01	Trace	Trace	Trace	Trace	Trace	01	Trace	22
23	36	Trace	Trace	03	25	Trace	Trace	Trace	Trace	Trace	30	Trace	23
24	01	Trace	Trace	55	12	10	25	56	Trace	Trace	01	01	24
25	10	01	Trace	09	09	Trace	26	Trace	Trace	Trace	08	Trace	25
26	Trace	11	Trace	09	Trace	Trace	43	Trace	Trace	Trace	48	02	26
27	28	25	Trace	Trace	1.50	Trace	03	Trace	Trace	02	18	Trace	27
28	06	09	Trace	05	01	Trace	Trace	Trace	Trace	02	Trace	10	28
29	09	Trace	02	Trace	49	Trace	09	09	Trace	02	Trace	Trace	29
30	Trace	X	02	Trace	01	Trace	Trace	03	Trace	Trace	05	Trace	30
31	36	X	Trace	X	13	X	01	Trace	X	Trace	X	02	31
TOTAL	2.50	2.45	1.22	3.03	4.22	1.82	3.17	3.38	2.18	1.93	4.19	1.00	2.09
*Days with or more.	18	18	8	17	19	12	17	19	13	11	18	12	182
*Days with or more.	14	15	5	13	12	8	12	14	8	4	15	6	124

40-9999

*See Instruction 2 (f) on other side.

(Signed) *Arthur Day J. Liffé* [P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1921/1932

Kept at *Fern Bank, Banchurch, Lifford*

in the County of *Hampshire*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *5* ft.

Ground Sea Level *about 250* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>14</i>	<i>Trace</i>	<i>"</i>	<i>10</i>	<i>80</i>	<i>"</i>	<i>"</i>	<i>01</i>	<i>Trace</i>	<i>06</i>	<i>23</i>	<i>"</i>	1
2	<i>"</i>	<i>Trace</i>	<i>"</i>	<i>24</i>	<i>03</i>	<i>"</i>	<i>"</i>	<i>04</i>	<i>02</i>	<i>Trace</i>	<i>01</i>	<i>45</i>	2
3	<i>02</i>	<i>"</i>	<i>"</i>	<i>24</i>	<i>04</i>	<i>59</i>	<i>Trace</i>	<i>"</i>	<i>56</i>	<i>04</i>	<i>Trace</i>	<i>01</i>	3
4	<i>02</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>34</i>	<i>01</i>	<i>Trace</i>	<i>"</i>	<i>Trace</i>	<i>"</i>	<i>"</i>	4
5	<i>29</i>	<i>"</i>	<i>Trace</i>	<i>"</i>	<i>"</i>	<i>01</i>	<i>02</i>	<i>"</i>	<i>16</i>	<i>Trace</i>	<i>"</i>	<i>"</i>	5
6	<i>50</i>	<i>"</i>	<i>Trace</i>	<i>11</i>	<i>"</i>	<i>"</i>	<i>Trace</i>	<i>"</i>	<i>24</i>	<i>"</i>	<i>"</i>	<i>"</i>	6
7	<i>08</i>	<i>"</i>	<i>Trace</i>	<i>06</i>	<i>07</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>02</i>	<i>19</i>	<i>"</i>	<i>"</i>	7
8	<i>Trace</i>	<i>"</i>	<i>25</i>	<i>03</i>	<i>31</i>	<i>"</i>	<i>Trace</i>	<i>Trace</i>	<i>14</i>	<i>14</i>	<i>"</i>	<i>"</i>	8
9	<i>05</i>	<i>"</i>	<i>"</i>	<i>21</i>	<i>16</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>03</i>	<i>02</i>	<i>"</i>	9
10	<i>21</i>	<i>02</i>	<i>01</i>	<i>86</i>	<i>08</i>	<i>04</i>	<i>"</i>	<i>"</i>	<i>04</i>	<i>18</i>	<i>01</i>	<i>02</i>	10
11	<i>32</i>	<i>Trace</i>	<i>"</i>	<i>01</i>	<i>03</i>	<i>01</i>	<i>Trace</i>	<i>"</i>	<i>Trace</i>	<i>08</i>	<i>Trace</i>	<i>02</i>	11
12	<i>35</i>	<i>Trace</i>	<i>"</i>	<i>01</i>	<i>"</i>	<i>02</i>	<i>"</i>	<i>Trace</i>	<i>14</i>	<i>32</i>	<i>Trace</i>	<i>Trace</i>	12
13	<i>09</i>	<i>"</i>	<i>"</i>	<i>21</i>	<i>13</i>	<i>"</i>	<i>23</i>	<i>01</i>	<i>"</i>	<i>106</i>	<i>01</i>	<i>02</i>	13
14	<i>32</i>	<i>"</i>	<i>"</i>	<i>01</i>	<i>10</i>	<i>"</i>	<i>"</i>	<i>03</i>	<i>"</i>	<i>01</i>	<i>04</i>	<i>"</i>	14
15	<i>02</i>	<i>"</i>	<i>"</i>	<i>03</i>	<i>77</i>	<i>"</i>	<i>Trace</i>	<i>"</i>	<i>Trace</i>	<i>11</i>	<i>02</i>	<i>01</i>	15
16	<i>34</i>	<i>Trace</i>	<i>"</i>	<i>12</i>	<i>"</i>	<i>"</i>	<i>04</i>	<i>"</i>	<i>"</i>	<i>Trace</i>	<i>"</i>	<i>Trace</i>	16
17	<i>02</i>	<i>"</i>	<i>"</i>	<i>02</i>	<i>"</i>	<i>"</i>	<i>06</i>	<i>"</i>	<i>02</i>	<i>01</i>	<i>"</i>	<i>Trace</i>	17
18	<i>05</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>28</i>	<i>"</i>	<i>02</i>	<i>"</i>	<i>02</i>	<i>"</i>	<i>15</i>	<i>Trace</i>	18
19	<i>Trace</i>	<i>"</i>	<i>"</i>	<i>01</i>	<i>Trace</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>05</i>	<i>39</i>	<i>Trace</i>	<i>Trace</i>	19
20	<i>"</i>	<i>Trace</i>	<i>02</i>	<i>10</i>	<i>01</i>	<i>"</i>	<i>04</i>	<i>42</i>	<i>Trace</i>	<i>155</i>	<i>15</i>	<i>"</i>	20
21	<i>02</i>	<i>"</i>	<i>02</i>	<i>Trace</i>	<i>114</i>	<i>"</i>	<i>"</i>	<i>03</i>	<i>"</i>	<i>26</i>	<i>"</i>	<i>11</i>	21
22	<i>02</i>	<i>Trace</i>	<i>19</i>	<i>Trace</i>	<i>13</i>	<i>01</i>	<i>Trace</i>	<i>84</i>	<i>84</i>	<i>20</i>	<i>46</i>	<i>02</i>	22
23	<i>01</i>	<i>Trace</i>	<i>"</i>	<i>Trace</i>	<i>24</i>	<i>"</i>	<i>50</i>	<i>"</i>	<i>42</i>	<i>42</i>	<i>02</i>	<i>23</i>	23
24	<i>"</i>	<i>03</i>	<i>"</i>	<i>"</i>	<i>01</i>	<i>"</i>	<i>124</i>	<i>"</i>	<i>13</i>	<i>08</i>	<i>01</i>	<i>"</i>	24
25	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>"</i>	<i>54</i>	<i>"</i>	<i>05</i>	<i>54</i>	<i>09</i>	<i>01</i>	25
26	<i>"</i>	<i>"</i>	<i>10</i>	<i>13</i>	<i>"</i>	<i>"</i>	<i>01</i>	<i>"</i>	<i>"</i>	<i>03</i>	<i>02</i>	<i>"</i>	26
27	<i>"</i>	<i>"</i>	<i>26</i>	<i>25</i>	<i>19</i>	<i>02</i>	<i>02</i>	<i>"</i>	<i>"</i>	<i>75</i>	<i>"</i>	<i>01</i>	27
28	<i>"</i>	<i>"</i>	<i>Trace</i>	<i>02</i>	<i>02</i>	<i>"</i>	<i>36</i>	<i>"</i>	<i>"</i>	<i>02</i>	<i>"</i>	<i>03</i>	28
29	<i>"</i>	<i>"</i>	<i>24</i>	<i>09</i>	<i>12</i>	<i>16</i>	<i>"</i>	<i>01</i>	<i>48</i>	<i>42</i>	<i>Trace</i>	<i>15</i>	29
30	<i>"</i>	<i>X</i>	<i>14</i>	<i>23</i>	<i>"</i>	<i>67</i>	<i>10</i>	<i>Trace</i>	<i>18</i>	<i>"</i>	<i>84</i>	<i>25</i>	30
31	<i>"</i>	<i>X</i>	<i>"</i>	<i>X</i>	<i>"</i>	<i>X</i>	<i>08</i>	<i>"</i>	<i>X</i>	<i>Trace</i>	<i>X</i>	<i>24</i>	31
TOTAL	<i>2.84</i>	<i>05</i>	<i>1.23</i>	<i>2.62</i>	<i>4.46</i>	<i>1.88</i>	<i>3.27</i>	<i>1.45</i>	<i>8.54</i>	<i>7.49</i>	<i>2.68</i>	<i>1.58</i>	YEAR'S TOTAL <i>33.12</i>
Days with 01 in. or more.	<i>19</i>	<i>2</i>	<i>9</i>	<i>22</i>	<i>20</i>	<i>10</i>	<i>15</i>	<i>8</i>	<i>14</i>	<i>23</i>	<i>45</i>	<i>15</i>	<i>1.45</i>
Days with 04 in. or more.	<i>12</i>	<i>none</i>	<i>6</i>	<i>14</i>	<i>15</i>	<i>5</i>	<i>10</i>	<i>3</i>	<i>13</i>	<i>18</i>	<i>7</i>	<i>6</i>	<i>109</i>

Please read the Notes and Instructions Overleaf.

Kept at **DAFFODIL VALLEY GODSHILL - DAFFODIL VALLEY FARM**
in the County of **WICH**

Diameter of Funnel of Gauge
Height of top of Gauge above
Ground

1931 - 1933

THE MORNING ME

An observer who does not conform
year in the space on the right

DAY.

of the following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0.59	-	-	-	0.01	0.20	0.02	-	-	1
2	0.60	0.05	-	0.61	-	-	-	0.10	0.56	0.02	-	0.07	2
3	0.07	-	0.73	0.04	0.21	-	0.01	0.03	0.74	-	-	0.29	3 029
4	-	T.R.	0.04	-	0.22	-	0.23	0.01	0.07	0.26	0.29	0.01	4 002
5	-	0.40	-	0.33	0.06	0.31	0.01	0.72	0.01	0.02	0.02	0.17	5
6	-	0.08	-	0.21	0.03	0.11	T.R.	0.07	0.06	0.49	0.20	0.10	6
7	-	T.R.	-	-	0.30	0.35	-	0.23	-	0.10	0.43	-	7
8	-	0.25	-	-	0.05	0.36	-	0.10	-	-	0.13	0.10	8
9	-	0.21	-	0.01	0.02	0.09	0.04	0.01	-	-	0.84	0.02	9
10	-	0.15	T.R.	-	-	0.13	0.12	-	-	-	0.64	T.R.	10
11	0.20	0.34	-	-	-	0.01	-	T.R.	0.03	-	0.32	-	11
12	0.05	0.01	-	-	-	T.R.	0.03	T.R.	0.30	-	T.R.	-	12
13	0.07	-	-	-	-	-	-	T.R.	-	-	-	-	13
14	0.02	0.14	T.R.	-	-	0.06	0.80	0.04	0.06	-	-	-	14 0.04
15	0.04	0.04	-	T.R.	0.15	-	0.11	0.22	0.01	-	0.02	-	15
16	-	T.R.	-	0.12	0.26	0.08	-	0.02	0.07	T.R.	-	-	16
17	-	0.16	-	0.07	-	0.03	0.70	-	0.14	-	-	-	17
18	0.09	T.R.	0.04	0.13	-	-	0.08	0.63	0.04	0.01	0.42	-	18
19	0.17	-	-	0.20	-	0.16	0.05	0.22	-	-	-	-	19
20	T.R.	0.25	0.05	0.19	-	-	-	0.29	-	-	0.06	-	20
21	0.04	-	0.02	-	0.32	-	-	-	-	-	0.06	-	21
22	0.42	-	0.30	-	0.01	-	-	-	-	-	0.02	-	22
23	0.40	-	T.R.	0.05	0.24	-	-	-	-	-	0.37	T.R.	23
24	T.R.	T.R.	-	0.38	0.16	0.16	0.35	0.68	-	-	0.01	0.03	24
25	0.08	0.01	-	0.25	0.09	-	0.29	-	-	-	0.08	T.R.	25
26	-	0.11	-	0.12	0.01	-	0.46	-	-	-	0.82	0.02	26
27	0.43	0.26	-	0.03	1.33	-	0.10	-	-	0.01	0.11	-	27
28	0.08	0.09	T.R.	-	0.28	-	-	-	-	0.02	0.01	0.09	28
29	0.07	X	-	-	-	-	0.11	0.10	-	0.02	T.R.	-	29
30	T.R.	X	-	-	-	-	0.04	0.04	-	-	0.05	-	30
31	0.51	X	-	X	0.12	X	0.04	-	X	-	X	-	31
TOTAL	3.34	2.55	1.18	3.33	3.86	1.85	3.57	3.52	2.29	0.97	4.90	0.90	YEAR'S TOTAL 32.26
*Days with or in. or more.	17	16	6	16	18	12	18	18	13	10	20	10	174
*Days with or in. or more.	16	14	5	14	14	10	15	13	10	3	15	6	135

REGISTER OF RAINFALL IN 1931 .

Kept at DAFFODIL VALLEY FARM, GODSHYLL
in the ^{Isle} County of WIGHT

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 11 ft. 11 in.
Ground Sea Level 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0.59	-	-	-	0.01	0.20	0.02	-	-	1
2	0.60	0.05	-	0.61	-	-	-	0.10	0.56	0.02	-	0.07	2
3	0.07	-	0.73	0.04	0.21	-	0.01	0.03	0.74	-	-	0.29	3 029
4	-	T.R.	0.04	-	0.22	-	0.23	0.01	0.07	0.26	0.20	0.01	4 002
5	-	0.40	-	0.33	0.06	0.31	0.01	0.72	0.01	0.02	0.02	0.17	5
6	-	0.08	-	0.21	0.03	0.11	T.R.	0.07	0.06	0.49	0.20	0.10	6
7	-	T.R.	-	-	0.30	0.35	-	0.23	-	0.10	0.43	-	7
8	-	0.25	-	-	0.05	0.36	-	0.10	-	-	0.13	0.10	8
9	-	0.21	-	0.01	0.02	0.09	0.04	0.01	-	-	0.84	0.02	9
10	-	0.15	T.R.	-	-	0.13	0.12	-	-	-	0.64	T.R.	10
11	0.20	0.34	-	-	-	0.01	-	T.R.	0.03	-	0.32	-	11
12	0.05	0.01	-	-	-	T.R.	0.03	T.R.	0.30	-	T.R.	-	12
13	0.07	-	-	-	-	-	-	T.R.	-	-	-	-	13
14	0.02	0.14	T.R.	-	-	0.06	0.80	0.04	0.06	-	-	-	14 0.04
15	0.04	0.04	-	T.R.	0.15	-	0.11	0.22	0.01	-	0.02	-	15
16	-	T.R.	-	0.12	0.26	0.08	-	0.02	0.07	T.R.	-	-	16
17	-	0.16	-	0.07	-	0.03	0.70	-	0.14	-	-	-	17
18	0.09	T.R.	0.04	0.13	-	-	0.08	0.63	0.04	0.01	0.42	-	18
19	0.17	-	-	0.20	-	0.16	0.05	0.22	-	-	-	-	19
20	T.R.	0.25	0.05	0.19	-	-	-	0.29	-	-	0.06	-	20
21	0.04	-	0.02	-	0.32	-	-	-	-	-	0.06	-	21
22	0.42	-	0.30	-	0.01	-	-	-	-	-	0.02	-	22
23	0.40	-	T.R.	0.05	0.24	-	-	-	-	-	0.37	T.R.	23
24	T.R.	T.R.	-	0.38	0.16	0.16	0.35	0.68	-	-	0.01	0.03	24
25	0.08	0.01	-	0.25	0.09	-	0.29	-	-	-	0.08	T.R.	25
26	-	0.11	-	0.12	0.01	-	0.46	-	-	-	0.82	0.02	26
27	0.43	0.26	-	0.03	1.33	-	0.10	-	-	0.01	0.11	-	27
28	0.08	0.09	T.R.	-	0.28	-	-	-	-	0.02	0.01	0.09	28
29	0.07	X	-	-	-	-	0.11	0.10	-	0.02	T.R.	-	29
30	T.R.	X	-	-	-	-	0.04	0.04	-	-	0.05	-	30
31	0.51	X	-	X	0.12	X	0.04	-	X	-	X	-	31
TOTAL	3.34	2.55	1.18	3.33	3.86	1.85	3.57	3.52	2.29	0.97	4.90	0.90	YEAR'S TOTAL 32.26
*Days with "or in. or more.	17	16	6	16	18	12	18	18	13	10	20	10	174
*Days with "04 in. or more.	16	14	5	14	14	10	15	13	10	3	15	6	135

Section

A

for the entry of Daily Observations.

Station No.

594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at DAFFODIL VALLEY FARM, GODSHILL
in the County of WIGHTDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 11 ft.,, Ground ,, Sea Level 195 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.17	TR	-	0.13	0.76	-	-	-	TR	-	0.11	-	1
2	-	-	-	0.30	0.05	-	-	0.03	TR	-	0.01	0.52	2
3	-	-	-	0.18	0.02	0.48	TR	0.01	0.40	-	-	0.01	3
4	-	-	TR	-	-	0.22	0.03	TR	-	-	-	-	4
5	0.41	-	-	-	-	TR	-	-	0.30	-	-	-	5
6	0.50	-	-	0.16	-	0.04	-	-	0.30	-	-	-	6
7	0.10	-	-	0.06	0.11	-	-	-	-	0.26	-	-	7
8	TR	-	0.25	0.08	0.22	-	-	-	0.26	0.50	-	-	8
9	0.04	-	-	0.20	0.12	-	-	-	-	0.05	TR	-	9
10	0.44	0.06	0.01	0.30	0.07	0.16	-	-	-	0.28	TR	0.01	10
11	0.38	-	-	TR	0.03	-	-	-	-	-	TR	0.03	11
12	0.58	-	-	-	-	0.01	-	-	0.10	0.37	TR	TR	12
13	0.09	-	-	0.36	0.12	-	0.24	TR	-	1.00	TR	0.02	13
14	0.55	-	-	0.02	0.14	-	-	-	-	-	0.56	0.01	14
15	0.05	-	-	0.05	1.13	-	0.05	0.03	-	0.10	0.07	0.01	15
16	0.21	-	-	0.14	-	-	0.06	-	-	-	TR	TR	16
17	0.04	-	-	0.08	-	-	0.03	-	-	-	-	TR	17
18	0.04	-	-	-	0.17	-	0.03	-	-	-	0.16	TR	18
19	0.01	-	-	0.02	TR	-	-	-	0.06	0.50	-	TR	19
20	-	-	0.02	0.04	0.07	-	0.02	0.56	TR	1.45	0.20	TR	20
21	0.01	-	0.02	0.01	1.15	-	TR	TR	-	0.45	-	0.13	21
22	0.03	-	0.21	0.01	0.08	-	TR	0.69	1.10	0.56	0.54	0.01	22
23	0.03	TR	-	TR	0.30	-	0.23	-	0.30	0.16	0.01	0.22	23
24	TR	0.02	-	-	0.01	-	1.37	-	0.16	0.04	TR	-	24
25	-	-	-	-	-	-	0.73	-	0.02	0.50	0.12	-	25
26	-	-	0.08	0.16	-	-	0.01	-	-	0.08	0.03	-	26
27	-	-	0.35	0.42	0.13	TR	0.01	-	-	0.61	-	0.03	27
28	-	-	0.02	0.06	0.04	0.13	0.43	-	-	TR	-	0.01	28
29	-	-	0.45	0.11	0.10	1.20	TR	0.02	0.50	0.58	TR	0.17	29
30	-	X	0.07	0.27	-	-	0.18	-	0.31	-	1.23	0.27	30
31	-	X	-	X	-	X	0.01	-	X	-	X	0.25	31
TOTAL	3.68	0.08	1.48	3.16	4.82	2.24	3.43	1.34	3.81	7.49	3.04	1.70	YEAR'S TOTAL
*Days with "or in. or more.	18	2	10	22	20	7	15	6	12	17	11	15	155
*Days with ".04 in. or more.	14	1	6	18	17	6	8	2	11	17	8	6	114

Section

A

for the entry of Daily Observations.

Station No.

594

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at DAFFODIL VALLEY FARMin the County of GODSHILLIsle of WIGHTDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 11 ft. in.Ground Sea Level 195 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	0.67	0.15	-	-	-							1
2	0.19	-	0.85	-	0.45	-							2
3	0.04	0.24	0.24	-	TR	-							3
4	0.39	0.04	TR	-	0.36	-							4
5	0.07	0.01	-	-	-	-							5
6	-	0.32	0.02	-	0.23	-							6
7	0.08	0.01	-	-	-	-							7
8	0.06	-	-	-	0.09	-							8
9	-	-	-	-	-	-							9
10	TR	0.22	-	-	0.07	-							10
11	0.36	-	-	-	-	0.11							11
12	-	-	-	-	-	-							12
13	0.01	-	-	-	0.05	-							13
14	-	-	-	-	-	-							14
15	0.76	-	0.14	-	-	-							15
16	-	-	0.81	-	-	0.11							16
17	-	-	0.45	-	-	TR							17
18	0.38	-	0.24	-	-	-							18
19	TR	-	0.08	TR	-	0.44							19
20	-	-	TR	0.03	-	0.19							20
21	-	-	-	-	-	TR							21
22	-	-	-	-	-	0.06							22
23	-	TR	-	0.29	0.10	0.15							23
24	-	0.49	-	0.37	-	0.20							24
25	0.25	1.31	-	0.40	0.02	-							25
26	-	0.46	-	0.23	-	-							26
27	-	TR	-	-	0.83	-							27
28	-	-	-	-	-	0.07							28
29	0.35	-	0.02	0.06	-	-							29
30	-	X	0.01	-	-	-							30
31	-	X	-	X	-	X			X		X		31
TOTAL	3.02	3.77	3.01	1.38	2.20	1.33							YEAR'S TOTAL
*Days with 0.1 in. or more.	13	10	11	6	9	8							
*Days with 0.4 in. or more.	12	8	8	5	8	8							

40-9999

*See Instruction 2 (f) on other side

(Signed)

P.T.O.

REGISTE

Kept at SHANKLIN
in the County of HAMPS

Diameter of Funnel of Gauge. 8

Height of top of Gauge above Ground. 7 ft. 0 in.

Ground Sea Level 199 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	NIL	TRACE	NIL	0.61	NIL	0.01	NIL	0.04	0.26	0.03	NIL	TRACE	1
2	0.24	0.05	"	0.60	"	NIL	TRACE	0.07	0.47	0.01	"	0.08	2
3	0.14	NIL	0.75	0.02	0.25	"	0.01	0.02	0.81	NIL	0.01	0.27	3
4	NIL	"	0.02	NIL	0.25	"	0.28	0.02	0.07	0.15	0.18	NIL	4
5	"	0.35	NIL	0.28	NIL	0.58	0.03	0.25	TRACE	0.01	0.08	0.23	5
6	"	0.07	"	0.24	0.02	0.13	NIL	0.05	0.07	0.50	0.11	0.09	6
7	"	NIL	"	TRACE	0.27	0.30	"	0.16	NIL	0.10	0.27	0.01	7
8	"	0.32	"	0.01	0.01	0.42	"	0.09	"	0.03	0.10	0.16	8
9	"	0.30	"	NIL	NIL	0.02	0.04	NIL	"	TRACE	1.03	0.01	9
10	0.01	0.14	"	"	"	0.15	0.10	0.02	"	NIL	0.97	NIL	10
11	0.19	0.40	"	"	0.01	0.01	NIL	0.02	0.03	"	0.29	"	11
12	0.03	TRACE	"	"	NIL	NIL	0.08	TRACE	0.28	"	NIL	"	12
13	0.06	NIL	"	"	"	"	TRACE	NIL	NIL	"	"	"	13
14	0.02	0.15	TRACE	"	0.02	0.02	0.61	0.27	0.13	"	"	"	14
15	0.02	0.04	NIL	"	0.13	NIL	0.07	0.52	0.01	"	"	0.02	15
16	NIL	0.03	"	0.10	0.28	0.06	TRACE	0.05	0.11	"	"	NIL	16
17	"	0.08	"	0.08	NIL	NIL	0.65	NIL	0.13	"	"	"	17
18	0.07	TRACE	0.04	0.06	"	0.09	0.07	0.77	0.02	0.01	0.44	"	18
19	0.16	NIL	NIL	0.10	"	0.09	0.02	0.25	NIL	NIL	TRACE	"	19
20	NIL	0.27	0.03	0.14	"	NIL	NIL	0.31	"	"	0.04	"	20
21	0.03	NIL	0.04	NIL	0.25	"	"	NIL	"	"	0.08	"	21
22	0.33	"	0.26	"	0.01	"	"	"	"	"	0.01	"	22
23	0.40	"	NIL	0.05	0.23	TRACE	"	"	"	"	0.40	TRACE	23
24	TRACE	"	"	0.54	0.11	0.12	0.28	0.56	TRACE	"	NIL	"	24
25	0.07	TRACE	"	0.18	0.06	NIL	0.25	NIL	NIL	"	0.09	0.01	25
26	NIL	0.12	"	0.12	NIL	"	0.55	"	"	"	0.63	0.01	26
27	0.45	0.28	"	NIL	1.72	"	0.08	"	"	0.01	0.12	NIL	27
28	0.07	0.11	"	0.05	0.01	"	NIL	"	"	0.01	NIL	0.10	28
29	0.06	X	0.01	NIL	0.31	"	0.13	0.09	"	0.02	TRACE	NIL	29
30	NIL	X	0.12	"	TRACE	"	NIL	0.02	TRACE	NIL	0.04	"	30
31	0.43	X	NIL	X	0.17	X	0.02	NIL	X	"	X	0.02	31
TOTAL	2.81	2.71	1.18	3.18	4.11	2.00	3.27	3.68	2.39	0.88	4.89	1.01	33.11
*Days with or in. or more.	18.	5.	8.	16.	18.	13.	17.	19.	10.	11.	18.	12.	77
*Days with or in. or more.	14.	14.	4.	14.	13.	9.	13.	14.	9.	2.	16.	6.	128.

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. A. SURVEYOR.

[P.T.O.]

Section

A

for the entry of Daily

595
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at SHANKLIN 106 W

in the County of HAMPSHIRE.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 199 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	NIL	TRACE	NIL	0.61	NIL	0.01	NIL	0.04	0.26	0.03	NIL	TRACE	1
2	0.24	0.05	"	0.60	"	NIL	TRACE	0.07	0.47	0.01	"	0.08	2
3	0.14	NIL	0.75	0.02	0.25	"	0.01	0.02	0.81	NIL	0.01	0.27	3
4	NIL	"	0.03	NIL	0.25	"	0.28	0.02	0.07	0.15	0.18	NIL	4
5	"	0.35	NIL	0.28	NIL	0.58	0.03	0.25	TRACE	0.01	0.08	0.23	5
6	"	0.07	"	0.24	0.02	0.13	NIL	0.05	0.07	0.50	0.11	0.09	6
7	"	NIL	"	TRACE	0.27	0.30	"	0.16	NIL	0.10	0.27	0.01	7
8	"	0.22	"	0.01	0.01	0.42	"	0.09	"	0.03	0.10	0.16	8
9	"	0.30	"	NIL	NIL	0.02	0.04	NIL	"	TRACE	1.03	0.01	9
10	0.01	0.14	"	"	"	0.15	0.10	0.02	"	NIL	0.97	NIL	10
11	0.19	0.40	"	"	0.01	0.01	NIL	0.02	0.03	"	0.29	"	11
12	0.03	TRACE	"	"	NIL	NIL	0.08	TRACE	0.28	"	NIL	"	12
13	0.06	NIL	"	"	"	"	TRACE	NIL	NIL	"	"	"	13
14	0.02	0.15	TRACE	"	0.02	0.02	0.61	0.37	0.13	"	"	"	14
15	0.02	0.04	NIL	"	0.13	NIL	0.07	0.52	0.01	"	"	0.02	15
16	NIL	0.03	"	0.10	0.28	0.06	TRACE	0.05	0.11	"	"	NIL	16
17	"	0.08	"	0.08	NIL	NIL	0.65	NIL	0.13	"	"	"	17
18	0.07	TRACE	0.04	0.06	"	0.09	0.07	0.77	0.02	0.01	0.44	"	18
19	0.16	NIL	NIL	0.10	"	0.09	0.02	0.25	NIL	NIL	TRACE	"	19
20	NIL	0.27	0.03	0.14	"	NIL	NIL	0.31	"	"	0.04	"	20
21	0.03	NIL	0.04	NIL	0.25	"	"	NIL	"	"	0.08	"	21
22	0.33	"	0.26	"	0.01	"	"	"	"	"	0.01	"	22
23	0.40	"	NIL	0.05	0.23	TRACE	"	"	"	"	0.40	TRACE	23
24	TRACE	"	"	0.54	0.11	0.12	0.28	0.56	TRACE	"	NIL	"	24
25	0.07	TRACE	"	0.18	0.06	NIL	0.25	NIL	NIL	"	0.09	0.01	25
26	NIL	0.12	"	0.12	NIL	"	0.55	"	"	"	0.63	0.01	26
27	0.45	0.28	"	NIL	1.72	"	0.08	"	"	0.01	0.12	NIL	27
28	0.07	0.11	"	0.05	0.01	"	NIL	"	"	0.01	NIL	0.10	28
29	0.06	X	0.01	NIL	0.31	"	0.13	0.09	"	0.02	TRACE	NIL	29
30	NIL	X	0.12	"	TRACE	"	NIL	0.02	TRACE	NIL	0.04	"	30
31	0.43	X	NIL	X	0.17	X	0.02	NIL	X	"	X	0.02	31
TOTAL	2.81	2.71	1.18	3.18	4.11	2.00	3.27	3.68	2.39	0.88	4.89	1.01	32.11
*Days with or in. or more.	18	8	16	18	13	17	19	10	11	18	12	17	
*Days with or more.	14	14	4	14	13	9	13	14	9	3	16	6	128

40-9999

*See Instruction 2 (f) on other side.

(Signed) [Signature] [P.T.O.]

INS & SURVEYOR.

Section

A

for the entry of Daily Observations.

Station No.

595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at SHANKLIN, I.O.F.W.

in the County of HAMPSHIRE.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 199 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.13	TRACE	NIL	0.15	0.81	NIL	NIL	TRACE	NIL	0.02	0.10	NIL	1
2	0.01	0.01	"	0.31	0.03	"	"	0.02	0.02	NIL	0.01	0.66	2
3	0.01	NIL	"	0.25	0.02	0.58	"	NIL	0.44	0.03	NIL	0.01	3
4	0.01	"	"	NIL	NIL	0.29	0.02	"	NIL	NIL	TRACE	NIL	4
5	0.51	"	TRACE	"	"	TRACE	0.02	"	0.35	"	NIL	"	5
6	0.68	"	"	0.16	"	NIL	NIL	"	0.34	TRACE	"	"	6
7	0.08	"	"	0.06	0.02	"	"	"	0.02	0.19	"	"	7
8	TRACE	"	0.25	0.11	0.31	"	"	"	0.28	0.53	"	"	8
9	0.09	0.02	NIL	0.29	0.10	"	"	"	NIL	0.01	"	"	9
10	0.28	0.04	0.01	0.29	0.10	0.08	"	"	0.06	0.18	TRACE	0.03	10
11	0.39	NIL	NIL	0.03	0.01	TRACE	"	"	TRACE	0.06	"	0.02	11
12	0.50	"	"	TRACE	NIL	0.02	"	"	0.06	0.32	"	TRACE	12
13	0.08	"	"	0.28	0.12	NIL	0.25	TRACE	NIL	0.92	"	0.02	13
14	0.48	"	"	0.03	0.10	"	NIL	0.04	"	TRACE	0.64	TRACE	14
15	0.05	"	"	0.03	0.85	"	0.02	NIL	"	0.12	0.02	0.01	15
16	0.45	"	"	0.12	NIL	"	0.02	"	"	TRACE	NIL	TRACE	16
17	0.06	"	"	0.03	"	"	0.03	"	0.01	0.01	"	NIL	17
18	0.07	"	"	NIL	0.09	"	0.03	"	0.01	NIL	0.16	"	18
19	NIL	"	"	0.01	TRACE	"	NIL	"	0.06	0.66	TRACE	TRACE	19
20	"	"	0.01	0.07	0.02	"	0.04	0.38	0.01	1.59	0.19	NIL	20
21	0.01	"	TRACE	NIL	1.07	"	NIL	0.03	NIL	0.48	NIL	0.13	21
22	0.02	"	0.18	TRACE	0.11	"	"	0.58	0.96	0.38	0.71	0.03	22
23	0.03	TRACE	NIL	NIL	0.22	"	0.48	NIL	0.26	1.01	0.01	0.25	23
24	NIL	0.02	"	"	0.01	"	1.30	"	0.15	0.05	TRACE	NIL	24
25	"	NIL	"	"	NIL	"	0.70	"	0.06	0.51	0.20	0.01	25
26	"	"	0.11	0.19	"	"	TRACE	"	NIL	0.03	0.04	NIL	26
27	"	"	0.29	0.35	0.19	TRACE	0.02	"	"	0.70	NIL	0.01	27
28	"	"	0.01	0.03	TRACE	NIL	0.40	"	"	0.02	"	NIL	28
29	"	"	0.37	0.10	0.11	0.26	NIL	0.01	0.52	0.64	0.01	0.20	29
30	"	X	0.14	0.25	NIL	0.84	0.19	TRACE	0.23	NIL	1.01	0.26	30
31	"	X	TRACE	X	"	X	0.05	NIL	X	TRACE	X	0.23	31
TOTAL	3.94	0.09	1.37	3.14	4.29	2.07	3.57	1.06	3.84	8.46	3.10	1.87	36.80
*Days with 0.1 in. or more.	20	4	9	21	19	6	15	6	18	22	12	14	166
*Days with 0.4 in. or more.	14	1	6	15	13	5	8	3	13	16	8	6	108

40-9999

*See Instruction 2 (f) on other side.

(Signed)

ENGINEER & SURVEYOR.

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.Kept at SHANKLIN, I. of W.in the County of HAMPSHIREDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. 0 in.,, Ground ,, Sea Level 199 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.06	0.95	0.15	NIL.	NIL.	NIL.	NIL.	NIL.	NIL.	TRACE.	0.02	0.04		1
2	0.20	NIL.	0.85	"	0.45	"	"	"	"	"	TRACE	NIL.		2
3	0.06	0.18	0.24	"	TRACE	"	"	"	"	NIL.	0.02	"		3
4	0.36	0.05	TRACE	"	0.31	"	"	"	"	"	NIL.	"		4
5	0.15	TRACE	0.41	"	NIL.	"	"	"	"	"	"	"		5
6	NIL.	0.34	0.01	"	0.24	"	"	"	"	0.04	0.04	"		6
7	0.12	TRACE	TRACE	"	NIL.	"	"	"	"	0.23	TRACE	0.04		7
8	0.03	"	NIL.	"	0.07	"	0.25	"	"	0.06	NIL.	NIL.		8
9	NIL.	0.01	"	"	NIL.	"	0.42	"	"	TRACE	0.05	"		9
10	"	0.09	"	"	0.06	"	0.03	0.01	"	0.35	0.01	"		10
11	0.33	NIL.	"	"	NIL.	0.05	0.02	0.06	"	TRACE	TRACE	0.04		11
12	NIL.	"	"	TRACE	0.02	NIL.	0.01	NIL.	1.91	NIL.	"	NIL.		12
13	"	"	"	NIL.	0.02	"	0.58	TRACE	0.01	0.04	0.13	"		13
14	"	"	"	"	NIL.	"	0.06	"	NIL.	0.53	0.46	0.01		14
15	0.44	"	0.19	"	"	"	0.10	0.69	"	0.20	0.12	NIL.		15
16	NIL.	"	0.79	"	"	0.14	NIL.	TRACE	TRACE	0.04	TRACE	"		16
17	"	"	0.36	"	"	TRACE	"	0.21	0.19	NIL.	0.01	"		17
18	0.45	"	0.29	"	"	0.41	"	NIL.	TRACE	"	0.01	"		18
19	NIL.	"	0.12	0.05	"	0.02	"	"	0.26	"	0.11	0.02		19
20	"	0.02	0.01	0.02	"	0.16	"	0.01	0.22	"	TRACE	TRACE		20
21	"	NIL.	NIL.	NIL.	TRACE	NIL.	"	0.14	0.12	TRACE	"	NIL.		21
22	"	"	"	"	NIL.	0.03	"	0.24	0.29	0.23	0.01	"		22
23	"	0.01	"	0.24	0.11	0.12	"	NIL.	0.29	0.32	NIL.	"		23
24	"	0.25	"	0.33	NIL.	NIL.	"	"	0.08	NIL.	"	"		24
25	"	1.13	"	0.35	0.03	"	"	"	0.10	"	TRACE	0.14		25
26	"	0.45	"	0.23	0.08	"	"	"	0.48	0.02	"	TRACE		26
27	"	TRACE	"	NIL.	0.72	"	TRACE	"	0.02	0.25	"	0.32		27
28	TRACE	NIL.	"	0.01	TRACE	0.06	0.20	"	NIL.	0.15	NIL.	0.01		28
29	0.26	X	0.01	0.06	0.28	NIL.	NIL.	"	0.03	0.01	"	0.02		29
30	0.08	X	0.01	NIL.	NIL.	"	0.04	"	0.19	TRACE	"	0.05		30
31	0.21	X	NIL.	X	"	X	NIL.	"	X	0.05	X	NIL.		31
TOTAL	2.78	3.48	3.46	1.29	2.42	1.01	1.44	1.39	4.19	2.58	1.02	0.42	36.36 ins.	
*Days with .01 in. or more.	13	11	13	8	12	8	10	7	14	15	12	10	133	
*Days with .04 in. or more.	12	8	9	6	9	6	7	5	11	13	6	6	98	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P. T. O.

P. T. O.

ENGINEER 2/33

Station No. 595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at SHANKLIN. ISLE OF WIGHT.

in the County of HAMPSHIRE.

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground...../.....ft.....0.....in.....

Ground Sea Level 199 ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	NIL	NIL	NIL	0.05	0.11	NIL	0.14	0.30	0.11	NIL	0.91		1
2	0.16	"	0.10	"	0.29	0.01	"	NIL	0.59	0.32	0.02	0.62		2
3	0.10	0.01	NIL	"	NIL	NIL	"	"	TRACE	0.49	NIL	0.45		3
4	0.26	NIL	0.22	0.28	0.10	"	"	"	NIL	0.12	0.02	0.46		4
5	TRACE	"	0.05	NIL	NIL	"	"	0.20	"	0.03	0.01	0.72		5
6	0.03	"	0.59	0.03	0.21	0.02	"	0.08	"	0.52	0.42	0.65		6
7	0.03	"	NIL	NIL	NIL	NIL	"	0.25	"	0.26	NIL	0.20		7
8	NIL	"	"	"	0.23	"	"	0.01	0.46	TRACE	1.71	0.02		8
9	0.04	"	0.10	"	NIL	"	"	NIL	TRACE	NIL	1.22	0.28		9
10	TRACE	"	0.21	0.12	"	"	"	0.04	NIL	"	0.85	0.02		10
11	0.83	"	0.31	0.14	"	"	0.03	0.25	"	"	TRACE	0.55		11
12	0.03	"	0.06	NIL	"	"	0.03	0.26	"	"	0.02	0.10		12
13	0.24	"	0.01	0.03	"	"	NIL	NIL	"	"	0.15	0.04		13
14	0.26	"	0.26	0.01	"	"	"	"	"	"	0.09	1.22		14
15	TRACE	"	NIL	NIL	0.08	"	"	"	"	0.13	0.10	0.43		15
16	0.35	"	0.41	TRACE	NIL	"	"	"	0.05	NIL	NIL	0.42		16
17	0.24	"	0.09	NIL	"	"	"	"	0.02	TRACE	"	0.60		17
18	0.16	"	0.13	0.44	"	"	"	"	0.02	NIL	"	0.43		18
19	NIL	"	0.29	NIL	"	TRACE	"	0.02	0.45	"	"	0.15		19
20	"	"	0.01	0.12	0.01	NIL	"	NIL	0.15	TRACE	"	NIL		20
21	TRACE	"	0.02	0.40	NIL	0.36	"	0.02	0.04	0.08	"	0.01		21
22	NIL	"	0.02	NIL	"	NIL	"	0.05	0.48	0.01	"	0.24		22
23	TRACE	"	NIL	0.63	"	0.33	"	NIL	0.04	0.04	"	0.01		23
24	NIL	0.01	0.08	0.06	"	0.01	0.33	"	0.08	NIL	"	NIL		24
25	0.21	TRACE	NIL	0.14	"	NIL	NIL	"	0.01	0.15	"	0.82		25
26	0.01	NIL	"	0.01	"	0.20	"	"	0.14	0.01	"	0.05		26
27	0.01	"	"	0.11	"	NIL	"	"	NIL	TRACE	"	0.34		27
28	NIL	"	"	NIL	"	0.36	"	0.44	"	NIL	0.02	0.34		28
29	"	X	"	"	"	NIL	"	0.15	0.14	TRACE	NIL	0.02		29
30	0.04	X	"	"	"	"	"	NIL	0.10	NIL	TRACE	0.81		30
31	0.01	X	"	X	"	X	"	"	X	TRACE	X	0.09		31
TOTAL	3.08	0.02	3.06	2.54	0.94	1.40	0.39	2.24	3.34	2.24	4.63	11.33	35.36	
*Days with "01 in. or more.	19	2	18	14	4	8	3	15	16	12	12	27	154	
*Days with ".04 in. or more.	12	1	14	10	6	5	1	10	8	10	4	24	112	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at SHANKLIN ISLE OF WIGHT

in the County of I OF WIGHT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 199 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TRACE	TRACE	0.31	NIL	0.07	0.08	0.50	NIL	0.07	0.08	0.12	0.05		1
2	TRACE	TRACE	NIL	NIL	NIL	0.07	NIL	NIL	TRACE	0.40	NIL	NIL		2
3	NIL	NIL	0.06	NIL	NIL	0.03	NIL	NIL	0.03	1.52	0.07	NIL		3
4	NIL	0.18	NIL	0.14	NIL	0.13	NIL	NIL	0.65	0.24	0.25	0.15		4
5	NIL	0.55	0.10	0.08	NIL	0.09	NIL	NIL	0.37	0.05	0.02	0.01		5
6	NIL	0.06	0.10	0.36	NIL	0.56	NIL	NIL	NIL	NIL	0.83	0.15		6
7	NIL	NIL	NIL	0.56	0.01	0.02	NIL	NIL	NIL	0.09	1.45	0.22		7
8	0.15	NIL	TRACE	0.34	NIL	NIL	0.01	NIL	0.05	0.57	0.62	TRACE		8
9	0.24	NIL	0.01	0.38	NIL	0.40	NIL	NIL	0.24	0.89	0.02	NIL		9
10	1.43	0.01	0.36	NIL	NIL	0.06	NIL	NIL	NIL	0.03	0.69	0.03		10
11	0.15	0.04	0.04	0.04	NIL	0.07	NIL	NIL	0.01	NIL	0.46	NIL		11
12	0.40	0.06	TRACE	NIL	NIL	0.35	NIL	0.18	0.15	NIL	1.56	NIL		12
13	0.03	0.28	NIL	0.32	0.02	0.04	NIL	NIL	NIL	0.04	0.07	NIL		13
14	NIL	0.01	NIL	0.12	0.04	0.11	NIL	NIL	0.18	0.10	TRACE	0.52		14
15	NIL	0.23	NIL	0.56	0.01	TRACE	NIL	NIL	0.25	0.09	0.56	0.04		15
16	NIL	0.06	0.03	0.10	NIL	NIL	NIL	NIL	0.37	0.02	1.20	NIL		16
17	NIL	NIL	0.02	NIL	0.03	0.45	NIL	0.09	0.09	NIL	0.32	NIL		17
18	NIL	TRACE	NIL	0.49	0.29	0.07	NIL	0.01	0.81	0.02	TRACE	NIL		18
19	NIL	TRACE	NIL	0.14	0.47	0.05	0.13	NIL	0.11	0.07	0.30	TRACE		19
20	NIL	0.36	NIL	0.06	0.04	0.01	0.01	NIL	TRACE	NIL	0.58	NIL		20
21	TRACE	0.31	NIL	0.03	NIL	0.01	0.02	NIL	TRACE	0.07	NIL	NIL		21
22	NIL	0.11	NIL	TRACE	NIL	NIL	NIL	0.04	0.15	NIL	NIL	NIL		22
23	NIL	NIL	0.04	NIL	TRACE	NIL	NIL	0.53	NIL	0.31	NIL	0.22		23
24	0.03	0.98	TRACE	NIL	0.20	NIL	NIL	0.98	0.91	0.03	NIL	0.33		24
25	0.09	0.16	NIL	0.16	TRACE	TRACE	NIL	NIL	NIL	NIL	TRACE	0.25		25
26	TRACE	0.19	TRACE	NIL	NIL	NIL	NIL	0.26	0.12	0.02	NIL	0.28		26
27	NIL	0.69	TRACE	NIL	NIL	NIL	NIL	0.10	0.08	TRACE	0.23	0.66		27
28	NIL	0.04	NIL	NIL	0.11	NIL	NIL	TRACE	0.13	NIL	0.04	0.30		28
29	NIL	X	NIL	NIL	0.01	NIL	NIL	0.17	0.47	TRACE	0.01	0.31		29
30	0.04	X	NIL	0.10	NIL	NIL	NIL	1.79	0.08	0.09	0.48	0.98		30
31	NIL	X	NIL	X	NIL	X	NIL	0.02	X	0.33	X	0.39		31
TOTAL	2.61	4.32	1.07	3.98	1.30	2.60	0.67	4.17	5.32	5.06	9.88	4.89	45.87	
* Days with .01 in. or more.	9	18	10	17	12	18	5	11	21	21	21	17	180	
* Days with .04 in. or more.	7	16	7	16	7	14	2	9	19	18	18	15	148	

40-9999

* See Instruction 2 (f) on other side.

THE SURVEYOR & ENGINEER
(Signed) [Signature]

P.T.O.

Section **A** for the entry of Daily Observations.Station No. 595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at ... SHANKLIN in the County of ... Isle of Wight Diameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1.....ft. 0.....in.,, Ground ,, Sea Level 199.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.36	0.45	TR.	0.37	NIL	0.35	0.44	TR.	NIL	~~NIL~~	0.09	0.05		1
2	NIL	0.01	NIL	0.02	NIL	0.17	0.02	0.18	0.01	NIL	0.01	NIL		2
3	NIL	NIL	NIL	0.33	NIL	NIL	0.05	TRACE	0.17	NIL	0.49	TRACE		3
4	NIL	NIL	0.16	NIL	TR.	0.09	0.17	NIL	0.97	NIL	0.22	0.28		4
5	0.20	NIL	NIL	NIL	0.03	NIL	NIL	0.06	0.15	NIL	0.03	0.03		5
6	0.60	NIL	NIL	NIL	NIL	0.02	NIL	0.02	0.20	TR.	0.78	NIL		6
7	0.10	NIL	0.20	NIL	NIL	NIL	TR.	NIL	NIL	NIL	0.63	0.05		7
8	0.42	NIL	0.23	NIL	NIL	NIL	0.34	NIL	NIL	NIL	0.75	0.12		8
9	0.26	NIL	0.16	NIL	NIL	NIL	0.59	NIL	0.20	TR.	0.03	NIL		9
10	0.04	NIL	NIL	NIL	NIL	NIL	0.07	NIL	NIL	NIL	0.06	NIL		10
11	0.23	0.73	NIL	0.05	NIL	NIL	TR.	NIL	0.12	NIL	1.81	0.01		11
12	NIL	NIL	NIL	NIL	NIL	0.22	0.83	NIL	0.38	NIL	0.32	0.06		12
13	NIL	NIL	NIL	NIL	NIL	TR.	NIL	NIL	NIL	0.02	0.03	0.27		13
14	NIL	0.09	NIL	0.02	NIL	0.18	0.86	NIL	0.02	0.02	0.02	0.43		14
15	NIL	0.03	NIL	NIL	NIL	NIL	TR.	NIL	0.04	NIL	0.12	0.26		15
16	0.27	0.25	NIL	NIL	0.01	NIL	0.16	NIL	TR.	NIL	0.11	0.15		16
17	0.02	0.44	NIL	NIL	NIL	0.41	0.01	0.01	0.15	0.08	0.23	0.89		17
18	0.27	0.05	NIL	NIL	NIL	1.27	0.25	NIL	TR.	NIL	TR.	0.11		18
19	0.28	0.02	0.14	0.09	NIL	0.97	NIL	0.17	TR.	0.08	NIL	NIL		19
20	0.28	0.03	0.07	0.26	NIL	0.20	NIL	NIL	0.95	TR.	NIL	NIL		20
21	TR.	0.08	0.02	0.38	NIL	0.03	TR.	NIL	TR.	NIL	NIL	NIL		21
22	0.24	0.52	0.22	TR.	0.09	NIL	0.17	NIL	TR.	0.01	NIL	0.06		22
23	NIL	0.18	0.05	0.16	0.01	NIL	0.14	NIL	NIL	0.07	NIL	TR.		23
24	0.33	TR.	0.03	TR.	0.02	NIL	0.04	NIL	0.05	0.39	NIL	NIL		24
25	0.05	NIL	0.28	0.26	NIL	NIL	0.01	NIL	TR.	0.18	NIL	NIL		25
26	0.03	0.20	TR.	TR.	NIL	0.28	NIL	NIL	0.02	0.15	NIL	NIL		26
27	0.27	0.05	0.02	NIL	NIL	TR.	0.20	NIL	0.12	0.18	NIL	NIL		27
28	0.78	NIL	0.35	NIL	NIL	NIL	0.08	NIL	NIL	NIL	NIL	0.16		28
29	TR.	0.05	0.07	NIL	NIL	0.10	TR.	NIL	NIL	0.10	0.21	NIL		29
30	0.33	~~X~~	0.03	NIL	TR.	0.24	NIL	NIL	NIL	0.04	NIL	NIL		30
31	0.12	~~X~~	0.29	~~X~~	NIL	~~X~~	0.25	NIL	~~X~~	0.10	~~X~~	0.41		31
TOTAL	5.48	3.18	2.32	1.94	0.16	4.53	4.68	0.44	3.55	1.42	6.04	3.34	37.08	
* Days with .01 in. or more.	21	16	16	10	5	14	19	5	15	13	18	16	168	
* Days with .04 in. or more.	19	12	12	8	1	12	16	3	12	10	14	14	131	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries recorded.

(Signed)

[P.T.O.]

WATER ENGINEER

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ...SHANKLIN.....

in the County of ...ISLE...OF...WIGHT.....

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft....0.....in.

,, Ground ,, Sea Level ...1.9.9.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.83	0.01	NIL	0.23	NIL	NIL	NIL	NIL	NIL	NIL	0.81	0.33		1
2	TR	0.79	NIL	0.13	NIL	NIL	NIL	NIL	0.17	TR	NIL	0.53		2
3	0.05	0.26	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	TR		3
4	0.71	1.28	NIL	NIL	NIL	NIL	TR	0.01	NIL	NIL	NIL	0.53		4
5	0.34	0.02	0.11	0.02	NIL	NIL	0.22	NIL	NIL	NIL	NIL	NIL		5
6	0.13	0.26	0.98	0.08	0.03	NIL	0.16	NIL	TR	TR	NIL	0.06		6
7	NIL	0.76	NIL	0.10	TR	TR	NIL	NIL	TR	0.01	NIL	1.76		7
8	NIL	TR	0.04	NIL	0.44	TR	NIL	NIL	NIL	NIL	TR	0.06		8
9	NIL	TR	TR	0.40	0.09	0.06	0.07	NIL	1.06	NIL	NIL	TR		9
10	NIL	NIL	0.45	0.20	0.29	0.21	TR	NIL	NIL	NIL	NIL	0.76		10
11	TR	NIL	0.05	TR	0.09	0.04	0.18	NIL	NIL	NIL	NIL	03		11
12	0.55	0.32	0.41	0.06	0.18	0.45	TR	0.85	0.39	NIL	NIL	18		12
13	0.42	0.02	0.76	0.04	TR	NIL	NIL	0.12	0.13	NIL	NIL	0.88		13
14	0.01	TR	0.10	TR	0.05	NIL	NIL	0.16	0.37	NIL	NIL	0.07		14
15	0.24	0.21	NIL	0.44	TR	NIL	0.65	0.10	0.31	NIL	NIL	0.33		15
16	NIL	0.12	0.38	0.09	NIL	0.06	TR	0.67	0.22	NIL	0.05	NIL		16
17	0.37	0.06	0.09	NIL	NIL	NIL	0.15	NIL	0.33	NIL	0.07	NIL		17
18	0.25	0.14	NIL	0.02	NIL	NIL	NIL	NIL	0.41	NIL	0.22	0.30		18
19	0.26	0.10	0.03	0.30	NIL	05	NIL	NIL	0.06	NIL	0.08	0.06		19
20	0.15	NIL	0.13	0.33	NIL	20	NIL	NIL	NIL	NIL	NIL	0.07		20
21	0.33	0.40	0.02	0.04	0.07	NIL	0.02	NIL	TR	TR	0.01	0.13		21
22	0.56	0.03	0.09	NIL	0.06	NIL	0.18	NIL	TR	0.89	0.20	0.23		22
23	0.12	0.14	0.01	NIL	0.10	NIL	0.10	NIL	NIL	0.25	0.13	0.01		23
24	0.17	0.65	NIL	NIL	0.02	NIL	NIL	NIL	TR	0.40	NIL	0.02		24
25	0.17	0.55	0.39	NIL	0.31	NIL	TR	NIL	0.09	0.02	NIL	0.01		25
26	NIL	0.41	NIL	TR	TR	NIL	NIL	NIL	NIL	0.19	NIL	NIL		26
27	NIL	0.15	NIL	0.09	NIL	NIL	NIL	NIL	NIL	0.20	NIL	NIL		27
28	0.23	0.05	NIL	NIL	NIL	NIL	NIL	NIL	NIL	0.09	NIL	NIL		28
29	0.07	X	NIL	NIL	NIL	TR	NIL	NIL	NIL	0.08	TR	NIL		29
30	0.29	X	NIL	NIL	NIL	TR	NIL	NIL	NIL	0.14	0.32	NIL		30
31	0.40	X	NIL	X	NIL	X	NIL	NIL	X	0.46	X	TR		31
TOTAL	6.65	6.73	4.04	2.57	1.73	1.07	1.73	1.91	3.54	2.73	1.89	6.35	40.94	
* Days with .01 in. or more.	22	22	16	16	12	87	9	6	11	11	9	19	160	
* Days with .04 in. or more.	21	16	13	14	10	87	8	5	11	9	8	16	140	

† Spare column, no entries required

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

SHANKLIN.

Section



for the entry of Daily Observations

Station No.

596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at SHANKLIN

in the County of 1. OF WIGHT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 199 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	NIL	0.01	NIL	NIL	0.15	0.06	NIL	NIL	0.28	0.12	TRACE	0.07	0.72	1
2	0.01	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	0.81	0.08	0.08	0.98	2
3	NIL	NIL	NIL	NIL	0.12	NIL	0.02	NIL	NIL	0.90	0.30	NIL	1.34	3
4	NIL	NIL	NIL	NIL	0.01	TRACE	0.10	0.23	NIL	0.09	NIL	0.18	0.67	4
5	NIL	NIL	NIL	NIL	NIL	NIL	0.13	NIL	NIL	0.57	0.05	TRACE	0.75	5
6	0.26	NIL	NIL	NIL	NIL	NIL	0.04	NIL	0.16	0.03	0.40	0.03	0.92	6
7	0.20	NIL	NIL	NIL	NIL	TRACE	0.42	0.07	0.08	0.27	NIL	0.06	1.10	7
8	0.15	NIL	NIL	NIL	NIL	TRACE	0.17	TRACE	TRACE	0.28	0.06	0.16	0.82	8
9	0.14	0.09	NIL	NIL	NIL	NIL	TRACE	NIL	NIL	0.38	0.04	0.61	1.16	9
10	0.07	NIL	NIL	NIL	NIL	0.01	0.11	NIL	NIL	NIL	TRACE	0.13	0.33	10
11	0.36	NIL	NIL	NIL	NIL	NIL	TRACE	NIL	NIL	NIL	NIL	0.13	0.54	11
12	0.31	NIL	NIL	NIL	0.05	NIL	NIL	TRACE	NIL	0.14	TRACE	NIL	0.90	12
13	0.47	NIL	NIL	NIL	TRACE	NIL	NIL	NIL	NIL	NIL	0.07	0.12	0.60	13
14	0.39	TRACE	TRACE	NIL	0.13	NIL	0.04	NIL	0.01	NIL	TRACE	TRACE	0.55	14
15	0.07	0.03	NIL	NIL	TRACE	NIL	0.08	TRACE	NIL	0.33	0.02	0.44	0.97	15
16	0.49	0.08	0.03	NIL	TRACE	NIL	NIL	0.08	NIL	0.07	TRACE	0.54	1.04	16
17	NIL	0.15	0.04	NIL	TRACE	NIL	TRACE	NIL	0.00	0.92	0.02	NIL	1.57	17
18	0.18	NIL	NIL	NIL	TRACE	TRACE	NIL	TRACE	0.13	0.02	0.45	NIL	0.78	18
19	TRACE	NIL	NIL	NIL	NIL	NIL	NIL	0.24	0.14	NIL	0.85	0.02	1.28	19
20	0.01	NIL	NIL	NIL	NIL	NIL	NIL	0.09	0.02	NIL	0.80	TRACE	0.72	20
21	0.04	NIL	NIL	NIL	NIL	NIL	NIL	0.01	0.18	NIL	0.04	0.20	0.47	21
22	0.06	NIL	NIL	NIL	NIL	0.01	NIL	0.61	TRACE	NIL	0.54	0.12	1.34	22
23	TRACE	NIL	NIL	NIL	NIL	NIL	NIL	TRACE	0.03	NIL	0.08	NIL	0.41	23
24	TRACE	TRACE	0.13	NIL	TRACE	TRACE	NIL	TRACE	0.17	NIL	0.69	TRACE	0.99	24
25	0.15	0.06	0.16	TRACE	0.11	NIL	0.01	0.02	TRACE	0.07	0.76	0.12	1.41	25
26	0.30	0.29	TRACE	TRACE	0.01	TRACE	NIL	NIL	0.27	0.15	TRACE	0.25	1.02	26
27	0.27	0.11	NIL	NIL	0.24	0.23	0.39	0.01	0.01	TRACE	0.62	TRACE	2.06	27
28	0.10	0.18	NIL	NIL	0.04	0.20	TRACE	0.38	0.07	NIL	TRACE	0.05	1.02	28
29	/	X	NIL	TRACE	0.36	TRACE	NIL	TRACE	TRACE	0.07	0.24	0.02	6.69	29
30	0.11	X	NIL	TRACE	TRACE	0.06	NIL	NIL	0.06	0.10	0.21	NIL	0.54	30
31	0.24	X	NIL	X	0.20	X	NIL	NIL	X	0.38	X	0.31	1.43	31
TOTAL	480	0.92	0.36	0.00	1.42	0.57	1.51	1.74	2.05	5.50	6.32	3.64	28.83	
* Days with .01 in. or more.	22	8	4	.	4	6	11	10	15	19	20	20	28.83	
* Days with .04 in. or more.	20	3	3	.	9	4	9	7	10	15	18	17	17.1	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

W. J. G. WATER ENGINEER

FORM 1090

Ground Sea Level.....199.....ft.

Jan. 1, following

Please read the Notes and Instructions Overleaf

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

595

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at SHANKLIN.

in the County of 1. OF WIGHT.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground....1.....ft. 0.....in.

,, Ground ,, Sea Level 199.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	TRACE	TRACE	TRACE	NIL	NIL	NIL	NIL	NIL	NIL	NIL	0.36	TRACE	0.36	1
2	NIL	0.56	NIL	0.17	0.11	NIL	0.03	NIL	NIL	TRACE	0.46	0.10	1.43	2
3	0.01	0.60	NIL	NIL	NIL	NIL	NIL	NIL	NIL	0.39	1.25	0.32	2.48	3
4	0.02	0.50	NIL	TRACE	NIL	NIL	0.17	NIL	NIL	0.64	0.08	0.14	1.20	4
5	NIL	0.03	NIL	NIL	NIL	NIL	0.12	NIL	NIL	TRACE	0.65	0.39	1.99	5
6	0.79	0.42	NIL	NIL	0.02	NIL	0.12	NIL	NIL	0.88	0.08	0.06	2.37	6
7	0.17	0.35	NIL	TRACE	NIL	NIL	NIL	NIL	NIL	0.01	TRACE	NIL	0.43	7
8	TRACE	TRACE	NIL	0.01	NIL	NIL	NIL	NIL	0.03	0.30	0.02	0.35	0.71	8
9	NIL	NIL	NIL	NIL	NIL	NIL	TRACE	0.02	0.02	0.60	0.34	0.22	1.20	9
10	NIL	NIL	NIL	NIL	NIL	NIL	0.44	NIL	TRACE	0.26	0.10	NIL	0.80	10
11	NIL	0.06	0.01	TRACE	NIL	NIL	TRACE	NIL	NIL	TRACE	1.57	NIL	1.64	11
12	NIL	NIL	0.16	NIL	NIL	NIL	0.31	NIL	0.56	TRACE	0.01	NIL	1.04	12
13	NIL	0.01	0.94	NIL	NIL	NIL	TRACE	NIL	0.04	0.06	2.07	NIL	3.12	13
14	NIL	TRACE	0.20	0.08	NIL	NIL	0.60	0.02	0.07	0.30	0.15	0.69	2.11	14
15	TRACE	NIL	NIL	0.02	0.02	NIL	0.49	NIL	0.12	TRACE	1.38	0.01	2.04	15
16	TRACE	0.60	0.53	0.01	NIL	0.03	TRACE	NIL	0.18	0.40	1.05	0.13	3.22	16
17	NIL	NIL	0.59	NIL	NIL	NIL	0.03	NIL	TRACE	TRACE	0.15	0.15	6.13	17
18	0.02	0.38	0.19	0.22	NIL	NIL	NIL	NIL	0.08	0.27	0.06	NIL	1.22	18
19	NIL	0.06	TRACE	0.09	NIL	NIL	0.05	NIL	0.87	NIL	0.43	TRACE	1.50	19
20	NIL	TRACE	NIL	0.14	NIL	NIL	NIL	NIL	0.11	0.33	0.04	0.01	0.63	20
21	TRACE	NIL	NIL	NIL	NIL	NIL	NIL	NIL	0.05	TRACE	0.45	NIL	0.50	21
22	NIL	NIL	0.02	0.01	NIL	0.23	TRACE	NIL	0.20	TRACE	TRACE	NIL	0.46	22
23	NIL	0.17	0.30	TRACE	NIL	NIL	NIL	NIL	TRACE	TRACE	0.08	NIL	0.56	23
24	NIL	NIL	TRACE	TRACE	NIL	NIL	0.32	NIL	NIL	NIL	0.01	NIL	0.33	24
25	NIL	TRACE	0.36	0.10	0.01	TRACE	0.01	NIL	NIL	TRACE	NIL	TRACE	0.97	25
26	1.21	0.29	0.40	0.02	0.38	NIL	0.12	NIL	NIL	NIL	TRACE	NIL	2.47	26
27	0.58	0.41	NIL	NIL	0.06	TRACE	0.11	NIL	NIL	NIL	NIL	NIL	1.16	27
28	0.67	0.03	NIL	NIL	0.12	NIL	NIL	NIL	NIL	0.28	NIL	NIL	1.10	28
29	0.64	0.45	0.21	0.36	0.04	NIL	NIL	NIL	NIL	TRACE	NIL	0.38	2.08	29
30	0.08	X	0.01	0.03	NIL	NIL	NIL	NIL	NIL	0.51	NIL	0.13	0.68	30
31	0.02	X	NIL	X	NIL	X	NIL	NIL	X	0.51	X	0.17	0.40	31
TOTAL	4.21	4.47	4.31	1.26	0.76	0.26	3.92	0.04	2.33	5.81	11.04	3.15	46.25	
* Days with .01 in. or more.	16	16	13	13	8	3	14	2	12	15	22	15	148	
* Days with .04 in. or more.	3	13	10	3	5	1	12	0	10	14	18	13	140	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

WATER ENGINEER

P.T.O.

REG

Kept at Brightstone
in the County of Isle

Diameter of Funnel of Gauge.
Height of top of Gauge above G
Ground

THE MORNING ME.

An observer who does not conform
year in the space on the right of this paragraph.

596
BRIGHTSTONE REGISTRY

1931 - 1936

596
COPY FOR OFFICIAL USE.
NFAALL ORGANIZATION.
93/

DAY.

the following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.01	—	0.21	—	—	—	0.22	0.18	0.02	—	—	1
2	0.30	0.04	—	0.60	—	—	—	0.23	0.42	—	—	—	2
3	0.09	—	0.75	0.03	0.10	—	—	0.06	0.35	—	0.05	0.28	3
4	—	—	—	—	0.20	—	0.18	—	0.61	0.10	0.05	—	4
5	—	0.20	—	0.30	—	0.55	—	0.54	—	—	0.02	0.20	5
6	—	0.11	—	0.22	0.04	0.17	—	0.04	—	0.45	0.18	0.19	6
7	—	—	—	—	0.52	0.20	—	0.36	—	—	0.45	—	7
8	—	0.20	—	—	—	0.50	—	0.08	—	—	0.25	0.21	8
9	—	0.24	—	—	—	—	—	—	—	—	0.83	—	9
10	—	0.09	—	—	—	0.22	0.13	—	—	—	0.58	—	10
11	0.20	0.36	—	—	0.09	—	—	—	0.02	—	0.20	—	11
12	0.02	0.02	—	—	—	—	0.03	—	0.14	—	0.02	—	12
13	0.13	—	—	—	—	—	—	—	—	—	—	—	13
14	0.02	0.26	—	—	—	—	0.98	0.08	0.07	—	—	—	14
15	0.02	—	—	—	—	—	0.10	0.14	0.05	—	—	0.03	15
16	—	0.10	—	0.10	0.45	0.10	—	0.09	—	—	—	—	16
17	—	0.15	—	0.11	—	—	0.66	—	0.29	—	—	—	17
18	0.04	—	0.09	0.09	—	0.09	0.10	0.75	—	—	0.25	—	18
19	0.12	—	—	0.25	—	—	—	0.04	—	—	—	—	19
20	—	0.17	0.11	0.33	—	—	—	0.15	—	—	0.08	—	20
21	0.05	—	—	—	0.30	—	—	—	—	—	0.02	—	21
22	0.22	0.02	0.02	—	—	—	—	—	—	—	—	—	22
23	0.34	—	0.31	0.05	0.35	—	—	—	—	—	0.31	—	23
24	0.03	—	—	0.70	0.21	0.30	0.42	0.75	—	—	—	0.05	24
25	0.07	0.09	—	0.18	0.09	—	0.35	—	—	—	0.10	—	25
26	—	—	—	0.11	—	—	0.44	—	—	—	0.95	—	26
27	0.30	0.22	—	—	1.15	—	—	—	—	0.03	0.06	—	27
28	0.10	0.04	—	—	—	—	—	—	—	—	—	0.15	28
29	—	—	0.05	—	0.21	—	—	0.13	—	—	—	—	29
30	—	×	0.08	—	—	—	—	0.04	—	—	0.11	—	30
31	0.45	×	—	×	0.04	×	—	—	×	—	×	0.10	31
TOTAL	2.50	2.32	1.41	3.28	3.75	2.15	3.39	3.73	2.13	0.60	4.57	1.21	YEAR'S TOTAL 30.98
*Days with or in. or more.	17	17	7	17	13	8	10	16	9	4	18	8	141
*Days with or in. or more.	13	14	6	13	13	8	9	16	8	2	15	7	124

40-9999

*See Instruction 2 (f) on other side.

(Signed)

E. W. S. Silver

Asst. of Brightstone

[B.T.O.]

REGISTER OF RAINFALL IN 193/ .

Kept at Brighthelm Rectory
in the County of Isle of Wight.
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. two in.
Ground Sea Level 140? ft.

Station No. 596.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.01	—	0.21	—	—	—	0.25	0.18	0.02	—	—	1
2	0.30	0.04	—	0.60	—	—	—	0.23	0.42	—	—	—	2
3	0.09	—	0.75	0.03	0.10	—	—	0.06	0.35	—	0.05	0.28	3
4	—	—	—	—	0.20	—	0.18	—	0.61	0.10	0.05	—	4
5	—	0.20	—	0.30	—	0.55	—	0.54	—	—	0.02	0.20	5
6	—	0.11	—	0.22	0.04	0.17	—	0.04	—	0.45	0.18	0.19	6
7	—	—	—	—	0.52	0.20	—	0.36	—	—	0.45	—	7
8	—	0.20	—	—	—	0.50	—	0.08	—	—	0.25	0.21	8
9	—	0.24	—	—	—	—	—	—	—	—	0.83	—	9
10	—	0.09	—	—	—	0.22	0.13	—	—	—	0.58	—	10
11	0.20	0.36	—	—	0.09	—	—	—	0.02	—	0.20	—	11
12	0.02	0.02	—	—	—	—	0.03	—	0.14	—	0.02	—	12
13	0.13	—	—	—	—	—	—	—	—	—	—	—	13
14	0.02	0.26	—	—	—	—	0.98	0.08	0.07	—	—	—	14
15	0.02	—	—	—	—	—	0.10	0.14	0.05	—	—	0.03	15
16	—	0.10	—	0.10	0.45	0.10	—	0.09	—	—	—	—	16
17	—	0.15	—	0.11	—	—	0.66	—	0.29	—	—	—	17
18	0.04	—	0.09	0.09	—	0.09	0.10	0.76	—	—	0.25	—	18
19	0.12	—	—	0.25	—	—	—	0.04	—	—	—	—	19
20	—	0.17	0.11	0.33	—	—	—	0.15	—	—	0.08	—	20
21	0.05	—	—	—	0.30	—	—	—	—	—	0.02	—	21
22	0.22	0.02	0.02	—	—	—	—	—	—	—	—	—	22
23	0.34	—	0.31	0.05	0.35	—	—	—	—	—	0.31	—	23
24	0.03	—	—	0.70	0.21	0.30	0.42	0.75	—	—	—	0.05	24
25	0.07	0.09	—	0.18	0.09	—	0.35	—	—	—	0.10	—	25
26	—	—	—	0.11	—	—	0.44	—	—	—	0.95	—	26
27	0.30	0.22	—	—	1.15	—	—	—	—	0.03	0.06	—	27
28	0.10	0.04	—	—	—	—	—	—	—	—	—	0.15	28
29	—	—	0.05	—	0.21	—	—	0.13	—	—	—	—	29
30	—	×	0.08	—	—	—	—	0.04	—	—	0.11	—	30
31	0.45	×	—	×	0.04	×	—	—	×	—	×	0.10	31
TOTAL	2.50	2.32	1.41	3.28	3.75	2.15	3.39	3.73	2.13	0.60	4.07	1.21	YEAR'S TOTAL 30.98
*Days with "or in. or more.	17	17	7	14	13	8	10	16	9	4	18	8	141
*Days with "04 in. or more.	13	14	6	13	13	8	9	16	8	2	15	7	124

Section

A

for the entry of Daily Observations.

Station No.

596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Brightstone Rectory,in the County of Sale of Wight.Diameter of Funnel of Gauge five in.Height of top of Gauge above Ground one ft. two in.,, Ground ,, Sea Level 140? ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11	—	—	0.09	0.65	—	—	—	—	—	0.06	—	1
2	—	—	—	0.35	0.04	—	—	0.25	—	—	—	0.32	2
3	—	—	—	0.09	0.02	0.59	—	—	0.34	—	—	—	3
4	—	—	—	—	—	0.20	0.02	—	—	—	—	—	4
5	0.23	—	—	—	—	0.02	—	—	0.15	—	—	—	5
6	0.50	—	—	0.13	—	—	—	—	0.14	—	—	—	6
7	0.14	—	—	—	—	—	—	—	0.12	0.25	—	—	7
8	—	—	0.31	0.11	0.19	—	—	—	—	0.30	—	—	8
9	—	—	—	0.20	0.15	—	—	—	—	—	—	—	9
10	0.50	—	—	0.29	0.10	0.11	—	—	—	0.17	0.12	—	10
11	0.27	—	—	—	—	—	—	0.05	0.05	0.11	—	—	11
12	0.40	—	—	—	—	—	—	—	0.09	0.50	—	—	12
13	0.07	—	—	0.25	0.16	—	0.24	—	—	0.98	—	—	13
14	0.40	—	—	0.04	0.04	—	—	—	—	0.12	0.32	0.10	14
15	0.02	—	—	—	0.65	—	—	—	—	—	0.15	—	15
16	0.07	—	—	0.22	0.01	—	—	—	—	—	—	—	16
17	—	—	—	0.09	—	—	—	—	—	—	—	—	17
18	—	—	—	—	0.10	—	0.07	—	—	—	0.21	0.04	18
19	—	—	—	—	—	—	—	—	0.11	0.37	—	—	19
20	—	—	0.03	—	0.20	—	—	0.47	—	1.45	0.16	—	20
21	0.09	—	—	—	1.37	—	—	—	—	0.52	—	0.16	21
22	—	—	0.28	—	0.04	—	0.05	0.72	1.02	0.62	0.43	—	22
23	—	0.03	—	0.01	0.30	—	0.56	—	0.31	0.61	—	0.16	23
24	—	0.04	—	—	—	—	0.85	—	0.08	0.05	—	—	24
25	—	—	—	—	—	—	0.70	—	0.16	0.45	0.14	—	25
26	—	—	0.10	0.14	—	—	0.01	—	—	0.15	—	—	26
27	—	—	0.20	0.35	0.16	—	0.02	—	—	0.50	—	0.03	27
28	—	—	0.05	0.05	0.05	0.13	0.40	—	—	0.03	—	0.10	28
29	—	—	0.24	—	0.14	0.20	0.02	0.06	0.49	0.35	—	0.15	29
30	—	X	0.08	0.45	—	0.82	0.08	—	0.22	—	0.72	0.25	30
31	—	X	0.02	X	—	X	0.10	—	X	—	X	0.28	31
TOTAL	2.80	0.07	1.31	2.86	4.37	2.07	3.12	1.55	3.28	7.53	2.31	1.59	YEAR'S TOTAL 32.86
*Days with "or in. or more.	12	2	9	16	18	7	13	5	13	18	9	10	132
*Days with .04 in. or more.	11	1	7	15	16	6	9	5	13	17	9	9	118

Section

A

for the entry of Daily Observations.

Station No.

596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

Bighatue Rectory,

in the County of

Isle of Wight

Diameter of Funnel of Gauge

five

in.

Height of top of Gauge above Ground

one

ft.

two

in.

Ground

Sea Level

140?

ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	0.70	0.15	—	—	—	—	—	—	—	—	0.07	1
2	0.11	—	0.55	—	0.27	—	—	—	—	—	—	—	2
3	—	0.20	0.26	—	—	—	—	—	—	—	0.05	—	3
4	0.30	0.03	0.02	—	0.35	—	—	—	—	—	0.01	—	4
5	0.05	—	0.38	—	—	—	—	—	—	—	—	—	5
6	—	0.24	0.01	—	0.24	—	—	—	—	—	0.08	—	6
7	0.11	0.02	—	—	—	—	—	—	—	0.07	—	—	7
8	0.03	0.01	—	—	0.08	—	0.40	—	—	—	—	—	8
9	—	—	—	—	—	—	0.37	—	—	0.02	—	—	9
10	—	0.18	—	—	—	—	—	—	—	0.28	0.07	—	10
11	0.38	—	—	—	—	0.12	—	0.15	—	—	—	—	11
12	0.05	—	—	—	0.05	—	0.07	—	1.97	—	—	0.10	12
13	—	—	—	—	0.05	—	0.42	0.01	—	0.02	0.20	—	13
14	0.45	—	—	—	—	—	0.02	—	—	0.36	0.56	—	14
15	—	—	0.28	—	—	—	—	0.43	—	0.31	0.02	—	15
16	—	0.02	0.44	—	—	0.03	0.08	—	0.05	—	—	—	16
17	—	0.01	0.55	—	—	—	—	0.15	0.10	—	0.01	—	17
18	0.27	—	0.20	—	—	0.40	—	—	0.03	—	—	—	18
19	—	—	0.10	—	—	—	—	—	0.34	—	0.13	0.05	19
20	—	0.04	—	0.12	—	0.22	—	—	0.05	—	—	—	20
21	—	—	—	—	—	—	—	0.30	0.13	0.06	—	—	21
22	—	—	—	—	—	0.02	—	0.17	—	0.19	0.03	—	22
23	—	—	—	0.65	—	0.18	—	—	0.45	0.15	—	—	23
24	—	0.68	—	0.42	—	0.12	—	—	0.10	—	—	—	24
25	—	1.00	—	0.38	0.36	—	—	—	0.25	—	0.02	0.20	25
26	—	0.44	—	0.15	—	—	—	—	0.08	0.02	—	—	26
27	—	—	—	—	0.45	—	—	—	0.01	0.25	—	0.48	27
28	—	—	—	—	—	0.01	0.30	—	—	0.07	—	0.02	28
29	0.22	—	0.02	0.09	0.02	—	—	—	0.04	0.06	—	—	29
30	—	X	—	—	—	—	0.02	—	0.07	—	—	0.17	30
31	0.25	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	2.33	3.57	2.96	1.81	1.87	1.10	1.68	1.21	3.70	1.86	1.18	1.09	YEAR'S TOTAL
*Days with or more.	12	13	12	6	9	8	8	6	14	13	11	7	119
*Days with or more.	11	8	9	6	8	5	6	5	12	10	6	6	92

40-9999

*See Instruction 2 (f) on other side.

(Signed)

E. W. S. Jones

late Rectr of Bignor, W.

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BRIGHTSTONE

in the County of THE ISLE OF WIGHT.

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground 7 ft. in.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	.23	—	.24	.10	.16	—	.85		1
2	.35	—	.09	—	.26	.06	—	—	.60	.17	—	.33		2
3	.05	.03	—	—	—	—	—	—	—	.21	—	.40		3
4	.20	—	.15	.34	.10	—	—	—	.04	.15	—	.31		4
5	.02	—	.02	—	Trace	—	—	.35	—	—	.12	.62		5
6	—	—	.58	.06	.21	—	—	.06	—	.37	.97	.64		6
7	—	—	—	—	—	—	—	—	.19	.24	—	.18		7
8	—	—	.13	—	.25	—	—	.25	—	—	1.08	.03		8
9	.10	—	.17	—	—	—	—	—	—	—	1.25	.46		9
10	.08	—	—	.16	—	—	—	—	—	—	.82	.05		10
11	.65	—	.30	.20	—	—	.13	.26	—	—	.02	.38		11
12	—	—	.15	—	—	—	.02	.25	—	—	.08	.05		12
13	.36	—	.02	.10	—	—	.10	—	—	—	.20	.18		13
14	.21	—	.37	—	—	—	.02	—	—	.02	.07	.98		14
15	1.01	—	.04	—	—	—	—	—	—	.13	.12	.68		15
16	.17	—	.40	—	—	—	—	—	.11	—	—	.25		16
17	.16	—	.10	.03	.03	—	—	—	.03	—	—	.65		17
18	.12	—	.20	.32	—	—	—	—	.17	—	—	.20		18
19	—	—	.28	—	—	—	—	—	.20	—	—	.16		19
20	—	—	.03	.10	—	—	—	—	—	—	—	—		20
21	—	—	.02	.26	—	.28	Trace	—	—	.10	—	—		21
22	—	—	.01	—	—	—	—	.07	.30	—	—	.25		22
23	—	—	—	.30	—	.61	—	—	.04	—	—	—		23
24	—	—	.10	.25	—	—	.35	—	—	—	—	—		24
25	.30	.08	.01	.10	—	—	—	—	.06	.12	—	.65		25
26	.04	—	—	—	—	.30	—	—	.15	—	—	.02		26
27	.03	—	—	.32	—	.01	—	—	—	—	—	.45		27
28	—	—	—	—	—	.06	—	.84	—	—	—	.38		28
29	—	—	—	—	—	—	—	.05	.16	—	—	.01		29
30	.10	X	—	—	—	—	—	.04	.07	—	.04	.40		30
31	.01	X	—	X	—	X	.01	—	X	—	X	.04		31
TOTAL	2.96	0.11	3.17	2.54	0.85	1.55	.63	2.41	2.22	1.67	4.77	9.60	32.48	
*Days with or in. or more.	18	2	20	13	5	7	6	10	14	10	11	27	143	
*Days with .04 in. or more.	14	7	14	12	4	6	3	10	13	9	10	24	120	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

J. V. Han

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BRIGHSTONE

in the County of ISLE OF WIGHT

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·25	—	·08	·12	·20	—	·02	·11	·16	·15		1
2	—	—	·08	—	—	·08	—	—	—	·32	·10	—		2
3	—	—	—	—	—	·13	—	·05	·10	·42	·08	—		3
4	—	·20	·10	·20	—	·09	—	—	·27	·30	—	·20		4
5	—	—	—	·10	—	·54	—	—	·30	·22	—	—		5
6	—	·35	—	·31	—	—	—	—	—	—	—	·15		6
7	—	—	—	·65	—	—	—	—	—	—	2·30	·18		7
8	·15	—	—	·65	—	—	—	—	·06	·45	·55	—		8
9	·40	—	—	·25	—	·40	—	—	·13	1·12	·06	—		9
10	·65	—	—	·01	—	·18	—	—	—	—	·53	·04		10
11	—	—	·62	—	—	—	—	—	·03	—	·35	—		11
12	·20	·25	—	—	·03	·18	—	·13	·06	—	·85	—		12
13	—	—	—	·30	—	·05	—	—	—	—	·08	—		13
14	·05	·16	—	·17	—	—	—	—	—	·08	·05	·28		14
15	—	—	—	·61	·03	·06	—	—	·50	·09	·30	·03		15
16	—	·02	—	·06	—	·35	—	—	·20	—	1·40	—		16
17	—	—	—	—	—	—	—	·08	—	—	·25	—		17
18	—	—	—	·35	·12	—	—	—	·63	—	—	—		18
19	—	—	—	·17	—	·17	·12	—	·10	—	·37	—		19
20	—	·30	—	—	·15	·05	—	—	—	—	·71	—		20
21	—	·40	—	·06	—	—	—	—	—	—	—	—		21
22	—	·06	—	—	—	—	—	·10	·15	·10	—	—		22
23	—	—	·08	—	—	—	—	·40	—	·32	—	·25		23
24	·06	·65	—	—	·40	—	—	1·33	·65	·04	—	·33		24
25	·12	·35	—	·22	·10	—	—	—	—	—	—	·23		25
26	—	·46	—	—	—	—	—	·15	—	—	—	·88		26
27	—	·71	—	—	—	—	—	·13	—	—	·10	·60		27
28	—	·10	—	—	·12	—	—	—	·28	—	—	·12		28
29	—	—	—	—	—	—	—	·68	·35	—	—	·35		29
30	·05	X	—	—	—	—	—	1·32	·12	·10	·41	·48		30
31	—	X	—	X	—	X	—	·02	X	·33	X	·13		31
TOTAL	1·69	4·01	1·13	3·91	1·03	2·40	1·32	4·39	3·95	4·00	8·65	3·90	39·38	
* Days with ·01 in. or more.	9	13	5	15	8	13	2	11	17	14	18	16	141	
* Days with ·04 in. or more.	8	12	5	14	6	13	2	10	15	14	18	15	132	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

J. V. Brown

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

596

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at BRIGHTSTONEin the County of ISLE OF WIGHT.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.28	.30	-	.27	-	.30	.30	.02	-	-	.15	.04		1
2	-	-	-	.020	-	.08	.08	.10	-	-	.02	-		2
3	-	-	-	.27	-	-	.05	-	.18	-	.62	-		3
4	-	-	.16	-	-	.05	.15	-	.20	-	.40	.05		4
5	.45	-	-	-	.080	.01	.02	-	.10	-	.15	-		5
6	.60	-	-	-	-	.04	-	.03	.12	-	.80	-		6
7	.10	-	.14	-	-	-	.10	-	-	-	.40	.15		7
8	.30	-	.12	-	-	-	.20	-	-	-	.70	.12		8
9	.20	-	-	-	-	-	1.00	-	.14	-	.02	-		9
10	-	-	-	-	-	-	.20	-	-	-	.03	-		10
11	.40	.50	-	.040	-	-	.02	-	-	-	1.45	.05		11
12	-	-	-	.050	-	.38	.55	-	.55	-	.30	-		12
13	-	-	-	-	-	.08	-	-	-	.05	.20	.42		13
14	-	.21	-	.050	-	.06	.72	-	.03	.03	.01	.37		14
15	-	.07	-	-	-	-	-	-	.25	-	1.07	.30		15
16	.10	.16	-	-	.050	-	.12	-	-	-	.07	.25		16
17	.20	.57	-	-	.020	-	-	.05	.15	.07	.20	.43		17
18	.15	.20	-	-	-	1.25	.20	-	-	-	-	.20		18
19	.21	.030	.20	-	-	.08	-	.08	-	.15	-	-		19
20	.20	-	-	.20	-	.15	.02	-	.85	-	-	-		20
21	-	-	-	.30	-	.03	-	-	.02	-	-	-		21
22	.11	.43	.32	-	.080	-	.15	-	-	-	-	.10		22
23	-	-	.12	.14	.010	-	.05	-	-	.11	-	-		23
24	.13	.030	.030	-	.10	-	-	-	-	.34	-	-		24
25	-	-	.25	.30	-	-	-	-	-	.15	-	-		25
26	.20	.15	.060	-	-	1.10	-	-	-	.10	-	-		26
27	.25	.13	-	-	-	-	-	-	.23	.13	-	-		27
28	.85	-	.24	-	-	-	.25	-	-	.25	-	.12		28
29	-	.080	-	-	-	.40	.05	-	-	-	.25	.05		29
30	.30	~~X~~	.36	-	-	.56	-	-	-	.02	-	-		30
31	.10	~~X~~	-	~~X~~	-	~~X~~	.37	-	~~X~~	.06	~~X~~	.35		31 <i>"d"</i>
TOTAL	5.13	2.86	2.00	1.64	.34	3.57	4.60	.28	2.82	1.46	5.84	3.00	Year's Total	83.51
* Days with .01 in. or more.	19	13	11	10	6	15	20	5	12	12	18	15		135
* Days with .04 in. or more.	19	11	10	9	4	13	17	3	10	10	14	15		135

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Joseph D. Keen

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Pitt Place, Brighthelm
in the County of Isle of Wight.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.30					.16				1
2	.31	.07		.61				.22	.38	.02	.05	.10	2
3	.06		.71	.03	.04			.04	.29			.11	3
4			.04		.14		.16	.23	.38	.07	.06		4
5		.21		.27		.43		.07				.16	5
6		.11		.18	.04	.16			.01	.41	.22	.12	6
7					.49	.21		.24		.06	.41	.01	7
8		.16		.03	.11	.48		.04			.17	.12	8
9		.17				.03					.67	.01	9
10		.07				.18	.06				.60		10
11	.16	.30			.02				.02		.22		11
12	1.02						.03		.11				12
13	.07							.01					13
14		.23				.06	.82	.06	.05				14
15	.03				.14		.11	.09	.02				15
16				.06	.25	.07		.005	.07				16
17		.19		.09			.63		.21				17
18			.14	.05		.08	.13	.75			.21		18
19	.16			.19				.06					19
20		.12	.04	.23				.12			.06		20
21	.05				.32								21
22	.34	.03	.37								.05		22
23	.25			.05	.30						.26		23
24				.46	.19	.37	.37	.72					24
25	.09	.005		.27	.10		.28				.08		25
26		.08		.10			.40				.60		26
27	.25	.16			1.08		.03				.05		27
28	.07			.06	.12		.64					.17	28
29	.08				.11			.10					29
30		X						.05			.11		30
31	.32	X		X		X	.04		X		X		31
TOTAL	3.26	1.965	1.30	2.98	2.45	2.07	3.10	2.805	1.70	.56	3.82	6.80	YEAR'S TOTAL
*Days with ".01 in. or more.	15	14	5	16	15	10	13	16	11	4	16	8	143
*Days with ".04 in. or more.	14	12	5	14	14	9	11	14	8	3	16	6	126

Section

A

for the entry of Daily Observations.

Station No.

597.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at PITT PLACE BRIGHSTONEin the County of ISLE OF WIGHTDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft 8 in.,, Ground ,, Sea Level 200 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1 following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.09	.62						.63		1
2	.15			.28	.03			.20				.22	2
3				.08	.02	.60			.29	.01			3
4						.19							4
5	.24					.01			.14				5
6	.47			.08					.07				6
7	.06			.04						.22			7
8			.39	.04	.17				.14	.36			8
9	.02			.11	.13					.01	.10		9
10	.46			.25	.06				.02	.20	.04		10
11	.21			.04	.01					.08			11
12	.35								.06	.82			12
13				.16	.12		.22			.34			13
14	.50										.35		14
15	.01			.08	.64					.11	.10		15
16				.13									16
17				.11									17
18					.08						.18		18
19									.06	.25			19
20					.09			.47		1.36	.19		20
21					1.26					.50		.17	21
22			.28		.02			.63	.85	.31	.36		22
23					.20		.34		.33	.77			23
24							.98		.05	.08			24
25			.15				.63		.12	.40	.10		25
26			.42	.09									26
27			.15	.31	.15	.10				.71			27
28			.02	.04	.04		.33			.01		.08	28
29			.19	.12	.13	.12			.44	.27		.16	29
30		X	.09	.31		.16	.05		.19		.57	.24	30
31		X		X		X	.17		X		X	.28	31
TOTAL	2.47	-	1.24	2.36	3.77	1.85	2.67	1.30	2.76	6.26	2.02	1.22	YEAR'S TOTAL
*Days with .01 in. or more.	10	-	7	18	17	7	7	3	13	19	19	7	127
*Days with .04 in. or more.	8	-	8	18	13	6	7	3	12	15	15	7	112

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[Signature] F.T.O.

Section

A

for the entry of Daily Observations.

Station No.

597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Pitt Place, Bughstone
 in the County of the Isle of Wight

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.60	.15									.10	1
2	.08		.52		.23								2
3		.17											3
4	.31	.10			.30								4
5	.07		.30										5
6		.21			.23					.13	.05		6
7	.04									.22			7
8	.03				.06		.41						8
9		.03					.35				.03		9
10		.11					.05			.28			10
11	.30					.13		.15					11
12	.03								1.05				12
13					.05		.33				.12		13
14										.21	.51		14
15	.38		.17					.35		.19	.08		15
16			.46						.06	.05			16
17			.45					.08	.07				17
18	.30		.21			.34							18
19			.13						.17		.10		19
20				.09		.21			.03				20
21								.27	.10				21
22						.03		.12		.18			22
23				.64		.17			.39	.10			23
24		.66		.43		.04			.02				24
25		1.07		.35	.29				.35			.32	25
26		.44											26
27				.14	.46					.19		.46	27
28							.27						28
29	.20			.07	.02							.08	29
30		×										.05	30
31	.23	×		×		×			×		×		31
TOTAL	~~2.30~~ 2.35	~~3.39~~ 3.34	2.39	1.72	1.64	.92	1.41	.97	3.14	1.55	.89	1.01	20.97
*Days with .01 in. or more.	2	2	—	—	1	1	—	—	2	—	1	—	9
*Days with .04 in. or more.	10	7	8	6	7	5	5	5	7	9	5	5	79

40-9999

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.


Kept at Pitt Place

in the County of Isle of Wight

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

Ground Sea Level 200 ft.



THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						.21		.20		.19		.78		1
2	.28		.08		.26	.03			.54	.18		.30		2
3	.04									.28		.30		3
4	.18		.12	.16	.09				.02	.14		.27		4
5								.32		.01		.53		5
6			.58	.12	.16					.32	.87	.78		6
7	.01							.21		.20		.15		7
8					.22				.14		.87	.01		8
9	.08		.10								1.00	.45		9
10			.16	.16							.75	.05		10
11	.67		.28	.27			.10	59				.28		11
12			.03								.10	.20		12
13	.28			.07							.14	.15		13
14	.18		.41								.04	.85		14
15										.11	.12	.62		15
16	.14		.34									.15		16
17	.14		.05						.05	.01		.40		17
18	.15		.19	.28					.16			.18		18
19			.27						.21			.15		19
20				.05										20
21				.25		.20				.02				21
22									.33			.18		22
23				.25		.56								23
24			.12	.26			.74		.04					24
25	.25			.06						.07		.72		25
26	.03					.22			.08			.03		26
27				.24								.39		27
28						.03		.94				.37		28
29								.02	.12					29
30	.11	X										.31		30
31		X		X		X			X		X	.03		31
TOTAL	2.54	-	2.73	2.17	.73	1.25	.84	2.28	1.69	1.53	3.89	8.63	28.28	
* Days with .01 in. or more.	2		1			2	0	1	1	3	-	3	13	
* Days with .04 in. or more.	12		12	12	4	4	2	5	9	8	8	23	99	

Section **A** for the entry of Daily Observations.Station No. **597**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Pitt Place, Brighton*in the County of *Isle of Wight*Diameter of Funnel of Gauge *5* in.Height of ~~top~~ of Gauge above Ground *1* ft. *8* in.,, Ground ,, Sea Level *200* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.29		.10		.17		.04	.14	.14	.11		1
2						.07				.32	.07			2
3			.08			.10			.13	.37				3
4		.22		.17		.08			.20	.17	.05	.12		4
5		.26	.13	.08					.26	.23				5
6			.02	.26		.50					.54	.08		6
7				.57						.05	1.06	.17		7
8	.11			.31						.40	.42			8
9	.40			.28		.36			.15	.74	.03			9
10	.80		.45			.06					.54	.04		10
11	.11		.16			.06					.32			11
12	.06					.14		.09	.07		.69			12
13	.04	.21		.24		.11					.06			13
14				.20		.03				.02	.02	.25		14
15		.12		.58					.69	.04	.31			15
16				.08					.13		1.50			16
17			.02			.30			.43		.27			17
18				.27	.08	.03			.07					18
19				.13	.16	.10					.40			19
20		.19				.03					.77			20
21		.30		.05										21
22		.04						.10						22
23								.05	.48	.35		.23		23
24	.03	.52			.30			.35		.04		.33		24
25	.08	.61		.17				1.34				.22		25
26		.30						.13	.01			.36		26
27		.68						.20	.08		.05	.54		27
28		.06						.16						28
29					.10			.64	.22			.43		29
30		~~X~~						1.12	.05	.03	.33	.40		30
31		~~X~~		~~X~~		~~X~~			~~X~~	.29	~~X~~	.09		31
TOTAL	1.63	3.51	1.15	3.39	.74	1.97	.17	3.92	3.27	3.19	7.57	3.37	33.88	Year's Total
* Days with .01 in. or more.	18	12	27	14	5	14	1	8	17	214	219	14	133	
* Days with .04 in. or more.	7	12	5	14	5	11	1	8	16	12	17	14	122	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Andrew M. H. [illegible]* [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at *Pitt Place*
 in the County of *Isle of W. Isl.*
 Diameter of Funnel of Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. *8* in.
 „ Ground „ Sea Level *200* ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following


An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.18	.34	.01	.20		.36	.22	.01			.12	.01		1
2			.01	.005		.12	.06	.08			.01			2
3				.27			.04		.12		.55	.01		3
4			.12			.02	.12		.18		.43	.19		4
5					.06	.02		.01	.14		.14	.01		5
6	.18					.03			.10		.80			6
7			.13				.03				.26	.10		7
8	.37		.09				.10				.46	.09		8
9	.15		.18				.85		.15		.05			9
10							.18				.02			10
11	.30	.57		.01			.01				.27	.03		11
12				.02		.35	.43		.54	.02	.28	.05		12
13						.06				.03	.13	.25		13
14		.19		.04		.03	.67		.03			.31		14
15		.07							.10		.05	.19		15
16	.14	.21			.02		.11				.07	.18		16
17		.53			.01	.24		.06	.21	.02	.15	.38		17
18	.24	.16				.96	.15				.01	.18		18
19	.18	.02		.02		.06		.04		.13				19
20	.16	.04	.06	.13		.10	.01		.83					20
21		.10		.33		.02			.01					21
22	.12	.40	.25		.06							.07		22
23			.14	.11	.01		.11			.10				23
24	.21	.02	.02		.13		.03			.24				24
25	.04		.27	.21			.02			.13				25
26		.13	.08						.04	.06				26
27	.37	.12				.08	.04		.19	.09				27
28	.87		.28				.16					.09		28
29	.02	.05	.03			.35	.05			.23	.19	.04		29
30	.22	X	.01			.61								30
31	.08	X	.32	X		X	.32		X	.03	X	.26		31
TOTAL	4.77	2.95	2.09	1.34	5.24	3.41	3.71	2.0	2.64	1.08	4.99	2.44	29.825	167.1
* Days with .01 in. or more.	177	152	165	118	68	165	215	52	132	117	188	188	37	167.1
* Days with .04 in. or more.	16	13	11	8	3	11	16	3	11	7	15	14	12.8	✓

† Spare column, no entries required.

(Signed)



* See Instruction 3 (f) on other side.

Section

A

for the entry of Daily Observations

Station No.

597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Pitt Place*

in the County of *18th of W. M.*

Diameter of Funnel of Gauge.....*5*.....in.

Height of top of Gauge above Ground.....*1*.....ft.....*8*.....in.

„ Ground „ Sea Level.....*200*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.74			.17							.94	.34		1
2		.49		.15					.03			.05		2
3	.03	.12												3
4	.08	.74										.39		4
5	.21	.04	.10	.01			.27							5
6	.16	.27	.90	.08	.07		.10			.03	.23	.01		6
7		.45		.07			.01			.05	.05	2.45		7
8			.02		.32							.08		8
9		.02		.25	.07	.07	.02		.67					9
10	.03		.45	.30	.20							.46		10
11	.06		.01	.02	.09		.28					.07		11
12	.27	.31	.15	.09	.30	.14	.65	.61	.48			.25		12
13	.36	.05	.83	.03	.01			.16	.14			.78		13
14	.01	.02	.21	.12	.03			.23	.09			.07		14
15	.33	.14		.29			.76		.45			.18		15
16		.12	.23	.11		.10		.56	.23		.05			16
17	.46		.10				.04		.26		.10			17
18	.21	.06							.06		.17	.34		18
19	.22	.05	.03	.15		.03					.06	.09		19
20	.17	.07	.12	.19		.21						.13		20
21	.32	.32	.05	.04	.06		.01				.15	.13		21
22	.54	.03	.13		.10		.12			.76	.39	.08		22
23	.18	.11	.01		.02		.08			.20	.15	.01		23
24	.18	.44			.09				.01	.34		.03		24
25	.14	.31	.44		.74				.07	.18		.03		25
26		.34								.18				26
27		.09		.12						.16				27
28	.39	.04								.16	.02			28
29	.03									.10	.02			29
30	.27	X								.30	.17			30
31	.52	X		X		X			X	.43	X			31
TOTAL	5.91	4.66	3.78	2.19	2.70	.55	1.74	1.56	2.49	2.99	2.22	5.97	36	16 ✓
* Days with .01 in. or more.	424	23	164	178	13	15	811	74	211	12	112	294	30	5167 ✓
* Days with .04 in. or more.	20	20	12	14	10	4	8	4	9	11	8	16	136	5 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) *Arthur H. J. Smith* P.T.O.

Section



for the entry of Daily Observations

Station No.

597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Pitt Placein the County of Isle of WightDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....1 ft. 8 in.,, Ground ,, Sea Level 200...ft.Days
w.g. 7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		.02			.12	.09			.34	.03		.03		1
2	.01						.05			.53	.13	.10		2
3					.13		.31			.43	.11			3
4	.01				.02		.09	.16		.13		.04		4
5							.20			.29	.02			5
6	.16						.05		.14	.01	.05	.01		6
7	.08					.01	.45		.11	.09		.06		7
8	.14					.02	.09	.08		.23	.01	.06		8
9	.11	.03								.05		.58		9
10	.05					.01	.04					.24		10
11	.24										.13	.13		11
12	.39				.08		.01			.11				12
13	.44									.13	.20	.21		13
14	.37				.09		.10		.02					14
15	.08	.11					.17			.38		.48		15
16	.30	.07	.03		.01			.04			.03	.10		16
17		.22	.03		.01		.04		.16	.55	.06			17
18	.09					.04			.08		.39			18
19								.05	.12		.75			19
20								.08	.04		.42			20
21	.07								.15		.10	.37		21
22	.06					.01		.44			.35			22
23											.03			23
24			.20								.40			24
25	.13	.05	.10		.13		.01		.10	.06	.60			25
26	.31	.14	.01		.05					.06		.36		26
27	.07				.11	.21	.22				.22			27
28	.04	.09			.09	.04		.44				.06		28
29	.01				.22				.07	.04	.17	.02		29
30	.04	~~X~~				.06			.03	.04	.13	.22		30
31	.09	~~X~~		~~X~~	.16	~~X~~			~~X~~	.17	~~X~~			31
TOTAL	3.32	.73	.37	-	1.22	.52	1.86	1.32	1.39	3.33	.40	3.10	21.46	✓
* Days with .01 in. or more.	23	28	35	.	13	29	142	7	12	182	20	178	28	146 ✓
* Days with .04 in. or more.	20	6	2	.	10	5	12	7	10	16	16	14	118	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Arthur J. H. H. H. [P.T.O.]

Section



for the entry of Daily Observations

Station No.

597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Pitt Placein the County of 156. of W. 8thDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 8 in.,, Ground ,, Sea Level 200 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.03	.07	.09		.11		.16		.17	.01		1
2				.15				.50	.60		.07	.07		2
3	.31			.45			.01	.55			.20	.26		3
4	.03		.45	.46	.11		.46	.30		.59	.18	.03		4
5			.07	.23	.16		.03	.01		.21	.61	.03		5
6	.47		.11				.30	.20			.24			6
7		.23					.03	.20			.05	.31		7
8		.08	.11				.02			.85	.31	.09		8
9	.05	.01						.07		.20	.55	.17		9
10	.14					.07		.20	.17	.22	.21			10
11			.16			.01				.63	.02			11
12	.01					.11				.15	.02			12
13	.16			.01			.36		.02	.68	.01	.03		13
14	.65			.01	.02	.04	.17			.43	.50	.54		14
15	.35				.60	.63	.22		.06	.12	.27			15
16	.37			.09	.13	.10	.68		.01	.34	.38			16
17	.07	.03	.02		.09					.77	.07			17
18	.03					.02	.10				.59			18
19	.36						.21					.05		19
20	.54		.08	.22		.22	.01	.29	.02			.02		20
21	.06	.15				.06	.11							21
22	.17	.20	.08			.27	.02				.07			22
23				.18			.06	.01			.66			23
24	.48		.08	.21		.18								24
25	.93	.24	.02	.05						.07	.32			25
26								.03		.10	.13			26
27	.01	.05	.09	.13		.13					.07			27
28		.30	.02			.02					.29	.28		28
29				.04						.21				29
30		X		.71			.20			.46	.01			30
31		X		X		X		.08	X	.33	X			31
TOTAL	5.21	1.29	1.32	2.43	12.0	1.86	4.10	3.24	1.04	7.36	59.8	1.39	36.42	Year's Total
* Days with .01 in. or more.	20.5	9.2	4.13	2.14	8.7	3.13	5.18	3.11	3.7	17	52.5	13.5	38	
* Days with .04 in. or more.	15	7	9	12	6	10	7.12	8	4	14	20	8	12.4	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

597

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Pitt Placein the County of Isle of WightDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 8 in.Ground Sea Level 2.00 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1											14			1
2		24		13	09						24	04		2
3		41								25	81	19		3
4		25		01			11			34	03	08		4
5		03			01		07				42	11		5
6	74	41					39			36	07	05		6
7	10	19							03					7
8									01	22	02	21		8
9										28	40	22		9
10							140			05	06	07		10
11		04									74			11
12			14				15		37					12
13			56						18	06	173			13
14			22	03	05		17		12	29		34		14
15				03			80		06		73			15
16		50	39						08	43	1.07	05		16
17			61				02				38			17
18		37	12	25					03	19	06	13		18
19		08	01	08			08		53		19			19
20				02					04	22	02	01		20
21									02		24			21
22			01	06		17			11					22
23		10	19	01	03		01				08			23
24							33							24
25			44	01	02		07				02			25
26	1.35	29	38		34		08							26
27	35	33		06	01		21							27
28	27	01			05									28
29	34	63	12	26	48					01		22		29
30	03	~~2~~	02	02						14		10		30
31		~~2~~		~~2~~		~~2~~			~~2~~	33	~~2~~	23		31
TOTAL	3.18	3.88	3.21	0.99	1.08	0.17	3.89	-	1.58	3.14	4.145	2.05	30.63	
* Days with .01 in. or more.	7	15	13	13	9	1	14	-	12	14	20	15	133	
* Days with .01 in. or more.	8	13	10	6	5	1	12	-	8	13	16	14	101	

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

P.T.O.

Section **A** for the entrance
AIR MINISTRY
FORM 1090.

598
SANDOWN
1931 - 1940

598
FOR OFFICIAL USE.
N FALL ORGANIZATION.
93 / .
222

REG
Kept at Sandown
in the County of Kent

Diameter of Funnel of Gauge,
Height of top of Gauge above ()
,, Ground ,,

THE MORNING ME

An observer who does not conform
year in the space on the right

180112 DAY.
of the following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01						—						1
2	.28						—						2
3	.05		.67				—		.66				3
4	12						.13						4
5	12					.65	.04	1.21				.22	5
6	—						—			.38			6
7	—						—						7
8	—						—						8
9	—						.01						9
10	12						.06				.87		10
11	.18	.41					—						11
12	.04						.15						12
13	.02						.01						13
14	.03						.53						14
15	.03						.22						15
16	.01						—						16
17	—						.64						17
18	.06						.17						18
19	.14						.02						19
20	—						—						20
21	.02						—						21
22	.39						—						22
23	.27						—						23
24	.01			.65			.22						24
25	.07						.24						25
26	—						.35						26
27	.23				1.32		.42						27
28	.08						—						28
29	.07						.08						29
30	.01	X				—	—						30
31	.39	X		X		X	.01		X		X	.03	31
TOTAL	2.39	2.16	1.17	3.16	3.83	1.76	3.35	4.37	1.86	0.74	4.34	0.88	YEAR'S TOTAL
*Days with or in. or more.	21	22	10	18	20	12	17	19	12	10	20	13	194
*Days with .04 in. or more.	13	14	6	14	12	10	13	14	9	4	14	6	129

REGISTER OF RAINFALL IN 1931.

Kept at Sandown
in the County of Hants

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 13 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.01						—						I
2	.28						—						2
3	.05		.67				—		.66				3
4	12						.18						4
5	12					.65	.04	1.21				.22	5
6	—						—			.38			6
7	—						—						7
8	—						—						8
9	—						.01						9
10	12						.06				.87		10
11	.18	.41					—						11
12	.04						.15						12
13	.02						.01						13
14	.03						.53						14
15	.03						.22						15
16	.01						—						16
17	—						.64						17
18	.06						.17						18
19	.14						.02						19
20	—						—						20
21	.02						—						21
22	.39						—						22
23	.27						—						23
24	.01			.65			.22						24
25	.07						.24						25
26	—						.35						26
27	.23				1.32		.42						27
28	.08						—						28
29	.07						.08						29
30	.01	X				—	—						30
31	.39	X		X		X	.01		X		X	.03	31
TOTAL	2.39	2.16	1.17	3.16	3.83	1.76	3.35	4.37	1.86	0.74	4.34	0.88	YEAR'S TOTAL 30.01
*Days with or in. or more.	21	22	10	18	20	12	17	19	12	10	20	13	194
*Days with .04 in. or more.	13	14	6	14	12	10	13	14	9	4	14	6	129

Section

A

for the entry of Daily Observations.

598
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

222

Kept at Sandown
in the County of Hants (Isle of Wight)

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 13 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04				1.11		—						1
2	.01						—					.45	2
3	.01						—						3
4	.03						.04						4
5	.29						.03						5
6	.61						—						6
7	.13						—						7
8	14						—						8
9	.10						—						9
10	.24	.02					—						10
11	.36						—						11
12	.40						—						12
13	.04						.25						13
14	.53						—						14
15	.02						.03						15
16	.19						.02						16
17	.03						.02						17
18	.02						.04						18
19	.01						—						19
20	—						.03			1.22			20
21	.01						.02						21
22	.02						.02	.44	.85				22
23	14						.33						23
24	14	.02					.90						24
25	—						.46						25
26	—						14						26
27	—				36		.02						27
28	—						.40						28
29	—				.35		—						29
30	—	X				.82	.07				1.23		30
31	—	X		X		X	.05		X		X	.25	31
TOTAL	3.09	0.06	1.40	3.06	4.68	1.96	2.73	0.90	3.28	6.97	2.96	1.51	32.60
*Days with or in. or more.	20	4	11	22	20	7	17	6	19	21	15	13	175
*Days with .04 in. or more.	11	0	7	16	14	6	9	2	14	17	8	6	110

40-999978.5 1.5 35.6 77.7 118.9 49.8 69.3 22.9 83.3 177.0 45.2 38.4

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1933 .

Kept at London
in the County of Hants
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level 12.92 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08						—						1
2	.25		76		.82		—						2
3	.05						—						3
4	.30						—						4
5	.01						—						5
6	—						—						6
7	.20						—						7
8	.05						.21						8
9	—						.25						9
10	—						.01						10
11	.31						.03						11
12	—						.02		1.56				12
13	.01						.44						13
14	—						.01				.41		14
15	0.54						.10	.45		.61			15
16	—						—						16
17	—						—						17
18	.26					.24	—						18
19	—						—						19
20	—						—						20
21	—						—						21
22	—						—						22
23	—						—						23
24	—						—						24
25	—	1.01		0.27			—						25
26	—						—						26
27	—						.01					.36	27
28	—						.18						28
29	.15						—						29
30	.09	×				—	.05						30
31	.14	×		×		×	—		×		×	—	31
TOTAL	2.44	3.36	3.01	0.86	2.29	0.76	1.31	1.09	4.08	2.76	0.96	0.76	YEAR'S TOTAL 23.68
*Days with or in. or more.	14	13	13	7	13	8	11	8	16	18	14	9	142
*Days with or more.	12	7	9	6	10	5	6	6	11	13	5	6	956

Section

A

for the entry of Daily Observations.

Station No.

598

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1934.

Kept at

Sandown

in the County of

Hants

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level 12.92 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01						—							1
2	.12				.55		—							2
3	.07	.01					—			.36				3
4	.18						—							4
5	—						—							5
6	.02						—							6
7	.02						—							7
8	—						—		.70		1.28			8
9	.03						—							9
10	.03						—							10
11	.77						.23							11
12	.05						.04							12
13	.21						.02							13
14	.29						—					1.10		14
15	—						—							15
16	.18		.52				—							16
17	.19						.5							17
18	.08			.48			—							18
19	—						—							19
20	—						.01							20
21	—						—							21
22	—						—							22
23	—					.38	—							23
24	—						.20							24
25	.23						.2							25
26	.02						—							26
27	.03						—							27
28	—						—	.65						28
29	—	X					—							29
30	.09	X				—	—							30
31	.02	X		X		X	—		X		X	.08		31
TOTAL	2.64	0.01	2.82	2.25	1.22	0.99	0.50	2.29	2.35	2.00	3.92	9.64	30.63	
*Days with or in. or more.	20	1	19	15	7	9	5	12	15	16	12	28	159	
*Days with .04 in. or more.	12	0	13	10	6	6	3	12	9	11	7	25	112	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

P.T.O.

Section **A** for the entry of Daily Observations.

Station No. 598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 990.

REGISTER OF RAINFALL IN 1935.

Kept at Sharnbrook
in the County of NorthantsDiameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
„ Ground „ Sea Level 13 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.		in.	in.	in.	in.	in.	†	
1	.03						.69							1
2	—						—							2
3	—						—			1.65				3
4	—						—							4
5	—						—							5
6	—					.40	—							6
7	—						—				1.35			7
8	.17						—							8
9	.23						—							9
10	1.39		.39				—							10
11	.20						—							11
12	.03						—							12
13	.04						—							13
14	14						—							14
15	—			.52			—							15
16	—						—							16
17	—						—							17
18	—						—							18
19	—				.28		.07							19
20	—						.01							20
21	—						.01							21
22	—						—							22
23	—						—							23
24	.08	.83					—		.56					24
25	.21						—							25
26	.01						—							26
27	—						—							27
28	—						—							28
29	—						—							29
30	.06	X				—	—	1.46				.85		30
31	—	X		X		X	—		X		X	.27		31
TOTAL	2.39	3.94	1.01	3.43	1.10	1.89	0.78	4.34	3.92	4.72	8.39	3.86	39.77	
*Days with or in. or more.	11	19	11	18	13	16	4	12	23	23	26	17	193	
*Days with or in. or more.	8	13	5	15	7	13	2	10	19	15	21	15	143	

40-9999

*See Instruction 2(f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section **A**

COPY FOR OFFICIAL USE.

for the entry of Daily Observations.

Station No. **598**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

222

Kept at **Sandown**
in the County of **Meants**

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....1 ft.....in.
,, Ground ,, Sea Level.....13 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.30						.36							1
2	.15						.04	.10						2
3	—						.01							3
4	.15						.10							4
5	.15						—							5
6	.70						—							6
7	.06						.03							7
8	.45						.19							8
9	.23						.40							9
10	.03						.10							10
11	.25	.59					.15				1.56			11
12	.15						.43							12
13	—						—							13
14	—						.63							14
15	—						.01							15
16	.25						.11							16
17	.04						.02					.50		17
18	.18					1.56	.20							18
19	.29						—							19
20	.20						.15		.89					20
21	.01			.45			.03							21
22	.16				.07		.12							22
23	.15						.17							23
24	.26						.07			.31				24
25	.07						.01							25
26	.14						—							26
27	.29						.10							27
28	.76		.31				.23							28
29	.01						.02							29
30	.21	X				.34	—							30
31	.16	X		X		X	.30		X		X	.22		31
TOTAL	5.20	2.72	2.20	1.70	0.16	5.14	3.68	0.26	2.59	1.13	5.52	2.46	Year's total.	32.76
* Days with .01 in. or more.	23	17	19	11	6	13	23	5	15	14	17	19		182
* Days with .04 in. or more.	20	11	12	8	2	13	16	2	11	9	16	14		134

Section

A

for the entry of Daily Observations.

Station No.

598²²²

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 90.

REGISTER OF RAINFALL IN 1937.

Kept at Sandown (Sandham Gardens)in the County of HantsDiameter of Funnel of Gauge.....8.....in.Height of top of Gauge above Ground.....1 ft. 0 in.,, Ground ,, Sea Level 13.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.78						—				.84			1
2	.01						—							2
3	.03						.01							3
4	.06	.22					—							4
5	.27						.21							5
6	.16		.88				.05							6
7	—						—					1.90		7
8	—						—							8
9	—			.40			.05		.77					9
10	.15				.46		—							10
11	.01						.18							11
12	.45					.45	.02	.54						12
13	.42						—							13
14	.03						—							14
15	.27						.84							15
16	.01						—							16
17	.42						.05							17
18	.11						—							18
19	.19						—							19
20	.11						—							20
21	.36						.01							21
22	.52						.16			.71				22
23	.13						.06							23
24	.22						—							24
25	.19						—							25
26	—						—							26
27	—						—							27
28	.12						—							28
29	.09						—							29
30	.26	X				.4	—							30
31	.58	X		X		X	—		X		X	—		31
TOTAL	5.80	5.69	3.97	2.34	1.75	1.03	4.64	1.13	2.52	2.40	1.87	5.78	35.92	✓
* Days with .01 in. or more.	25	21	16	17	12	7	11	6	12	12	10	21	170	✓
* Days with .04 in. or more.	20	19	13	13	10	7	8	3	10	9	7	15	134	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 10

REGISTER OF RAINFALL IN 1938

Kept at ...Sandown... (Sandham Gardens).....

in the County of ...Hants.....

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1 ft...0.....in.

,, Ground ,, Sea Level 13.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—						—		31					1
2	—						—							2
3	.01						.01							3
4	—						.26							4
5	—						.22							5
6	—						.04							6
7	.02						.28							7
8	.05						.13							8
9	.07						.01					.50		9
10	.12						.08							10
11	.10						.01							11
12	.10						.02							12
13	.38						—							13
14	.47						.01							14
15	.35						.08							15
16	.08						—							16
17	.22						—			.80				17
18	—						—							18
19	.13						—				.85			19
20	.15						—							20
21	.01						—							21
22	.03						—							22
23	.06						—							23
24	.01		.12				—							24
25	—						.02							25
26	.15	.23					—							26
27	.30				.26	.14	.39							27
28	.14						—	.37						28
29	.04				.26		—							29
30	.01	X		.07		—	—							30
31	.03	X		X		X	—		X		X	.16		31
TOTAL	2.88	.93	.27	.08	1.18	5.31	1.56	1.48	1.48	3.99	4.63	2.37	Year's Total 21.16	
* Days with .01 in. or more.	23	12	5	2	15	7	14	11	15	19	22	22	167	
* Days with .04 in. or more.	16	7	2	1	8	3	8	10	9	17	13	14	108	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 598

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sandown (Sandham Gardens)

in the County of Hants

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 13 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09						.01							1
2	—						—	.36	.21					2
3	.33			.79			.05							3
4	—		.65				.30							4
5	—						.05							5
6	.27						.24							6
7	.01						.03					.55		7
8	—						.02							8
9	.07						—				.75			9
10	.07						—							10
11	.01						—							11
12	.01						—							12
13	—						.27			1.46				13
14	.65						.17							14
15	.64				.92	.41	.03							15
16	.33						.51							16
17	.13						.01							17
18	.07						.70							18
19	.40						.21							19
20	.58						.01							20
21	.02						.01							21
22	.31						.03							22
23	—						.16							23
24	.55						.02							24
25	.60						.06							25
26	—						—							26
27	—						—							27
28	—	.40					—							28
29	—						.05							29
30	—	X				—	—							30
31	—	X		X		X	.02		X		X	—		31
TOTAL	5.14	1.20	1.36	2.86	1.58	1.42	2.96	1.04	.95	7.83	7.67	2.10	36.11	Year's Total
* Days with .01 in. or more.	19	12	15	16	8	14	22	9	10	20	25	16	186	
* Days with .04 in. or more.	15	8	7	12	6	9	12	7	7	17	20	11	131	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No.

222
598 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Sandoron (Sandham Gds)

in the County of Nants

Diameter of Funnel of Gauge..... 8 in.

Height of top of Gauge above Ground..... 1 ft. 0 in.

,, Ground ,, Sea Level..... 13 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—						—							1
2	—						.01							2
3	.02						—							3
4	—						.15							4
5	—						.06							5
6	.52						.10							6
7	.11						.01							7
8	—						—							8
9	—						—	.04						9
10	—						.38							10
11	—						—							11
12	—						.26							12
13	—		.70				.04				1.65			13
14	—						.56					.29		14
15	—						.43							15
16	.02	.82					—			.64				16
17	—						.05							17
18	.02						—							18
19	—						.05		.70					19
20	—						—							20
21	—						—							21
22	.01					.17	—							22
23	—						—							23
24	—						.25							24
25	—						.07							25
26	1.12				.29		.10							26
27	.52						.33							27
28	.42						—							28
29	—			.25			—							29
30	.11	X				—	—							30
31	—	X	X	X	X	X	—		X	X	X	.15		31
TOTAL	2.87	4.20	3.42	.73	.82	.20	2.85	.04	1.98	4.34	9.24	2.34	33.03	Year's Total
* Days with .01 in. or more.	10	15	11	12	9	2	16	1	14	16	22	16	144	
* Days with .04 in. or more.	6	12	10	8	5	1	14	1	10	13	18	13	111	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) {P.T.O.

Kept at The Need
in the County of.....

Diameter of Funnel of Gauge.....
Height of top of Gauge above Grou
,, Ground ,, Sea]

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of ti

599

THE NEEDLES - I.O.W.

1931-1940

599
COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

AY.
e following

Jan. 1, following

780112

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.35		.16		.04	.21	.02			1
2	.30	.04		.54				.16	.38	.01			2
3	.05		.72	.04				.05	.78		.01	.35	3
4			.02				.21	.01	.20	.04	.19		4
5		.22		.27		.57		.07		.01	.02	.14	5
6		.15		.17	.09	.18		.41	.04	.44	.23	.05	6
7					.44	.21		.03		.13	.32	.02	7
8	.03	.20		.04	.01	.37						.11	8
9						.06					.86		9
10					.04	.15	.07				.72		10
11	.15	.28				.01					.26		11
12									.13	.02			12
13							.03						13
14	.02	.23			.01	.07	.77	.13			.01		14
15		.02			.10		.08	.23	.01			.02	15
16				.05	.23	.15		.05	.15				16
17		.17		.08			.59		.06				17
18	.04		.12			.03	.10	.93		.01	.24		18
19	.10			.05			.03	.08					19
20		.07	.13	.09				.19			.05		20
21	.04				.34								21
22	.40	.02	.29		.01						.03		22
23			.01	.05	.38						.32	.02	23
24	.03			.48	.12	.79	.43	.41				.01	24
25	.07	.01		.18	.07		.52				.12	.01	25
26		.05		.09			.36				.35		26
27	.22	.21			.92		.09			.02	.28		27
28	.07		.01		.02					.01	.02	.08	28
29	.05				.08		.08	.12		.02		.01	29
30	.01	X					.04		.13		.18		30
31	.27	X	.04	X		X			X		X	.05	31
TOTAL	1.85	1.67	1.34	2.48	2.85	2.75	3.40	2.91	2.09	.73	4.21	.87	YEAR'S TOTAL 27.15
*Days with .01 in. or more.	16	13	8	14	15	12	13	15	10	11	18	12	157
*Days with .04 in. or more.	12	10	5	14	11	10	11	13	9	3	13	6	117

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at *The Needles*

in the County of *Isle of Wight*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft. in.

Ground Sea Level *300* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.35		.16		.04	.21	.02			1
2	.30	.04		.54				.16	.38	.01			2
3	.05		.72	.04				.05	.78		.01	.35	3
4			.02				.21	.01	.20	.04	.19		4
5		.22		.27		.57		.07		.01	.02	.14	5
6		.15		.17	.09	.18		.41	.04	.44	.23	.05	6
7					.44	.21		.03		.13	.32	.02	7
8	.03	.20		.04	.01	.37						.11	8
9						.06					.86		9
10					.04	.15	.07				.72		10
11	.15	.28				.01					.26		11
12									.13	.02			12
13							.03						13
14	.02	.23			.01	.07	.77	.13			.01		14
15		.02			.10		.08	.23	.01			.02	15
16				.05	.23	.15		.05	.15				16
17		.17		.08			.59		.06				17
18	.04		.12			.03	.10	.93		.01	.24		18
19	.10			.05			.03	.08					19
20		.07	.13	.09				.19			.05		20
21	.04				.34								21
22	.40	.02	.29		.01						.03		22
23			.01	.05	.38						.32	.02	23
24	.03			.48	.12	.79	.43	.41				.01	24
25	.07	.01		.18	.07		.52				.12	.01	25
26		.05		.09			.36				.35		26
27	.22	.21			.92		.09			.02	.28		27
28	.07		.01		.02					.01	.02	.08	28
29	.05				.08		.08	.12		.02		.01	29
30	.01	X					.04		.13		.18		30
31	.27	X	.04	X		X			X		X	.05	31
TOTAL	1.85	1.67	1.34	2.48	2.85	2.75	3.40	2.91	2.09	.73	4.21	.87	YEAR'S TOTAL 27.15
*Days with ".01 in. or more.	16	13	8	14	15	12	13	15	10	11	18	12	157
*Days with ".04 in. or more.	12	10	5	14	11	10	11	13	9	3	13	6	117

Section

A

for the entry of Daily Observations.

Station No. 599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Needles, Alum Bay
 in the County of Isle of Wight

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 „ Ground „ Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.04		.09	.50					.01	.02	.01	1
2				.29	.02			.12	.01		.02	.30	2
3				.25	.02	.62			.37			.02	3
4	.02					.20	.01				.02		4
5	.34						.04	.01	.20				5
6	.47			.13									6
7	.07			.02					.15	.30			7
8			.35	.07	.21				.56	.15			8
9	.11		.01	.24	.09				.03	.02	.06		9
10	.34	.03		.23	.06	.11		.01		.11	.12		10
11	.10				.01			.07	.01	.09	.01	.05	11
12	.48			.02	.01	.01			.10	.38			12
13	.01			.19	.14		.15			.92		.03	13
14	.31			.10	.06			.11		.01	.19		14
15	.04			.03	.60					.08	.03	.63	15
16	.05			.12	.10		.08		.01			.01	16
17	.03			.07	.06								17
18	.02				.11		.06		.01	.01	.23		18
19				.02					.05	.34	.23		19
20			.02	.11	.37			.27		1.22		.02	20
21	.03		.19	.07	1.25					.53		.15	21
22			.05	.01			.03	.41	.79	.33	.40		22
23	~~.02~~				.18		.63		.29	.74	.04		23
24	.02	.03				.01	.86		.09	.05	.01	.01	24
25							.58			.33	.05		25
26			.10	.14	~~.12~~					.04			26
27			.26	.27	.12	.11				.51			27
28			.04	.06			.33			.04		.08	28
29			.38	.25	.14	.22		.25	.35	.29		.12	29
30		X	.05	.26		.92	.12		.31		.77	.26	30
31		X	.01	X		X	.19		X	.01	X	.20	31
TOTAL	2.55	.10	1.42	3.02	4.11	2.20	3.08	1.25	3.33	6.51	2.20	1.29	31.06
*Days with .01 in. or more.	17	3	10	23	20	8	12	8	16	23	15	14	169
*Days with .04 in. or more.	11	1	7	18	16	6	10	6	11	18	9	7	120

Section

A

for the entry of Daily Observations.

Station No.

599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Needles

in the County of S. of Wight

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.73	.07									.23		1
2	.19	.01	.59		.18									2
3	.03	.18	.21		.02									3
4	.30	.05	.01		.22									4
5	.08	~~.26~~	.38		.01					.02				5
6	.02	.26	.01		.25		.01			.05	.05			6
7	.05	.02	.01							.35		.04		7
8	.02				.03		.38							8
9					.01		.42			.02	.05			9
10							.04			.26				10
11	.28					.15		.09						11
12	.28			.03	.07				.98			.14		12
13	.04				.02		.35	.10	.02	.02	.15			13
14							.05			.26	.41			14
15	.38	.01	.55				.19	.39						15
16			.60				.03		.15					16
17			.41			.07		.10	.08					17
18	.30		.20			.15	.01		.41					18
19			.19			.04					.11	.04		19
20		.06	.01	.02		.16	.03		.07					20
21								.25	.07					21
22						.07		.11	.09	.23				22
23				.62		.11			.31	.16				23
24		1.05		.32		.06			.29					24
25	.02	.55		.27	.36				.14		.01	.18		25
26		.41		.15					.01					26
27					.59		.03		.02	.18		.67		27
28							.36			.02				28
29	.25		.02	.12	.10		.03		.02			.03		29
30	.07	X	.03									.04		30
31	.20	X		X		X			X		X			31
TOTAL	2.59	3.33	3.29	1.63	1.79	.88	1.93	1.04	2.66	1.57	.78	1.37	22.86	Year's Total
*Days with 1 or in. or more.	13	8	9	5	6	9	7	6	10	7	5	7	92	reverse days
*Days with .04 in. or more	17	11	15	7	11	9	13	6	14	11	6	8	128	.01

COPY FOR OFFICIAL USE.

Section



for the entry of Daily Observations.

Station No.

599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The NEEDLES

in the County of Dorset Wight

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 3.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						.11		.39		.10	.03	1.02		1
2	.35		.07		.15	.02			.91	.27		.42		2
3	.09	.03		.03						.54		.30		3
4	.13		.14							.25		.31		4
5					.02						.03	.63		5
6	.02		.54	.02	.19	.01				.85	.63	.63		6
7	.02							.19			1.34	.25		7
8					.26				.19		.57	.03		8
9	.05		.11								.56	.39		9
10		.02	.16	.19								.10		10
11	.65		.32	.26			.18					.31		11
12		.02	.01					.39			.06	.18		12
13	.25		.13								.09	.17		13
14	.15		.35	.02			.04			.04	.05	.86		14
15					.02					.10	.09	.41		15
16		.01	.36	.09					.04			.27		16
17	.10		.08						.06	.03		.33		17
18	.10		.20	.24					.28			.34		18
19		.02	.30			.01			.20		.01	.15		19
20			.07	.11	.01		.02	.02	.01	.03	.02			20
21				.30		.23			.03	.06				21
22			.05					.23	.31		.01	.18		22
23				.25		.38				.07				23
24		.01	.07	.35			.04		.04					24
25	.38		.01	.07		.02				.09		.72		25
26				.04		.36			.10	.01		.11		26
27	.02			.01						.01		.37		27
28						.21		.96			.01	.48		28
29								.14	.12					29
30	.06	X							.10			.32		30
31	.03	X		X		X			X		X	.03		31
TOTAL	2.40	.11	2.97	1.98	.65	1.35	.28	2.32	2.39	1.94	3.50	9.21	29.30	
* Days with .01 in. or more.	15	6	17	14	6	9	4	7	13	14	14	26	145	
* Days with .04 in. or more.	11	0	15	10	3	5	3	6	11	10	8	24	106	

Year's Total

29.30

145

39

Section **A** for the entry of Daily Observations.

Station No. 599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Needles
in the County of S. of WightDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 3.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.61				.07	.17			.05	.19	.10			1
2						.36				.30		.11		2
3			.10			.03			.48	.50				3
4		.21	.17	.16		.09			.17	.20		.01		4
5		.26		.08		.02				.06	.09	.11		5
6		.01		.29		.61				.09	.38	.02		6
7				.36		.03				X	.74	.17		7
8	.05			.25				.05		.45	.64			8
9	.55		.03	.35		1.06			.10	.37	.56	.04		9
10	.25		.20	.01		.13				.01	(.10)			10
11	.11		.22			.04			.02	.01	.35			11
12		.05	.02	.01		.19		.08	.06		.73			12
13		.05		.12		.03					.05			13
14		.08		.15	.03				.04	.03	.15	.30		14
15		.13		.54	.06				.25	.02	.07	.03		15
16	.05	.02	.07	.08					.28		1.40			16
17				.01		.33		.06	.40		.20			17
18				.39	.02	.01		.02	.10	.01	.01			18
19		.01		.12	.22	.11	.20		.04	.04	.38			19
20		.34		.04	.01		.02				(.70)			20
21		.25		.25			.02		.10	.04		.02		21
22		.06		.03				.07						22
23			.06					.42		.32		.31		23
24	.05	.50			.35			.95	.48	.08	.01	.24		24
25	.10	.11		.13	.02	.05		.01			.02	.29		25
26		.30						.13			.01	.42		26
27		.52	.01					.10	.14		.04	.42		27
28		.17	.01		.26				.19			.10		28
29		.24	.01		.06			.23	.23	.01		.33		29
30	.05	X		.05				.82	.07	.08	.27	.44		30
31		X		X		X		.02	X	.40	X	.14		31
TOTAL	1.22	3.31	.90	3.42	1.10	3.09	.41	2.96	3.20	3.21	6.20	3.50	32.50	33.32
* Days with .01 in. or more.	X9	X18	11.5	X20	X10	X16	X4	X13	X18	X21	X22	X18	X42	180
* Days with .04 in. or more.	8	15	76	96	6	101	2	10	16	15	18	14	13	138

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Retina S. Newham

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at The Needles Alum Bayin the County of Is. of Wight

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground...ft.....in.

,, Ground ,, Sea Level ...3.50...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.18	.01	.24		.27	.26		.01		.14			1
2	.01			.01		.10		.08	.02		.15	.02		2
3				.42			.07	.01	.15		.37			3
4			.15	.02		.03	.05		.16		.31	.14		4
5	.27				.18				.15		.01	.01		5
6	.57					.07		.02	.10		.54			6
7	.05		.10				.02				.16	.09		7
8	.25		.14				.07				.39	.01		8
9	.25		.20				.67		.15		.03			9
10	.02	.30				.01	.17		.01		.02			10
11	.27					.01	.05		.08		.11			11
12		.15		.07	.03		.36	.01	.44		.15			12
13							.01			.05	.09	.28		13
14		.21		.04			.50		.05	.02		.29		14
15		.10			.07	.41	.01		.04		.04	.24		15
16	.13	.25				.22	.07				.09	.27		16
17	.04	.60			.02	.04	.05	.03	.09		.06	.31		17
18	.12	.24				.44	.20					.09		18
19	.15	.02	.03	.06		.10		.05	.01	.12				19
20		.09		.10		.04	.05		.08					20
21		.33	.04	.20		.10	.10		.06		.01			21
22	.05	.25	.44		.10	.03	.08		.01			.11		22
23	.09		.10	.14			.08			.02				23
24	.30		.05		.14					.32				24
25	.06		.26	.21						.05				25
26	.23	.12	.08	.03		.13			.04	.21		.02		26
27	.28	.08	.01				.09		.04	.09				27
28	.82	.01	.29								.01	.12		28
29	.01	.02	.01			.55	.10			.17	.16	.05		29
30	.23		.02		.01	.35				.09	.01			30
31	.11		.37		.02		.28			.02		.40		31
TOTAL	4.54	2.95	2.40	1.64	.57	2.90	3.34	.20	2.59	1.16	3.85	2.45	28.59	
* Days with .01 in. or more.	23	16	17	12	8	17	22	6	19	11	20	16	157	
* Days with .04 in. or more.	20	13	12	9	4	13	19	2	15	8	14	12	141	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

J. E. Newham

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Needlesin the County of Isle of Wight

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.79	.01	.16	.19					.01		.80	.76		1
2		.75	.06	.08					.03					2
3		.18								.01		.15		3
4	.05	.76										.34		4
5	.18	.01	.06	.02			.20							5
6	.09	.30	.59		.04		.11		.01	.01		.03		6
7		.47		.04			.02			.10		<u>1.72</u>		7
8		.01			.29									8
9		.02		.18	.05	.06	.03		<u>.70</u>			.17		9
10			.50		.20	.11						.50		10
11	.06		.03	.04	.08		.33							11
12	.26	.29	.18	.17		.17	.03	.86	.57			.30		12
13	.35	.02	.52						.08			.56		13
14	.01	.02	.35	.19				.34	.11			.14		14
15	.23	.15	.01	.38			.52		.26		~~.23~~	.08		15
16	.57		.22	.20		.14	.05	.57	.45		.05			16
17	.05	.01	.15						.16	.01	.17			17
18		.07	.01						.03		.21	.27		18
19	.23	.05	.04	.16		.01			.11		.07			19
20	.22	.01	.13	.23					.02			.26		20
21	.40	.33	.03	.01	.10		.01			.11		.13		21
22	.65	.03	.06		.06		.11			.96	.87	.10		22
23	.18		.01		.16		.03		.01	.49	.13			23
24	.14	.67			.30				.04	.46	.02	.04		24
25	.02	.44	.40		<u>1.41</u>				.08	.40		.04		25
26		.26			.05				.01	.16				26
27		.03								.15				27
28	.29	.05		.08						.20	.09	.01		28
29	.07									.20	.02			29
30	.30	X							.03	.23	.15			30
31	.49	X		X		X			X	.56	X			31
TOTAL	5.63	4.88	3.51	1.97	2.74	.49	1.44	1.77	2.71	3.75	2.58	5.60	38.07	✓✓
* Days with .01 in. or more.	23	24	19	14	4	5	11	3	18	15	17	18	179	✓171
* Days with .04 in. or more.	20	14	14	12	11	4	6	3	10	12	9	16	131	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Edmund S. Newham [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. **599**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Needlesin the County of 2. of W.Diameter of Funnel of Gauge 10 in.Height of top of Gauge above Ground 1 ft.Ground Sea Level 3.50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.01				.03			.30	X		.10		1
2							.26			.70	.09	.14		2
3					.09		.07			.63	.19			3
4	.03						.18	.34		.17	.01	.15		4
5							.41			.28	.02			5
6	.15						.12		.21	.04	.19	.04		6
7	.12					.02	.23		.05	.11	.01	.09		7
8	.12					.01	.08	.02		.26	.01	.08		8
9	.19	.03				.09						.69		9
10	.12						.07				.02	.20		10
11	.21						.01			.01	.12	.16		11
12	.17				.19					.09		.01		12
13	.43				.01						.35	.24		13
14	.36				.11		.16			.14		.01		14
15	.18	.09			.01		.22			.50	.63	.48		15
16	.36	.05	.05		.01			.05		.02	X	.07		16
17		.20	.05		.01				.20	.25	.05			17
18	.12		.01			.04			.15	.23	.45			18
19								.06	.46	.01	.47			19
20									.10		.46	X		20
21	.05							.01	.16		.16	.33		21
22	.04					.01		.52			.38	.10		22
23					.01						.03			23
24			.34						.22		.29			24
25	.13	.06	.04		.15					.09	.68			25
26	.24	.16	.01		.04					.07		.28		26
27	.08	.01			.12	.25	.30	.04	.01	.01	.32			27
28	.10	.09			.12	.09		.53	.09	.09	.04	.05		28
29	.02				.44		.01		.22	.01	.26	.03		29
30	.04	X				.01			.10	.02	.19	.55		30
31	.16	X		X	.21	X			X	.18	X	.29		31
TOTAL	3.43	.70	.50	0	1.52	.55	2.12	1.57	2.27	3.91	4.82	3.59	24.98	✓
* Days with .01 in. or more.	23	9	6	0	14	9	13	8	13	23	24	20	163	✓
* Days with .04 in. or more.	20	6	4	0	9	4	11	6	12	16	17	18	124	✓
													122	✓

Year's Total

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Gertrude E. Newham [P.T.O.]

Section **A** for the entry of Daily ObservationsStation No. 599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1935Kept at The Needlesin the County of Dorset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level 3.50.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02		.03	.12	.10			.01	.34		.09	.09		1
2			.01	.19			.10	.62	.74		.09			2
3	.40			.49				.30			.17	.36		3
4	.02	.01	.45	.07	.20		.23	.36		.81	.06	.02		4
5			.09	.16	.17		.13	.05		.27	.54	.04		5
6	.49	.02	.10				.57	.01		.08	.29			6
7	.02	.29	.10				.04	.10		.07	.07	.31		7
8		.06		.01			.02			.81	.45	.13		8
9	.03	.01						.13		.26	.26	.17		9
10	.20	.01	.01			.05		.33	.15	.25	.12			10
11		.02	.19							.61	.03			11
12	.02		.01			.12				.09				12
13				.06			.44		.05	.33		.03		13
14	.61			.02	.05	.05	.10			.51	.42	.06		14
15	.32		.01	.01	.32	.71	.09		.01	.19	.42			15
16	.30	.01		.11	.06	.07	.36			.41	.30			16
17	.10	.17		.02	.17					.42	.07			17
18	.03					.02	1.38		.03		.48			18
19	.40	.02					.22	.01				.09		19
20	.46					.08	.03	.65						20
21	.06	.20	.05			.06	.20			.01		.01		21
22	.18	.18	.03			.24	.05		.02		.14			22
23		.01		.25			.08	.01			.66	.03		23
24	.50		.06	.22			.03							24
25	.90	.25	.02	.06		.31				.10	.29			25
26	.01							.03						26
27	.01	.06	.04							.06	.10			27
28		.26	.02			.13	.03				.36	.23		28
29			.02				.11			.16	.06	.22		29
30		~~X~~		.58						.33				30
31		~~X~~		~~X~~		~~X~~	.01	.11	~~X~~	.33	~~X~~	.02		31
TOTAL	5.08	1.58	1.24	2.37	1.07	1.84	4.32	2.72	1.34	7.06	5.46	1.59	35.67	Year's Total
* Days with .01 in. or more.	21	16	17	15	7	11	20	14	7	20	22	14	184	
* Days with .04 in. or more.	13	8	8	11	7	10	15	9	4	18	21	9	133	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

Gertrude S. Newham

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

599

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340.

Kept at *The Needles*in the County of *S. of W. H.*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.02	—	—	—	—	—	—	—	—	.15	.06		1
2	—	.22	—	.16	.02	—	.02	—	—	—	.28	.02		2
3	.01	.48	—	.01	—	—	—	—	—	.37	.76	.23		3
4	.05	.13	—	—	—	—	.11	—	—	.37	.02	.07		4
5	.01	—	—	.02	—	—	.04	—	—	—	.43	.21		5
6	.72	.44	—	—	—	—	.27	—	—	.39	.04	.13		6
7	.12	—	—	—	—	—	—	—	—	—	—	—		7
8	.01	—	—	—	—	—	.02	—	—	.30	.02		x	8
9	—	—	—	—	—	—	—	—	—	.15	.43		x	9
10	—	—	—	—	—	—	1.21	—	.04	.14	.12	—		10
11	—	<i>Snow</i> .03	.01	—	—	—	—	—	—	—	.76	.11		11
12	—	—	.15	—	—	—	.16	—	.39	—	.01	—		12
13	—	.04	.70	.02	—	—	.03	—	.07	.04	1.68	—		13
14	—	—	.12	.03	—	—	.09	—	.15	.28	.07	.43		14
15	—	—	.02	.02	.23	—	.73	—	.13	.01	.91	—		15
16	—	<i>Snow</i> .49	.49	.05	—	—	.02	—	.05	.50	1.17	.07		16
17	—	—	.49	—	—	—	.06	—	—	.02	.32	.02		17
18	<i>Snow</i> .09	.39	.26	.20	—	—	—	—	.10	.10	.08	.12		18
19	—	.09	.02	.10	—	—	—	—	.48	—	.27	—		19
20	—	.01	—	.03	—	—	—	—	.05	.21	.03	—		20
21	—	.01	—	—	.03	—	—	—	.04	—	.38	—		21
22	—	.01	—	.13	—	.26	—	—	.05	—	.10	—		22
23	—	.05	.28	.03	—	—	—	—	—	—	—	.01		23
24	—	—	—	.01	—	—	.29	—	—	—	—	—		24
25	—	—	.48	.05	.03	—	.06	—	—	—	.01	—		25
26	1.46	.37	.15	.01	.25	—	.14	—	—	—	—	—		26
27	.45	.22	—	.10	.05	—	.09	—	—	—	—	—		27
28	.40	.02	—	—	.03	—	—	—	—	—	—	—		28
29	.42	.46	.18	.10	.75	—	—	—	—	—	—	.28		29
30	<i>Snow</i> .06	~~X~~	.05	.02	—	—	—	—	—	.23	—	.14		30
31	.01	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	.48	~~X~~	.20		31
TOTAL	3.81	3.48	3.40	1.09	1.39	.26	3.34	—	1.55	3.59	8.04	2.46	Year's Total	32.41
* Days with .01 in. or more.	13	18	154	18	8	1	16	—	11	15	22	1817	137	153
* Days with .04 in. or more.	9	12	121	8	4	1	12	—	11	13	15	1413	110	109

† Spare column, no entries required.

(Signed)

Gertrude E. Newham

[P.F.O.]

* See Instruction 3 (f) on other side.

Kept at *Totland*
in the County of *Hants*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of thi

600
TOTLAND BAY I.O.W.

1931-1940

480112

Y.
following

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—						—						1
2	.26			.58			—						2
3	.07		.70				—		.81			.15	3
4	—						.24						4
5	—					.67	—						5
6	—						—			.46			6
7	—						—						7
8	.02						—						8
9	—						.02				.81		9
10	.01						.04						10
11	.15	.28					—						11
12	.15						.06						12
13	.01						.01						13
14	.01						.84						14
15	.15						.15						15
16	—						—						16
17	—						.38						17
18	.03						.14	.94					18
19	.08						.02						19
20	—						—						20
21	.03						—						21
22	.28						—						22
23	.30						—						23
24	.02						.47						24
25	.07						.38						25
26	—						.31						26
27	.24				1.07		.10						27
28	.05						—						28
29	.06						.08						29
30	.15	X				—	—						30
31	.35	X		X		X	.04		X		X	.04	31
TOTAL	2.05	1.74	1.33	2.44	3.00	2.49	3.48	2.94	2.04	0.73	4.14	0.78	YEAR'S TOTAL 27.16
*Days with or in. or more.	18	16	8	17	14	12	16	13	11	5	19	10	159
*Days with .04 in. or more.	11	14	5	11	11	9	13	10	8	2	16	7	114

40-9999 52.1 44.3 33.9 61.9 76.2 63.3 88.3 74.8 51.8 18.7 105.1 19.7 690.1
(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations.

600
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Totland Bay
in the County of Hants. 2570

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 140 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—						—						1
2	.26			.58			—						2
3	.07		.70				—		.81			.15	3
4	—						.24						4
5	—					.67	—						5
6	—						—			.46			6
7	—						—						7
8	.02						—						8
9	—						.02				.81		9
10	.01						.04						10
11	.15	.28					—						11
12	W						.06						12
13	.01						.01						13
14	.01						.84						14
15	W						.15						15
16	—						—						16
17	—						.38						17
18	.03						.14	.94					18
19	.08						.02						19
20	—						—						20
21	.03						—						21
22	.28						—						22
23	.30						—						23
24	.02						.47						24
25	.07						.38						25
26	—						.31						26
27	.24				1.07		.10						27
28	.05						—						28
29	.06						.08						29
30	W	X					—						30
31	.35	X		X		X	.04		X		X	.04	31
TOTAL	2.05	1.74	1.33	2.44	3.00	2.49	3.48	2.94	2.04	0.73	4.14	0.78	YEAR'S TOTAL 27.16
*Days with or in. or more.	18	16	8	17	14	12	16	13	11	5	19	10	159
*Days with .04 in. or more.	11	14	5	11	11	9	13	10	8	2	16	7	117

40-9999 52.1 44.3 33.9 61.9 76.2 63.3 88.3 74.8 51.8 18.7 105.1 19.7 690.1

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

Kept at: *Totland Bay*
in the County of *Hants.* (*Isle of Wight*)

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13						—						1
2	—						—						2
3	—						—						3
4	.01						.01						4
5	.30						.04						5
6	.48						—						6
7	.08						—						7
8	.01						—						8
9	.07						—						9
10	.39	.02					—						10
11	.08						—						11
12	.37						—						12
13	.03						.14						13
14	.39						—						14
15	.02						—						15
16	.03						.11						16
17	.02						—						17
18	.01						.05						18
19	—						—						19
20	—						—			1.14			20
21	.03				1.26		—						21
22	.01						.03	.33	.82				22
23	.01						.59						23
24	tr						.85						24
25	—						.56						25
26	—						.01						26
27	—			.33			.08						27
28	—						.24						28
29	—		.39				—						29
30	—	X				.91	.12				.67	.28	30
31	—	X		X		X	.17		X		X	.13	31
TOTAL	2.48	0.05	1.39	2.93	3.99	2.04	3.00	0.94	3.08	6.11	1.90	1.15	29.06
*Days with "or in. or more.	19	3	8	21	19	6	14	7	15	18	12	12	154
*Days with ".04 in. or more.	9	0	7	16	16	6	11	5	11	16	10	6	1113

40-9999

63.1 1.2 35.3 74.3 101.4 51.7 76.1 23.9 78.2 155.3 48.2 29.1

*See Instruction 2 (f) on other side.

(Signed)

P.T.O.

Section

A

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1932.

Kept at Tollard Bay
in the County of Isle of Wight Hants
Diameter of Funnel of Gauge eight in.
Height of top of Gauge above Ground one ft. — in.
,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3.4	0.4		2.1	14.1								1
2				7.7	0.2			2.2	0.7		0.1	6.5	2
3				5.4	0.3	14.3			8.0	0.9		0.3	3
4	0.3					4.1	0.2				0.2		4
5	7.6						1.0		3.7				5
6	12.2			3.5					1.8			0.3	6
7	2.1			0.3					0.6	7.1		0.1	7
8	0.2		8.7	1.3	5.1				12.6	4.7			8
9	1.7			4.0	1.5						1.5		9
10	9.9	0.5		8.1	1.4	2.9				2.5	2.7		10
11	2.0			0.6	0.1			0.9	0.4			0.1	11
12	9.5								1.7	11.1		0.1	12
13	0.8			4.1	3.0		3.5	1.6		22.6		0.5	13
14	10.0			1.4	1.1			0.3			3.1	0.1	14
15	0.4			0.6	13.4					2.1	1.3	0.4	15
16	0.9			2.8	3.1		2.7					0.1	16
17	0.5			2.2									17
18	0.2				2.4		1.3		0.2		5.8		18
19									1.2	7.1		0.1	19
20			0.2	4.4	10.7				0.1	29.0	4.7	0.1	20
21	0.8		2.5	0.8	31.9			4.9		12.9		3.5	21
22	0.3		3.3		2.6		0.7	8.5		8.7	9.6		22
23	0.2				3.2		15.1		20.8	12.0	1.0	1.9	23
24	0.1	0.3			1.2		21.6		6.8	1.1			24
25							14.2		1.9	8.0	1.1		25
26			2.6	2.4			0.3			0.9			26
27			7.1	8.4	2.5	2.4	2.1			12.1		0.6	27
28				0.7	0.9	~~2.4~~	6.1	~~8.5~~		1.0		0.7	28
29			9.9	7.2	2.7	4.9		5.5	9.5	6.5	0.2	3.4	29
30		X	1.0	6.3		23.1	3.0		8.2		16.9	7.1	30
31		X		X		X	4.3		X		X	3.2	31
TOTAL	63.1	1.2	35.3	74.3	101.4	51.7	76.1	23.9	78.2	155.3	48.2	29.1	YEAR'S TOTAL
Days with 0.2 mm. or more.	19	3	8	21	19	6	14	7	15	18	12	12	154
Days with 1.0 mm. or more.	9	0	7	16	16	6	11	5	11	16	10	6	113

(144W)

40-9999

(Signed)

John Dover

[P.T.O.]

REGISTER OF RAINFALL IN 1933.

Kept at Island Bay
in the County of Slants

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level 140 ft.

Duplicate
24
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11						—						1
2	.13		0.66				—						2
3	.02						—						3
4	.24						—						4
5	.08						—						5
6	.15						.01						6
7	.05						—			.32			7
8	.01						.37						8
9	.01						.37						9
10	—						.03						10
11	.21						—						11
12	.15						.05		1.00				12
13	.04						.28						13
14	—						.04				.39		14
15	.28						.15	.32					15
16	.15						.02						16
17	—						—						17
18	0.33						—						18
19	—						.01						19
20	—						—						20
21	—						—						21
22	—						—						22
23	—			0.68		.23	—						23
24	.01	.81					—						24
25	—						—						25
26	—				.40		—						26
27	—						.01					.56	27
28	—						.35						28
29	.22						.02						29
30	.08	X				—	.15						30
31	.19	X		X		X	—		X		X	.01	31
TOTAL	2.02	3.13	3.14	1.54	1.72	0.87	1.71	0.87	2.48	1.80	0.63	1.17	2206
*Days with .01 in. or more.	16	11	11	8	11	9	13	7	12	13	7	10	128
*Days with .04 in. or more.	12	7	9	5	7	7	7	6	10	8	3	5	86

Section **A** for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091. REGISTER OF RAINFALL IN 1933.

Kept at Tolland Bay
in the County of Isle of Wight Hants
Diameter of Funnel of Gauge 2 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 140 ft.

Sup. 400 24 Convert

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	2.8	16.2	1.6									5.1	1
2	3.3		16.7		4.8		4.2						2
3	0.5	3.4	4.8				7.0				0.2		3
4	6.2	0.2			5.5		1.1						4
5	2.1		8.4		0.1		3.7						5
6	0.1	5.7			5.9		0.2			0.9	0.6		6
7	1.3	0.2			0.1					8.2		0.7	7
8	0.2				0.6		9.3						8
9	0.3				0.2		9.4			0.6	0.7		9
10		0.1					0.8			7.2			10
11	5.2					3.4		2.3			0.1	0.4	11
12	0.1			0.4	0.4		1.2		25.3			3.2	12
13	1.0				0.3	1.9	7.0	2.9		0.6	2.9		13
14							1.1	0.4		5.7	9.9		14
15	7.2		11.9				3.7	8.1		6.8	0.2		15
16	0.1	0.2	15.2			0.9	0.6		3.6	1.0			16
17			9.7					1.8	1.9				17
18	8.4	0.1	5.1			3.9					0.1		18
19			4.7			1.1	0.3		10.3		1.4	0.4	19
20		0.8	0.8	0.4		2.7			2.0				20
21								4.5	1.1	0.6			21
22						2.3		2.1	2.1	5.7			22
23		1.1		17.2		5.8			9.3	3.9			23
24	0.2	20.5		6.9		0.2							24
25		18.1		8.1	7.3				5.3			4.2	25
26		12.4		3.2	10.1								26
27					5.4		0.3		0.2	4.0		14.1	27
28				0.2			8.9			0.4		0.2	28
29	5.5		0.1	2.8	3.0		0.6		0.2				29
30	2.1	X	0.7				0.1		1.6			1.1	30
31	4.8	X		X		X			X		X	0.2	31
TOTAL	51.4	79.5	79.7	39.2	43.7	22.2	43.5	22.1	62.9	45.6	16.1	24.6	YEAR'S TOTAL 535.5
*Days with 0.2 mm. or more.	16	11	11	8	11	9	14	7	12	13	7	10	1289
*Days with 1.0 mm. or more.	12	7	9	5	7	8	10	6	10	8	3	5	889
(144W)	2.02	3.13	3.14	1.54	1.72	0.87	1.71	0.87	2.48	1.80	0.63	1.17	21.08
40-9999							(Signed)						P.T.O.

Section **A**

for the entry of Daily Observations.

Station No. **600**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Totland Bay
in the County of Hants

400
24

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground 1 ft.....in.
,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01						—					.99		1
2	.23						—		1.02					2
3	.06	.02					—			.74				3
4	.14						—							4
5	—						—							5
6	.01		.48				—							6
7	.02						—							7
8	.01				.25		—				1.16			8
9	.02						—							9
10	.07						—							10
11	.57						.08							11
12	—						—							12
13	.37						.24							13
14	.19						.03							14
15	—						—							15
16	.15						—							16
17	.11						—							17
18	.07						—							18
19	—						—							19
20	—						.02							20
21	.01						—							21
22	—						—							22
23	—					.40	—							23
24	.15			.31			.06							24
25	.36						—							25
26	.03						—							26
27	.15						—							27
28	.15						—							28
29	—	X					—	.98						29
30	.05	X				—	—							30
31	.02	X		X		X	—		X		X	.02		31
TOTAL	2.50	0.03	2.71	1.75	0.73	1.20	0.43	2.96	2.52	2.10	3.24	8.71	28.87	
*Days with ".01 in. or more.	20	1	18	12	8	7	5	14	15	16	11	26	153	
*Days with ".04 in. or more.	12	0	14	10	4	5	3	8	10	10	7	24	107	

Section

A

for the entry of Daily Observations.

Station No.

600

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.Kept at Totland Bay
in the County of HantsDiameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 140 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.		in.	in.	in.	in.	in.	†	
1	<u>—</u>						<u>.19</u>							1
2	<u>—</u>						<u>—</u>							2
3	<u>—</u>						<u>—</u>							3
4	<u>—</u>						<u>—</u>							4
5	<u>—</u>						<u>—</u>							5
6	<u>—</u>						<u>—</u>							6
7	<u>—</u>						<u>—</u>							7
8	<u>.05</u>						<u>.5</u>							8
9	<u>.058</u>					<u>.94</u>	<u>—</u>			<u>.54</u>				9
10	<u>.23</u>		<u>.35</u>				<u>—</u>							10
11	<u>.31</u>						<u>—</u>							11
12	<u>.05</u>						<u>—</u>							12
13	<u>.07</u>						<u>—</u>							13
14	<u>—</u>						<u>—</u>							14
15	<u>—</u>			<u>.56</u>			<u>—</u>							15
16	<u>—</u>						<u>—</u>				<u>1.27</u>			16
17	<u>—</u>						<u>—</u>							17
18	<u>—</u>						<u>.5</u>							18
19	<u>—</u>						<u>.23</u>							19
20	<u>—</u>						<u>.02</u>							20
21	<u>—</u>						<u>.5</u>							21
22	<u>—</u>						<u>—</u>							22
23	<u>—</u>						<u>—</u>							23
24	<u>.04</u>						<u>—</u>		<u>.64</u>					24
25	<u>.13</u>						<u>—</u>							25
26	<u>—</u>						<u>—</u>					<u>.46</u>		26
27	<u>—</u>	<u>.55</u>					<u>—</u>							27
28	<u>—</u>				<u>.33</u>		<u>—</u>							28
29	<u>—</u>						<u>—</u>							29
30	<u>.03</u>	X				<u>—</u>	<u>—</u>	<u>.98</u>						30
31	<u>—</u>	X		X		X	<u>—</u>		X		X		<u>.02</u>	31
TOTAL	<u>1.50</u>	<u>2.90</u>	<u>0.95</u>	<u>3.17</u>	<u>0.95</u>	<u>2.87</u>	<u>0.44</u>	<u>3.07</u>	<u>3.75</u>	<u>3.31</u>	<u>6.85</u>	<u>3.33</u>	<u>33.09</u>	
*Days with or in. or more.	<u>9</u>	<u>17</u>	<u>11</u>	<u>17</u>	<u>9</u>	<u>20</u>	<u>3</u>	<u>12</u>	<u>22</u>	<u>20</u>	<u>22</u>	<u>16</u>	<u>178</u>	
*Days with .04 in. or more.	<u>8</u>	<u>12</u>	<u>6</u>	<u>15</u>	<u>3</u>	<u>9</u>	<u>2</u>	<u>10</u>	<u>16</u>	<u>12</u>	<u>20</u>	<u>13</u>	<u>126</u>	

40-9999

*See Instruction 2 (f) on other side.

*Spare column, no entries required.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A**

for the entry of Daily Observations.

Station No. **600**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Lotland Bay
in the County of Wants

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 140 ft. mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.26						.25							1
2	.4						.01	.10						2
3	—			.38			.07							3
4	—						.03							4
5	.26				.15		—							5
6	.57						.01							6
7	.09						—							7
8	.29						.20							8
9	.23						.50							9
10	.02						.27							10
11	.28						.03				1.22			11
12	.4						.40							12
13	—						—							13
14	—						.51							14
15	.02						—							15
16	.12						.06							16
17	.08	.60					.03					.48		17
18	.12						.18							18
19	.17						—							19
20	.19						—							20
21	.01						.06							21
22	.04		.38				.12							22
23	.06						.05							23
24	.28						.04			.30				24
25	.05						—							25
26	.16						—							26
27	.35						.07							27
28	.88						.05							28
29	—					.94	.04							29
30	.20	X				.33	—							30
31	.09	X		X		X	.28		X		X	.36	print	31
TOTAL	4.81	2.93	2.18	1.56	0.43	3.23	3.30	0.17	2.69	1.20	4.30	2.54	29.34	Year's Total
* Days with .01 in. or more.	24	16	15	10	9	18	22	4	17	13	17	18	183	
* Days with .04 in. or more.	21	13	10	8	4	12	17	1	9	9	13	12	129	

Section

A

for the entry of Daily Observations.

Station No.

600

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 223

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at

Totland Bay (Aston House)

in the County of

Hants.

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....0 ft. 0 in.

,, Ground ,, Sea Level 144 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	.89						/							1
2	/						/							2
3	.03						/							3
4	.06						/							4
5	.20						.20							5
6	.15		.63				.14							6
7	/	.77					/					1.94		7
8	/						/							8
9	/						.04		.68					9
10	.02					.22	/							10
11	.05						.31							11
12	.29						.01	.71						12
13	.32						/							13
14	.02						/							14
15	.28			.41			.96							15
16	/						/							16
17	.72						.03							17
18	.03						/							18
19	.23						/							19
20	.20						/							20
21	.31						.02							21
22	.48						.09			.93	.88			22
23	.21						.03							23
24	.16						/							24
25	.13				1.51		/							25
26	/						/							26
27	.01						/							27
28	.13						/							28
29	.07						/							29
30	.33	X				/	/							30
31	.51	X		X		X	/		X		X	/		31
TOTAL	5.83	5.11	3.03	2.27	2.91	.59	1.83	2.28	2.52	3.78	2.60	5.82	38.58	Year's Total
* Days with 0.2 mm. or more.	25	25	16	17	12	5	10	5	14	14	12	22	177	
* Days with 1.0 mm. or more.	20	17	12	13	10	4	6	5	11	12	10	17	137	

(141w)

* See Instruction 2 (f) on other side.

40-9999.

148.2

129.7

77.0

57.6

74.0

14.9

14.9

46.6

(Signed)

54.8

64.0

96.1

66.0

148.1

980.0

✓

[P.T.O.]

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 19**38**

Kept at **TOTLAND BAY**
in the County of **HANTS**
Diameter of funnel of gauge **8** in.
Height of top of gauge above ground **1** ft. **0** in.
Height of ground above sea level **140** ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan. in.	Feb. in.	Mar. in.	April in.	May in.	June in.	July in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	†	Date
1	—						—							1
2	—						.23							2
3	—						.12							3
4	.02						.10							4
5	—						.42							5
6	.18						.09							6
7	.10						.25							7
8	.12						.06							8
9	.26						.01							9
10	.06						.05							10
11	.22						.01							11
12	.42						—							12
13	.48						—							13
14	.38						.18							14
15	.14						.12							15
16	.37						—							16
17	—						—							17
18	.09						—							18
19	—						—							19
20	.01						—							20
21	.03						—							21
22	.03						—							22
23	—						—							23
24	—						—							24
25	.13						—							25
26	.25						—							26
27	.07						.34							27
28	.07						—							28
29	.02						—							29
30	.04	X				—	—							30
31	.13	X		X		X	—		X		X			31
TOTAL	3.62						1.98						Year's total	
*Days with .01 in. or more														
*Days with .04 in. or more														

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

600

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 91.

REGISTER OF RAINFALL IN 1938.

Kept at Totland Bay (Aston House)in the County of Hants

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1 ft. 0.....in.

,, Ground ,, Sea Level 144⁰.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	<u>ins</u> <u>mm.</u>	<u>ins</u> <u>mm.</u>	<u>ins</u> <u>mm.</u>	<u>ins</u> <u>mm.</u>	<u>ins</u> <u>mm.</u>	<u>ins</u> <u>mm.</u>	<u>ins</u> <u>mm.</u>	<u>ins</u> <u>mm.</u>	†	
1														1
2														2
3										.69				3
4														4
5							.42							5
6														6
7														7
8														8
9												.69		9
10														10
11														11
12														12
13	.48													13
14														14
15														15
16														16
17		.19												17
18									.41					18
19														19
20														20
21														21
22														22
23														23
24			.25											24
25											.76			25
26														26
27						.25								27
28								.50						28
29					.67									29
30		X												30
31		X		X		X			X		X			31
TOTAL	91.6	16.1	8.4	.0	1.54	.59	1.98	1.55	1.91	3.68	4.51	3.30	23.63	✓
* Days with 0.2 mm. or more.	23	9	5	0	12	7	13	6	11	19	22	21	148	✓
* Days with 1.0 mm. or more.	18	5	2	0	8	4	11	4	11	16	15	16	110	✓

(141w) * See Instruction 2 (f) on other side.

40-9999. 3.61

.63/

.33

.00

39.15

150

50.3

(Signed) 48.5

93.5

114.6

83.8

000.3

✓

✓

✓

P.T.O.

Section



for the entry of Daily Observations

Station No. 600

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

 Kept at *Lettland Bay (Aston House)*
 in the County of *Hants.*

Diameter of Funnel of Gauge.....2.....in.

Height of top of Gauge above Ground...1...ft...0...in.

,, Ground ,, Sea Level 14.0...ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02						—							1
2	—						—		1.04					2
3	.36						.02							3
4	—		.45				.25							4
5	—						.11				.67			5
6	.46						.51							6
7	—	.25					.02					.43		7
8	—						.02							8
9	.03						—							9
10	.17						—							10
11	—						—							11
12	.01						—							12
13	.04						.43			1.53				13
14	.61						.10							14
15	.29				.29	.85	.09							15
16	.25						.31							16
17	.08						.04							17
18	.03						1.53							18
19	.41						.19							19
20	.42						.01	.87						20
21	.03						.14							21
22	.18						.02							22
23	—						.07							23
24	.45						.04							24
25	.91						—							25
26	—						—							26
27	—						—							27
28	—	.25					.02							28
29	—						.10							29
30	—	X		.51		—	—							30
31	—	X		X		X	—		X		X	—		31
TOTAL	4.75	1.19	1.13	1.88	1.00	1.60	4.02	2.69	1.56	7.05	5.89	1.47	Year's Total	
* Days with .01 in. or more.	18	9	14	13	8	10	20	10	5	19	24	15	165	
* Days with .04 in. or more.	13	8	8	9	8	7	14	9	3	18	22	7	126	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) [Signature] P.T.O.

Section



for the entry of Daily Observations

Station No. 600 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at Island Bay (Aston House)
in the County of Ants

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....1 ft.....0.....in.

Ground Sea Level.....140.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—						—							1
2	—						.01							2
3	.02						—							3
4	.04						.08							4
5	—						.16							5
6	.74						.13							6
7	.10						—							7
8	—						.03							8
9	—						—							9
10	—						1.17							10
11	—						—							11
12	—						.18							12
13	—		.76				.02				1.68			13
14	—						.26					.40		14
15	—						.57							15
16	—	.61					—			.49				16
17	—						.03							17
18	.15			.19			—							18
19	—						.12		.44					19
20	—						—							20
21	—						—							21
22	—					.21	—							22
23	—						—							23
24	—						.28							24
25	—						.04							25
26	1.41						.09							26
27	.39						.15							27
28	.35						—							28
29	.38				.47		—							29
30	—	X				—	—							30
31	—	X		X		X	—		X	.49	X	.21		31
TOTAL	3.58	3.72	3.26	.86	1.02	.22	3.32	.00	1.58	3.63	7.86	2.15	31.20	Year's Total
* Days with .01 in. or more.	9	17	13	15	8	2	16	0	12	15	22	14	143	
* Days with .01 in. or more.	8	12	11	10	4	1	12	0	9	13	14	13	107	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

601

601
COPY FOR OFFICIAL USE.
FALL ORGANIZATION.
31.

Kept at Pumping Station
in the County of 9A

FRESHWATER P.S.

Diameter of Funnel of Gauge.....
Height of top of Gauge above Ground.....
Ground Sea Level

1931 - 1940

THE MORNING MEASUREMENT

An observer who does not conform to
year in the space on the right of this

DAY.
the following

Jan. 1, following

780113

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.32		.03		.03	.13	.01			1
2	.28	.05		.54				.15	.46	.01		.12	2
3	.09		.69	.05				.03	.72		.05	.19	3
4			.04		.04		.24		.16	.03	.15		4
5		.23		.23		.54	.03		.01		.01	.11	5
6		.14		.16	.05	.17		.04	.01		.17	.05	6
7					.41	.22		.42		.66	.37	.02	7
8		.17		.03	.03	.33		.02		.01	.15	.08	8
9		.16				.06	.03				.87	.01	9
10		.04			.02	.15	.05				.71		10
11	.15	.28			.02	.01			.02		.28		11
12							.06						12
13							.01	.01					13
14	.03	.19				.08	.78	.12			.01		14
15	.01	.02			.11		.21	.25				.02	15
16		.05		.11	.22	.15		.05	.07				16
17		.11		.07			.60		.17				17
18	.04		.10	.01		.03	.15	.91			.23		18
19	.09			.07		.02	.02	.07			.01		19
20		.09	.09	.10				.21			.06		20
21					.26								21
22	.31	.03	.29		.01						.03		22
23	.30			.07	.30				.01		.31	.02	23
24	.04			.42	.19	.67	.41	.52				.02	24
25	.05			.23	.05		.29				.11	.02	25
26		.06		.09			.39				.38		26
27	.28	.21			.75		.38			.02	.27		27
28	.06	.05	.01	.03	.04					.01		.10	28
29	.07		.02				.10	.12		.03	.03	.01	29
30		×	.05		.06			.01	.08		.08		30
31	.34	×		×	.10	×	.03		×		×	.05	31
TOTAL	2.14	1.88	1.29	2.53	2.66	2.46	3.78	2.96	1.84	0.78	4.28	0.81	YEAR'S TOTAL
*Days with ".01 in. or more.	15	16	8	16	17	13	17	16	10	8	20	14	170
*Days with ".04 in. or more.	13	14	6	13	13	9	12	11	6	1	15	7	120

REGISTER OF RAINFALL IN 1931.

Kept at Pumping Station Freshwater
in the County of Salep. Wright Hants
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 16 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.32		.03		.03	.13	.01			1
2	.28	.05		.54				.15	.46	.01		.12	2
3	.09		.69	.05				.03	.72		.05	.19	3
4			.04		.04		.24		.16	.03	.15		4
5		.23		.23		.54	.03		.01		.01	.11	5
6		.14		.16	.05	.17		.04	.01		.17	.05	6
7					.41	.22		.42		.66	.37	.02	7
8		.17		.03	.03	.33		.02		.01	.15	.08	8
9		.16				.06	.03				.87	.01	9
10		.04			.02	.15	.05				.71		10
11	.15	.28			.02	.01			.02		.28		11
12							.06						12
13							.01	.01					13
14	.03	.19				.08	.78	.12			.01		14
15	.01	.02			.11		.21	.25				.02	15
16		.05		.11	.22	.15		.05	.07				16
17		.11		.07			.60		.17				17
18	.04		.10	.01		.03	.15	.91			.23		18
19	.09			.07		.02	.02	.07			.01		19
20		.09	.09	.10				.21			.06		20
21					.26								21
22	.31	.03	.29		.01						.03		22
23	.30			.07	.30				.01		.31	.02	23
24	.04			.42	.19	.67	.41	.52				.02	24
25	.05			.23	.05		.29				.11	.02	25
26		.06		.09			.39				.38		26
27	.28	.21			.75		.38			.02	.27		27
28	.06	.05	.01	.03	.04					.01		.10	28
29	.07		.02				.10	.12		.03	.03	.01	29
30		×	.05		.06			.01	.08		.08		30
31	.34	×		×	.10	×	.03		×		×	.05	31
TOTAL	2.14	1.88	1.29	2.53	2.66	2.46	3.78	2.96	1.84	0.78	4.28	0.82	YEAR'S TOTAL 27.42
*Days with "or in. or more.	15	16	8	16	17	13	17	16	10	8	20	14	170
*Days with "or in. or more.	13	14	6	13	13	9	12	11	6	1	15	7	120

Section

A

for the entry of Daily Observations.

Station No.

601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Freshwaterin the County of Isle of Wight HantsDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground 1 ft. — in.,, Ground ,, Sea Level 10 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.02		.10	.62			.62	.01			.01	1
2	.01			.30	.01			.13				.26	2
3	~~.01~~			.24	.02	~~.52~~ ~~.56~~ ~~.22~~ ~~.16~~			.39		.02	.01	3
4	.01						.01						4
5	.33						.04		.19				5
6	.50			.16					.07				6
7	.09			.06					~~.45~~	.26			7
8	.01		.37	.05	.20				.45	.20			8
9	.09			.13	.06					.01	.09		9
10	.26	.02		.39	.05	.12				.12	.06		10
11	.14	.03		.04	.01			.20	.02	.07	.01	.04	11
12	.38								.07	.42		.01	12
13	.03	~~.02~~		.18	.13		.17	.01		.89		.02	13
14	.44	~~.03~~		.04	.04						.14	.03	14
15	.03			.04	.56					.09	.09	.01	15
16	.04			.12	.05		.04					.01	16
17	.03			.10									17
18	.02				.10				.02		.24	.01	18
19									.06	.30		.01	19
20			.01	.14	.32			~~.48~~	.01	1.16	.21		20
21	.04		.10	.07	1.35			.18		.55		.13	21
22	.02		.14		.19		.11	.37		.18	.39		22
23		.02			.13		.56		.80	.75	.03	.09	23
24		.03			.03		.82		.29				24
25							.66		.10	.35	.05		25
26			.12	.10			.05		.01	~~.03~~ ~~.02~~		.01	26
27			.24	.30	.13	.06	.01			.50		.04	27
28			.01	.03	.03		.26			.04		.04	28
29			.31	.25	.11	.12		.29	.41	.31	.01	.17	29
30		X	.04	.23		.94	.12		.27		.64	.26	30
31		X		X		X	.18		X		X	.14	31
TOTAL	2.60	0.12	1.34	3.07	4.14	1.98	3.03	1.20	3.17	6.33	1.98	1.30	YEAR'S TOTAL 30.26
* Days with .01 in. or more.	19	5	9	21	20	6	13	7	16	18	13	19	166
* Days with .04 in. or more.	11	0	7	20	15	6	11	5	11	16	9	9	120

Section

A

for the entry of Daily Observations.

Station No.

601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Freshwater Pumping Station
in the County of Isle of Wight Hants.Copied from original records entered on millimetre sheet.
Form 1091Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.69	.07									.17	1
2	.14	.01	.61		.21						.03		2
3	.05	.14	.20								.02		3
4	.25	.03	.34		.25								4
5	.10	.01											5
6		.22			.20					.05	.03		6
7	.06	.01								.32		.04	7
8		.01			.03		.40						8
9		.01			.01		.42				.04		9
10	.02						.03			.33			10
11	.22					.19		.08	1.20				11
12					.02				.01		.01	.07	12
13	.05				.01	.10	.34	.13		.05	.10		13
14					.01		.07			.28	.34		14
15	.31		.40	.02			.35	.38		.24	.01		15
16		.01	.62	.01		.05	.05		.16	.07			16
17		.02	.42	.01				.09	.10				17
18	.39	.01	.21			.18							18
19		.01	.16			.02			.40		.05		19
20		.04	.01	.02		.12			.05			.02	20
21								.14	.08				21
22						.11		.11	.09	.24	.02		22
23		.04		.65		.16			.31	.17			23
24		.89		.37		.02			.08		.01		24
25		.76		.34	.22				.30			.16	25
26		.41		.15						.01		.01	26
27					.56		.01		.02			.56	27
28			.01	.01			.28			.01		.02	28
29	.21		.03		.11		.02		.02			.02	29
30	.09	X		.13			.01		.03				30
31	.17	X		X		X			X		X	.04	31
TOTAL	2.17	3.32	3.08	1.71	1.63	0.95	1.98	0.93	2.85	1.77	0.66	1.11	22.146
*Days with ".01 in. or more.	14	18	12	10	11	9	11	6	14	11	11	9	136
*Days with ".04 in. or more.	13	8	8	5	6	7	7	6	10	9	4	5	89

40-9999

*See Instruction 2 (f) on other side.

(Signed)

John Dover

[P.T.O.]

Section



for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1933.

Kept at Freshwater Pumping Station 6.0.1

in the County of Isle of Wight Hants

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground one ft. in.

,, Ground ,, Sea Level ft.

Duplicate.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	.11	.69	.07									.17	1
2	.14	.01	.61	.25	.21						.03		2
3	.05	.14	.20								.02		3
4	.25	.03	.34	.25	.25								4
5	.10	.01											5
6		.22		.20	.20					.05	.03		6
7	.06	.01								.32		.04	7
8		.01		.03	.03		.40						8
9		.01		.01	.01		.42				.04		9
10	.02						.03			.33			10
11	.22					.19		.08	1.20				11
12				.02	.02				.01		.01	.07	12
13	.05				.01	.10	.34	.13		.05	.10		13
14					.01		.07			.28	.34		14
15	.31		.40	.02		.10	.35	.38		.24	.01		15
16		.01	.62	.01		.05	.05		.16	.07			16
17		.02	.42	.01				.09	.10				17
18	.39	.01	.21			.18							18
19		.01	.16			.02			.40		.05		19
20		.04	.01	.02		.12			.05			.02	20
21								.14	.08				21
22						.11		.11	.09	.24	.02		22
23		.04		.65		.16			.31	.17			23
24		.89		.37		.02			.08		.01		24
25		.76		.34	.22				.30			.16	25
26		.41		.15		.11				.01		.01	26
27					.56		.01		.02			.56	27
28				.01		.18	.28			.01		.02	28
29	.21		.01		.11		.02		.02			.02	29
30	.09	X	.03	.13		.02	.01		.03				30
31	.17	X		X		X			X		X	.04	31
TOTAL	2.17	3.32	3.08	1.69	1.63	0.95	1.98	0.93	2.85	1.77	0.66	1.11	YEAR'S TOTAL
*Days with 0.2 mm. or more.	14	18	12	10	11	9	11	6	14	11	11	9	22.14
*Days with 1.0 mm. or more.	13	8	9	5	6	7	7	6	10	9	4	5	89

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Freshwater

in the County of Isle of Wight Hants

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground one ft. — in.

,, Ground ,, Sea Level 10 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

0

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03					.11		.24	.01	.09	.01	1.03		1
2	.29		.07		.19				1.80	.25		.38		2
3	.07			.12		.01				.45		.30		3
4	.15	.02	.14		.10					.46	.01	.38		4
5	.01		.02					.40		.05	.02	.60		5
6			.48	.02	.22					.34	.67	.67		6
7	.04							.19		.25	.01	.22		7
8					.28			.02	.18		1.19	.03		8
9	.05		.11						.01		.87	.40		9
10	.07		.17	.21							.53	.07		10
11	.55	.02	.37	.25			.09	.10				.30		11
12	.01	.02	.01				.60	.45			.21	.11		12
13	.38		.23	.08			.02				.18	.24		13
14	.19		.34				.05			.02	.05	.90		14
15					.03				.02	.10	.09	.43		15
16	.18	.01	.40		.01				.05			.17		16
17	.13		.07	.01					.03			.30		17
18	.08	.01	.16	.24					.32			.32		18
19		.01	.33						.22			.13		19
20			.04	.09			.03		.04					20
21	.02	.01	.01	.19		.20		.01	.03	.07		.01		21
22		.01	.04	.09				.24	.38	.07		.16		22
23		.01		.27		.54			.03			.01		23
24	.01	.01	.06	.31			.13		.03					24
25			.01	.06						.07		.68		25
26	.36			.04		.31			.13	.01		.09		26
27	.01			.01						.02		.33		27
28	.02					.14		1.05				.44		28
29									.10	.01	.02	.03		29
30	.06	X						.11	.12			.30		30
31	.03	X		X		X			X	.01	X			31
TOTAL	2.74	0.13	3.06	1.99	0.83	1.31	0.92	2.81	2.70	2.27	3.86	9.03	Year's Total	31.65
* Days with .01 in. or more.	22	10	19	15	6	6	6	10	17	16	13	28		168
* Days with .04 in. or more.	14	0	15	12	4	5	4	8	10	11	8	24		115

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

John Sover

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Freshwater Pumping Station

in the County of Hants

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	.28	-	.07	.16	.16	-	.04	.18	.11	.10		1
2	-	-	-	-	-	.11	-	-	-	.36	.04	-		2
3	-	-	.08	-	-	.02	-	-	.19	.91	.07	-		3
4	-	-	-	.17	-	.09	-	-	.20	.14	.02	.09		4
5	-	.17	.14	.06	-	.06	-	-	.31	.02	.08	.01		5
6	-	.22	.01	.27	-	.58	-	-	-	.08	.36	.01		6
7	-	.03	-	.36	-	.01	-	-	-	.09	.89	.14		7
8	.05	-	-	.28	-	-	.01	.02	.01	.36	.67	.01		8
9	.62	-	.10	.10	-	.94	-	-	.11	.68	.83	-		9
10	.60	-	.27	-	-	.11	-	-	-	.02	.33	.03		10
11	.16	.01	.11	-	-	.04	-	-	.02	-	.36	-		11
12	.06	.03	-	-	-	.19	-	.10	.04	-	.98	-		12
13	.04	.18	-	.15	-	.03	-	-	-	-	.03	-		13
14	-	.01	-	.10	.02	.03	-	-	.13	.03	.11	.31		14
15	-	.12	-	.65	.04	-	-	-	.19	.02	.19	.02		15
16	-	-	.03	.07	-	.02	-	-	.28	-	1.65	-		16
17	-	.02	-	-	-	.33	.01	.06	.02	-	.17	-		17
18	-	-	-	.38	.11	-	-	-	.54	.02	.01	-		18
19	-	.01	-	.14	.22	.08	.22	-	.09	-	.33	-		19
20	-	.30	-	.04	-	.02	.06	-	.02	.03	.71	-		20
21	.01	.23	-	.17	-	-	.01	-	-	.02	.01	-		21
22	.01	.10	.02	.02	-	-	-	.06	.09	-	-	-		22
23	-	.08	.04	-	.02	-	-	.42	-	.42	-	.23		23
24	.04	.29	-	.13	.34	-	-	.93	.67	.08	-	.34		24
25	.16	.11	-	-	.01	.01	-	-	-	-	.03	.29		25
26	-	.39	-	-	-	-	-	.18	.05	-	-	.42		26
27	-	.56	-	-	-	-	-	.16	.11	.02	.05	.44		27
28	-	.16	-	-	.26	-	-	.02	.21	-	-	.05		28
29	-	-	-	-	-	-	-	.20	.33	.02	.01	.35		29
30	-	X	-	.23	.08	-	-	1.06	.03	.02	.36	.42		30
31	.04	X	-	X	-	X	-	.03	X	.40	X	.14		31
TOTAL	1.80	3.02	1.08	3.32	1.17	2.83	.47	3.34	3.98	3.92	8.20	3.40	36.63	Year's Total
* Days with .01 in. or more.	12	19	10	17	10	18	6	12	22	21	25	18	190	
* Days with .04 in. or more.	9	13	7	15	7	11	3	9	17	12	19	13	135	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Copied in m.o.f. [P.T.O.]

CR.

Freeholder Pumping Station 1935

601

	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
1	.01		.28		.07	.16	.16		.04	.18	.11	.10
2						.11				.36	.04	
3			.08			.02			.49	.91	.07	
4				.17		.09			.20	.14	.02	.09
5		.17	.14	.06		.06			.31	.02	.08	.01
6		.22	.01	.27		.58				.08	.36	.01
7		.03		.36		.01				.09	.89	.14
8	.05			.28			.01	.02	.01	.36	.57	.01
9	.62		.10	.40		.94			.11	.58	.83	
10	.60		.27			.11				.02	.33	.03
11	.16	.01	.11			.04			.02		.36	
12	.06	.03				.19		.10	.04		.98	
13	.04	.18		.15		.03					.03	
14		.01		.10	.02	.03			.13	.03	.11	.31
15		.12		.55	.04				.19	.02	.19	.02
16			.03	.07		.02			.28		1.55	
17		.02				.33	.01	.06	.02		.17	
18				.38	.11				.54	.02	.01	
19		.01		.14	.22	.08	.22		.09		.33	
20		.30		.04		.02	.06		.02	.03	.71	
21	.01	.23		.17			.01			.02	.01	
22	.01	.10	.02	.02				.06	.09			
23		.08	.04		.02			.43		.42		.23
24	.04	.39		.13	.34			.93	.67	.08		.34
25	.16	.11			.01	.01					.03	.29
26		.29						.18	.05			.42
27		.56						.16	.11	.02	.05	.44
28		.16			.26			.02	.21			.05
29								.30	.33	.02	.01	.35
30				.03	.08			1.05	.03	.12	.36	.42
31	.04							.03		.40		.14
1.80		3.02	1.08	3.32	1.17	2.83	0.47	3.34	3.98	3.92	8.20	3.40

inches 36.53
rain days 190
wet days 135

12 19 10 17 10 18 6 12 22 21 25 18
9 13 7 15 7 11 3 9 17 12 19 13

Section

A

for the entry of Daily Observations.

Station No.

601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Freshwater Sewage works
in the County of Isle of Wight Hands
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ Ground „ Sea Level 19 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.14		.21		.30	.25				.14			1
2		.03		.02		.13	.01	.15						2
3			.01	.41			.06		.22		.50	.01		3
4	.01		.14			.01	.05		.22		.32	.09		4
5	.25				.15	.01			.29		.01			5
6	.59					.05			.11		.63			6
7	.11		.10				.05				.27	.08		7
8	.28		.14				.11				.65	.04		8
9	.25		.22				.63		.09		.03	.01		9
10	.02	.07			.04		.64							10
11	.28	.44					.04		.13		1.38			11
12	.01			.06	.02	.40	.41	.01	.53		.13	.01		12
13						.04				.22	.09	.31		13
14		.24		.05		.04	.56		.03	.02		.37		14
15	.02	.08			.07				.03		.03	.20		15
16	.22	.23			.01		.08		.05		.06	.16		16
17		.57			.04	.11	.01	.02	.08	.04	.12	.53		17
18		.37				.40	.18				.02	.12		18
19	.33	.02	.02	.06		.04		.05		.07				19
20	.15	.06	.02	.12		.15	.01		.93					20
21		.11		.35		.03	.09		.03					21
22	.06	.40	.32		.02		.13		.01	.01		.09		22
23	.06		.12	.14	.01		.06			.05				23
24	.28	.01	.02		.12		.08		.01	.31				24
25	.05		.27	.20						.23				25
26	.16	.12	.06	.06		.10			.06	.06				26
27	.35	.11	.02				.05		.02	.09				27
28	.90		.29				.08					.07		28
29	.01	.02	.02			.86	.05			.21	.16			29
30	.22	~~X~~	.01		.01	.37				.05				30
31	.09	~~X~~	.34	~~X~~		~~X~~	.31		~~X~~	.08	~~X~~	.36		31
TOTAL	4.86	3.02	2.12	1.68	0.49	3.04	3.94	0.23	2.84	1.24	4.54	2.45	30.45	Year's Total
* Days with .01 in. or more.	24	17	17	11	10	16	23	4	17	13	16	15	183	
* Days with .04 in. or more.	19	13	10	10	5	13	20	2	11	10	12	12	137	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) John Dover [P.T.O.]

COPY FOR OFFICIAL USE

Section



for the entry of Daily Observations

Station No.

601

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at *Freshwater Pumping Station*

in the County of *Isle of Wight*

Diameter of Funnel of Gauge.....*8*.....in.

Height of top of Gauge above Ground.....*1*.....ft.....in.

„ Ground „ Sea Level.....*5*.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.96			.17						.02	.74	.53		1
2		.74	.02	.08					.03		.01	.15		2
3	.04	.15	.05											3
4	.06	.77										.29		4
5	.19	.01	.07	.01	.05		.19							5
6	.19	.27	.75	.08			.14			.04				6
7		.49		.09	.28		.02			.10		2.09		7
8					.04							.17		8
9			.04	.19	.18	.05	.04		.74					9
10	.01		.48	.29	.08	.22						.56		10
11	.03			.03	.18	.01	.28					.06		11
12	.30	.29	.10	.13	.02	.17	.03	.48	.62			.19		12
13	.30	.02	.70	.03				.07	.10			.61		13
14	.02	.01	.22	.19				.49	.11			.12		14
15	.27	.16		.40			1.20		.28			.10		15
16	.05	.04	.21	.16		.24		.63	.34		.05			16
17	.51	.01	.13						.16		.13			17
18	.21	.07							.04		.17	.27		18
19	.28	.03	.05	.19		.01			.15		.04	.12		19
20	.19	.12	.12	.25		.03						.12		20
21	.40	.35	.06	.01	.05		.02			.07	.13	.14		21
22	.62	.02	.06		.11		.08		.02	.89	.90	.09		22
23	.19	.12			.15		.05		.01	.22	.29			23
24	.17	.45			.24				.02	.48	.01	.04		24
25	.14	.46	.41		1.57				.10	.73				25
26		.22			.02					.14				26
27	.01	.08		.09						.53				27
28	.24	.09								.20	.05			28
29	.07									.15	.01			29
30	.30	~~X~~								.46	.13			30
31	.48	~~X~~		~~X~~		~~X~~			~~X~~	.55	~~X~~			31
TOTAL	6.20	4.97	3.47	2.39	2.97	0.73	2.05	1.67	2.72	3.98	2.66	5.65	Year's Total	✓39.46
* Days with .01 in. or more.	26	23	16	17	13	7	10	4	14	14	13	17	174	✓
* Days with .04 in. or more.	22	17	15	13	11	4	7	4	10	13	8	17	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

John Dore

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

6001

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ... *Sewage Pumping Station* ... *Freshwaters* ...
in the County of ... *Isle of Wight* ... *Hants* ...
Diameter of Funnel of Gauge ... *eight* ... in.
Height of top of Gauge above Ground ... *one* ... ft. ... in.
„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.03			.27	.10		.08		1
2							.12			.59	.06	.12		2
3					.09		.02			.68	.21			3
4	.03				.01		.14	.32		.17		.14		4
5							.58			.01	.01			5
6	.18						.07		.11	.01	.07	.02		6
7	.07					.02	.25		.06	.15		.04		7
8	.10					.01	.07	.13		.29				8
9	.30	.04					.05			.02		.62		9
10	.06					.21						.17		10
11	.23										.09	.12		11
12	.46				.16		.01			.09				12
13	.47									.16	.31	.27		13
14	.35		.01		.12		.11		.01					14
15	.15	.06					.18			.51		.47		15
16	.35	.02	.02					.06				.04		16
17		.20	.02		.04		.01		.16	.23	.03			17
18	.08					.04			.26	.28	.46			18
19	.15							.07	.37		.45	.02		19
20									.06		.43	.10		20
21	.04								.11		.09	.16		21
22	.04					.01		.51			.40	.03		22
23									.16		.03			23
24			.28								.30			24
25		.06			.14					.05	.81	.27		25
26	.25	.18	.01		.04	.01			.01	.04				26
27	.07				.11	.31	.32	.01			.35	.05		27
28	.05	.09			.05	.11		.48	.08		.04	.02		28
29	.01				.59				.25	.07	.23			29
30	.03	~~XX~~			.01				.10		.21			30
31	.15	~~XX~~		~~XX~~		~~XX~~			~~XX~~	.24	~~XX~~	.29		31
TOTAL	36.2	0.65	0.34	0.00	1.36	0.75	1.93	1.58	2.01	3.69	4.58	3.03	Year's Total	
* Days with .01 in. or more.	22	7	5	0	11	9	13	7	14	18	19	19	23.54	✓
* Days with .04 in. or more.	19	7	1	0	9	4	10	6	12	15	16	15	23.25	✓

† Spare column, no entries required.

(Signed)

John Dover

* See Instruction 3 (f) on other side.

[P.T.O.]

COPY FOR OFFICIAL USE

Freshwater Sewage Pumping Station

1939

601

	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	
1	.02		.43	.06	.08		.02		.29	.0	.20		
2				.16				.57	1.57		.02	.05	
3	.38			.41				.30			.17	.26	
4	.01	.01	.45	.05	.14		.19	.18		.90	.02	.03	
5			.06	.12	.16	~~.18~~	.08	.23		.25	.62		
6	.50		.10				.51	.01		.03	.38		
7		.26					.06	.07		.01	.08	.38	
8	.04	.07	.09				.02			.80	.40	.15	
9								.13		.21	.25	.17	
10	.15					.04		.21	.10	.33	.15		
11			.16			.01				.50	.03		
12	.02					.11				.09	.01		
13	.05			.05		.01	.38		.05	1.58	.01	.02	
14	.60			.01	.03	.04	.11			.49	.40		
15	.32				.33	.71	.11		.02	.22	.40		
16	.28			.09	.05	.12	.37			.41	.39		
17	.01	.05		.02	.13					.58	.08		
18	.02				.09	.02	1.29				.58	.02	
19	.39						.23					.06	
20	.48		.06			.03	.02	.41				.02	
21	.06	.16	.02			.03	.24						
22	.20	.19				.27	.03		.04		.15		
23				.31			.08	.01			.80		
24	.51			.12		.25							
25	.90	.23	.02	.04			.02			.08	.36	.02	
26								.02		.08	.19	.03	
27		.06	.04	.02		.13					.13		
28		.30	.02			.02	.02				.34	.20	
29				.02		.02				.19			
30				.51						.44	.06		
31							.01	.08		.30			
Total	5.00	1.33	1.05	1.99	1.01	1.81	3.79	2.22	2.07	7.49	6.22	7.41	35.39
Rain days	19	9	11	15	8	15	19	12	6	19	25	13	171
Wet days	15	8	7	11	7	8	12	9	5	17	20	7	126

* The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Freshwater Pumping Stn.
In the County of Hants.

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
	Inches	Inches	Date	.01 in. or more	.04 in. or more
JAN.	3.96			15	13
FEB.	3.81			13	13
MAR.	2.87			12	10
APRIL	76			15	7
MAY	92			7	6
JUNE	23			1	1
JULY	3.63			16	13
AUG.	01			1	0
SEPT.	2.03			13	10
OCT.	3.86			14	13
NOV.	7.61			22	17
DEC.	2.20			22	13
TOTAL	31.89			151	115

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge.....

Height of objects.....

Distances.....


Directions from gauge.....

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

Signature John Daven (signed.)...

* See Instruction 3 (f) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
- The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
- The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 2778/2036 21,000 10/88 W.H. & S. 668/91

S.O. Code No. 40-9999

Section **A** for the en
AIR MIN
FORM 1090. REC

Kept at *Newport*
in the County of *C*

Diameter of Funnel of Gauge
Height of top of Gauge above
" Ground " "

602
NEWPORT I.O.W.
1931 - 1940

780113

602
FOR OFFICIAL USE.
RAINFALL ORGANIZATION.
193/ .
220

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			.67						.48				3
4													4
5						.51						.21	5
6										.50			6
7													7
8													8
9													9
10													10
11		.40											11
12													12
13													13
14							1.11						14
15													15
16													16
17													17
18								.79					18
19													19
20													20
21													21
22													22
23													23
24				.73									24
25													25
26											1.05		26
27					1.57								27
28													28
29													29
30		X											30
31	.49	X		X		X			X		X		31
TOTAL	2.82	2.51	1.16	3.26	4.17	2.24	4.39	3.72	2.09	0.88	5.10	0.97	YEAR'S TOTAL 33.31
* Days with or in. or more.	19	17	7	16	18	13	17	20	15	8	18	11	149
* Days with .04 in. or more.	13	15	5	15	14	10	14	15	9	3	15	5	133

40-9999 71.6 63.8 29.5 82.8 105.9 56.9 111.5 94.5 53.1 22.4 129.5 24.6 846.1
(Signed) P.T.O.

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

602
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Newport
in the County of Wales (the Night)

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 48 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3			.67						.48				3
4													4
5						.51						.21	5
6										.50			6
7													7
8													8
9													9
10													10
11		.40											11
12													12
13													13
14							1.11						14
15													15
16													16
17													17
18								.79					18
19													19
20													20
21													21
22													22
23													23
24				.73									24
25													25
26											1.05		26
27					1.57								27
28													28
29													29
30		X											30
31	.49	X		X		X			X		X		31
TOTAL	2.82	2.51	1.16	3.26	4.17	2.24	4.39	3.72	2.09	0.88	5.10	0.97	YEAR'S TOTAL 33.31
*Days with -or in. or more.	19	17	7	16	18	13	17	20	15	8	18	11	179
*Days with .04 in. or more.	13	15	5	15	14	10	14	15	9	3	15	5	133

40-9999 71.6 63.8 29.5 82.8 105.9 56.9 111.5 94.5 53.1 22.4 129.5 24.6 846.1
(Signed) P.T.O.

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

602
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1932.

Kept at *Newport*
in the County of *Hants (Isle of Wight)*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level*48* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2												<i>.46</i>	2
3													3
4													4
5													5
6	<i>.72</i>												6
7													7
8			<i>.37</i>										8
9													9
10		<i>.15</i>		<i>.39</i>									10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20								<i>.52</i>		<i>1.41</i>			20
21					<i>1.12</i>								21
22									<i>.75</i>				22
23													23
24							<i>1.08</i>						24
25													25
26													26
27													27
28													28
29													29
30		<i>X</i>				<i>94</i>					<i>1.21</i>		30
31		<i>X</i>		<i>X</i>		<i>X</i>			<i>X</i>		<i>X</i>		31
TOTAL	<i>3.91</i>	<i>0.19</i>	<i>1.37</i>	<i>3.15</i>	<i>5.15</i>	<i>2.00</i>	<i>3.45</i>	<i>0.97</i>	<i>3.69</i>	<i>8.73</i>	<i>2.88</i>	<i>1.54</i>	YEAR'S TOTAL <i>57.03</i>
*Days with "or in. or more.	<i>18</i>	<i>3</i>	<i>8</i>	<i>20</i>	<i>18</i>	<i>7</i>	<i>17</i>	<i>9</i>	<i>15</i>	<i>21</i>	<i>15</i>	<i>13</i>	<i>164</i>
*Days with ".04 in. or more.	<i>14</i>	<i>1</i>	<i>6</i>	<i>17</i>	<i>14</i>	<i>6</i>	<i>8</i>	<i>3</i>	<i>15</i>	<i>17</i>	<i>8</i>	<i>6</i>	<i>1415</i>

40-9999*99.3 4.8 34.8 80.0 130.8 50.8 87.6 24.6 93.7 221.7 73.1 39.1* (Signed) P.T.O.

*See Instruction 2 (f) on other side.

REGISTER OF RAINFALL IN 1933 .

Kept at *Newport*
in the County of *Wants*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....*1* ft.....in.
Ground Sea Level *48* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2			0.76		0.38								2
3													3
4													4
5													5
6													6
7													7
8													8
9							0.59						9
10										0.37			10
11													11
12									1.77				12
13													13
14											0.59		14
15	0.71							0.46					15
16													16
17													17
18													18
19													19
20						0.19							20
21													21
22													22
23													23
24													24
25		1.14		0.29									25
26													26
27												0.41	27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.68	3.92	3.75	1.20	1.91	1.11	2.15	1.18	3.56	2.10	1.06	0.85	YEAR'S TOTAL 25.47
*Days with .01 in. or more.	14	13	12	7	12	10	9	6	15	17	12	10	137
*Days with .04 in. or more.	12	8	9	6	9	9	8	5	12	9	5	6	98

Section **A**

for the entry of Daily Observations.

Station No. **602**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at **Newport**

in the County of **Hants**

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground **1** ft _____ in.

„ Ground „ Sea Level **48** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												1.19		1
2									.84					2
3		.01												3
4														4
5														5
6					.09									6
7										.47				7
8														8
9											1.39			9
10														10
11	.78						.35							11
12														12
13														13
14														14
15														15
16			.51											16
17														17
18														18
19														19
20														20
21														21
22														22
23				.51		.65								23
24														24
25		.01												25
26														26
27														27
28								.80						28
29		X												29
30		X												30
31		X		X		X			X		X			31
TOTAL	3.27	0.02	3.30	2.68	0.82	2.00	0.67	2.69	2.74	2.19	4.55	11.79	36.72	
*Days with .01 in. or more.	21	2	18	14	6	7	5	13	15	12	12	28	153	
*Days with .04 in. or more.	13	0	14	12	5	6	3	10	13	10	7	24	117	

Section

A

for the entry of Daily Observations.

Station No.

602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Newport*in the County of *South*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.

,, Ground ,, Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1							.58							1
2														2
3														3
4														4
5														5
6														6
7											1.41			7
8														8
9						.85				.81				9
10	1.23		.36											10
11														11
12														12
13														13
14														14
15				.67										15
16														16
17														17
18														18
19					.30									19
20														20
21														21
22														22
23														23
24									.97					24
25														25
26														26
27		.89												27
28														28
29														29
30		X						1.30				.63		30
31		X		X		X			X		X			31
TOTAL	2.11	4.59	1.04	3.96	1.22	2.75	0.79	4.42	5.08	4.44	8.74	4.32	43.49	
*Days with .01 in. or more.	10	17	8	16	10	18	2	11	22	21	25	19	179	
*Days with .04 in. or more.	7	14	6	15	7	13	2	8	18	14	19	14	137	
Year's Total														

40-9999

*See Instruction 2(f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A**

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Newport, S.O.W.*
in the County of *Hants*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level *4.8* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2								.17						2
3														3
4														4
5					.09									5
6														6
7														7
8														8
9														9
10														10
11											1.85			11
12														12
13														13
14							.67							14
15														15
16														16
17		.66										.88		17
18						1.03								18
19														19
20									.87					20
21				.50										21
22														22
23														23
24										.38				24
25														25
26														26
27														27
28	.94													28
29														29
30		X												30
31		X	.35	X		X			X		X			31
TOTAL	5.87	3.17	2.30	2.24	0.30	3.97	4.29	0.40	2.84	1.28	6.51	3.83	37.00	✓
* Days with .01 in. or more.	24	16	16	12	6	17	21	5	15	11	17	17	177	✓
* Days with .04 in. or more.	19	12	13	9	3	14	16	3	11	10	14	16	140	✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section **A** for the entry of Daily Observations. Station No. 602
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1. **REGISTER OF RAINFALL IN 1937.**

Kept at Newport (Pembroke) Light
in the County of Hants P.O.W.
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft. 0 in.
„ Ground „ Sea Level 4.8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1.02										1.03			1
2														2
3														3
4		1.24												4
5														5
6														6
7												4.14		7
8														8
9									.92					9
10					.65	.36								10
11														11
12			1.04											12
13														13
14														14
15				.57			.52							15
16								.79						16
17														17
18														18
19														19
20														20
21														21
22										.84				22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	7.49	6.40	4.40	3.15	2.32	.97	1.54	1.55	3.01	4.13	2.46	8.36	46.78	✓✓
* Days with .01 in. or more.	26	23	16	18	12	7	9	4	12	12	10	22	171	✓✓
* Days with .04 in. or more.	21	17	13	15	10	5	8	4	10	12	7	16	138	✓✓
													Year's Total	

Section



for the entry of Daily Observations

Station No. 602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM

REGISTER OF RAINFALL IN 1938

Kept at Newport (The Mall) 1.0.W

in the County of Hants.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft. 0.....in.

,, Ground ,, Sea Level H8.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3										.83				3
4														4
5														5
6														6
7							1.03							7
8														8
9												.79		9
10														10
11														11
12	.68													12
13														13
14														14
15														15
16														16
17		.26							.33					17
18														18
19											.96			19
20														20
21														21
22														22
23														23
24			.30											24
25														25
26														26
27						.37								27
28							.37							28
29					.66									29
30		~~X~~												30
31		~~X~~		~~X~~		~~X~~			~~X~~		~~X~~			31
TOTAL	4.64	.82	.53	.00	1.98	.98	2.99	1.24	1.88	4.77	5.78	3.75	29.35	Year's Total
* Days with .01 in. or more.	21	10	5	0	13	9	16	12	17	21	21	22	167	
* Days with .04 in. or more.	18	7	4	0	12	5	11	8	12	18	17	16	128	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Newport (The Mall) S.O.W.

in the County of Hants

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 48 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2								.53	.37					2
3				.65										3
4			.61											4
5														5
6														6
7												.71		7
8														8
9														9
10														10
11														11
12														12
13										1.98				13
14	.74													14
15					.71	.83								15
16														16
17														17
18							.82							18
19														19
20														20
21														21
22														22
23											1.16			23
24														24
25														25
26														26
27														27
28		.37												28
29														29
30		X												30
31		X		X		X			X		X			31
TOTAL	5.64	1.78	1.48	3.08	1.27	2.31	3.98	1.72	.82	9.20	8.06	2.40	41.74	
* Days with .01 in. or more.	22	11	15	16	7	14	21	12	7	19	28	18	190	
* Days with .04 in. or more.	15	8	9	14	7	12	15	9	4	17	22	10	142	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No.

220

602

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 990

REGISTER OF RAINFALL IN 1934

Kept at Newport (The Mall) S. 80 W.

in the County of Dorset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 48 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4										.71				4
5														5
6														6
7														7
8														8
9														9
10							.51							10
11														11
12														12
13			.49								1.87			13
14												.72		14
15														15
16		.92												16
17														17
18				.29										18
19									.54					19
20														20
21														21
22						.21								22
23														23
24														24
25														25
26	1.19				.42									26
27														27
28														28
29														29
30		~~X~~												30
31		~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	~~X~~		31
TOTAL	3.52	4.79	3.76	1.10	.91	.33	2.85	to	2.08	4.72	10.06	3.24	Year's Total 37.36	
* Days with .01 in. or more.	12	20	16	12	9	3	16	0	14	19	24	16	161	
* Days with .04 in. or more.	8	13	10	5	5	2	12	0	9	13	18	14	109	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

[P.T.O.]

X RYDE (PRESTON RO

Section

A

for the entry

AIR MINIS

FORM 1090

REG

Kept at "Roseleigh" Gaug.

in the County of Gal. g.

Diameter of Funnel of Gauge...

Height of top of Gauge above

Ground

THE MORNING MEASU

An observer who does not conform
year in the space on the right of

602/5

RYDE-ROSELEIGH

1940 ONLY

Station No. 602/5

AINFALL ORGANIZATION

1940

602/5

679/40

VIOUS DAY

Jan. 1, following

of the following

780113

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	-	.01	-	-	-	-	-	.09	-		1
2	-	.26	-	.19	.06	-	tr.	-	-	-	.40	-		2
3	.02	.53	-	tr	-	-	-	-	-	.19	1.04	.25		3
4	.01	.05	-	tr	-	-	.02	-	-	.35	.08	.09		4
5	-	.02	-	-	-	-	.15	-	-	.01	.65	.27		5
6	.49	.37	-	-	-	-	.09	-	-	.54	.06	.05		6
7	.08	.32	-	-	-	-	.06	-	-	-	tr.	tr.		7
8		tr.	-	tr.	-	-	-	-	.23	.36	.06	.18		8
9		-	-	-	-	-	-	-	.01	.29	.33	.23		9
10		-	-	-	-	-	.27	-	tr.	.11	.05	.02		10
11		-	-	-	-	-	.26	-	-	-	1.47	-		11
12		tr	.13	-	-	-	.27	-	.47	-	.01	-		12
13			.58	tr.	-	-	tr.	-	.15	.06	1.81	-		13
14	tr.	tr.	.20	.11	-	-	.41	-	.05	.14	tr.	.48		14
15			tr.	-	.03	-	.61	-	.07	tr.	.67	tr.		15
16		.46	.45	.02	-	.03	-	-	.14	.27	1.27	.03		16
17		-	.39	-	-	-	.03	-	-	tr.	.32	-		17
18		.39	.17	.27	-	-	-	-	.03	.31	.01	.12		18
19		.08	tr.	.09	-	-	.05	-	-	tr.	.33	tr.		19
20	-	tr.	-	.08	-	-	-	-	.07	.35	.04	.03		20
21	tr.	tr.	-	-	.03	-	-	-	.03	-	.35	-		21
22		tr.	.02	.03	-	.20	tr.	-	.06	.01	-	-		22
23		.08	.17	.01	-	-	-	-	tr.	-	.12	-		23
24		tr.	tr.	-	-	-	.29	-	-	-	tr.	-		24
25	1.10	-	.55	.02	.02	-	.23	-	-	-	.01	-		25
26		.25	.39	.14	.30	-	.07	-	-	-	tr.	-		26
27	.48	.33	tr.	tr.	.08	-	.05	-	-	-	-	-		27
28	.60	.01	-	tr	.08	-	-	-	-	-	-	-		28
29	.19	.42	.22	.28	.03	-	-	-	-	.04	-	.23		29
30	.08	X	.01	.02	-	-	-	-	-	.27	-	.10		30
31	.01	X	-	X	-	X	-	-	X	.50	X	-		31
TOTAL	3.07	3.78	3.28	1.26	.64	.23	2.97	-	1.31	4.30	9.15	2.24	Year's Total 32.23	
* Days with .01 in. or more.	10	15	12	12	9	2	15	-	11	16	21	13	136	
* Days with .04 in. or more.	7	12	10	7	4	1	13	-	8	14	18	10	104	

* See Instruction 3 (f) on other side.

X I. HALLET, ESQ.

X Spare column, no entries required.

(Signed)

Ian Hallett

[P.T.O.]

X RYDE (PRESTON RD)

Section

A

for the entry of Daily Observations

Station No. 602/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at "Rosedale" Great Preston Rd Ryde

in the County of Isle of Wight

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft...0.....in.

Ground Sea Level...150.....ft.

Station Number: 602/5

File number: 200679/40

Gauge used at 9th. and 10th. 1940
Ready for use before

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	-	.01	-	-	-	-	-	.09	-		1
2	-	.26	-	.19	.06	-	tr.	-	-	-	.40	-		2
3	.02	.53	-	tr	-	-	-	-	-	.19	1.04	.25		3
4	.01	.05	-	tr	-	-	.03	-	-	.35	.08	.09		4
5	-	.02	-	-	-	-	.15	-	-	.01	.65	.27		5
6	.49	.37	-	-	-	-	.09	-	-	.54	.06	.05		6
7	.08	.32	-	-	-	-	.06	-	-	-	tr.	tr.		7
8		tr.	-	tr.	-	-	-	-	.23	.36	.06	.18		8
9		-	-	-	-	-	-	-	.01	.29	.33	.23		9
10		-	-	-	-	-	.27	-	tr.	.11	.05	.02		10
11		-	-	-	-	-	.26	-	-	-	1.47	-		11
12		tr	.13	-	-	-	.27	-	.47	-	.01	-		12
13			.58	tr.	-	-	tr.	-	.15	.06	1.81	-		13
14	tr.	tr.	.20	.11	-	-	.41	-	.05	.14	tr.	.48		14
15		-	tr.	-	.03	-	.61	-	.07	tr.	.67	tr.		15
16		.86	.45	.02	-	.03	-	-	.14	.27	1.27	.03		16
17		-	.39	-	-	-	.03	-	-	tr.	.32	-		17
18		.39	.17	.27	-	-	-	-	.03	.31	.01	.12		18
19		.08	tr.	.09	-	-	.05	-	-	tr.	.33	tr.		19
20	-	tr.	-	.08	-	-	-	-	.07	.35	.04	.03		20
21	tr.	tr.	-	-	.03	-	-	-	.03	-	.35	-		21
22		tr.	.02	.03	-	.20	tr.	-	.06	.01	-	-		22
23		.08	.17	.01	-	-	-	-	tr.	-	.12	-		23
24		tr.	tr.	-	-	-	.29	-	-	-	tr.	-		24
25	1.10	-	.55	.02	.02	-	.22	-	-	-	.01	-		25
26		.25	.39	.14	.30	-	.07	-	-	-	tr.	-		26
27	.48	.33	tr.	tr.	.08	-	.05	-	-	-	-	-		27
28	.60	.01	-	tr	.08	-	-	-	-	-	-	-		28
29	.19	.42	.22	.28	.03	-	-	-	-	.04	-	.23		29
30	.08	X	.01	.02	-	-	-	-	-	.27	-	.10		30
31	.01	X	-	X	-	X	-	-	X	.50	X	-		31
TOTAL	3.07	3.78	3.28	1.26	.64	.23	2.97	-	1.31	4.30	9.15	2.24	Year's Total 32.23	
* Days with .01 in. or more.	10	15	12	12	9	2	15	-	11	16	21	13	136	
* Days with .04 in. or more.	7	12	10	7	4	1	13	-	8	14	18	10	104	

* See Instruction 3 (f) on other side.

X T. HALLITT, ESQ.

X Spare column for entries required.

(Signed)

Jan. Hallitt

[P.T.O.]

603

603
COPY FOR OFFICIAL USE.
INFALL ORGANIZATION.
93/.

Kept at *Perivale*
in the County of *Ryde*

RYDE-PERIVALE

Diameter of Funnel of Gauge.....
Height of top of Gauge above Groun
,, Ground ,, Sea

1931-1933

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of t

BA

3.32.

document in red.

DAY.

of the following

Jan. 1, following

480113

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.35		.02		.04	.13	.02			1
2		.02		.52				.29	.64	.01		.09	2
3	.27	.06	.69	.04	.19		.02	.01	.72		.03	.26	3
4	.15		.06		.10		.15		.09	.10	.07		4
5		.14		.32	.02	.37	.04	.05	.01		.03	.32	5
6		.09		.32	.02	.65	.02	.02		.45	.21	.04	6
7					.21	.20		.20		.04	.32		7
8		.46		.02	.05	.04	.02	.11		.01	.05	.14	8
9		.21			.0	.04	.02				.93	.02	9
10	.05	.09				.20	.05	.02			.82		10
11	.23	.47							.04		.18		11
12	.01						.04	.01	.17				12
13	.01						.79						13
14	.02	.16			.01	.01	.34	.11	.04				14
15	.02	.03		.01	.13			.16	.03			.04	15
16		.02		.09	.24	.08		.23	.14				16
17		.09		.07			.02		.18				17
18	.05		.04	.07		.09	.16	.72	.02		.35		18
19	.02			.11		.01		.14					19
20		.43	.03	.20				.37			.09		20
21	.03		.02		.28								21
22	.03		.36	.02									22
23	.38			.05	.25				.04		.41		23
24	.04			.48	.11	.24	.23	.55				.01	24
25	.08			.33	.08		.10				.04		25
26		.04		.20			.55				.60	.01	26
27	.19	.30			.46		.23				.09		27
28	.05	.11		.08	.02				.01			.10	28
29	.10		.01		.26		.09		.02	.01			29
30		X	.03				.03	.17		.04			30
31	.45	X		X	.65	X			X		X	.03	31 Snow
TOTAL	2.77	2.12	1.24	3.38	4.08	1.35	2.93	3.23	2.25	.66	1.32	1.06	YEAR'S TOTAL 29.39
*Days with .01 in. or more.	19	16	8	48	17	12	19	17	13	8	17	11	169
*Days with .04 in. or more.	12	13	4	15	13	8	13	13	10	2	12	7	153

40-9999

*See Instruction 2 (f) on other side.

(Signed) *EC Murray*

P.T.O.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1937.

Kept at Terrale
in the County of Ryde J of W.
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 193 ft.

B.A
Circ Esent 16.3.32.
Observer agrees to amendment in rec.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				<u>.35</u>		<u>.02</u>		<u>.04</u>	<u>.13</u>	<u>.02</u>			1
2		<u>.02</u>		<u>.52</u>				<u>.29</u>	<u>.64</u>	<u>.01</u>		<u>.09</u>	2
3	<u>.27</u>	<u>.06</u>	<u>.69</u>	<u>.04</u>	<u>.19</u>		<u>.02</u>	<u>.01</u>	<u>.72</u>		<u>.03</u>	<u>.26</u>	3
4	<u>.15</u>		<u>.06</u>		<u>.10</u>		<u>.15</u>		<u>.09</u>	<u>.10</u>	<u>.09</u>		4
5		<u>.14</u>		<u>.32</u>	<u>.02</u>	<u>.37</u>	<u>.04</u>	<u>.06</u>	<u>.01</u>		<u>.03</u>	<u>.32</u>	5
6		<u>.09</u>		<u>.32</u>	<u>.02</u>	<u>.65</u>	<u>.02</u>	<u>.02</u>		<u>.45</u>	<u>.21</u>	<u>.04</u>	6
7					<u>.21</u>	<u>.20</u>		<u>.20</u>		<u>.04</u>	<u>.32</u>		7
8		<u>.46</u>		<u>.02</u>	<u>.05</u>	<u>.04</u>	<u>.02</u>	<u>.11</u>		<u>.01</u>	<u>.05</u>	<u>.14</u>	8
9		<u>.21</u>			<u>.00</u>	<u>.04</u>	<u>.02</u>				<u>.93</u>	<u>.02</u>	9
10	<u>.05</u>	<u>.09</u>				<u>.20</u>	<u>.05</u>	<u>.02</u>			<u>.82</u>		10
11	<u>.23</u>	<u>.47</u>							<u>.04</u>		<u>.18</u>		11
12	<u>.01</u>						<u>.04</u>	<u>.01</u>	<u>.17</u>				12
13	<u>.01</u>						<u>.79</u>						13
14	<u>.02</u>	<u>.16</u>			<u>.01</u>	<u>.01</u>	<u>.34</u>	<u>.11</u>	<u>.04</u>				14
15	<u>.02</u>	<u>.03</u>		<u>.01</u>	<u>.13</u>			<u>.16</u>	<u>.03</u>			<u>.04</u>	15
16		<u>.02</u>		<u>.09</u>	<u>.24</u>	<u>.08</u>		<u>.23</u>	<u>.14</u>				16
17	<i>52017</i>	<u>.09</u>		<u>.07</u>			<u>.05</u>		<u>.18</u>				17
18	<u>.05</u>		<u>.04</u>	<u>.07</u>		<u>.09</u>	<u>.16</u>	<u>.72</u>	<u>.02</u>		<u>.35</u>		18
19	<u>.72</u>			<u>.11</u>		<u>.01</u>		<u>.14</u>					19
20		<u>.43</u>	<u>.03</u>	<u>.20</u>				<u>.37</u>			<u>.09</u>		20
21	<u>.03</u>		<u>.02</u>		<u>.28</u>								21
22	<u>.05</u>		<u>.36</u>	<u>.02</u>									22
23	<u>.38</u>			<u>.05</u>	<u>.25</u>				<u>.04</u>		<u>.41</u>		23
24	<u>.04</u>			<u>.48</u>	<u>.11</u>	<u>.24</u>	<u>.23</u>	<u>.55</u>				<u>.01</u>	24
25	<u>.00</u>			<u>.35</u>	<u>.08</u>		<u>.10</u>				<u>.04</u>		25
26		<u>.04</u>		<u>.20</u>			<u>.55</u>				<u>.60</u>	<u>.01</u>	26
27	<u>.19</u>	<u>.30</u>			<u>.46</u>		<u>.23</u>				<u>.09</u>		27
28	<u>.05</u>	<u>.11</u>		<u>.08</u>	<u>.02</u>					<u>.01</u>		<u>.10</u>	28
29	<u>.10</u>		<u>.01</u>		<u>.26</u>		<u>.09</u>			<u>.02</u>	<u>.01</u>		29
30		<u>X</u>	<u>.03</u>				<u>.03</u>	<u>.17</u>			<u>.04</u>		30
31	<u>.45</u>	<u>X</u>		<u>X</u>	<u>.65</u>	<u>X</u>			<u>X</u>		<u>X</u>	<u>.03</u>	31 <i>Snow</i>
TOTAL	<u>2.77</u>	<u>2.12</u>	<u>1.24</u>	<u>3.38</u>	<u>4.08</u>	<u>1.35</u>	<u>2.93</u>	<u>3.23</u>	<u>2.25</u>	<u>.66</u>	<u>1.32</u>	<u>1.06</u>	YEAR'S TOTAL <u>29.39</u>
*Days with or in. or more.	<u>19</u>	<u>16</u>	<u>8</u>	<u>48</u>	<u>17</u>	<u>12</u>	<u>19</u>	<u>17</u>	<u>13</u>	<u>8</u>	<u>17</u>	<u>11</u>	<u>169</u>
*Days with .04 in. or more.	<u>12</u>	<u>13</u>	<u>4</u>	<u>15</u>	<u>18</u>	<u>8</u>	<u>13</u>	<u>13</u>	<u>10</u>	<u>2</u>	<u>12</u>	<u>7</u>	<u>153</u>

Section

A

for the entry of Daily Observations.

Station No.

603

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.Kept at *General Ryde.*in the County of *Isle of Wight.*Diameter of Funnel of Gauge *5.5* in.Height of top of Gauge above Ground *7* ft. *3* in.,, Ground ,, Sea Level *193* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>1.0</i>			<i>1.5</i>	<i>1.17</i>			<i>0.3</i>		<i>0.1</i>	<i>0.2</i>		1
2	<i>0.1</i>			<i>3.4</i>	<i>0.7</i>			<i>0.2</i>	<i>0.3</i>		<i>0.1</i>	<i>3.1</i>	2
3				<i>2.7</i>	<i>0.2</i>	<i>4.8</i>			<i>5.3</i>	<i>0.1</i>			3
4	<i>0.1</i>					<i>2.2</i>							4
5	<i>5.5</i>						<i>0.3</i>		<i>2.2</i>				5
6	<i>6.4</i>			<i>1.3</i>					<i>1.0</i>	<i>0.2</i>			6
7	<i>0.6</i>									<i>3.0</i>			7
8			<i>3.2</i>	<i>0.5</i>	<i>2.2</i>				<i>2.0</i>	<i>4.0</i>			8
9	<i>1.2</i>			<i>2.0</i>	<i>1.6</i>					<i>0.1</i>	<i>0.1</i>		9
10	<i>7.7</i>	<i>1.0</i>	<i>0.2</i>	<i>3.6</i>	<i>0.9</i>	<i>0.8</i>			<i>0.7</i>	<i>1.1</i>			10
11	<i>5.3</i>			<i>0.4</i>	<i>0.1</i>				<i>0.5</i>	<i>0.4</i>		<i>0.2</i>	11
12	<i>5.5</i>			<i>0.1</i>					<i>1.0</i>	<i>4.5</i>			12
13	<i>0.6</i>			<i>2.2</i>	<i>1.2</i>					<i>9.3</i>		<i>0.3</i>	13
14	<i>5.2</i>				<i>0.8</i>		<i>2.8</i>	<i>0.8</i>		<i>0.1</i>	<i>3.2</i>	<i>0.1</i>	14
15	<i>3.1</i>			<i>0.3</i>	<i>1.02</i>					<i>0.3</i>	<i>1.0</i>	<i>0.1</i>	15
16	<i>1.6</i>			<i>1.0</i>			<i>1.5</i>						16
17	<i>0.3</i>			<i>0.7</i>	<i>0.5</i>		<i>0.3</i>		<i>0.1</i>	<i>0.2</i>			17
18	<i>0.4</i>						<i>0.3</i>				<i>1.2</i>		18
19	<i>0.2</i>						<i>0.2</i>		<i>0.9</i>	<i>4.1</i>			19
20			<i>0.3</i>	<i>0.2</i>	<i>0.2</i>		<i>0.2</i>	<i>6.0</i>		<i>1.36</i>	<i>2.4</i>		20
21			<i>0.2</i>	<i>0.3</i>	<i>1.28</i>					<i>6.0</i>		<i>0.9</i>	21
22	<i>0.2</i>		<i>2.6</i>	<i>0.2</i>	<i>0.7</i>		<i>1.1</i>	<i>3.2</i>	<i>7.4</i>	<i>2.5</i>	<i>5.1</i>	<i>0.1</i>	22
23	<i>0.3</i>	<i>0.2</i>			<i>6.5</i>		<i>2.1</i>		<i>3.1</i>	<i>1.25</i>		<i>1.5</i>	23
24		<i>0.2</i>					<i>8.5</i>		<i>1.1</i>	<i>0.7</i>	<i>0.1</i>		24
25							<i>7.0</i>		<i>1.5</i>	<i>4.3</i>	<i>1.6</i>		25
26			<i>1.0</i>	<i>1.5</i>			<i>0.5</i>			<i>0.6</i>	<i>0.3</i>		26
27			<i>3.5</i>	<i>3.2</i>	<i>1.0</i>		<i>0.2</i>			<i>5.4</i>		<i>0.1</i>	27
28			<i>0.5</i>	<i>0.3</i>			<i>2.8</i>	<i>0.1</i>		<i>0.2</i>		<i>0.2</i>	28
29			<i>3.2</i>	<i>1.3</i>	<i>0.1</i>	<i>0.9</i>		<i>0.2</i>	<i>5.0</i>	<i>5.2</i>		<i>1.5</i>	29
30		<i>X</i>	<i>1.5</i>	<i>2.5</i>	<i>0.9</i>	<i>1.17</i>	<i>1.0</i>		<i>4.3</i>		<i>1.07</i>	<i>2.5</i>	30
31		<i>X</i>	<i>0.1</i>	<i>X</i>		<i>X</i>	<i>0.5</i>		<i>X</i>		<i>X</i>	<i>2.3</i>	31
TOTAL	<i>4.43</i>	<i>1.4</i>	<i>1.63</i>	<i>2.92</i>	<i>5.23</i>	<i>2.04</i>	<i>2.93</i>	<i>1.08</i>	<i>3.64</i>	<i>7.85</i>	<i>2.60</i>	<i>1.31</i>	<i>35.80</i>
*Days with .01 in. or more.	<i>19.6</i>	<i>3.2</i>	<i>11.4</i>	<i>21.6</i>	<i>18.4</i>	<i>5</i>	<i>16.6</i>	<i>7.4</i>	<i>16.2</i>	<i>24.7</i>	<i>12.5</i>	<i>13.7</i>	<i>165</i>
*Days with .04 in. or more.	<i>13</i>	<i>1</i>	<i>7</i>	<i>15</i>	<i>14</i>	<i>5</i>	<i>10</i>	<i>3</i>	<i>14</i>	<i>16</i>	<i>7</i>	<i>6</i>	<i>111</i>

40-9999

*See Instruction 2 (f) on other side.

(Signed) *S. E. Murray.*

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at *Peterborough*
in the County of *Northampton*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *3* in.
Ground Sea Level *193* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	07	77	11								02			1
2	20		73		82									2
3	01	12	22								01			3
4	30	04			32									4
5	09		50											5
6		28			23					03	05			6
7	21	01			05		24			20		04		7
8	06				03		37			02				8
9		02					07			03	12			9
10		47			10			04		30				10
11	24					04		09		59				11
12					05				218	24				12
13	02				04			02	05		05			13
14					02		42				47			14
15	51		24				02	39			06			15
16			71			15	04		03					16
17			47			03		09	10					17
18	37		24			37					01			18
19			15	03					24		14			19
20		03	04	07		19			50					20
21								19	06	04		04		21
22						03		20	13	25	01			22
23		02		22		19			37	38				23
24		47		20		01			05	02				24
25		14		38		12			36			12		25
26		65		12		24			78	02				26
27					53		37		01	25		43		27
28						01			02	02		02		28
29	18		01	07	13				16	01		04		29
30	10	X	02				08					05		30
31	21	X		X		X			X	03	X			31
TOTAL	257	402	344	109	232	138	161	102	504	243	95	74	2661	
*Days with or in. or more.	214	412	212	117	211	411	118	117	315	216	210	117	130	
*Days with or in. or more.	12	8	10	6	9	7	7	6	12	8	6	6	97	

† Spare column, no entries required.

604

RYDE

1931 - 1938

Kept at
in the County of
Diameter of Funnel of G
Height of top of Gauge ab
" Ground "

THE MORNING

An observer who does not c
year in the space on the r

PREVIOUS DAY.

ary 1st of the following

verleaf.

Jan. 1, following

780113

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.02	—	.36	—	.03	—	.04	.17	.02	—	—	1	
2	<i>X</i>	.06	—	.60	—	—	—	.25	.51	.01	—	.09	2	
3	<i>X</i>	.38	—	.65	.05	.17	—	.01	.01	.70	—	.01	.26	3
4	—	<i>tr.</i>	.07	—	.11	—	.14	—	.06	.11	.12	<i>tr.</i>	4	
5	—	.14	<i>tr.</i>	.30	—	.35	.05	.07	.02	<i>tr.</i>	.04	.29	5	
6	.01	.07	—	.30	.02	.09	—	.02	<i>tr.</i>	.40	.14	.04	6	
7	<i>d.f.</i>	—	—	<i>tr.</i>	.29	.16	—	.23	—	.04	.30	<i>tr.</i>	7	
8	—	.17	<i>S.</i>	.02	.05	.29	.03	.11	—	.02	.08	.14	8	
9	—	.20	<i>S.</i>	.01	—	.05	.04	<i>tr.</i>	—	—	.87	.01	9	
10	—	.11	<i>S.</i>	—	<i>tr.</i>	.20	.05	.02	—	.01	.79	.01	10	
11	.22	.48	—	—	<i>tr.</i>	<i>tr.</i>	—	—	.04	—	.20	—	11	
12	.02	.01	—	—	<i>tr.</i>	<i>tr.</i>	.05	.01	.15	—	—	—	12	
13	—	—	<i>tr.</i>	—	—	<i>tr.</i>	.02	.01	—	—	—	—	13	
14	.02	.14	—	—	.03	.02	.67	.14	.06	—	.01	—	14	
15	.03	.03	—	.01	.13	—	.36	.17	.03	—	—	.03	15	
16	<i>tr.</i>	.02	—	.09	.22	.06	—	.21	.15	—	—	—	16	
17	—	.09	—	.09	—	—	.43	—	.13	<i>tr.</i>	<i>tr.</i>	—	17	
18	.04	<i>tr.</i>	.03	.04	—	.09	.05	.65	.01	.01	.33	—	18	
19	.12	—	—	.13	—	.02	.13	.14	.01	—	—	—	19	
20	—	.14	.04	.20	—	<i>tr.</i>	—	.35	—	—	.08	—	20	
21	.04	<i>tr.</i>	.01	—	.27	<i>tr.</i>	—	—	—	—	—	—	21	
22	.55	<i>tr.</i>	.33	.03	.01	—	—	.01	—	—	.01	—	22	
23	.35	—	—	.05	.23	<i>tr.</i>	—	—	.03	—	.38	<i>tr.</i>	23	
24	.04	<i>tr.</i>	<i>tr.</i>	.55	.11	.19	.22	.54	—	—	.01	.01	24	
25	.08	<i>tr.</i>	—	.22	.07	—	.14	—	—	—	.05	<i>tr.</i>	25	
26	—	.04	—	.19	<i>tr.</i>	—	.44	—	—	—	.59	.01	26	
27	.18	.30	—	<i>tr.</i>	1.34	—	.20	—	—	.01	.07	—	27	
28	.05	.13	.01	.09	—	—	—	—	—	.01	.01	.09	28	
29	.10	—	<i>tr.</i>	—	.26	—	.09	.01	—	.02	—	<i>tr.</i>	29	
30	<i>tr.</i>	<i>X</i>	.04	<i>tr.</i>	<i>tr.</i>	—	.01	.11	—	—	.04	—	30	
31	.45	<i>X</i>	—	<i>X</i>	.05	<i>X</i>	.02	<i>tr.</i>	<i>X</i>	—	<i>X</i>	.03	31	
TOTAL	2.69	2.15	1.18	3.33	3.36	1.56	3.15	3.10	2.07	.66	4.13	1.01	28.39	
*Days with or in. or more.	18	17	8	19	16	12	20	20	14	11	20	12	188	
*Days with .04 in. or more.	12	13	5	15	13	9	15	13	9	3	15	6	130	

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Wallace H. Salter.

[P.T.O.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at Ryde
in the County of Isle of Wight
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	—	.36	—	.03	—	.04	.17	.02	—	—	1
2	.38	.06	—	.60	—	—	—	.25	.51	.01	—	.09	2
3	—	—	.65	.05	.17	—	.01	.01	.70	—	.01	.26	3
4	—	tr.	.07	—	.11	—	.14	—	.06	.11	.12	tr.	4
5	—	.14	tr.	.30	—	.35	.05	.07	.02	tr.	.04	.29	5
6	.01	.07	—	.30	.02	.09	—	.02	tr.	.40	.14	.04	6
7	.01	—	—	tr.	.29	.16	—	.23	—	.04	.20	tr.	7
8	—	.17	tr.	.02	.05	.29	.03	.11	—	.02	.08	.14	8
9	—	.20	tr.	.01	—	.05	.04	tr.	—	—	.87	.01	9
10	—	.11	tr.	—	tr.	.20	.05	.02	—	.01	.79	.01	10
11	.22	.48	—	—	tr.	tr.	—	—	.04	—	.20	—	11
12	.02	.01	—	—	tr.	tr.	.05	.01	.15	—	—	—	12
13	—	—	tr.	—	—	tr.	.02	.01	—	—	—	—	13
14	.02	.14	—	—	.03	.02	.67	.14	.06	—	.01	—	14
15	.03	.03	—	.01	.13	—	.36	.17	.03	—	—	.03	15
16	tr.	.02	—	.09	.22	.06	—	.21	.15	—	—	—	16
17	—	.09	—	.09	—	—	.43	—	.13	tr.	tr.	—	17
18	.04	tr.	.03	.04	—	.09	.05	.65	.01	.01	.33	—	18
19	.12	—	—	.13	—	.02	.13	.14	.01	—	—	—	19
20	—	.14	.04	.20	—	tr.	—	.35	—	—	.08	—	20
21	.04	tr.	.01	—	.27	tr.	—	—	—	—	—	—	21
22	.55	tr.	.33	.03	.01	—	—	.01	—	—	.01	—	22
23	.35	—	—	.05	.23	tr.	—	—	.03	—	.38	tr.	23
24	.04	tr.	tr.	.55	.11	.19	.22	.54	—	—	.01	.01	24
25	.08	tr.	—	.22	.07	—	.14	—	—	—	.05	tr.	25
26	—	.04	—	.19	tr.	—	.44	—	—	—	.59	.01	26
27	.18	.30	—	tr.	1.34	—	.20	—	—	.01	.07	—	27
28	.05	.13	.01	.09	—	—	—	—	—	.01	.01	.09	28
29	.10	—	tr.	—	.26	—	.09	.01	—	.02	—	tr.	29
30	tr.	X	.04	tr.	tr.	—	.01	.11	—	—	.04	—	30
31	.45	X	—	X	.05	X	.02	tr.	X	—	X	.08	31
TOTAL	2.69	2.15	1.18	3.33	3.36	1.56	3.15	3.10	2.07	.66	4.13	1.01	28.39
* Days with or in. or more.	18	17	8	19	16	12	20	20	14	11	20	12	188
* Days with .04 in. or more.	12	13	5	15	13	9	15	13	9	3	15	6	130

40-9999

*See Instruction 2 (f) on other side.

(Signed) Wallace H. Satter.

[P.T.O.]

Section **A**

for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932. *74 604.*

Kept at *Ryde*
in the County of *Isle of Wight*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *-* in.
Ground Sea Level *170* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	<i>tr.</i>	—	.14	1.11	—	—	.02	<i>tr.</i>	.01	.02	—	1
2	.01	—	—	.30	.06	—	—	.01	.06	—	.01	.33	2
3	<i>tr.</i>	—	—	.25	.01	.48	<i>tr.</i>	—	.48	<i>tr.</i>	—	<i>tr.</i>	3
4	.01	—	—	—	—	.19	.05	<i>tr.</i>	—	—	.01	—	4
5	.55	—	<i>tr.</i>	—	—	<i>tr.</i>	.04	—	.20	—	—	—	5
6	.65	—	—	.11	—	—	—	—	.10	.02	—	.01	6
7	.05	—	<i>tr.</i>	.01	<i>tr.</i>	—	—	—	.03	.29	—	—	7
8	—	—	.29	.04	.20	—	—	—	.18	.35	—	—	8
9	.12	.01	—	.22	.09	—	—	—	—	.01	<i>tr.</i>	—	9
10	.52	.12	<i>tr.</i>	.33	.08	.08	—	—	.05	.10	<i>tr.</i>	<i>tr.</i>	10
11	.48	<i>tr.</i>	—	.04	.02	<i>tr.</i>	—	—	.01	.05	<i>tr.</i>	.01	11
12	.56	<i>tr.</i>	—	<i>tr.</i>	—	<i>tr.</i>	—	<i>tr.</i>	.12	.44	<i>tr.</i>	.01	12
13	.06	—	—	.20	.12	—	.25	—	—	.85	—	.03	13
14	.52	<i>tr.</i>	—	—	.08	—	—	.08	—	.01	.30	.01	14
15	.04	<i>tr.</i>	—	.03	.99	—	.15	—	—	.08	.11	.01	15
16	.16	—	—	.10	<i>tr.</i>	—	.03	—	—	<i>tr.</i>	—	<i>tr.</i>	16
17	.03	—	—	.08	—	—	.02	—	<i>tr.</i>	.02	—	—	17
18	.06	—	—	—	.05	—	.02	—	.01	—	.12	—	18
19	.02	—	—	<i>tr.</i>	<i>tr.</i>	—	—	—	.08	.37	<i>tr.</i>	—	19
20	—	—	.03	.01	.01	—	.04	.51	.01	1.31	.20	<i>tr.</i>	20
21	—	—	.02	.03	1.19	—	<i>tr.</i>	.01	—	.59	—	.09	21
22	.04	<i>tr.</i>	.23	.01	.07	—	.07	.31	.68	.23	.52	.01	22
23	.03	.02	—	<i>tr.</i>	.55	—	.25	—	.29	1.24	<i>tr.</i>	.15	23
24	—	.02	—	—	<i>tr.</i>	—	.82	—	.13	.06	.01	—	24
25	—	—	—	<i>tr.</i>	—	—	.57	—	.10	.42	.15	.01	25
26	—	—	.10	.13	—	—	.06	—	—	.05	.03	.01	26
27	—	—	.32	.29	.11	<i>tr.</i>	.03	—	—	.50	—	<i>tr.</i>	27
28	—	—	.06	.03	.01	—	.26	—	.01	.03	—	.01	28
29	—	—	.31	.14	.09	.18	<i>tr.</i>	.01	.50	.50	<i>tr.</i>	.14	29
30	—	×	.15	.22	<i>tr.</i>	.92	.10	.01	.36	—	.99	.22	30
31	—	×	.01	×	—	×	.07	—	×	<i>tr.</i>	×	.24	31
TOTAL	4.20	.17	1.52	2.71	4.84	1.85	2.82	.96	3.40	7.53	2.47	1.29	33.77
*Days with .01 in. or more.	19	4	10	21	18	5	17	8	19	23	12	16	172
*Days with .04 in. or more.	14	1	7	15	14	5	13	3	14	17	7	6	116

40-9999

*See Instruction 2 (f) on other side.

(Signed) *Wallace H. Salter*

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A**

for the entry of Daily Observations.

Station No. **604**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at **Ryde**
in the County of **Isle of Wight**
Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. **-** in.
Ground Sea Level **170** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.73	.13	—	tr.	—	—	—	—	tr.	.02	tr.	1
2	.18	—	.71	—	.73	—	—	—	—	—	—	—	2
3	.01	.13	.21	—	tr.	—	—	—	—	—	.01	—	3
4	.33	.05	—	—	.28	—	—	—	—	—	—	—	4
5	.10	tr.	.47	—	—	—	—	—	—	—	—	—	5
6	—	.25	.02	—	.21	—	—	—	—	.04	.06	—	6
7	.18	.01	tr.	—	.09	—	—	—	—	.18	—	.03	7
8	.06	tr.	—	—	.02	—	.22	—	—	.03	—	—	8
9	—	.02	—	—	tr.	—	.34	—	—	.05	.10	—	9
10	—	.55	—	—	.08	—	.07	.03	—	.29	.02	—	10
11	.22	—	—	—	.01	.03	tr.	.09	—	—	—	.01	11
12	—	—	—	tr.	.04	—	.02	—	1.98	—	—	.01	12
13	.02	—	—	—	.05	tr.	.38	.01	.02	.06	.03	—	13
14	—	—	—	—	.01	—	.01	tr.	—	.59	.45	tr.	14
15	.47	—	.22	—	—	—	.04	.25	—	.25	.05	—	15
16	—	—	.66	—	—	.13	—	—	.03	.01	—	—	16
17	—	.01	.42	—	—	.03	tr.	.09	.11	—	tr.	—	17
18	.33	tr.	.22	—	—	.37	—	—	.01	—	.02	—	18
19	—	.01	.15	.02	—	.01	—	tr.	.30	—	.16	.02	19
20	—	.03	.04	.06	—	.16	—	—	.46	—	—	.01	20
21	—	tr.	—	—	tr.	—	—	.14	.06	.04	tr.	—	21
22	—	—	—	—	—	.03	—	.18	.14	.23	.01	—	22
23	—	.03	—	.22	tr.	.17	—	—	.34	.33	—	—	23
24	—	.54	—	.16	—	.02	—	—	.09	.02	tr.	—	24
25	—	1.06	—	.35	tr.	.05	—	—	.32	—	.01	.11	25
26	—	.62	—	.11	.06	.24	—	—	.77	.01	—	.01	26
27	—	—	—	—	.45	—	tr.	—	.02	.24	—	.42	27
28	tr.	—	—	.01	—	tr.	.35	—	—	.02	—	.02	28
29	.16	—	tr.	.06	.18	—	.02	—	.02	.01	—	.05	29
30	.11	X	.02	—	—	—	.07	—	.18	tr.	—	.05	30
31	.19	X	—	X	—	X	—	tr.	X	.04	X	—	31
TOTAL	2.44	4.04	3.27	.99	2.21	1.24	1.52	.89	4.86	2.44	.94	.74	25.58
*Days with "or in. or more.	14	14	12	8	13	11	10	7	16	18	12	11	146
*Days with ".04 in. or more.	12	8	10	6	10	6	7	5	11	12	5	4	96

40-9999

*See Instruction 2 (f) on other side.

(Signed) **Wallace H. Salter**

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

604

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at

Ryde

in the County of

Isle of Wight

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	—	—	$\frac{1}{2}$	<u>.60</u>	—	.27	—	.14	$\frac{1}{2}$	.73		1
2	.15	—	.06	.01	<u>.32</u>	.04	—	—	<u>.68</u>	.22	.04	.47		2
3	.12	.01	—	.01	—	—	—	—	.01	.21	—	.31		3
4	.19	—	.11	.19	.12	—	—	—	.03	.19	.03	.34		4
5	—	—	.03	—	$\frac{1}{2}$	—	—	.16	—	.07	.01	.62		5
6	.02	—	.45	.05	.22	.01	—	.08	—	<u>.34</u>	.27	.65		6
7	.03	—	—	$\frac{1}{2}$	$\frac{1}{2}$	—	—	.23	—	.26	—	.26		7
8	—	—	—	—	.24	—	—	.02	.57	—	1.14	.04		8
9	.02	—	.17	—	—	—	—	—	—	—	<u>1.36</u>	.79		9
10	.02	$\frac{1}{2}$	.23	.18	—	—	—	.07	$\frac{1}{2}$	—	1.29	.07		10
11	<u>.77</u>	—	.39	.20	—	—	.12	.41	—	—	—	.51		11
12	.04	<u>.02</u>	.06	—	—	—	.07	.19	—	—	.06	.19		12
13	.43	—	.10	.04	—	—	<u>.20</u>	.06	—	$\frac{1}{2}$	.09	.06		13
14	.23	—	<u>.46</u>	$\frac{1}{2}$	—	—	$\frac{1}{2}$	—	—	.02	.12	<u>1.09</u>		14
15	.01	—	$\frac{1}{2}$	—	.07	—	—	—	$\frac{1}{2}$	.12	.09	.75		15
16	.29	—	.44	—	.01	—	—	—	.04	—	—	.18		16
17	.20	—	.03	$\frac{1}{2}$	—	—	—	—	.02	.02	$\frac{1}{2}$	.50		17
18	.21	—	.23	.36	—	—	—	—	$\frac{1}{2}$	—	$\frac{1}{2}$	.26		18
19	—	—	.36	—	—	.02	—	.01	.25	$\frac{1}{2}$	$\frac{1}{2}$	.24		19
20	—	—	.02	.07	$\frac{1}{2}$	—	.07	—	.12	.01	$\frac{1}{2}$	—		20
21	—	—	$\frac{1}{2}$	.32	—	.16	—	$\frac{1}{2}$	.01	.08	—	—		21
22	—	—	$\frac{1}{2}$	—	—	—	—	.06	.35	.03	—	.26		22
23	—	.01	—	<u>.43</u>	—	.41	—	.02	.04	.02	$\frac{1}{2}$	.02		23
24	—	$\frac{1}{2}$	.07	.03	—	$\frac{1}{2}$	.14	.01	.10	—	—	—		24
25	.21	.01	—	.12	—	$\frac{1}{2}$	—	—	.01	.18	—	.70		25
26	.01	—	—	.01	—	.13	$\frac{1}{2}$	—	.10	.01	—	.06		26
27	.04	—	—	.10	—	$\frac{1}{2}$	—	—	—	.01	—	.34		27
28	—	$\frac{1}{2}$	—	—	—	.11	—	<u>.64</u>	—	—	.01	.32		28
29	—	X	—	—	—	—	$\frac{1}{2}$	.22	.13	—	.01	.01		29
30	.06	X	—	—	—	—	$\frac{1}{2}$	.05	.09	.01	$\frac{1}{2}$	.56		30
31	.01	X	—	X	—	X	—	.04	X	$\frac{1}{2}$	X	.07		31
TOTAL	3.08	.05	3.21	2.12	.98	1.48	.60	2.54	2.55	1.94	4.55	10.40	33.50	
*Days with or in. or more.	21	4	16	15	6	8	5	17	16	18	16	28	170	
*Days with .04 in. or more.	13	—	13	11	5	6	5	13	11	10	9	26	122	

Year's Total

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Wallace H. Salter

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 604

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at

Ryde

in the County of

Isle of Wight

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	$\frac{1}{2}$	.31	—	.08	.07	1.14	—	.03	.22	.19	.03		1
2	—	$\frac{1}{2}$	—	—	—	.04	—	—	.02	.53	.02	.02		2
3	$\frac{1}{2}$	$\frac{1}{2}$	.06	$\frac{1}{2}$	—	.02	—	—	.42	1.56	.06	—		3
4	—	.14	—	.08	$\frac{1}{2}$	.10	—	—	.16	.29	.30	.20		4
5	—	.45	.17	.15	—	.02	—	—	.35	.15	.02	.02		5
6	—	.04	.06	.29	—	.60	—	—	—	.04	.45	.01		6
7	—	$\frac{1}{2}$	—	.44	.02	.01	—	—	—	.08	1.31	.12		7
8	.07	$\frac{1}{2}$	.01	.24	—	—	$\frac{1}{2}$	—	.07	.36	.73	—		8
9	.12	—	.01	.41	—	.68	—	—	.23	.76	.07	—		9
10	.39	$\frac{1}{2}$	.25	—	—	.05	—	—	—	.01	.38	.02		10
11	.24	.02	.03	—	—	.08	—	$\frac{1}{2}$	.01	.01	.50	$\frac{1}{2}$		11
12	.02	.08	—	—	—	.30	—	.15	.12	—	1.03	—		12
13	.05	.17	—	.16	.06	.06	—	—	.01	$\frac{1}{2}$	.17	—		13
14	$\frac{1}{2}$	$\frac{1}{2}$	—	.12	.04	.07	—	—	.06	.03	.01	.18		14
15	—	.14	—	.65	$\frac{1}{2}$	.04	—	—	.27	.02	.32	.02		15
16	—	.09	.02	.18	$\frac{1}{2}$	—	—	—	.32	.02	1.18	—		16
17	—	—	.01	.01	.14	.36	$\frac{1}{2}$	.02	.02	—	.27	—		17
18	—	.01	—	.40	.15	.02	$\frac{1}{2}$	$\frac{1}{2}$	.71	.05	.03	—		18
19	—	.01	—	.11	.33	.04	.08	—	.09	.05	.32	—		19
20	—	.45	—	.07	.06	.02	$\frac{1}{2}$	—	.02	—	.61	—		20
21	$\frac{1}{2}$	.45	—	.03	—	.01	.02	—	.02	.08	$\frac{1}{2}$	—		21
22	$\frac{1}{2}$	.13	.02	.01	—	—	—	.05	.09	—	.01	—		22
23	—	$\frac{1}{2}$	.03	—	.02	—	—	.65	$\frac{1}{2}$	.37	—	.33		23
24	.04	.76	—	—	.11	—	—	1.12	.77	.04	—	.34		24
25	.07	.25	—	.20	$\frac{1}{2}$	.01	—	.01	—	—	—	.26		25
26	$\frac{1}{2}$	.24	—	—	—	—	—	.13	.08	.02	—	.42		26
27	—	.76	—	—	—	—	—	.10	.07	.01	.13	.51		27
28	—	.02	—	—	.12	—	—	$\frac{1}{2}$	.23	—	.03	.14		28
29	—	—	—	—	.05	—	—	.32	.44	$\frac{1}{2}$	.01	.46		29
30	.04	X	—	.34	—	—	—	1.21	.08	.09	.33	.64		30
31	—	X	—	X	—	X	—	.03	X	.32	X	.33		31
TOTAL	1.07	4.21	.98	3.89	1.18	2.60	1.24	3.79	4.69	5.12	8.48	4.06	41.31	
*Days with or in. or more.	10	18	12	18	12	20	3	11	25	23	25	18	195	
*Days with .04 in. or more.	8	14	5	15	10	13	2	8	18	16	18	12	139	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Wallace H. Satter.

P. T. O.

Section

A

for the entry of Daily Observations.

Station No. 604

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ryde

in the County of Isle of Wight

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 170 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.37	.19	.02	.30	—	.17	.35	½	½	—	.14	.04		1
2	—	.02	½	.02	—	.02	.03	.10	½	—	.02	—		2
3	—	—	—	.32	—	.02	.02	.01	↓	—	.53	—		3
4	½	—	.12	—	½	.19	.03	—	↓	—	.34	.15		4
5	.32	—	.01	—	.01	—	—	.06	↓	—	.14	.02		5
6	.57	—	—	—	—	.02	—	.02	.79	½	.84	—		6
7	.16	—	.12	—	—	—	.03	—	—	—	.52	.09		7
8	.39	—	.25	—	—	—	.11	—	—	—	.86	.11		8
9	.22	—	.12	—	—	—	.50	—	.16	—	.02	—		9
10	.02	½	—	—	—	.01	.42	.01	.01	—	.01	—		10
11	.25	.62	—	.07	—	—	.05	.01	.26	—	2.24	.01		11
12	½	—	—	.02	—	.21	.38	½	.36	—	.51	.08		12
13	.01	—	—	—	—	.07	½	—	—	.02	.11	.47		13
14	—	.14	—	½	—	.12	.72	—	.01	.03	.01	.33		14
15	½	.03	—	—	—	—	½	—	.03	—	.11	.34		15
16	.20	.31	—	½	.03	—	.08	—	.03	—	.11	.08		16
17	½	.89	—	—	—	.31	.02	.03	.24	.04	.14	.83		17
18	.17	.17	—	—	—	1.45	.24	—	—	½	—	.12		18
19	.33	.01	.14	.07	—	.52	—	.12	.02	.02	—	—		19
20	.30	.06	.24	.27	—	.03	—	—	.77	.01	—	—		20
21	.01	.10	.01	.55	½	.06	.14	—	.01	—	—	—		21
22	.10	.53	.27	½	.11	—	.16	—	—	.01	—	.12		22
23	.02	—	.11	.12	.01	—	.32	—	—	.07	—	—		23
24	.21	½	.03	½	.05	—	.02	—	.03	.36	—	—		24
25	.08	—	.26	.29	—	—	½	—	.01	.12	—	—		25
26	.07	.12	½	.03	—	.16	—	—	.08	.07	—	.02		26
27	.33	—	.02	—	—	—	.09	—	.03	.09	—	—		27
28	.92	—	.30	—	—	—	.61	—	—	—	—	.12		28
29	.01	.03	.05	—	—	.11	.01	—	—	.08	.20	.05		29
30	.18	X	.01	—	.05	.47	½	—	—	.03	—	—		30
31	.11	X	.28	X	.02	X	.20	—	X	.17	X	.32		31
TOTAL	5.35	3.22	2.36	2.06	.22	3.94	4.53	.36	2.84	1.12	6.85	3.30	36.21	
* Days with .01 in. or more.	24	14	18	11	7	17	22	8	19	14	18	18	190	
* Days with .04 in. or more.	19	10	12	8	3	12	15	3	10	8	14	15	129	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed)

Wallace H. Salter

[P.T.O.]

Section



for the entry of Daily Observations.

Station No. 604

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Rydein the County of WightDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground...1...ft....in.,, Ground ,, Sea Level 170.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<u>.86</u>	.02	—	.22	—	—	—	—	—	—	<u>.94</u>	.20		1
2	.03	.76	.04	.13	—	—	—	—	.02	<u>1/2</u>	.01	.36		2
3	.03	.22	—	<u>1/2</u>	—	—	<u>1/2</u>	—	—	—	—	<u>1/2</u>		3
4	.11	<u>1.09</u>	—	—	—	—	<u>1/2</u>	—	—	—	—	.30		4
5	.20	.04	.08	.02	—	—	.31	—	—	—	—	—		5
6	.21	.26	.65	.06	.03	—	.08	—	—	.02	—	<u>5</u> .02		6
7	—	.58	—	.10	.35	<u>1/2</u>	—	—	.02	.05	—	<u>2.15</u>		7
8	—	.01	.04	<u>1/2</u>	.34	<u>1/2</u>	—	—	—	—	<u>1/2</u>	.03		8
9	—	<u>1/2</u>	—	.30	.06	.08	.06	—	<u>.69</u>	<u>1/2</u>	<u>1/2</u>	<u>1/2</u>		9
10	—	<u>1/2</u>	.64	.11	.29	.23	<u>1/2</u>	<u>1/2</u>	—	—	—	.79		10
11	.01	—	.09	.01	.08	.03	.21	—	—	—	—	.08		11
12	.47	.28	.10	.05	.21	<u>.61</u>	.02	.31	.36	—	—	.29		12
13	.37	.04	<u>.81</u>	.12	.01	—	<u>1/2</u>	.08	.03	—	—	.76		13
14	.03	.02	<u>.07</u>	.18	.03	—	—	.03	.14	—	—	.08		14
15	.38	.14	<u>1/2</u>	<u>.34</u>	—	—	<u>.65</u>	<u>1/2</u>	.35	—	—	.35		15
16	—	.10	.44	.23	—	.07	<u>1/2</u>	<u>.55</u>	.21	—	.04	—		16
17	.60	.05	.08	—	—	—	.04	<u>1/2</u>	.14	—	.13	—		17
18	.28	.11	.03	<u>1/2</u>	—	—	—	—	.20	—	.24	.13		18
19	.20	.09	.04	.17	—	.05	<u>1/2</u>	—	.03	—	.07	.01		19
20	.31	—	.14	.19	—	.04	—	—	—	.01	—	.09		20
21	.42	.33	.03	.05	.13	—	<u>1/2</u>	—	<u>1/2</u>	<u>1/2</u>	.03	.07		21
22	.56	.07	.10	—	.08	—	.16	—	<u>1/2</u>	<u>1.04</u>	.30	.18		22
23	.15	.14	.03	—	.06	—	.07	—	—	.38	.21	.03		23
24	.31	.54	—	—	.02	—	—	—	.05	.48	—	.03		24
25	.19	.36	.39	—	<u>.50</u>	—	—	—	.08	.12	—	.03		25
26	—	.36	<u>1/2</u>	—	—	—	—	—	—	.17	—	—		26
27	—	.21	—	.08	—	—	—	—	—	.26	—	—		27
28	<u>1/2</u> .18	<u>5</u> .07	—	—	—	—	—	—	—	.08	<u>1/2</u>	—		28
29	.08	—	—	—	—	—	—	—	—	.06	.01	<u>1/2</u>		29
30	.36	<u>X</u>	—	—	—	<u>1/2</u>	—	—	—	.15	.18	—		30
31	.60	<u>X</u>	—	<u>X</u>	—	<u>X</u>	—	—	<u>X</u>	.27	<u>X</u>	.01		31
TOTAL	6.94	5.89	3.80	2.36	2.19	1.11	1.60	.97	2.32	3.09	2.19	5.99	38.45	Year's Total
* Days with .01 in. or more.	24	24	18	17	14	7	9	4	13	13	11	21	175	
* Days with .04 in. or more.	20	21	15	15	10	6	8	3	9	11	8	14	144	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Malace H. Satter [P.T.O.]+ Net & Draw.

Station



for the entry of Daily Observations

Station No.

604

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *Ryde*
in the County of *Isle of Wight*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *0* in.
„ Ground „ Sea Level *170* ft.

*Jan 31st corrected
by observer 3/2/28*

June

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—													1
2	<i>1/2</i>													2
3	—													3
4	<i>.01</i>													4
5	—													5
6	<i>.18</i>													6
7	<i>.01</i>													7
8	<i>.15</i>													8
9	<i>.12</i>													9
10	<i>.09</i>													10
11	<i>.20</i>													11
12	<i>.66</i>													12
13	<i>.41</i>													13
14	<i>.41</i>													14
15	<i>.11</i>													15
16	<i>.64</i>													16
17	—													17
18	<i>.16</i>													18
19	<i>.01</i>													19
20	<i>.01</i>													20
21	<i>.04</i>													21
22	<i>.03</i>													22
23	<i>.02</i>													23
24	<i>1/2</i>													24
25	<i>.13</i>													25
26	<i>.36</i>													26
27	<i>.15</i>													27
28	<i>.07</i>													28
29	<i>.02</i>													29
30	<i>.03</i>													30
31	<i>.22</i>													31
TOTAL	<i>4.24</i>													Year's Total
* Days with .01 in. or more.	<i>25</i>													
* Days with .04 in. or more.	<i>17</i>													

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *Wallace H. Salter*

[P.T.O.]

Kept at Buckland G
in the County of Ham

Diameter of Funnel of Ga
Height of top of Gauge abo
Ground

THE MORNING

An observer who does not co
year in the space on the ri

COPY FOR OFFICIAL USE.
L ORGANIZATION.

RYDE - BUCKLAND CRANGE

1931 - 1938

47"
26"

Jan. 1, following

following

Date	Jan.	Feb.									Nov.	Dec.	Date
	in.	in.									in.	in.	
1	.01	.02									-	tr	1
2	.24	.08	-	.58	-	-	-	.22	.63	-	.01	.09	2
3	.10	.01	.65	.03	.15	-	.01	.01	.68	-	.03	.21	3
4	-	-	.07	.01	.07	-	.15	tr	10	.07	.05	tr	4
5	-	.11	-	.30	.03	.32	.04	.06	.02	.02	.02	.23	5
6	-	.10	-	.26	.02	.07	.05	.02	-	.38	.17	.04	6
7	-	.01	-	-	.33	.17	-	.26	-	.03	.30	.01	7
8	-	.13	-	.02	.05	.29	.04	.18	-	.01	.06	.10	8
9	-	.19	-	.02	.01	.04	.02	-	-	-	.81	.02	9
10	.03	.06	-	.01	-	.19	.05	.02	-	.01	.71	-	10
11	.20	.42	-	.01	-	.01	.02	-	.04	tr	.25	tr	11
12	.02	.01	-	-	-	-	.04	.02	.15	tr	.01	-	12
13	tr	-	-	-	-	-	-	.01	.01	-	tr	-	13
14	.03	.14	tr	-	.02	.02	.67	.16	.05	-	.01	-	14
15	.03	.03	-	.01	.12	-	.38	.30	.04	-	-	.02	15
16	.01	show .02	-	.08	.21	.08	tr	.11	.13	-	-	tr	16
17	-	.09	-	.08	tr	tr	.37	tr	.16	-	-	-	17
18	.04	.02	.03	.05	-	.09	.10	.64	.01	.02	.30	-	18
19	.10	-	.02	.11	-	.03	.09	.13	tr	-	.01	-	19
20	.01	.11	.03	.17	-	-	tr	.33	-	-	.07	.01	20
21	.04	-	.02	.01	.29	-	-	.01	-	-	.02	-	21
22	.64	.01	.25	.03	-	-	-	tr	-	-	.01	-	22
23	.31	-	.01	.06	.20	-	-	-	.03	-	.38	tr	23
24	.03	-	-	.48	.18	.20	.22	.47	-	-	.01	-	24
25	.08	.01	-	.31	.08	-	.08	-	-	-	.05	.01	25
26	.01	.04	-	.20	.01	-	.46	-	-	-	.63	-	26
27	.17	.28	-	.09	1.24	-	.36	-	-	tr	.05	-	27
28	.04	show .11	.01	-	.03	-	.01	-	-	.01	.01	.12	28
29	.10	-	.01	.01	.25	-	.08	.01	-	.02	.01	show .01	29
30	.02	X	-	-	.01	-	.02	.20	-	-	.03	-	30
31	.40	X	.05	X	.06	X	.03	-	X	-	X	show .03	31
TOTAL	2.66	2.00	1.15	3.26	3.36	1.54	3.29	3.20	2.18	0.60	4.01	0.89	YEAR'S TOTAL 28.14
*Days with or in. or more.	23	22	11	24	20	13	22	20	14	10	25	13	217
*Days with .04 in. or more.	13	13	4	14	13	9	16	13	10	2	13	6	126

REGISTER OF RAINFALL IN 1931.

Kept at Buckland Grange, Ryde,
in the County of Hampshire, Isle of Wight
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 90 ft.

Latitude 50 43' 47"
Longitude 1 10' 26"

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.02	—	.33	—	.03	—	.04	.13	.03	—	tr	1
2	.24	.08	—	.58	—	—	—	.22	.63	—	.01	.09	2
3	.10	.01	.65	.03	.15	—	.01	.01	.68	—	.03	.21	3
4	—	—	.07	.01	.07	—	.15	tr	10	.07	.05	tr	4
5	—	.11	—	.30	.03	.32	.04	.06	.02	.02	.02	.23	5
6	—	.10	—	.26	.02	.07	.05	.02	—	.38	.17	.04	6
7	—	.01	—	—	.33	.17	—	.26	—	.03	.30	.01	7
8	—	.13	—	.02	.05	.29	.04	.18	—	.01	.06	.10	8
9	—	.19	—	.02	.01	.04	.02	—	—	—	.81	.02	9
10	.03	.06	—	.01	—	.19	.05	.02	—	.01	.71	—	10
11	.20	.42	—	.01	—	.01	.02	—	.04	tr	.25	tr	11
12	.02	.01	—	—	—	—	.04	.02	.15	tr	.01	—	12
13	tr	—	—	—	—	—	—	.01	.01	—	tr	—	13
14	.03	.14	tr	—	.02	.02	.67	.16	.05	—	.01	—	14
15	.03	.03	—	.01	.12	—	.38	.30	.04	—	—	.02	15
16	.01	snow .02	—	.08	.21	.08	tr	.11	.13	—	—	tr	16
17	—	.09	—	.08	tr	tr	.37	tr	.16	—	—	—	17
18	.04	.02	.03	.05	—	.09	.10	.64	.01	.02	.30	—	18
19	.10	—	.02	.11	—	.03	.09	.13	tr	—	.01	—	19
20	.01	.11	.03	.17	—	—	tr	.33	—	—	.07	.01	20
21	.04	—	.02	.01	.29	—	—	.01	—	—	.02	—	21
22	.64	.01	.25	.03	—	—	—	tr	—	—	.01	—	22
23	.31	—	.01	.06	.20	—	—	—	.03	—	.38	tr	23
24	.03	—	—	.48	.18	.20	.22	.47	.11	—	.01	—	24
25	.08	.01	—	.31	.08	—	.08	—	—	—	.05	.01	25
26	.01	.04	—	.20	.01	—	.46	—	—	—	.63	—	26
27	.17	.28	—	.09	1.24	—	.36	—	—	tr	.05	—	27
28	.04	snow .11	.01	—	.03	—	.01	—	—	.01	.01	.12	28
29	.10	—	.01	.01	.25	—	.08	.01	—	.02	.01	snow .01	29
30	.02	×	—	—	.01	—	.02	.20	—	—	.03	—	30
31	.40	×	.05	×	.06	×	.03	—	×	—	×	snow .03	31
TOTAL	2.66	2.00	1.15	3.26	3.36	1.54	3.29	3.20	2.18	0.60	4.01	0.89	YEAR'S TOTAL 28.14
*Days with ".01 in. or more.	23	22	11	24	20	13	22	20	14	10	25	13	217
*Days with ".04 in. or more.	13	13	4	14	13	9	16	13	10	2	13	6	126

Section

A

for the entry of Daily Observations.

Station No. 605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932 . File No 729222/26

Kept at Buckland Grange, Ryde,

in the County of Hants, Isle of Wight.

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground .1 ft 0 in.

,, Ground ,, Sea Level 90 ft.

Latitude 50 43' 47"

Longitude 1 10' 26"

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	tr	-	.14	1.05	-	tr	.04	-	.01	.02	.01	1
2	.02	-	-	.33	.06	-	.01	.02	.03	-	.01	.29/	2
3	-	.01	-	.26	.02	.42	-	tr	.45	tr	-	.01	3
4	.01	tr	-	.01	tr	.20	.03	tr	-	-	.01	.01	4
5	.49	.01	-	-	tr	.01	.04	-	.23	-	-	tr	5
6	.55	-	-	.11	-	-	-	-	.10	.09	-	-	6
7	.08	-	-	.02	-	-	tr	-	.03	.30	-	-	7
8	.02	-	.29	.04	.18	-	-	-	.20	.33	-	-	8
9	.12	SNOW .01	.01	.16	.11	-	-	-	.01	.02	.01	-	9
10	.64/ SNOW .08/	SNOW .01	SNOW .01	SNOW .34/	.09	.07	-	-	.05	.10	-	-	10
11	.38	SNOW .01	-	.05	.02	.01	-	-	.04	.04	tr	tr	11
12	.52	SNOW tr	-	-	-	-	-	-	.10	.36	-	tr	12
13	.04	tr	-	.21	.14	-	.26	-	.01	.86	-	.03	13
14	.39	.01	-	.01	.09	-	-	.06	-	.01	.31	.01	14
15	.04	-	-	.03	.95	-	.15	-	tr	.08	.11	.01	15
16	.11	-	-	.09	.01	-	.02	-	tr	tr	.01	.01	16
17	.02	-	-	.10	-	-	.01	-	.01	.02	-	tr	17
18	.04	-	-	.01	-	-	.02	-	.01	-	.10	-	18
19	.02	-	-	-	-	-	-	-	.08	.33	.01	tr	19
20	.01	-	.02	.02	.02	-	.07	.54/	.02	1.27/	.25	-	20
21	.01	-	.03	.06	1.10/	-	tr	-	-	.55	.01	.09	21
22	.02	-	.22	.01	.04	-	.06	.30	.68/	.28	.45	.01	22
23	.02	.03	tr	-	.55	-	.19	.01	.30	1.12	tr	.16	23
24	.02	.02	-	-	-	-	.72/	-	.07	.66	tr	.01	24
25	.01	-	-	-	-	-	.63	-	.11	.40	.13	.01	25
26	-	-	.10	.13	-	-	.06	tr	.01	.04	.03	tr	26
27	-	-	.32/	.27	.10	.01	.01	-	-	.48	tr	tr	27
28	-	-	.06	.03	.01	-	.22	-	.01	.03	tr	.02	28
29	-	-	.32/	.14	.08	.08	tr	.02	.49	.54	tr	.12	29
30	-	X	.15	.23	.01	1.01/	.09	.01	.53	.01	.99/	.24	30
31	-	X	.02	X	-	X	.09	-	X	tr	X	.20	31
TOTAL	3.64	0.18	1.55	2.80	4.63	1.81	2.68	1.00	3.57	7.33	2.45	1.24	YEAR'S TOTAL 32.88
*Days with ".01 in. or more.	24	8	12	24	19	8	18	8	23	24	15	17	200
*Days with ".04 in. or more.	13	1	7	16	13	5	12	4	14	18	7	6	116

40-9999

*See Instruction 2 (f) on other side.

(Signed)

H. Daly

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Buckland Grange, Ryde,
in the County of Hants, Isle of Wight.

File Number 729222/26

Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. no in.
,, Ground ,, Sea Level ninety ft.

Latitude 50° 43' 47"

Longitude 1° 10' 26"

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.66	.10	-	tr	-	-	-	-	.01	.02	.01		1
2	.19	.01	.66	-	.77	-	-	-	-	-	-	-		2
3	.01	.13	.20	-	tr	-	-	-	-	-	.01	-		3
4	.32	.03	.01	-	.29	-	-	-	-	-	tr	-		4
5	.10	.01	.45	-	tr	-	-	-	-	.01	-	-		5
6	.01	.26	.01	tr	.21	-	-	-	-	.03	.10	-		6
7	.18	.01	tr	-	.12	-	-	-	-	.20	-	.03		7
8	.05	-	.01	-	.03	-	.22	-	-	.03	-	-		8
9	tr	.02	-	-	tr	-	.32	-	-	.03	.06	-		9
10	.01	.67	-	-	.09	-	.06	.02	-	.28	.02	-		10
11	.03	.01	-	-	-	.02	-	.10	-	tr	.01	show tr		11
12	.01	tr	-	-	.04	-	.01	-	1.80	-	-	show .02		12
13	.01	-	-	-	.04	-	.41	.03	.03	.08	.03	-		13
14	tr	-	-	-	.02	-	.02	-	-	.55	.44	-		14
15	.48	-	.22	-	-	-	.04	.32	.01	.33	.03	-		15
16	-	-	.66	-	-	.12	-	-	.03	.02	tr	-		16
17	.01	-	.42	-	-	.03	-	.08	.09	-	-	-		17
18	.35	-	.20	-	-	.35	-	-	.01	-	.02	-		18
19	tr	.01	.21	half stick .03	-	-	-	-	.38	-	.14	.02		19
20	-	.03	.04	place .06	-	.17	-	-	.35	-	.01	.01		20
21	-	-	tr	.01	-	.01	-	.15	.05	.04	-	-		21
22	-	-	-	-	-	.04	-	.18	.12	.24	.01	-		22
23	-	.02	-	.18	.01	.19	-	-	.35	.34	-	-		23
24	-	.44	-	.18	-	.02	-	-	.06	.02	-	-		24
25	-	1.11	-	.35	-	.02	-	-	.36	-	-	.11		25
26	-	.55	-	.12	-	.28	-	-	.85	.02	-	.01		26
27	-	.02	-	-	.46	tr	-	-	.02	.25	-	.38		27
28	-	-	-	-	-	-	.37	-	.01	.02	-	.02		28
29	.16	-	.01	.06	.18	-	.01	-	.02	.02	-	.04		29
30	.11	X	.02	-	-	-	.07	-	.18	tr	-	.04		30
31	.19	X	tr	X	-	X	-	-	X	.03	X	-		31
TOTAL	2.32	3.99	3.22	0.99	2.26	1.25	1.53	0.88	4.72	2.55	0.90	0.69	Year's Total 25.30	
*Days with .01 in. or more.	18	17	15	8	12	11	10	7	18	20	13	10	159	
*Days with .04 in. or more.	11	7	10	6	9	6	7	5	11	9	4	4	89	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

K Daly

[P.T.O.]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No.: 605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Buckland Grange, Ryde.

File No 729222/26

in the County of Hants, Isle of Wight.

Latitude 50° 43' 47"

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft no in.

Longitude 1° 10' 26" W.

,, Ground ,, Sea Level ninety ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	-	-	-	.41	-	.32	t.r.	.15	.01	.68		1
2	.14	-	.07	-	.36	.05	-	.01	.68	.22	.03	.42		2
3	.09	-	t.r.	.02	-	-	-	-	.01	.19	.01	.28		3
4	.16	-	.09	.24	.13	-	-	-	.03	.30	.02	.41		4
5	.01	-	.02	t.r.	-	-	-	.17	-	.12	.01	.60		5
6	.02	-	.44	.06	.20	-	-	.03	-	.33	.27	.61		6
7	.02	-	-	.01	-	-	-	.28	-	.24	.01	.25		7
8	-	-	-	-	.24	-	-	.02	.46	t.r.	1.01	.05		8
9	.02	t.r.	.17	-	.01	-	-	-	.01	-	1.25	.75		9
10	.03	-	.23	.19	-	-	-	.07	.01	-	1.19	.06		10
11	.73	.01	.39	.23	-	-	.11	.56	t.r.	-	t.r.	.46		11
12	.03	.01	.05	-	-	-	.07	.19	-	-	.07	.09		12
13	.30	t.r.	.10	.05	-	-	.26	.06	-	-	.07	.06		13
14	.25	.01	.43	.01	-	-	-	t.r.	t.r.	.02	.12	1.26		14
15	.02	t.r.	t.r.	-	.08	-	-	-	-	.14	.10	.76		15
16	.24	t.r.	.46	-	.01	-	-	-	.05	-	.01	.19		16
17	.14	t.r.	.03	t.r.	-	-	-	-	.02	.02	t.r.	.49		17
18	.14	-	.25	.38	-	-	-	-	.02	-	-	.25		18
19	t.r.	-	.34	.01	-	.01	-	t.r.	.25	-	.01	.22		19
20	t.r.	t.r.	.02	.06	-	-	.11	.03	.06	.02	t.r.	.02		20
21	-	.01	-	.30	-	.17	-	t.r.	.02	.09	t.r.	.01		21
22	-	t.r.	-	t.r.	-	-	-	.08	.38	.03	t.r.	.24		22
23	-	-	-	.38	-	.40	-	.03	.03	.01	-	.02		23
24	-	.01	.07	.05	-	.01	.15	.03	.12	t.r.	t.r.	-		24
25	.22	.01	-	.15	-	.03	-	-	.06	.19	-	.66		25
26	.01	-	-	.01	-	.14	-	-	.11	.01	-	.05		26
27	.04	-	-	.13	t.r.	-	-	.01	.01	-	-	.36		27
28	.01	-	-	.01	-	.16	-	.61	-	-	.01	.34		28
29	-	-	-	-	-	-	-	.25	.15	-	.01	.02		29
30	.06	×	-	-	-	-	-	.05	.08	.01	-	.48		30
31	.01	×	-	×	-	×	t.r.	.04	×	.01	×	.06		31
TOTAL	2.71	0.06	3.16	2.29	1.03	1.38	0.70	2.83	2.56	2.11	4.21	10.15	33.19	
* Days with .01 in. or more.	23	6	16	18	7	9	5	18	20	19	18	30	189	
* Days with .04 in. or more.	12	-	13	12	5	6	5	12	11	10	8	26	120	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. Daly

P.T.O.

Section

A

for the entry of Daily Observations.

Station No. 605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Buckland Grange, Ryde.

in the County of Hants, Isle of Wight.

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft no in.

,, Ground ,, Sea Level ninety ft.

File No 729222/26

Latitude 50 43' 47"

Longitude I 10' 26" W.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	-	.30	-	.08	.07	1.30	-	.04	.20	.19	.03		1
2	-	-	.01	-	-	.04	.01	-	.01	.55	.02	.02		2
3	-	-	.06	-	-	.02	-	-	.66	1.57	.06	tr		3
4	-	.15	.01	.08	-	.10	-	-	.16	.24	.48	.16		4
5	-	show .43	.19	.15	-	.04	-	-	.35	.25	.03	.02		5
6	-	.01	.04	.30	-	.63	-	-	.01	.04	.45	.14		6
7	-	-	-	.41	.02	.03	-	-	-	.11	1.21	.01		7
8	.06	show tr	show .01	.22	-	-	tr	-	.04	.36	.68	-		8
9	.13	tr	show .01	.37	-	.61	-	-	.27	.75	.08	.02		9
10	.34	show .01	show .18	-	-	.05	-	-	tr	.01	.46	-		10
11	.22	.02	hail .02	-	-	.06	-	-	-	.05	.50	-		11
12	.02	.06	-	-	-	.34	-	.14	.13	.01	1.01	-		12
13	.04	.16	-	.18	.05	.05	-	-	-	.01	.16	-		13
14	.01	.01	-	.11	hail .05	.06	-	-	.05	.02	.02	.19		14
15	tr	.12	-	.61	.02	.03	-	-	.27	.03	.29	.02		15
16	-	.05	.02	.18	-	.01	-	-	.29	.01	1.20	-		16
17	-	tr	.02	.01	.16	.34	.01	.01	.02	-	.25	-		17
18	-	tr	→	.38	.18	.02	.01	-	.59	.07	.03	-		18
19	-	.01	-	.11	.31	.03	.08	-	.09	.05	.29	.01		19
20	-	.39	-	.07	.05	.01	.01	-	.02	tr	.63	-		20
21	-	.42	-	.04	-	-	.02	-	.01	.08	.01	-		21
22	-	.10	.02	.01	-	-	-	.04	.10	tr	.01	-		22
23	-	.01	.02	-	.02	-	-	.55	.01	.39	.01	.36		23
24	.03	.67	-	-	.12	-	-	1.12	.71	.03	.01	.32		24
25	.06	.21	-	.22	.01	.01	-	-	.01	.01	.02	.24		25
26	tr	.26	-	-	tr	-	-	.13	.07	.01	.01	.39		26
27	-	.82	tr	-	-	-	-	.16	.06	.01	.10	.53		27
28	-	.02	tr	-	.20	-	-	tr	.21	-	.02	.15		28
29	-	-	-	-	.04	-	-	.32	.38	-	.03	.40		29
30	.05	×	-	.25	-	-	-	1.12	.09	.09	.29	.64		30
31	.01	×	-	×	-	×	-	.04	×	.33	×	.26		31
TOTAL	1.00	3.93	0.91	3.70	1.31	2.55	1.44	3.63	4.65	5.28	8.56	3.91	Year's Total	40.87
* Days with .01 in. or more.	12	20	14	18	14	20	7	10	26	26	30	19		216
* Days with .04 in. or more.	7	13	5	16	10	12	2	9	19	16	18	12		139

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

H. Daly

[P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No. 605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Buckland Grange, Ryde.

in the County of Hants, Isle of Wight.

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground 1 ft 0 in.

Ground Sea Level 90 ft.

File Number 729222/26

Latitude 50 43' 47"

Longitude 1 10' 26" W.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35	.21	.01	.26	-	.21	.38	.01	-	-	.14	.04		1
2	.01	.02	.01	.02	-	.03	.03	.09	tr	-	.02	tr		2
3	-	-	tr	.29	-	.06	.03	.01	.17	-	.55	-		3
4	-	-	.13	.01	-	.15	.04	tr	.24	-	.36	-		4
5	.30	-	.01	-	.01	.01	-	.05	.12	-	.15	.05		5
6	.58	-	.02	-	-	.02	-	.02	.23	.01	.95	-		6
7	.16	-	.08	-	-	tr	.02	-	-	-	.52	.08		7
8	.39	-	.20	-	-	-	.06	-	-	-	.73	.10		8
9	.23	-	.11	-	-	-	.57	-	.16	-	.04	.01		9
10	.02	.01	.01	-	-	-	.23	.01	-	-	.01	tr		10
11	.23	.56	-	.08	-	-	.04	tr	.28	-	2.10	-		11
12	.01	-	-	.04	-	.21	.35	-	.44	-	.37	.07		12
13	.01	-	-	.01	-	.04	.01	-	-	.04	.10	.45		13
14	-	.14	-	-	-	.12	.67	.01	.01	.01	.01	.27		14
15	.15	.02	-	-	-	-	tr	-	.02	-	.11	.32		15
16	-	.31	-	-	.02	-	.09	-	.01	-	.10	.12		16
17	.01	.70	-	-	.01	.28	.02	.03	.20	.03	.13	.68		17
18	.15	.15	-	-	-	1.48	.22	-	.01	.02	-	.15		18
19	.30	.01	.15	.03	-	.51	.01	.10	.03	.01	-	.01		19
20	.35	.05	.06	.28	-	.03	-	tr	.88	.01	-	-		20
21	.01	.08	.01	.50	-	.06	.07	-	.01	tr	-	-		21
22	.12	.52	.27	.01	.13	-	.16	-	.01	.01	-	.10		22
23	.01	-	.10	.12	.01	-	.17	-	tr	.07	-	.01		23
24	.16	-	.03	.01	.05	-	.02	-	.03	.34	-	tr		24
25	.07	-	.27	.28	-	-	.02	-	.01	.12	-	-		25
26	.11	.13	.01	.04	-	.18	tr	-	.08	.06	-	-		26
27	.30	-	.02	tr	-	.01	.04	-	.03	.09	-	-		27
28	.93	-	.31	-	-	-	.65	-	-	tr	-	.10		28
29	.01	.04	.03	-	-	.05	.01	-	-	.07	.19	.04		29
30	.14	X	.01	-	.05	.49	-	-	-	.04	.01	.01		30
31	.10	X	.29	X	.03	X	.21	-	X	.12	X	.32		31
TOTAL	5.21	2.95	2.14	1.98	0.31	3.94	4.10	0.33	2.98	1.05	6.59	2.93	Year's Total	34.51
* Days with .01 in. or more.	27	15	22	15	8	18	25	9	20	16	19	19		213
* Days with .04 in. or more.	19	11	11	9	3	13	16	3	10	9	15	15		134

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

H. W. W. W.

[P.T.O.]

* * The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible —
Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 193...

At
In the County of

Rain Gauge { Diameter of Funnel.....in.
Height of Top above Ground.....ft.....in.
Height of Ground above Sea Level.....ft.

Month	Total Depth	Greatest Fall in 24 hours	Number of Days with
	Inches	Inches	0.1 in. or more
JAN.			
FEB.			
MAR.			
APRIL			
MAY			
JUNE			
JULY			
AUG.			
SEPT.			
OCT.			
NOV.			
DEC.			
TOTAL			

Signature

* See Instruction 3 (f) below.


D IN

1. Section A should be completed in the case of gaug daily. Information on Section B is required only if Section A be filled in. Section C should also be completed. Rainfall should be forwarded to The Director, Meteorological Office, Ministry, London, W.C.2, or The Superintendent, Meteor Office, 6 Drumsheugh Gardens, Edinburgh 3.
2. Rules for measuring the rainfall and for correctly re the measurements are given in "Rules for Rainfall Observers, obtained gratis from the addresses given in 1 above.
3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—
 - (a) Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.
 - (b) The rain-gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
 - (A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
 - (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail,

Hour of observation by the clock—in Winter.....in Summer.....
Nearest Railway Station..... Distance..... Direction from gauge.....
Nearest Parish Church at..... Distance..... Direction from gauge.....

Nature of objects nearest to gauge				
Height of objects				
Distances				
Direction from gauge				

If gauge has been moved during the year state —
Date of move..... Distance..... Direction.....
Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)
If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

In to the
(a)
(b)
(c)

The average fall ~~at~~ here 1920/35 was 32.85 ins. The fall of 1936 was irregularly distributed. That of June was nearly 2½ ins above the average & 1 in. more than the previous maximum. The falls of May & August were considerably below the previous minima of those months & compared with averages of 2.10 in May & 2.56 in August. The October fall was nearly 2¾ ins below & the November fall nearly 2¾ ins above the averages for those months.

- (a) Readings of this .005 mark or between this .005 and the .01 mark are to be entered as .01 even though they may be nearer to the .005 mark than the .01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction. An entry .005 is not to be made in the register.
 - (d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.
 - (e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.
 - (f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02 or .03.
 - (g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
 - (h) The heaviest daily fall for each month should be underlined.
4. The columns are so spaced that the entries can be made by a typewriter.

Section



for the entry of Daily Observations

Station No.

605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ..BUCKLAND GRANGE, RYDE.....

in the County of ..HANTS, ISLE of WIGHT.....

Diameter of Funnel of Gauge...five....in.

Height of top of Gauge above Ground....1 ft....0 in.

,, Ground ,, Sea Level 90 ft.

File No. 729222/26

Latitude 50° 43' 47"

Longitude 1° 10' 26" W.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.78	.01	-	.21	t.r.	-	-	-	-	t.r.	1.06	.25		1
2	.03	.66	.02	.13	-	-	-	-	.02	-	.01	.31		2
3	.02	.20	tr	tr	-	-	-	-	-	-	.01	tr		3
4	.12	1.02	-	-	-	-	-	-	-	-	tr	.27		4
5	.19	.03	.08	.02	-	-	.33	-	.01	-	-	-		5
6	.17	.19	.70	.06	.03	-	.07	-	-	.01	-	.06		6
7	tr	.50	.01	.08	.37	-	tr	-	.02	.05	-	2.02		7
8	tr	.01	.02	tr	.32	.01	-	-	-	tr	tr	.03		8
9	tr	-	.01	.30	.06	.07	.05	-	.71	-	-	.01		9
10	-	tr	.63	.21	.28	.24	-	-	-	-	-	.80		10
11	.01	-	.05	.01	.09	.03	.19	-	-	-	-	.07		11
12	.44	.27	.11	.06	.24	.56	.03	.28	.37	-	-	.28		12
13	.38	.03	.78	.10	.01	tr	tr	.08	.05	-	-	.78		13
14	.03	.02	.06	.20	-	-	-	.12	.14	-	-	.06		14
15	.38	.14	tr	.32	tr	-	.63	.01	.33	-	-	.34		15
16	.01	.15	.42	.23	-	.06	.01	.54	.33	-	.04	.01		16
17	.62	.05	.09	-	-	tr	.03	tr	.20	.01	.13	-		17
18	.18	.12	.03	-	-	-	-	-	.18	.01	.25	.14		18
19	.21	.06	.04	.16	-	.04	-	-	.01	-	.05	.02		19
20	.30	tr	.13	.20	-	.03	-	-	-	.01	tr	.07		20
21	.41	.33	.04	.05	.05	-	tr	-	tr	.01	.03	.05		21
22	.55	.06	.10	tr	.16	-	.15	-	tr	1.10	.27	.15		22
23	.15	.15	.02	-	.05	-	.10	-	.01	.38	.23	.02		23
24	.34	.50	.01	-	.01	-	-	-	.02	.49	.01	.01		24
25	.19	.36	.39	-	.55	-	-	-	.11	.16	.01	.04		25
26	tr	.35	.01	-	.01	-	-	-	.01	.21	.01	-		26
27	-	.14	-	.07	-	-	-	-	-	.25	.01	-		27
28	.14	.06	-	.01	-	-	-	-	tr	.07	-	-		28
29	.08	-	-	-	-	-	-	-	.01	.06	.03	.01		29
30	.34	~~X~~	-	-	-	-	-	-	.01	.15	.13	-		30
31	.56	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.29	~~X~~	.01		31
TOTAL	6.63	5.41	3.75	2.42	2.23	1.04	1.59	1.03	2.54	3.26	2.28	5.81	Year's Total	37.99
* Days with .01 in. or more.	25	24	22	18	14	18	10	5	18	16	16	24	210	200
* Days with .04 in. or more.	20	19	14	15	10	5	7	4	9	11	8	16	138	

* See Instruction 3 (f) on other side.

s = snow
h = hail

† Spare column, no entries required.

(Signed)

H. D. Daly

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 605

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193.8

Kept at ...BUCKLAND GRANGE, RYDE,.....

in the County of ..Hants., Isle. of. Wight.....

Diameter of Funnel of Gauge.....five in.

Height of top of Gauge above Ground...I...ft....0...in.

,, Ground ,, Sea Level 90.....ft.

File No. 729222/26

Latitude 50° 43' 47"

Longitude 1° 10' 26" W.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	.01	tr	-	.26	.06	.21	-	.29	.10	tr	.07		1
2	-	-	-	.02	-	-	tr	-	-	.59	.02	.04		2
3	-	tr	.01	-	.07	-	.02	-	-	.80	.25	-		3
4	-	-	.01	-	tr	-	.34	.16	-	.23	.01	.17		4
5	-	-	.01	-	-	-	.27	.10	-	.29	.02	.01		5
6	.20	-	.01	-	-	-	.05	-	.20	.07	.05	.02		6
7	.02	-	.01	-	-	-	.50	.94	.01	.25	.01	.04		7
8	.15	tr	.01	-	-	.02	.13	.05	tr	.33	.02	.17		8
9	.09	.03	-	-	-	-	tr	-	-	.04	.01	.70		9
10	.08	.01	tr	-	-	.16	.06	-	-	.01	tr	.23		10
11	.26	-	-	-	-	-	.01	-	-	-	.08	.16		11
12	.68	-	-	-	.04	-	.01	.15	-	.08	.03	.02		12
13	.43 ^s	-	-	-	.01	-	-	-	-	.15	.30	.19		13
14	.44 ^s	-	.01	-	.14	-	.07	-	.02	.01	.01	.02		14
15	.66 ^s	.07	-	-	.02	-	.18	-	-	.40	.03	.48		15
16	.02 ^s	.03	-	.01	-	.01	.07	-	.01	.01	.01	.16		16
17	.16 ^s	.03	-	.03	-	-	-	-	.26	.44	.05	-		17
18	.10	.01	-	-	.02	.04	-	-	.30	.07	.40 ^s	-		18
19	.01	-	-	-	-	-	-	.11	.26	.01	.85 ^s	tr		19
20	tr	-	-	-	-	-	-	.05	.02	.01	.52 ^s	1/4		20
21	.02	-	-	-	-	-	-	-	.13	-	.05 ^s	1/4		21
22	.04	-	-	.01	-	.02	-	.33	.01	-	.37	.12		22
23	.02	-	.01	-	-	-	-	tr	.03	tr	.04	tr		23
24	-	tr	.21	-	-	-	-	-	.18	.01	.62	-		24
25	.09	.04	.13	-	.10	-	.02	.02	.02	.04	.72	.05		25
26	.42	.25	.01	-	.02	.02	-	-	.31	.14	.01	.34	✓	26
27	.14	.02	tr	-	.20	.26	.38	.01	.02	.01	.35	.02		27
28	.05	.11	-	-	.43	.18	-	.37	.09	-	tr	.05		28
29	.03	-	-	-	.27	-	-	-	.02	.04	.23	.04		29
30	.03	~~X~~	-	-	.13	.01	-	-	.06	.03	.15	tr		30
31	.21	~~X~~	-	~~X~~	.19	~~X~~	-	-	~~X~~	.25	~~X~~	.27		31
TOTAL	4.17	0.73	0.49	0.03	1.94	0.77	2.26	2.36	2.23	4.41	5.21	3.51	Year's Total	28.11
* Days with .01 in. or more.	23	11	13	2	16	9	15	12	18	26	27	24	196	✓
* Days with .04 in. or more.	16	5	2	0	10	5	10	10	10	18	16	19	121	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side. 5 - snow

(Signed)

[P.T.O.]

52 - sleet

Kept at FERNHILL.
in the County of Toronto
Diameter of Funnel of Gauge
Height of top of Gauge above G
Ground S

607
FERNHILL - WOOTTON BRIDGE

THE MORNING ME

An observer who does not conform
year in the space on the right

1931 - 1933

Jan. 1, following
wing

Date	Jan.	Feb.	Mar.								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1		.01		.44				.10	.22	.08			1
2	.31	.05		.56				.24	.39	.01	.01	.16	2
3	.06	tr	.73	.03	.14		.01	.01	.84	tr	.05	.20	3
4			.10		.12		.16		.18	.10	.03		4
5		.16		.34		.34	.03	.02	.01	.01	.02		5
6		.12		.29	tr	.09		.01		.47	.13	.23	6
7				tr	.35	.15	tr	.39		.04	.33	.03	7
8		.18		.01	.08	.31	.02	.14			.09	.02	8
9		.25		.01	tr	.06	.02			tr	.95	.13	9
10	.06	tr			tr	.21		.01			.85	.02	10
11	.21	.44				.01			.06	.01	.25		11
12	.03	.02		tr			.05	.01	.16	.01			12
13						tr	.03	.04					13
14	.03	.20			.04		.73	.09	.04			.01	14
15	.02	.02			.02		.27	.23	.03			.04	15
16	tr			.08	.34	.10		.14	.18		tr		16
17		.16		.07			.52		.14		tr		17
18	.07	.01	.04	.07	tr	.12	.08	.73	.03	.02	.35		18
19	.12	tr		.10			.17	.10			.01		19
20	tr	.12	.03	.16		.01		.32			.10		20
21	.03		.01		.23			tr			.01		21
22	.60		.25	.01	tr			tr			.01		22
23	.30		tr		.34	.01	.22					.01	23
24	.05		tr	.08	.12	.34					.01		24
25	.09			.60	.12		.16	.56			.08		25
26	tr	.05		.21			.46				1.12	.03	26
27	.23	.32		.18	1.34		.34			tr	.04		27
28	.05	.12	.02	.01	.03					.01	.01	.06	28
29	.09		.01	.09	.44		.09	.01		.03	.02		29
30		×			tr		.01	.14			.02		30
31	.46	×		×	.04	×			×		×	.03	31
TOTAL	2.81	2.23	1.19	3.34	3.85	1.75	3.37	3.29	2.28	.79	4.49	.99	YEAR'S TOTAL 30.36
*Days with "or in. or more.	18.	16.	8.	19.	15.	12.	18.	19.	12.	11.	22.	13	183
*Days with ".04 in. or more.	14.	12.	4.	14.	14.	9.	12.	13.	9.	4.	10.	6	123.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at FERNHILL.
in the County of Isle of Wight.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 118 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.01		.44				.10	.22	.08			1
2	.31	.05		.56				.24	.39	.01	.01	.16	2
3	.06	tr	.73	.03	.14		.01	.01	.84	tr	.05	.20	3
4			.10		.12		.16		.18	.10	.03		4
5		.16		.34		.34	.03	.02	.01	.01	.02		5
6		.12		.29	tr	.09		.01		.47	.13	.23	6
7				tr	.35	.15	tr	.39		.04	.33	.03	7
8		.18		.01	.08	.31	.02	.14			.09	.02	8
9		.25		.01	tr	.06	.02			tr	.95	.13	9
10	.06	tr			tr	.21		.01			.85	.02	10
11	.21	.44				.01			.06	.01	.25		11
12	.03	.02			tr		.05	.01	.16	.01			12
13						tr	.03	.04					13
14	.03	.20			.04		.73	.09	.04			.01	14
15	.02	.02			.12		.27	.23	.03			.04	15
16	tr			.08	.34	.10		.14	.18		tr		16
17		.16		.07			.52		.14		tr		17
18	.07	.01	.04	.07	tr	.12	.08	.73	.03	.02	.35		18
19	.12	tr		.10			.17	.10			.01		19
20	tr	.12	.03	.16		.01		.32			.10		20
21	.03		.01		.23			tr			.01		21
22	.60		.25	.01	tr			tr			.01		22
23	.30		tr		.34	.01	.22					.01	23
24	.05		tr	.08	.12	.34					.01		24
25	.09			.60	.12		.16	.56			.08		25
26	tr	.05		.21			.46				1.12	.03	26
27	.23	.32		.18	1.34		.34			tr	.04		27
28	.05	.12	.02	.01	.03					.01	.01	.06	28
29	.09		.01	.09	.44		.09	.01		.03	.02		29
30		×			tr		.01	.14			.02		30
31	.46	×		×	.04	×			×		×	.03	31
TOTAL	2.81	2.23	1.19	3.34	3.85	1.75	3.37	3.29	2.28	.79	4.49	.97	YEAR'S TOTAL 30.36
*Days with ".01 in. or more.	18	16	8	19	15	12	18	19	12	11	22	13	183
*Days with ".04 in. or more.	14	12	4	14	14	9	12	13	9	4	12	6	123

Section

A

for the entry of Daily Observations.

Station No.

607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Fernhill, Wootton Bridge
in the County of I. & W.Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 118 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.01		.15	<u>1.26</u>			<u>tr.</u>	<u>tr.</u>	.01	.01	.01	1
2	<u>tr.</u>			.29	.06			.02	.12		.01	.37	2
3				.20	.02	.36			.34	.04		.01	3
4	.01	<u>tr.</u>				.20	.06		<u>tr.</u>				4
5	.51		<u>tr.</u>			<u>tr.</u>	.02		.22				5
6	<u>.74</u>			.14					.10				6
7	.07		<u>.29</u>	.01					.03	.29			7
8	.01		.01	.06	.20				.23	.40			8
9	.15		<u>tr.</u>	.18	.10			<u>tr.</u>	.17		.03		9
10	<u>.55</u>	<u>.02</u>		<u>.33</u>	.08	.13			.03	.14			10
11	.45			.09	.02				.12	.04	<u>tr.</u>	.01	11
12	.70				<u>tr.</u>			<u>tr.</u>		.49		.01	12
13	.05			.24	.15		.26		<u>tr.</u>	.84		.01	13
14	.40				.07			.01			.33	.02	14
15	.03			.02	<u>1.15</u>		.11	.03		.08	.04	.03	15
16	.10			.13			.02		.01			<u>tr.</u>	16
17	.03			.10						.02			17
18	.04			.02	.06		.02				.14	<u>tr.</u>	18
19	.05				<u>tr.</u>				.10	.37		<u>tr.</u>	19
20			.02	.02	.32		.04	<u>.65</u>		<u>1.31</u>	.35		20
21			.12	.04	<u>1.17</u>		<u>tr.</u>		.02	.65	.01	.09	21
22	.01		.15	.01	.06		.05	.40	<u>.71</u>	.31	.51	.01	22
23	.06	.01	.01		.70		.30		.32	<u>1.22</u>		.16	23
24					<u>tr.</u>		<u>.94</u>		.13	.04		.01	24
25				<u>tr.</u>	<u>tr.</u>		.55		.05	.40	.14	<u>tr.</u>	25
26			.09	.15			.06	<u>tr.</u>		.06	.05		26
27			<u>.29</u>	.30	.14	.01	.02	<u>tr.</u>		.52			27
28			.02	.14	.01		.27				.01	.02	28
29			.27		.10	.21	<u>tr.</u>	.04	.44	.69	.01	.10	29
30		X	.16	.24	<u>tr.</u>	<u>.98</u>	.13	.02	.33	.01	<u>1.11</u>	.25	30
31		X		X		X	.11		X		X	.25	31
TOTAL	4.02	.04	1.43	2.86	5.67	1.89	2.96	1.17	3.47	7.93	2.75	<u>1.86</u>	YEAR'S TOTAL 35.55
*Days with ".01 in. or more.	19.	3.	11.	21.	18.	6.	16.	7.	18.	21.	14.	16.	170
*Days with ".04 in. or more.	14.	0.	7.	16.	15.	5.	12.	3.	14.	18.	8.	6.	118

40-9999

*See Instruction 2 (f) on other side,

(Signed)

C. Brodie

P.T.O.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

607

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ferris Hill, Wootton Bassett
in the County of Isle of WightDiameter of Funnel of Gauge 8 in.Height of top of Gauge above Ground ft. in.,, Ground ,, Sea Level 118 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.74	.13											1
2	.18	.13	.70		.97									2
3		.03	.31		.33						.01			3
4	.31													4
5	.13		.62		.22									5
6	.01	.30	.01		.04					.64	.08			6
7	.18	.63			.04					.18		.03		7
8	.04		.02				.24			.03				8
9	.02	.02			.09		.40			.03	.06			9
10		.11					.05	.62		.33				10
11	.22					.14		.10						11
12	.01				.05				1.91					12
13	.02				.06		.06	.03	.01	.05	.64	.01		13
14					.04		.40			.50	.50			14
15	.66		.35				.14	.15		.27				15
16			.62			.14			.03	.01	.03			16
17	.40		.44			.03		.08	.07					17
18		.04	.21			.37								18
19			.25	.04					.25		.12	.01		19
20			.02	.05		.20			.20					20
21								.16	.07	.04				21
22						.07		.15	.07	.24	.01			22
23				.28		.16			.33	.40				23
24		.75		.13	.03	.02			.07		.18			24
25		1.25		.35	.01	.02			.36					25
26		.57		.15	.05				.32	.03				26
27		.01			.36				.01	.21		.44		27
28				.01		.01	.40			.08		.05		28
29	.16			.07	.04				.03	.01		.01		29
30	.09	×							.11			.05		30
31	.21	×		×		×	.09		×	.03	×			31
TOTAL	2.71	3.98	3.68	1.08	2.33	1.16	1.78	.69	3.84	2.48	.85	.78	25.36	
*Days with "or in. or more.	16	12	12	8	14	10	8	7	15	17	8	8	132	
*Days with ".04 in. or more.	12	7	9	7	12	6	8	5	12	11	5	4	98	

† Spare column, no entries required.

(Signed)

L. h. Brodie

[P.T.O.]

40-9999

*See Instruction 2 (f) on other side.

Section **A** for the entry
AIR MINIS

FORM 1090.

Kept at *Ryde*
in the County of *Sta*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gro.....

Ground Sea Level *13* ft.

606

RYDE - ESPLANADE GNS

1931 - 1940

780113

606
FOR OFFICIAL USE.
SH RAINFALL ORGANIZATION.
IN 1931.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—						—						1
2	.22						—						2
3	.03		.58				.15		.65				3
4	—						.11						4
5	—					.38	.06					.24	5
6	—						—			.37			6
7	—						—						7
8	—						.04						8
9	—						.01				.85		9
10	.15						.03						10
11	.20	.42					—						11
12	.01						.03						12
13	—						.02						13
14	.02						.64						14
15	.01						.45						15
16	.15						—						16
17	—						.35						17
18	.03						.13	.64					18
19	.10						.02						19
20	—						—						20
21	.02						—						21
22	.50						—						22
23	.32						—						23
24	.04			.57			.21						24
25	.08						.10						25
26	—						.37						26
27	.14				1.43		.33						27
28	.03						—						28
29	.09						.06						29
30	—	X				—	.15						30
31	.42	X		X		X	.01		X		X	.03	31
TOTAL	2.31	1.77	1.02	2.92	3.30	1.42	2.97	2.69	1.91	0.51	3.83	0.84	YEAR'S TOTAL 25.49
*Days with or in. or more.	17	17	8	17	15	12	18	17	13	7	17	10	168
*Days with .04 in. or more.	11	12	4	15	13	8	12	12	8	2	12	6	115

40-9999 *58.7* *45.0* *25.9* *74.2* *83.8* *36.1* *75.4* *68.3* *48.5* *13.0* *97.3* *21.3* *647.5*

*See Instruction 2 (f) on other side.

(Signed)

[P.T.O.]

Section

A

for the entry

606
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at *Ryde*

in the County of *Hants 25fw*

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level *13* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—						—						I
2	<i>.22</i>						—						2
3	<i>.03</i>		<i>.58</i>				<i>.15</i>		<i>.65</i>				3
4	—						<i>.11</i>						4
5	—					<i>.38</i>	<i>.06</i>					<i>.24</i>	5
6	—						—			<i>.37</i>			6
7	—						—						7
8	—						<i>.04</i>						8
9	—						<i>.01</i>				<i>.85</i>		9
10	<i>.14</i>						<i>.03</i>						10
II	<i>.20</i>	<i>.42</i>					—						II
12	<i>.01</i>						<i>.03</i>						12
13	—						<i>.02</i>						13
14	<i>.02</i>						<i>.64</i>						14
15	<i>.01</i>						<i>.45</i>						15
16	<i>.14</i>						—						16
17	—						<i>.35</i>						17
18	<i>.03</i>						<i>.13</i>	<i>.64</i>					18
19	<i>.10</i>						<i>.02</i>						19
20	—						—						20
21	<i>.02</i>						—						21
22	<i>.50</i>						—						22
23	<i>.32</i>						—						23
24	<i>.04</i>						<i>.21</i>						24
25	<i>.08</i>						<i>.10</i>						25
26	—						<i>.37</i>						26
27	<i>.14</i>					<i>1.43</i>	<i>.33</i>						27
28	<i>.03</i>						—						28
29	<i>.09</i>						<i>.06</i>						29
30	—	X				—	<i>.14</i>						30
31	<i>.42</i>	X		X		X	<i>.01</i>		X		X	<i>.03</i>	31
TOTAL	<i>2.31</i>	<i>1.77</i>	<i>1.02</i>	<i>2.92</i>	<i>3.30</i>	<i>1.42</i>	<i>2.97</i>	<i>2.69</i>	<i>1.91</i>	<i>0.51</i>	<i>3.83</i>	<i>0.84</i>	YEAR'S TOTAL <i>25.49</i>
*Days with or in. or more.	<i>17</i>	<i>17</i>	<i>8</i>	<i>17</i>	<i>15</i>	<i>12</i>	<i>18</i>	<i>17</i>	<i>13</i>	<i>7</i>	<i>17</i>	<i>10</i>	<i>168</i>
*Days with or 4 in. or more.	<i>11</i>	<i>12</i>	<i>4</i>	<i>15</i>	<i>13</i>	<i>8</i>	<i>12</i>	<i>12</i>	<i>8</i>	<i>2</i>	<i>12</i>	<i>6</i>	<i>115</i>

40-9999 *58.7* *45.0* *25.9* *74.2* *83.8* *36.1* *75.4* *68.3* *48.5* *13.0* *97.3* *21.3* *64.5*
(Signed) [P.T.O.]

*See Instruction 2 (f) on other side.

Section

A

for the entry of Daily Observations.

606
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

Kept at Ryde
in the County of Hants. (Isle of Wight)

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 13 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.08						—						I
2	.01						—					.25	2
3	—						—						3
4	.15						.03						4
5	.47						.03						5
6	.61						—						6
7	.03						—						7
8	—						—						8
9	.11						—						9
10	.65			.32			—						10
11	.42						—						11
12	.54						—						12
13	.04						.26						13
14	.43						—						14
15	.03						.04						15
16	.12						.04						16
17	.02						.01						17
18	.02						.02						18
19	.01						—						19
20	—						.07	.46		1.30			20
21	.15				1.18		—						21
22	.01						.03		62				22
23	.01						.23						23
24	.12	.02					.75						24
25	—						.32						25
26	—						.04						26
27	—		.33				.03						27
28	—						.13						28
29	—						—						29
30	—	X				.87	.08				0.88		30
31	—	X		X		X	.05		X		X	20	31
TOTAL	3.66	0.03	1.39	2.44	4.16	1.68	2.43	0.71	2.95	7.14	2.17	1.02	29.78
*Days with or in. or more.	18	2	9	20	18	5	17	5	17	21	9	11	152
*Days with .04 in. or more.	11	0	7	15	14	5	12	3	14	17	7	6	114

40-9999

93.0

0.8

35.3

62.0

105.7

42.7

61.7

18.0

74.9

181.4

55.1

25.9

*See Instruction 2 (f) on other side.

Signed

P.T.O.

REGISTER OF RAINFALL IN 1933 .

Kept at Ryde
in the County of Hants
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level 13 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06						/						1
2	.16		0.64		.55		/						2
3	.15						/						3
4	.33						/						4
5	.09						/						5
6	/						/						6
7	.26						/						7
8	.05						.20						8
9	/						.29						9
10	/						.05						10
11	.23						/						11
12	/						.02		1.84				12
13	.01						.35						13
14	/						.01			.63	.38		14
15	0.44						.03	.29					15
16	/						/						16
17	/						/						17
18	.33					.32	/						18
19	/						/						19
20	/						/						20
21	/						/						21
22	/						/						22
23	/						/						23
24	/						/						24
25	/	1.04		0.33			/						25
26	/						/						26
27	/						/					.35	27
28	/						.35						28
29	.13						.15						29
30	.10	X				/	.06						30
31	.17	X		X		X	/		X		X	/	31
TOTAL	2.36	3.68	2.95	0.88	2.32	0.97	1.36	0.76	4.67	2.38	.75	0.56	YEAR'S TOTAL 23.64
*Days with .01 in. or more.	13	12	11	8	12	9	9	7	15	15	10	7	128
*Days with .04 in. or more.	12	7	10	6	9	5	6	5	11	8	4	3	86

Section

A

for the entry of Daily Observations.

Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ryde

in the County of Hants

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level 13 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01					.40	—							1
2	.12				.44		—		.61					2
3	.08						—							3
4	.15						—							4
5	—						—							5
6	.01		.41				—			.29				6
7	.02						—							7
8	—						—							8
9	.01						—							9
10	.01						—				1.30			10
11	.68	.01					.12	.60						11
12	.05						.06							12
13	.39						.26							13
14	.23						—					.96		14
15	.01						—							15
16	.22		.41				—							16
17	.12						—							17
18	.16						—							18
19	—						—							19
20	—						.13							20
21	—						—							21
22	—						—							22
23	—			.35			—							23
24	—						.11							24
25	.13						—							25
26	.5						—							26
27	.02						—							27
28	—						—	.60						28
29	—	X					—							29
30	.05	X				—	—							30
31	.5	X		X		X	—		X		X	.01		31
TOTAL	2.52	0.01	2.85	1.84	1.04	1.27	0.68	2.49	2.11	1.81	3.98	8.98	29.58	Year's Total
*Days with .01 in. or more.	19	1	16	12	5	7	5	17	13	17	11	27	150	
*Days with .04 in. or more.	12	0	13	10	5	5	5	11	9	10	8	25	113	

Kept at Ryde
in the County of Hants
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 13 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02		.27				1.48							1
2	—						—							2
3	—						—			1.38				3
4	—						—							4
5	—						—							5
6	—					.60	—							6
7	—						—				1.16			7
8	.05						—							8
9	.03						—							9
10	0.29						—							10
11	.23						—							11
12	.02													12
13	.04													13
14	—						—							14
15	—			.63			—							15
16	—						—							16
17	—						—							17
18	—						.02							18
19	—				.27		.05							19
20	—						—							20
21	—						.01							21
22	—						—							22
23	—						—							23
24	.03	.77					—		.72					24
25	.05						—							25
26	—						—							26
27	—						—							27
28	—						—							28
29	—						—							29
30	.03	×				—	—	1.11				.61		30
31	—	×		×		×	—		×		×	.27		31
TOTAL	0.84	2.92	0.79	3.29	0.93	2.17	1.56	3.46	4.25	4.65	7.59	3.58	37.03	
*Days with or in. or more.	10	18	9	17	12	16	4	9	22	20	23	17	177	
*Days with .04 in. or more.	6	13	5	15	8	9	2	8	18	13	18	12	124	

Kept at Ryde
in the County of Hants

Diameter of Funnel of Gauge 1 in.
Height of top of Gauge above Ground 1 ft. 13 in.
Ground Sea Level 13 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.35						.29							1
2	—						.02							2
3	—						.5							3
4	—						.01							4
5	.32						—							5
6	.56						—							6
7	.17						.02							7
8	.37						.03							8
9	.22						.49							9
10	.01						.16							10
11	.20						.02				2.18			11
12	.5						.34							12
13	.5						.5							13
14	—						.64							14
15	—						—							15
16	.14						.06							16
17	.5	.72					.01					.79		17
18	.09					1.08	.20							18
19	.34						—	.08						19
20	.30						—		.92					20
21	—			.50			.06							21
22	.11				.11		.17							22
23	.5						.17							23
24	.13						.02			.36				24
25	.03						—							25
26	.06						—							26
27	.30						.07							27
28	.92		.29				.47							28
29	.5						.02							29
30	.14	X				.38	—							30
31	.08	X		X		X	.20		X		X	.29		31
TOTAL	4.94	2.83	1.85	1.77	0.20	3.04	3.52	0.72	2.65	0.88	6.36	3.01	31.27	✓
* Days with .01 in. or more.	20	14	16	11	6	16	21	5	14	11	16	16	166	✓
* Days with .04 in. or more.	18	10	12	8	1	12	14	3	10	7	14	13	122	✓

Section



for the entry of Daily Observations.

Station No.

221
606

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 100.

REGISTER OF RAINFALL IN 1937.

Kept at Ryde (Esplanade Gardens)

in the County of Hants

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 0 in.

„ Ground „ Sea Level ...13.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.80						—				.93			1
2	.03						—							2
3	.01						—							3
4	.11	1.01					—							4
5	.13						.32							5
6	.13		.72				.06							6
7	—				.54		—					2.09		7
8	—						—							8
9	—						.04		.62					9
10	—						—							10
11	.15						.16							11
12	.43					.47	.01							12
13	.35		.72				—							13
14	.02						—							14
15	.41			.31			.58							15
16	—						.15	.53						16
17	.61						.01							17
18	.28						—							18
19	.19						—							19
20	.30						—							20
21	.39						.15							21
22	.57						.16			.96				22
23	.14						.05							23
24	.26						—							24
25	.15						—							25
26	.15						—							26
27	—						—							27
28	.10						—							28
29	.04						—							29
30	.34	X				.15	—							30
31	.36	X		X		X	—		X		X	—		31
TOTAL	6.40	5.43	3.55	2.16	2.18	.92	1.39	.91	2.08	2.67	1.92	5.68	35.29	Year's Total
* Days with .01 in. or more.	23	23	18	16	13	7	9	4	12	11	10	19	165	
* Days with .04 in. or more.	20	18	12	14	10	4	7	3	8	9	7	14	126	

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 606
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM **REGISTER OF RAINFALL IN 1938**

Kept at Ryde (Esplanade Gardens)

in the County of Hants

Diameter of Funnel of Gauge.....5.....in. 11"

Height of top of Gauge above Ground.....1ft. 0.....in.

„ Ground „ Sea Level 13.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—						.21							1
2	—			.01			—							2
3	—						.4			.86				3
4	.4						.36							4
5	—						.21							5
6	.19						.02							6
7	.01						.31	1.31						7
8	.14						.10							8
9	.09						.4					.73		9
10	.01						.05							10
11	.25						.4							11
12	.61						.01							12
13	.39						—							13
14	.41						.06							14
15	.09						.11							15
16	.62						—							16
17	—						—							17
18	.15						—							18
19	.4						—				.91			19
20	.4						—							20
21	.02						—							21
22	.02						—							22
23	.4						—							23
24	—		.19				—							24
25	.13						.4							25
26	.42	.22					—		.37					26
27	.14				.26	.23	.39							27
28	.05						—							28
29	.01						—							29
30	.01	X				.01	—							30
31	.21	X		X		X	—		X		X	.25		31
TOTAL	✓ 4.03	✓ .58	✓ .31	✓ .01	✓ 1.46	✓ .63	✓ 1.83	✓ 2.29	✓ 1.83	✓ 4.00	✓ 5.31	✓ 3.05	Year's Total 25.33	✓
* Days with .01 in. or more.	21	8	4	1	11	8	11	10	13	20	20	19	146	✓
* Days with .04 in. or more.	16	4	2	0	9	4	9	7	10	15	14	15	105	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section



for the entry of Daily Observations

Station No. 606

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

 Kept at *Ryde, Grosplanade Gardens*
 in the County of *Hants*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....0.....in.

,, Ground ,, Sea Level 13.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02						.45							1
2	—						—	.44	.25					2
3	.30			.62			.03							3
4	.01		.54				.34							4
5	—						.03							5
6	.40						.45							6
7	.01						.03					.44		7
8	—						.01							8
9	.05						—							9
10	.11						—							10
11	.01						—							11
12	.03						—							12
13	~~.01~~						.32			1.49				13
14	.67						.04							14
15	.71				.59		.04							15
16	.38						.33							16
17	.18						.45							17
18	.12						.70							18
19	.35						.27							19
20	.57					.70	.45							20
21	.03						.12							21
22	.24						.02							22
23	.45						.09				.78			23
24	.59						.07							24
25	.62						.02							25
26	—						—							26
27	—						.45							27
28	—	.39					.45							28
29	—						.04							29
30	—	X				—	—							30
31	—	X		X		X	.01		X		X	—		31
TOTAL	5.40	1.50	1.13	2.33	1.18	1.73	2.98	1.32	.61	7.83	6.95	1.99	34.95	Year's Total
* Days with .01 in. or more.	20	9	12	16	8	14	19	11	5	17	25	14	170	
* Days with .04 in. or more.	15	7	5	12	6	9	13	8	4	17	22	10	128	

† Spare column, no entries required.

(Signed) [P.T.O.]

* See Instruction 3 (f) on other side.

Section



for the entry of Daily Observations*

Station No. 606

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 190

REGISTER OF RAINFALL IN 19340

Kept at Ryde (Esplanade Gdns.)
in the County of Sants

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
Ground Sea Level.....13.....ft.

9-11" by 11" by 11"

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—						—							1
2	—						h							2
3	.01						—							3
4	—						.04							4
5	—						.09							5
6	.49						.09							6
7	.07						.07							7
8	—						—							8
9	—						—							9
10	—					1	.34							10
11	—						.10							11
12	—						.18		.48					12
13	—						h				1.63			13
14	—						.57					.41		14
15	—						.48							15
16	—	.69					—			.81				16
17	—						.01							17
18	.01						—							18
19	—						.08							19
20	—						h							20
21	h						—							21
22	—					.16	—							22
23	—						.01							23
24	—						.25							24
25	h		.62				.07							25
26	.02				.29		.03							26
27	.52						.08							27
28	.46						—							28
29	.08			.36			—							29
30	.04	X				—	—							30
31	.01	X		X		X	—		X		X	.7		31
TOTAL	2.76	3.75	3.11	1.10	.51	.17	2.37	h	1.58	4.44	8.87	2.22	30.88	
* Days with .01 in. or more.	10	18	12	11	8	2	16	0	12	15	20	15	139	
* Days with .04 in. or more.	7	12	10	6	3	1	13	0	10	13	17	13	105	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

X WOOTTON

Section **A** for the entry
AIR MINIST
FORM 1090.

REGI

Kept at Bridge House

in the County of Isle of W

Diameter of Funnel of Gauge...8

Height of top of Gauge above G

" Ground " S

THE MORNING MEASU

An observer who does not conform
year in the space on the right of t

Pl

607/5

WOOTTON - BRIDGE HOUSE

1935 - 1940

607/5
No. 607
GANIZATION.

934
mbs

Jan. 1, following

780113

Date	Jan.	Feb.	Mar.											Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.08	1.19		.02	.20	.23	.02		1
2						.01			hace	.51	.01	.01		2
3						.01			.48	1.24	.06			3
4						.18			.16	.21	.21	.09		4
5						.02			.39	.43	.03	.02		5
6						.72				.01	.43	.01		6
7										.11	1.44	.15		7
8									.07	.38	.72	.01		8
9						.41			.23	.76	.19			9
10						.05				.01	.24	.01		10
11						.13		.14	.01	.03	.50			11
12						.26		.02	.11		.98			12
13						.05			hace		.07			13
14						.05			.20	.02	.04	.21		14
15						.03			.31	.02	.37	.01		15
16							.01		.27	.01	1.41			16
17						.31			.02		.21			17
18						.02	.12		.59	.06	.02			18
19						.02	.01		.07	.03	.30			19
20							.02		.02		.63			20
21										.05				21
22								.04	.10					22
23								.64		.35		.32		23
24								1.26	.67	.03	.02	.33		24
25												.24		25
26								.14	.07		.07	.46		26
27								.24	.06	.01	.01	.55		27
28								.01	.19		.01	.15		28
29								.25	.46			.42		29
30		X						1.05	.06	.09	.33	.74		30
31		X		X		X		.02	X	.27	X	.17		31
TOTAL						2.35	1.34	3.81	4.56	4.83	8.53	392	97.84	
* Days with .01 in. or more.						16	5	11	22	22	25	19	720	
* Days with .04 in. or more.						10	2	8	18	13	19	12	82	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

X (Miss) ... X [P.T.O.]

Section



for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bridge House Woolton Bridge

in the County of Isle of Wight

Diameter of Funnel of Gauge 8"

Height of top of Gauge above Ground 10 ft.

Ground Sea Level 1.2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						.08	1.19		.02	.20	.23	.02		1
2						.01			haze	.51	.01	.01		2
3						.01			.48	1.24	.06			3
4						.18			.16	.21	.21	.09		4
5						.02			.39	.43	.03	.02		5
6						.72				.01	.43	.01		6
7										.11	1.44	.15		7
8									.07	.38	.72	.01		8
9						.41			.23	.76	.19			9
10						.05				.01	.24	.01		10
11						.13		.14	.01	.03	.50			11
12						.26		.02	.11		.98			12
13						.05			haze		.07			13
14						.05			.20	.02	.04	.21		14
15						.03			.31	.02	.37	.01		15
16							.01		.27	.01	1.41			16
17						.31			.02		.21			17
18						.02	.12		.59	.06	.02			18
19						.02	.01		.07	.03	.30			19
20							.02		.02		.63			20
21										.05				21
22								.04	.10					22
23								.64		.35		.32		23
24								1.26	.67	.03	.02	.33		24
25												.24		25
26								.14	.07		.07	.46		26
27								.24	.06	.01	.01	.55		27
28								.01	.19		.01	.15		28
29								.25	.46			.42		29
30		X						1.05	.06	.09	.33	.74		30
31		X		X		X		.02	X	.27	X	.17		31
TOTAL						2.35	1.34	3.81	4.56	4.83	8.53	3.92	29.34	
* Days with .01 in. or more.						16	5	11	22	22	25	19	75	
* Days with .04 in. or more.						10	2	8	18	13	19	12	82	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

X (Miss) O A B nodi X [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 607/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Bridge House Wootton Budge

in the County of Isle of Wight

Diameter of Funnel of Gauge.....8 in. with no ring

Height of top of Gauge above Ground.....ft. 10 in.

„ Ground „ Sea Level ft. 12 in.

appears OK. 1936, c. with 1935

607294/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.36	.24	.03	.30		.34	.29	haze			.14	.03		1
2		.01	.01	.01		.06		.09			.02			2
3				.32		.01	.04	.01	.15		.50			3
4			.13		haze	.11	.06		.24		.33	.17		4
5	.43		.01		.03	.03		.03	.21		.07	.02		5
6	.54							.01	.29	haze	1.11			6
7	.17		.08				haze				.39	.07		7
8	.44		.13				.10				.78	.10		8
9	.27		.12				.54		.18		.01	haze		9
10	.02	.01				.01	.41	.10			haze			10
11	.28	.56		.06			.07	.01	.18		1.99	.01		11
12				.07		.26	.37		.43		.36	.06		12
13						.08	haze			.05	.08	.53		13
14		.16		.01		.10	.60		.01	.02	.01	.34		14
15		.03				haze			.01	haze	.10	.41		15
16	.25	.33		haze	.03		.04		.04		.13	.17		16
17	.01	.68				.34	.03	.03	.17	.03	.12	.65		17
18	.17	.10				1.07	.26		.01			.13		18
19	.28	.03	.14	.04		1.06		.07	.01	.02				19
20	.27	.04	.04	.27		.06			1.02	.01				20
21	.01	.15	.03	.53		.04	.07		haze					21
22	.09	.43	.32		.19		.16					.10		22
23	haze		.11	.12	.01		.11			.09				23
24	.15		.02	haze	.03		haze		.03	.34				24
25	.05		.32	.28			haze			.16				25
26		.14		.03		.20			.06	.05				26
27	.34						.08		.09	.08				27
28	.97		.36				.16					.10		28
29	.01	.06	.04		.04	.09	.01			.07	.19	.04		29
30	.15	×	haze			.37				.03		haze		30
31	.09	×	.31	×	.02	×	.14		×	.10	×	.47		31
TOTAL	5.25	2.97	2.20	2.04	.35	4.23	3.54	.35	3.13	1.05	6.33	3.40	34.84	Year's Total
* Days with .01 in. or more.	22	15	17	12	7	17	19	8	17	13	17	17	181	
* Days with .04 in. or more.	18	11	12	9	2	14	17	3	12	8	14	14	134	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. Brodie

[P.T.O.]

X MISS A. BRODIE X

Section



for the entry of Daily Observations

Station No. 607/5+

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bridge House - Wootton Bridge

in the County of Isle of Wight

Diameter of Funnel of Gauge 8" with 8° ring

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 12 ft.

11 JAN 1938

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.80	.01		.23							.97	.24		1
2	.02	.89	.01	.13					.04		.02	.26		2
3	.01	.17										.27		3
4	.10	.23												4
5	.21	.03	.13	.02	.03		.37							5
6	.18	.37	.02	.08			.08			.02				6
7		.53		.07	.02				.01	.05		2.56		7
8		.01	.02		.31	haze						haze		8
9	haze			.26	.07	.04	.06		.93	haze		haze		9
10	.02		.58	.28	.60	.23	.20					.95		10
11			.03	.01	.05	.05	haze					haze		11
12	.52	.30	.14	.18	.25	.26		.66	.55			.40		12
13	.37	.02	.94	.07	.01			.22	.01			.77		13
14	.02	.01	.11	.16				.05	.26			.02		14
15	.36	.17		.39			.45		.47			.34		15
16	.01	.10	.39	.25		.06	haze	.84	.46					16
17	.71	.06	.09				.02		.15		.16			17
18	.21	.12	.02						.06		.29	.20		18
19	.24	.03	.06			.04			haze		.02	.06		19
20	.30		.12	.17		.05						.05		20
21	.52	.34	.03	.18	.05					.03	.01	.10		21
22	.59	.05	.09	.01	.09		.19			.75	.30	.02		22
23	.12	.13	.01		.17		.04			.38		.01		23
24	.31	.54			.02				.04	.54		.01		24
25	.16	.42	.41		.80				.05	.18				25
26		.36								.25				26
27	.01	.10		.08						.31				27
28	.10	.05								.09				28
29	.13									.05		haze		29
30	.46	×								.11	.30			30
31	.43	×		×		×			×	.37	×			31
TOTAL	6.91	6.04	4.20	2.57	2.48	.73	1.41	1.77	3.03	3.13	2.07	6.16	Year's Total	40.50
* Days with .01 in. or more.	26	24	18	17	14	7	8	4	12	13	8	16		167
* Days with .04 in. or more.	20	18	12	14	9	7	7	4	10	11	5	12		129

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. B. Brodie [P.T.O.]

Section



for the entry of Daily Observations

Station No.

607/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bridge House, Wootton Bassettin the County of Isle of WightDiameter of Funnel of Gauge 8" with in. 8" ringHeight of top of Gauge above Ground 1.2 ft. 0 in.,, Ground ,, Sea Level 1.2 ft.

Dee face

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1					.30	.09	.26		.24	.30				1
2		haze					.03					.03		2
3					.07		.01			.32				3
4					.01		.30	.41		.81	.03	.13		4
5							.27		.17	.24				5
6	.29						.05	.70	.01	.26	.04	.01		6
7						haze	.59			.06	.01	.21		7
8	.17						.15	.04		.19		.82		8
9	.12	.02				.02				.32	haze	.28		9
10	.06				.08	.19	.04			.03		.15		10
11	.30				haze		.01		haze		.09			11
12	.63						.01	.24			haze	.28		12
13	.39								.01	.11	.37	.01		13
14	.48		.03		.13		.05			.10		.49		14
15	.14	.08					.25			.36	.02	.17		15
16	.48	.04	haze					.05		.49	haze			16
17	haze	.16	.04		.03				.28	.10	.05			17
18	.12				.01	.05			.10		.45			18
19	haze							.08	.18		.89			19
20	haze				haze						.65			20
21	.02						haze	.05	.10		.04			21
22	.09			haze		.02		.29			.28			22
23	haze							haze	.02		.02	.55		23
24		haze	.25				.02		.13	.03	.57			24
25	.13	.02	.09		.10					.13	.75			25
26	.40	.21	haze		.02		.37		.21		.27			26
27	.14	.01			.21	.29		.02	.02					27
28	.05	.10			.29	.16		.31	.04		.32	.04		28
29	.02				.25					.04	.37	.02		29
30	.02	×			.10	.14			.06	.02	.12			30
31	.28	×		×	.19	×			×	.25	×	.27		31
TOTAL	4.27	.64	.41		1.79	.96	2.41	2.19	1.57	4.16	4.76	3.26	26.62	✓
* Days with .01 in. or more.	20	8	4	0	14	8	15	10	14	19	17	19	16	✓ 147
* Days with .04 in. or more.	16	5	3	0	10	6	10	9	10	16	13	13	12	✓ 111
Year's Total														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

A. B. Brodie

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 60715

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1928

Kept at Baidpe House, Wootton Bridge
in the County of Isle of Wight
Diameter of Funnel of Gauge 8" with in. 8" wing
Height of top of Gauge above Ground 21 ft. 6 in.
Ground Sea Level 12 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03		.38	.16	.06		.03	.53	.13		.48	.03		1
2			.06	.13				.19	.51		.04	.04		2
3	.32			.56				.23			.37	.43		3
4			.50	.09	.11		.37	.01	.04	1.02	.20	hace		4
5	.01		.04	.37	.14		.03	.02		.25	.72	.09		5
6		.13	.19	.01			.53	.04			.23			6
7	.33	.11	hace				.02				.05	.64		7
8	.01	hace	.08				.08	.24		.68	.76	.22		8
9								.19		.24	.26	.30		9
10	.04					.12			.15	.35	.07			10
11	.17		.17			hace				.63	.01			11
12				.07		.09				.07	.01			12
13	.05			.04		.09	.43		.02	1.77	.01	.05		13
14				.01	.02	.02	.11			.33	.73	.21		14
15	1.24	.05		.10	.37	.52	.14		.01	.23	.54	.02		15
16	1.06		hace		.08	.07	.11		.01	.65	.22			16
17	.32		hace		.15					1.55	.04			17
18	.70		hace			.03	.74				.61	.02		18
19	.23						.34			hace		.04		19
20	.40	.18				.20	.02	.08	hace					20
21	1.08	.29	.09			.03	.11		hace					21
22			.03			.09	.02				.13			22
23	.26		hace	.28		hace	.13				.78			23
24		.27	.03	.05		.11	.14	.01			.20			24
25	1.17		.02	.07			.02			.07				25
26	1.11					.08		hace		.03	.19	.04		26
27			.04	.03			.01			hace	.12			27
28		.13	.02	.02		.03					.01	.18	→	28 Snow
29			.01	.53			.09			.19	.01			29
30		X								.39		.04		30
31		X		X		X	.02	.01	X	1.11	X			31
TOTAL	7.93	1.16	1.66	2.52	.93	1.48	34.9	1.55	.87	9.56	6.78	2.35	40.28	Year's Total
* Days with .01 in. or more.	18	7	14	16	7	13	21	11	7	17	25	15	173	
* Days with .04 in. or more.	15	7	9	12	6	9	13	7	4	16	20	12	130	

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(Signed) A. B. Boodie

P.T.O.

Section

A

for the entry of Daily Observations

Station No.

607/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Bridge House, Doolin Bridgein the County of Lt. WickDiameter of Funnel of Gauge 8" with 8" pipeHeight of top of Gauge above Ground 1 ft. 6 in." Ground " Sea Level 1.2 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.01						.14			1
2		.15		.10	.01		haze				.34	.06		2
3	.01	.58					haze			.09	.96	.25		3
4		.09					.05			.47	.02	.08		4
5		.01					.11			.01	.68	.30		5
6	.57	.43					.09			.53	.09	.04		6
7	.09	.30		.01			.01							7
8							haze		.50	.33	.05	.21		8
9				.01					.03	.24	.36	.22		9
10							.42			.05	.10			10
11											1.27	.09		11
12			.23				.15		.49		.02			12
13		.04	.57				haze		.11	.04	1.75			13
14			.12	.10			.31		.09	.40		.37		14
15					.01	.03	.21		.08	.01	.60	haze		15
16		.53	.40	.01		.02			.11	.68	1.28			16
17			.48				.02				.24			17
18		.55	.13	.27					.02	.27	.01	.19		18
19		.08	.01	.16			.16		.47		.36	.01		19
20		.01	haze	haze			.01		.10	.35	.04	.01		20
21									.02		.39			21
22		.01	.02	.01		.14			.12					22
23			.20	.01	.07		haze		.01		.12			23
24							.26				.01			24
25			.66	.01	.03		.09				haze			25
26	.12	.28	.18	.06	.33	haze	.03							26
27	.47	.64			.09		.23				haze			27
28	.53	.01			.04					.08				28
29	.20	.55	.25	.27	.23	haze				haze		.26		29
30		~~X~~	.01	.02						.37		.09		30
31	.04	~~X~~		~~X~~		~~X~~			~~X~~	.61	~~X~~	.16		31
TOTAL	2.97	4.24	3.26	1.02	.76	.19	2.15		2.15	4.53	8.83	2.34	32.64	✓
* Days with .01 in. or more.	8	16	13	13	9	3	15		13	16	21	15	140	✓
* Days with .04 in. or more.	7	12	10	5	4	1	11		9	14	17	13	103	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) O. B. no die

[P.T.O.]

Kept at 00
in the County of 00
Diameter of Funnel of 00
Height of top of Gauge
" Ground

THE MORNING

An observer who does not
year in the space on the

608
COPY FOR OFFICIAL USE.
FALL ORGANIZATION.
931/ .

608
WOOTTON - OAK LAWN

1931 - 1940

DAY.

the following

Jan. 1, following

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		002	031	Fr	003		006	022	001				1
2	038	007	052		Fr	024	042	Fr			013		2
3	005	Fr	066	002	013	Fr	001	090			006	012	3
4		008		009		015	Fr	012	011	005			4
5		015	033		030	003	004	Fr		001	019		5
6		012	032	001	009		001	001	048	023			6
7		Fr	003	047	019		035	Fr	004	030	Fr		7
8		014	002	004	031	011	014		001	012	010		8
9		018	Fr		007	001	Fr			098	003		9
10		002		Fr	020	005	004			1.05			10
11	025	034	Fr	001	Fr		Fr	006		0.44			11
12	002	001		Fr		006	001	025					12
13					001	001	003			001			13
14	003	018		003	Fr	088	010	003		001			14
15	003	003	001	011		044	016				002		15
16		003	006	024	010	Fr	022	015					16
17		011	005			036		016		Fr			17
18	005	001	003	003		015	016	075	001	Fr	047		18
19	014		Fr	009		001	006	007		Fr			19
20	Fr	012	004	013	004			027			010		20
21	003	Fr	002		024						003		21
22	065		023	005	Fr		Fr				001		22
23	028		Fr	009	029	Fr			001	Fr	040		23
24	003			046	013	032	025	048			008		24
25	010	Fr		038	010		008				Fr		25
26		003		024			044				1.43		26
27	018	026		Fr	135					Fr	003		27
28	005	005		009	002		003			Fr		013	28
29	012	X			020		008	001		003	001	001	29
30	Fr	X	009		Fr		Fr	020			003	Fr	30
31	044	X		X	004	X	004	Fr	X		X	005	31
TOTAL	2.73	1.87	1.10	3.24	3.50	1.78	3.24	3.29	2.34	0.68	5.85	0.78	30.45
*Days with "or in. or more.	17	18	7	19	17	12	18	19	12	6	21	9	175
*Days with "or in. or more.	12	11	5	15	13	9	14	14	8	3	13	6	123

Section **A**

for

608
COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Oak Lawn
in the County of Isle of Wight
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 9 in.
Ground Sea Level about 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		002		031	Tr	003		006	022	001			1
2	028	007		052			Tr	024	042	Tr		013	2
3	005	Tr	066	002	013		Tr	001	090		006	012	3
4			008		009		015	Tr	012	011	005		4
5		015		033		030	003	004	Tr		001	019	5
6		012		032	001	009		001	001	048	023		6
7		Tr		003	047	014		035	Tr	004	030	Tr	7
8		014		002	004	031	011	014		001	012	010	8
9		018		Tr		007	001	Tr			098	003	9
10		002			Tr	020	005	004			1.05		10
11	025	034		Tr	001	Tr		Tr	006		0.46		11
12	002	001			Tr		006	001	025				12
13						001	001	003			001		13
14	003	018			003	Tr	088	010	003		001		14
15	003	003		001	011		044	016				002	15
16		003		006	024	010	Tr	022	015				16
17		011		005			036		016		Tr		17
18	005	001	003	004		015	016	075	001	Tr	047		18
19	014		Tr	009		001	006	007			Tr		19
20	Tr	012	004	013				027			010		20
21	003	Tr	002		024						003		21
22	065		023	005	Tr			Tr			001		22
23	028		Tr	009	029	Tr			001	Tr	040		23
24	003			046	013	032	025	048			008		24
25	010	Tr		038	010		008					Tr	25
26		003		024			044				1.43		26
27	018	026		Tr	135					Tr	003		27
28	005	005		009	002		003			Tr		013	28
29	012	X			020		008	001		003	001	001	29
30	Tr	X	009		Tr		Tr	020			003	Tr	30
31	044	X		X	004	X	004	Tr	X		X	005	31
TOTAL	2.73	1.87	1.10	3.24	3.50	1.78	3.24	3.29	2.34	0.68	5.85	0.78	30.45
*Days with "or in. or more.	17	18	7	19	17	12	18	19	12	6	21	9	175
*Days with "04 in. or more.	12	11	5	15	13	9	14	14	8	3	13	6	123

40-9999

*See Instruction 2 (f) on other side.

(Signed) Originals to Hutton

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Oak Lawn Woottonin the County of Isle of WightDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 9 ft. in.Ground Sea Level about 80 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	009			017	127			002	Tr	001	003	106	1
2	001			080	008			003	006		Tr	030	2
3				023	002	034	Tr		048	Tr		002	3
4	001					020	004	Tr			001		4
5	040		Tr				003		017				5
6	048			010			Tr		012	Tr			6
7	008		Tr	001					003	037			7
8			027	002	019				027	048			8
9	017	Tr		024	010				018	001	003		9
10	066	006	001	040	006	010			004	013	002	Tr	10
11	042			008	002				002	006	Tr		11
12	070			001		Tr		001	010	070	Tr	Tr	12
13	008			026	018		030			096		002	13
14	040	Tr			007			008		001	028	Tr	14
15	003			003	130		014			009	010	Tr	15
16	008			011			Tr				Tr	001	16
17	003			009			001		Tr	002			17
18	003				006		001		003		013		18
19	003								007	032	Tr		19
20				004	020		007	075	Tr	116	040		20
21	001		002	003	104			Tr		065	Tr	011	21
22	002	Tr	018	001	004		016	048	070	027	052	Tr	22
23	004	Tr	Tr	Tr	046		026		032	106		014	23
24		001					080		012	006	001		24
25	Tr						070		006	044	015		25
26			008	013			006			006	003		26
27			028	026	012	001	001			067		001	27
28			002	004	Tr		022		001	003		003	28
29			030	015	009	016	Tr	004	048	045		011	29
30		X	017	021		094	009	Tr	037		106	026	30
31		X	Tr	X		X	017		X	Tr	X	024	31
TOTAL	3.71	0.06	1.33	2.88	5.29	1.74	304	141	362	787	277	280	36.02
*Days with "01 in. or more.	20	2	9	22	17	6	16	7	19	22	13	12	165
*Days with ".04 in. or more.	11	1	6	16	10	5	12	4	15	17	7	7	116

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Reginald C. Hutton

P.T.O.

608

Station No. _____



REGISTER OF RAINFALL IN 1933.

in the County of Isle of Wight

Height of top of Gauge above Ground.....-.....ft.....9.....in.

Ground Sea Level *about 80* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	011	060	014								001			1
2	014		070		085						Tr			2
3	001	014	027								001			3
4	035	001	001		032									4
5	014	Tr	058											5
6		028	Tr		022					004	009			6
7	020	001	001		017					021		003		7
8					003		020			001				8
9		002			Tr	Tr	042			003	005			9
10					010		004	001		033	Tr			10
11	027	030			Tr	013		007						11
12				Tr	005				1.82			002		12
13	002				005	Tr	043	005	003	004	003	001		13
14					002		001			034	044			14
15	070		034				009	032		033	001			15
16			075			013	Tr	~~005~~	014	001				16
17			052			003	Tr	008	014					17
18	038	Tr	019			034					001			18
19		Tr	044	003				Tr	028		014	001		19
20		002	003	005		015			088		Tr			20
21								022	004	004				21
22						008		016	012	022	001			22
23		004		025	006	016			031	033				23
24		068		012		Tr			009	Tr				24
25		120		040	Tr				027		Tr	012		25
26		034		011	003	036			050					26
27		001			035		Tr		001	024		048		27
28						004	041			005		003		28
29	016			007	007		Tr		001	Tr		003		29
30	008	X	004				006		010			004		30
31	024	X	Tr	X		X			X	004	X			31
TOTAL	2.80	3.85	4.02	1.03	2.32	1.42	1.66	0.91	4.20	2.26	0.80	0.77	26.04	✓
*Days with "or in. or more.	13	13	13	7	13	9	8	7	15	15	10	9	137	
*Days with .04 in. or more.	11	8	10	6	10	8	7	6	12	12	4	3	97	✓

† Spare column, no entries required.

(Signed)

no entries required.
Original to Sullivan

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.Kept at Oak Lawn, Woottonin the County of Isle of WightDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 9 in.,, Ground ,, Sea Level about 80 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	002	—	—	—	—	016	—	020	—	015	Tr	098		1
2	020	—	010	—	046	002	—	Tr	080	034	001	064		2
3	004	—	—	Tr	—	—	—	—	Tr	048	—	042		3
4	015	—	015	018	012	—	—	—	006	025	003	042		4
5	Tr	—	001	—	Tr	—	—	016	—	030	002	064		5
6	003	—	047	007	022	001	—	005	—	037	042	090		6
7	002	—	—	—	—	—	—	024	—	026	Tr	000		7
8	—	—	—	—	023	—	—	002	040	—	1.18	007		8
9	005	—	015	—	—	—	—	—	—	—	1.20	092		9
10	015	—	022	020	—	—	—	007	—	—	0.98	004		10
11	077	—	048	022	—	—	009	056	—	—	—	046		11
12	002	—	004	—	—	—	006	020	—	—	014	012		12
13	035	—	017	007	—	—	028	001	—	—	008	014		13
14	026	—	050	—	—	—	Tr	—	—	001	010	1.30		14
15	001	—	001	—	012	—	—	—	Tr	013	010	064		15
16	025	—	047	—	Tr	—	—	—	001	—	—	022		16
17	018	—	003	001	—	—	—	—	003	001	—	048		17
18	017	—	023	044	—	—	—	—	001	—	—	050		18
19	—	—	028	—	—	002	—	002	030	Tr	—	007		19
20	—	—	001	007	—	Tr	004	001	004	001	—	Tr		20
21	—	—	Tr	037	—	021	—	—	001	010	—	—		21
22	—	—	Tr	—	—	—	—	008	042	005	—	020		22
23	—	—	—	028	—	040	—	003	004	001	—	Tr		23
24	—	—	007	003	—	Tr	015	001	014	—	—	—		24
25	026	Tr	—	022	—	—	—	—	003	018	—	068		25
26	003	001	—	002	—	022	Tr	—	016	003	—	005		26
27	002	—	—	040	—	001	—	—	—	003	—	056		27
28	—	—	—	—	—	026	—	075	—	—	—	042		28
29	—	—	—	—	—	—	—	017	012	—	—	002		29
30	006	X	—	—	—	—	—	—	009	Tr	—	052		30
31	001	X	—	X	—	X	Tr	Tr	X	—	X	008		31
TOTAL	8.05	0.01	3.39	2.63	1.16	1.30	0.89	2.63	2.66	2.71	4.23	11.79	36.14	
*Days with or in. or more.	21	1	17	14	5	9	5	16	16	17	11	27	159	
*Days with .04 in. or more.	13	0	13	11	5	5	5	10	11	11	8	26	118	

Year's Total

† Spare column, no entries required

40-9999
*See Instruction 2 (f) on other side.(Signed) T. J. M. & Co. Wootton

[P.T.O.]

REGISTER OF RAINFALL IN 1935.

Ground Sea Level *about 80 ft.*

Jan. 1, following

Please read the Notes and Instructions Overleaf.

[P.T.O.]

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1936

Ground Sea Level *about 80 ft.*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) 1/4 in. cts. C. Bullo [P.T.O.]

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Oak Lawn Wootton

in the County of Isle of Wight

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....2 ft. 9 in.

„ Ground „ Sea Level about 80 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	090	001		020					5r		115	033		1
2	003	068		015					003			038		2
3	002	019	1r	5r										3
4	012	106					5r					028		4
5	020	003	012	002			040							5
6	018	031	096	008	003		006			003		5r		6
7		045		007	006				001	010		250		7
8			002		025	5r					5r	005		8
9				026	006	004	005		092			5r		9
10			068	028	145	022						088		10
11	003	026	003	001	006	005	025					008		11
12	048	003	014	018	028	017	002	038	043			038		12
13	027	002	090	007	5r	5r		027	004			077		13
14	002	015	008	016	5r			026	028			002		14
15	041	010	5r	039			088	5r	090			038		15
16	001	010	038	025		017		063	027		002			16
17	088		011				002		010		011			17
18	011	013	002								030	019		18
19	030	005	005	020		004					002	001		19
20	029		015	015		013					5r	006		20
21	050	034	003	005	010		001		5r	5r	001	008		21
22	063	010	009		009		022			090	005	012		22
23	011	015	001		022		007			040	027	002		23
24	029	050			002				005	056		001		24
25	016	042	040		092				010	022		002		25
26		044								026				26
27		008		009						028				27
28	013	006								010	003	5r		28
29	014									006	006			29
30	039	X				5r				016	013	5r		30
31	042	X		X		X			X	044	X			31
TOTAL	7.12	8.66	4.07	2.61	3.54	0.82	1.98	1.54	3.13	3.61	2.46	6.56	43.09	X
* Days with .01 in. or more.	25	23	17	17	12	7	10	4	11	12	11	79	168	X
* Days with .04 in. or more.	20	19	12	15	10	7	7	4	9	12	7	14	136	X

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938Kept at *Oak Lawn, Wootton*in the County of *Salisbury*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*2* ft. *9* in.,, Ground ,, Sea Level *about* *80* ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					025	005	017		024	016		005		1
2					Tr		001			050	002	004		2
3	001				007		Tr			088	022			3
4	Tr					Tr	022	062		027	001	018		4
5							028			033	001			5
6	018					Tr	005		022	007	006	003		6
7	003						065	072	002	019	001	003		7
8	021					001	014	004		031	002	034		8
9	015	004								003	Tr	077		9
10	009					018	006					025		10
11	027										014	016		11
12	065				006		003	048		013	Tr	Tr		12
13	064									014	034	028		13
14	048	Tr			014		006		001			Tr		14
15	022	006			001		030			037	003	050		15
16	049	004	005					010		001		011		16
17		017	003		004				024	038	007	012		17
18	020				Tr	003			012	019	044			18
19	001							007	019		085			19
20	Tr							004	004		060	002		20
21	005							001	014		004	Tr		21
22	004			Tr		003		036			044	029		22
23	Tr					001			002		038	016		23
24		Tr	023						016		004	003		24
25	015	003	013	Tr	014		003	001	Tr	002	084	Tr		25
26	042	022	Tr		002	002			023	015		005		26
27	016	001			024	032	037	001	Tr	Tr	032	022		27
28	006	014			026	028		044	007		Tr	004		28
29	002	X			030	001			002	003	034	003		29
30	003	X			005	Tr			008	002	017			30
31	019	X		X	030	X			X	024	X	025		31
TOTAL	4.65	0.71	0.44	-	1.88	0.94	2.48	2.90	1.80	4.52	5.39	3.94	29.65	
* Days with .01 in. or more.	23	8	4	-	13	10	13	12	15	20	22	22	162	
* Days with .04 in. or more.	18	6	3	-	11	4	10	9	11	15	16	18	121	

Year's Total

† Spare column, no entries required.

(Signed)

* See Instruction 3 (f) on other side.

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

608

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1934

Kept at *Oak Lawn, Wootton*
in the County of *Salisbury*
Diameter of Funnel of Gauge.....*5* in.
Height of top of Gauge above Ground.....*4* ft. *9* in.
Ground Sea Level *about* *80* ft.

*Query sent re very heavy in Oct.
Reply indicates that measurement
was probably correct*

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	007		007	021	007		17	17	015		055	003		1
2	17		17	018				046	044		006	004		2
3	035			055			002	015	001		038	055		3
4	002		052	012	012		036	039	001	1.05	018	001		4
5			006	042	015		004	003		024	072	010		5
6	040		018	17			060	002		17	021			6
7	001	014	17				004	006			006	050		7
8		012	010				002			066	066	016		8
9	005	001						028		024	030	027		9
10	018		17			011		022	016	025	006			10
11			020			17				072	001			11
12	007	17				013				006	001			12
13	17			008		010	046		001	1.60		006		13
14	082			004	004	004	009		17	048	070	029		14
15	065		17	002	066	055	008		002	020	048	004		15
16	038		17	012	006	008	027		008	1.85	033			16
17	011	003	17		017		17			3.45	005			17
18	047	17			17	005	082				062	002		18
19	018		001				025			002		006		19
20	060					018	002	058						20
21	002	017	010			004	008		17					21
22	026	029	002			019	003				013			22
23	001	001	17	033			010				096			23
24	072	028	002	003		018	011				044			24
25	060			009			002			009	033			25
26			001					17		010	038			26
27		013	005	004		010					014			27
28		042	002			005	001				018	020		28
29		X	003	002			010			017	002			29
30		X	17	055						035	003	008		30
31		X		X		X	002	001	X	1.07	X			31
TOTAL	567	160	139	280	127	180	355	220	083	12.60	7.98	241	44.30	
* Days with .01 in. or more.	20	10	14	15	7	13	21	10	8	18	26	15	177	
* Days with .04 in. or more.	16	7	8	12	7	13	14	7	0	17	22	12	138	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section

A

for the entry of Daily Observations

Station No. **608**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934Kept at **Oak Lawn Wootton**in the County of **Isle of Wight**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **0** ft. **9** in.,, Ground ,, Sea Level **about 80** ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					57		57				013			1
2		019		009	002		001				040	005		2
3	002	057					006			017	115	029		3
4		008					010			045	003	010		4
5							014	57		001	070	016		5
6	062	044			57					052	006	005		6
7	009	033		001			002					57		7
8		002		57			001		004	048	004	022		8
9								001	004	047	045	026		9
10							059		002	008	010	004		10
11		004		57							130			11
12		57	018	001			021		050		001			12
13		003	070						015	005	166			13
14			012	006			042		008	043		052		14
15					001		060		009	002	072	001		15
16		115	039	003		003			012	077	118	005		16
17		048					003				026			17
18		017	027				57		003	032	001	014		18
19		008	57	010			030		046		030			19
20			002	003			003		007	045	005	002		20
21			003		001				002	001	033			21
22						026			013					22
23		007	020	002	008		001		57	57	007			23
24							025				57			24
25				001	004		006							25
26	110	027	070	007	038		005				091			26
27	048	068	026		001		014							27
28	002				006					004				28
29	090	060	022	022	011	57				57		022		29
30		X	002	004						030		008		30
31	X	X		X		X			X	068	X	021		31
TOTAL	321	457	349	096	072	029	302	001	176	525	894	242	3463	Year's Total
* Days with .01 in. or more.	8	16	13	13	9	2	18	1	13	17	21	16	147	
* Days with .04 in. or more.	67	13	10	7	5	1	12	0	10	14	17	14	110	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) [P.T.O.]

Section **A** for the
AIR

FORM 1090

RYDE - BINSTED

in the County of RY

Diameter of Funnel of G

Height of top of Gauge

Ground

THE MORNING

An observer who does not
year in the space on the

608/9

RYDE - BINSTED HOUSE

1940

FILE.
Station No 248966/32
ALL ORGANIZATION

40.

608/9

S DAY
following

Jan. 1, following

25

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1111		.48	—	.06	—	.02	—	—	—	.73	—		1
2		✓	—	—	—	—	—	—	—	—	.12	—		2
3	✓	✓	—	.11	—	—	—	—	—	—	.26	.10		3
4		✓	—	—	.05	—	—	—	—	.20	.12	.20		4
5		✓	—	—	—	—	.05	—	—	.50	.06	.10		5
6	✓	✓	—	—	—	—	—	—	—	—	.62	.25		6
7	✓	✓	—	—	—	—	.15	—	—	.50	.07	.10		7
8			—	—	—	—	.05	—	—	.03	.03	.01		8
9			—	—	—	—	—	—	.12	.48	.06	.33		9
10		(2.10)	—	—	—	—	.40	—	—	.26	.60	.10		10
11			—	—	—	—	.05	—	—	—	.10	.02		11
12			—	—	—	—	.05	—	.44	.12	1.52	.02		12
13		✓	.19	—	—	—	.02	—	.26	—	.05	.03		13
14			.54	—	—	—	.01	—	.02	—	1.60	.04		14
15			.09	.07	.03	—	—	—	.01	.26	.06	.01		15
16		✓	—	—	—	—	—	—	.10	.03	.65	.03		16
17			.36	—	—	.02	.10	—	.27	.84	1.62	.02		17
18		✓	.46	—	—	—	.02	—	.05	.05	.62	.08		18
19		.36	T	.27	—	—	T	—	—	—	.03	.12		19
20		.06	.16	.07	—	—	.05	—	.25	.10	.33	—		20
21		T	.02	.27	—	—	.15	—	.06	.40	.12	—		21
22		.01	—	.05	.02	—	.01	—	.03	.03	.33	T		22
23		T	.06	—	—	.20	.02	—	.26	.02	.03	T		23
24		.06	.20	—	—	—	.27	—	—	.01	.12	T		24
25		—	—	—	—	—	—	—	—	—	.02	—		25
26	✓	—	.46	.10	—	—	.05	—	—	—	—	—		26
27	✓	.25	.24	—	.35	—	.07	—	—	—	.02	.01		27
28	✓	.50	T	—	—	—	—	—	—	—	—	—		28
29	✓	—	—	—	.20	—	—	—	—	—	—	.02		29
30		X	.26	.25	—	—	—	—	—	—	.02	.25		30
31	✓	X	.02	X	—	X	—	—	X	.48	X	.17		31
TOTAL	(2.80)	(3.83)	3.06	1.85	.65	.92	1.32	—	1.87	4.31	9.18	2.26	Year's Total	"d"
* Days with .01 in. or more.	(8)	(16)	13+4	98	56	32	17+8	—	12	18+7	23+4	22+1	(146)	
* Days with .04 in. or more.	(7)	(14)	11+2	98	34	1	12	—	9	13+2	20+1	13+2	(112)	

* See Instruction 3 (f) on other side.

Spate column, no entries required.

(Signed)

Charles Marchmont.

P.T.O.

Section

A

for the entry of Daily Observations

FILE
Station No 248966/32

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934.

608/9

Kept at BINSTEAD HOUSE GARDENS
in the County of RYDE ISLE OF WIGHT

January Feb

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground...1.....ft. in.
" Ground " Sea Level ...12.....ft.

Cond for WD

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

25

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	111		.48	—	.06	—	.02	—	—	—	.73	—		1
2		✓	—	—	—	—	—	—	—	—	.12	—		2
3	✓	✓	—	.11	—	—	—	—	—	—	.26	.10		3
4		✓	—	—	.05	—	—	—	—	.20	.12	.20		4
5		✓	—	—	—	—	.05	—	—	.50	.06	.10		5
6	✓	✓	—	—	—	—	—	—	—	—	.62	.25		6
7	✓	✓	—	—	—	—	.15	—	—	.50	.07	.10		7
8			—	—	—	—	.05	—	—	.03	.03	.01		8
9			—	—	—	—	—	—	.12	.48	.06	.33		9
10		(2.10)	—	—	—	—	.40	—	—	.26	.60	.10		10
11			—	—	—	—	.05	—	—	—	.10	.02		11
12			—	—	—	—	.05	—	.44	.12	1.52	.02		12
13		✓	.19	—	—	—	.02	—	.26	—	.05	.03		13
14			.54	—	—	—	.01	—	.02	—	1.60	.04		14
15			.09	.07	.03	—	—	—	.01	.26	.06	.01		15
16		✓	—	—	—	—	—	—	.10	.03	.65	.03		16
17			.36	—	—	.02	.10	—	.27	.84	1.62	.02		17
18		✓	.46	—	—	—	.02	—	.05	.05	.62	.08		18
19			.36	T	.27	—	T	—	—	—	.03	.12		19
20			.06	.16	.07	—	.05	—	.25	.10	.33	—		20
21		T	.02	.27	—	—	.15	—	.06	.40	.12	—		21
22		.01	—	.05	.02	—	.01	—	.03	.03	.33	T		22
23		T	.06	—	—	.20	.02	—	.26	.02	.03	T		23
24		.06	.20	—	—	—	.27	—	—	.01	.12	T		24
25		—	—	—	—	—	—	—	—	—	.02	—		25
26	✓	—	.46	.10	—	—	.05	—	—	—	—	—		26
27	✓	.25	.24	—	.55	—	.07	—	—	—	.02	.01		27
28	✓	.50	T	—	—	—	—	—	—	—	—	—		28
29	✓	—	—	—	.20	—	—	—	—	—	—	.02		29
30		X	.26	.25	—	—	—	—	—	—	.02	.25		30
31	✓	X	.02	X	—	X	—	—	X	.48	X	.17		31
TOTAL	(2.80)	(3.82)	3.56	1.85	.65	.92	1.32	—	1.87	4.31	9.18	2.26	Year's Total	
* Days with .01 in. or more.	(8)	(15)	13+4	98	56	32	17+8	—	12	1817	2324	2221	(146)	
* Days with .04 in. or more.	(7)	(14)	11+2	98	34	1	12	—	9	1312	2021	13+2	(112)	

* See Instruction 3 (f) on other side.

Spate column, no entries required

(Signed)

Charles Marchmont

P.T.O.

Kept at the Waterworks Pump
in the County of Cowes Isle

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

Ground Sea Level 161 ft.

609
COWES W.W

1931 - 1940

780113

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.18		.01		.01	.23				1
2	.29			.50				.20	.43			.10	2
3	.07	.05	.66	.05	.08			.02	.29		.04	.17	3
4			.09		.04		.18	.14	.20	.14	.28		4
5		.14		.25		.39	.02		.02		.01	.14	5
6		.13		.28	.03	.11		.02	.01	.10	.29	.06	6
7					.35	.16		.35		.03	.39		7
8		.15			.10	.31	.12	.09		.01	.08	.06	8
9		.19		.02		.11	.06				.87	.02	9
10	.02	.05				.23	.03	.02			.89		10
11	.17	.35							.05		.40		11
12		.02					.04	.01	.14		.01		12
13							.46	.07					13
14	.02	.20				.02	.67	.19	.02				14
15	.02	.02			.10		.23	.23				.03	15
16		.03		.05	.28	.14		.03	.21				16
17		.13		.05			.33		.18				17
18	.05		.03	.03		.17	.18	.75	.01		.36		18
19	.12		.05	.05		.02		.04			.01		19
20		.11		.12				.28			.07		20
21	.03				.24						.07		21
22	.50		.36	.04							.01		22
23	.38			.08	.30	.01			.01		.39		23
24	.02			.73	.14	.44	.24	.47				.02	24
25	.08			.35	.13		.16				.03		25
26		.03		.18			.36				1.42		26
27	.16	.27			1.32		.74				.04		27
28	.06	.06	.02	.07	.05							.07	28
29	.08	X			.45		.11		.02	.02	.02		29
30	.01	X	.02		.04		.03	.02			.05		30
31	.39	X		X		X			X		X	.03	31
TOTAL	2.47	1.93	1.23	3.03	3.65	2.12	3.66	2.97	1.80	.60	5.73	.70	YEAR'S TOTAL 23.89
*Days with ".01 in. or more.	18	16	7	17	15	13	17	18	13	5	21	10	17
*Days with ".04 in. or more.	12	12	4	15	14	9	14	12	8	9	15	6	12

40-9999

*See Instruction 2 (f) on other side.

(Signed)

John G. Webster

P.T.O.

M. Inst. W/B

Section **A**

for the entry of Daily

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at the ~~Waterworks~~ Pumping Station.
in the County of ~~Down~~ Isle of Wight.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 161 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.18		.01		.04	.23				1
2	.29			.50				.20	.43			.10	2
3	.07	.05	.66	.05	.08			.02	.29		.04	.17	3
4			.09		.04		.18	.14	.20	.14	.28		4
5		.14		.25		.39	.02		.02		.01	.11	5
6		.13		.28	.03	.11		.02	.01	.40	.29	.06	6
7					.35	.16		.35		.03	.39		7
8		.15			.10	.31	.12	.09		.01	.08	.06	8
9		.19		.02		.11	.06				.87	.02	9
10	.02	.05				.23	.03	.02			.89		10
11	.17	.35							.05		.40		11
12		.02					.04	.01	.14		.01		12
13							.16	.07					13
14	.02	.20				.02	.67	.19	.02				14
15	.02	.02			.10		.23	.23				.03	15
16		.03		.05	.28	.14		.03	.21				16
17		.13		.05			.33		.18				17
18	.05		.03	.03		.17	.18	.75	.01		.36		18
19	.12		.05	.05		.02		.04			.01		19
20		.11		.12				.28			.07		20
21	.03				.24						.07		21
22	.50		.36	.04							.01		22
23	.38			.08	.30	.01			.01		.39		23
24	.02			.73	.14	.44	.24	.47				.02	24
25	.08			.35	.13		.16				.03		25
26		.03		.18			.36				1.42		26
27	.16	.27			1.32		.74				.04		27
28	.06	.06	.02	.07	.05							.07	28
29	.08	X			.45		.11		.02	.02			29
30	.01	X	.02		.04		.03	.02			.05		30
31	.39	X		X		X			X		X	.03	31
TOTAL	2.47	1.93	1.23	3.03	3.65	2.12	3.66	2.97	1.80	.60	5.73	.70	YEAR'S TOTAL
*Days with or in. or more.	18 X 16 X 7 X 17 X 15 X 13 X 17 X 18 X 13 X 5 X 21 X 10 X												29.89
*Days with or more.	12	12	4	15	14	9	10	12	8	2	15	6	127

40-9999

*See Instruction 2 (f) on other side.

(Signed)

John Belcher

P.T.O.

M. Inst. W.B.

Section **A**

for the entry of Daily Observations.

Station No. 609.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at the Waterworks Pumping Station.
in the County of Cowes. Isle of Wight.

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.....in.
,, Ground ,, Sea Level 161 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09			.15	1.42			.01					1
2				.29	.04			.02	.07		.02	.27	2
3				.10	.01	.22			.32				3
4	.02					.12	.04		.18				4
5	.40					.03			.04				5
6	.56			.08									6
7	.01			.01					.04	.31			7
8			.28	.04	.20				.29	.37			8
9	.10			.16	.09					.01	.08		9
10	.77	.03		.27	.07	.11			.02	.10	.02		10
11	.14			.03	.01			.09	.01	.03			11
12	.61					.01			.09	.40			12
13	.10			.22	.14		.25	.02		.88		.03	13
14	.27			.02	.05			.07			.17		14
15	.03			.03	1.44		.09			.05	.10		15
16	.07			.11			.04						16
17	.01			.08									17
18	.02				.06		.03		.03		.14		18
19	.01								.05	.35			19
20			.01	.07	.32			.57		1.21	.20		20
21				.08	1.03					.63		.12	21
22			.23		.06		.26	.48	.73	.40	.49		22
23	.03				.46		.28		.23	1.00		.13	23
24							.80		.09	.06			24
25			.08		.02		.67		.02	.40	.06		25
26			.26	.18			.06			.05			26
27				.30	.10	.10				.42			27
28				.06			.20			.03	.02		28
29			.23	.07	.08	.13	.09	.18	.45	.43		.14	29
30		X	.05	.26		.97	.03		.25		74	.27	30
31		X	.03	X		X	.14		X		X	.19	31
TOTAL	3.24	.03	1.17	2.61	5.60	1.69	2.98	1.44	2.91	7.13	2.04	1.15	31.99
*Days with or in. or more.	17	1	2	4	18	3	8	2	14	2	8	3	17
*Days with .04 in. or more.	10	0	6	17	15	6	12	5	13	16	8	6	114

John Webster

M.I.W.E.

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No.

609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at the Waterworks Pumping Station.

in the County of. Cowes Isle of Wight.

Diameter of Funnel of Gauge. 5 in.

Height of top of Gauge above Ground ft. in.

Ground Sea Level 161 ft.

9.10.23/1/34
Bago

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.69	.13									.15	1
2	.34		.73		.54								2
3	.04	.12	.29		.34								3
4	.40	.03											4
5			.65										5
6	.10	.28	.01		.20					.03	.08		6
7	.07		.05		.17					.17		.03	7
8	.02				.01		.30						8
9							.37			.02	.05		9
10		.18			.06		.06			.31			10
11	.20					.20		.07					11
12					.03		.09		1.54			.02	12
13	.02				.03		.36			.07	.04		13
14					.01		.03	.02		.40	.42		14
15	.62		.33				.10	.21		.20			15
16			.69			.12		.06	.11				16
17			.38			.03			.10				17
18	.54		.15			.23							18
19			.17						.31		.13		19
20		.02	.02			.25			.14				20
21								.26	.03	.03			21
22						.30		.12	.05	.24			22
23		Snow		.31	.05	.15			.22	.37			23
24		& rain	.75	.18					.16				24
25		.94		.36	.03	.11			.34		.11		25
26		.64		.13	.10				.06				26
27					.35					.18		.36	27
28				.03		.03	.64			.05		.01	28
29	.10	X		.10	.11				.02			.03	29
30	.11	X	.07				.04		.09			.04	30
31	.18	X		X		X			X	.01	X		31
TOTAL	2.82	3.65	3.67	1.11	2.03	1.42	1.99	.74	3.17	2.08	.72	.75	24.15
*Days with or in. or more.	14	9	13	6	14	9	9	6	13	13	5	48	2619
*Days with .04 in. or more.	12	7	11	5	9	7	8	5	11	9	5	44	93

40-9999

*See Instruction 2 (f) on other side.

(Signed)

John Colchester

P.T.O.

M.I.W.E.

Section



for the entry of Daily Observations.

Station No. 609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Waterworks Pumping Station
in the County of Conesdale of Wight

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 161 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.08		.27		.11		.91		1
2	.20		.08	.01	.21				1.14	.16	.01	.46		2
3	.06									.42		.28		3
4	.14		.13	.15	.13					.18		.37		4
5								.17		.15	.01	.51		5
6			.43	.03	.20			.06		.35	.28	.80		6
7	.04							.21		.37		.44		7
8					.26			.03	.12		1.00	.03		8
9	.03		.15								1.27	.54		9
10	.06		.20	.16				.07			.71	.06		10
11	.68		.35	.21			.30	.21				.36		11
12	.02		.04				.03	.18				.13		12
13	.44		.14	.08			.11				.03	.18		13
14	.17		.43							.01	.04	.90		14
15					.10				.03	.15	.09	.43		15
16	.19		.46		.01				.03			.22		16
17	.12		.04						.07	.01		.41		17
18	.07		.16	.28					.19			.11		18
19			.27						.31					19
20				.07			.01		.02					20
21				.25		.15			.01	.10		.15		21
22			.02					.15	.41	.05				22
23			.07	.32		.56		.06	.03					23
24				.10		.02	.29		.10					24
25	.25			.18					.02	.12		.75		25
26				.03		.24			.13			.04		26
27				.09								.50		27
28						.15		.79				.39		28
29		X						.22	.10					29
30		X						.03	.10			.34		30
31		X		X		X			X		X	.03		31
TOTAL	2.47	0.00	2.97	1.96	.91	1.20	.74	2.45	2.81	2.18	3.44	9.34	30.51	30.47
*Days with .01 in. or more.	14	0	15	14	6	6	5	13	16	13	9	25	25	136
*Days with .04 in. or more.	12	0	14	11	5	5	3	11	10	11	6	22	11	

† Spare column, no entries required.

*See Instruction 2 (f) on other side.

(Signed) John W. Webster M.L.W.C.

P.T.O.

X COWES W.W. (BRADFELD) X

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Waterworks Pumping Station
in the County of Cowes, Isle of Wight

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level 16.1 ft.

Deep looks low
under 1/26
leave in top
not to put
figures

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01		.25		.05	.09	2.05		.02	.20	.18	.03		1
2						.03				.38	.05			2
3			.05			.01			.38	.78	.06			3
4		.14	.15	.05		.08			.27	.10	.15	.06		4
5		.35		.11		.09			.38	.06	.02	.02		5
6			.07	.23		.77					.32			6
7				.32		.02				.07	1.12	.15		7
8				.20					.05	.35	.48			8
9	.12			.32		.59			.20	.63	.06			9
10	.50		.16			.04				.04	.65			10
11	.38	.02	.03			.03					.48			11
12	.04	.03				.19		.12	.05		.74			12
13	.06	.18		.15		.10					.03			13
14				.12	.04	.02					.04	.19		14
15		.14		.58		.09			.37	.02	.36			15
16		.04		.06					.24		1.14			16
17					.06	.25	.16				.31			17
18				.31	.14	.01	.33		.47	.03	.02			18
19				.06	.24	.04	.30		.07	.02	.27			19
20		.49		.02							.64			20
21		.39		.03			.04			.03				21
22		.09						.11	.20					22
23			.02		.02			.68		.38		.23	.23	23
24	.01	.62		.19	.13			1.31	.51	.03		.26	.26	24
25	.04	.06										.15	.15	25
26		.25							.04			.39	.39	26
27		.78						.19	.09		.07	.46	.46	27
28		.08			.16			.48	.15			.06	.06	28
29		X						.22	.42			.39	.39	29
30	.03	X		.07				.96	.05	.12	.26	.51	.51	30
31		X		X		X		.63	X	.45	X	.23	.23	31
TOTAL	1.18	3.66	.73	2.82	.84	2.45	2.88	4.70	3.96	3.69	7.45	3.13	26.59	37.49
* Days with .01 in. or more.	39	23	27	26	18	17	5	9	18	17	22	24	24	155
* Days with .04 in. or more.	6	11	5	14	7	11	5	9	17	12	19	18	128	155

40-9999

* See Instruction 2 (f) on other side. X A.E. SMITH, C.E. X

† Spare column, no entries required.

(Signed) A.E. Smith

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090.

REGISTER OF RAINFALL IN 1936

Kept at Waterworks Pumping Station.

in the County of Cowes, Isle of Wight.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

Ground Sea Level 161 ft.

1935 up. Gauge on top of reservoir
made 16/4/35
537044/86
fargo

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.21	.16	.01	.28		.53	.29				.14	.02		1
2		.02				.07		.07						2
3				.23		.03			.15		.54			3
4			.10			.07			.26		.27	.06		4
5	.46				.06			.03	.19		.04	.02		5
6	.59					.05			.21		.63			6
7	.12		.07				.04				.34	.07		7
8	.35		.08				.13				.72	.07		8
9	.23		.07				.52		.10					9
10							.50							10
11	.21	.43		.02			.08		.04		1.22	.01		11
12				.06	.04	.31	.27		.58		.17	.05		12
13										.05	.09	.35		13
14		.15				.10	.52			.03		.55		14
15		.03									.07	.25		15
16	.16	.24			.03		.10		.05		.08	.07		16
17		.41				.36	.01	.03	.08	.03	.12	.63		17
18	.10	.26				.57	.22					.07		18
19	.21	.03		.06		.85		.07		.02				19
20	.16	.04	.10	.16		.05			1.22					20
21		.07		.37		.05	.07							21
22	.08	.47	.28		.08		.16							22
23			.12	.10			.14			.05		.07		23
24	.12				.03					.28				24
25	.06		.35	.25						.12				25
26	.11	.10		.02		.32			.05	.07				26
27	.42	.01	.01				.16		.13	.09				27
28	.88		.24				.29					.10		28
29		.04	.02			.10				.10	.20	.02		29
30	.12	X			.05	.36				.01				30
31	.09	X	.28	X	.03	X	.15		X		X	.33		31
TOTAL	4.68	2.46	1.73	1.55	.32	3.82	3.65	.20	3.06	.85	4.63	2.74	29.69	
* Days with .01 in. or more.	19	15	13	10	7	15	17	4	12	11	14	17	15	
* Days with .04 in. or more.	19	11	10	8	4	14	16	2	12	7	14	13	130	

U. Smith

COPY FOR OFFICIAL USE

Section

A

for the entry of Daily Observations

Station No.

609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Waterworks Pumping Station, Cowes.

in the County of Isle of Wight.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft.....0 in.

" Ground " Sea Level 161.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.81			.12							.82	.47		1
2	.01	.73		.10					.05			.28		2
3	.02	.20												3
4	.08	1.12										.21		4
5	.17	.04	.09				.24							5
6	.12	.17	.41	.06	.03		.04							6
7		.29		.10						.12		(Rain & Snow)		7
8					.20									8
9				.23	.05	.05	.10		.83					9
10			.40	.24	.50	.24						.53		10
11	.01		.04	.01	.27	.03	.21					.04		11
12	.38	.23	.14	.17	.42	.22	.03	.23	.35			.27		12
13	.32	.03	.70	.06				.03	.04			.76		13
14	.02	.02	.10	.23				.36	.19			.02		14
15	.32	.18		.35			.63		.39			.19		15
16		.06	.24	.18		.10		.52	.25		.03			16
17	.55	.03	.08						.15		.12			17
18	.28	.07		.08					.03		.21	.23		18
19	.21	.05	.06	.18		.03						.02		19
20	.34	.	.22	.24		.11						.06		20
21	.40	.31		.03	.05		.01				.03	.06		21
22	.46	.04	.07		.13		.20			.75	.73	.08		22
23	.14	.10			.07		.11			.19	.43			23
24	.26	.43							.03	.55				24
25	.20	.40	.34		.98				.08	.51		.02		25
26		.30								.17				26
27		.07		.10						.41				27
28	.07	.06								.07				28
29	.09	X								.07	.02			29
30	.30	X								.16	.12			30
31	.42	X		X		X			X	.47	X			31
TOTAL	5.98	4.93	2.89	2.48	2.70	.78	1.57	1.14	2.39	3.47	2.51	6.45	37.29	
* Days with .01 in. or more.	24	22	18	17	10	7	9	4	11	11	9	16	153	
* Days with .04 in. or more.	20	19	13	15	9	5	7	3	9	11	6	13	180	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

Admitt Water Engineer [P.T.O.]

Comes

Section **A** for the entry of Daily Observations Station No. 609
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at Waterworks Pumping Station, COWES.
in the County of the Isle of Wight.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 1.61 ft.

1935, 6 + 7
f. 537044/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					.04	.03	.04		.19	.07		.03		1
2										.80		.03		2
3					.05					.75	.25			3
4							.16	.02		.08		.16		4
5							.22	.04		.27	.02			5
6	.10						.03		.16		.07			6
7							.98	.06	.02	.25		.03		7
8	.12						.08	.06		.28		.05		8
9	.18	.02								.02		.89		9
10	.05					.10	.05					.21		10
11	.22										.13	.14		11
12	.53				.06					.07				12
13	.41									.15	.38	.25		13
14	.35				.09		.05							14
15	.10	.04					.20			.55		.42		15
16	.44		.03					.07				.04		16
17		.16	.01		.04				.20	.39	.04			17
18	.12					.01		.05	.36	.11	.44			18
19									.30		.66	.02		19
20									.04		.52	.20		20
21									.11		.03	.12		21
22	.07					.02		.28			.30	.12		22
23									.04		.02			23
24			.24						.09		.37			24
25	.10	.02	.04		.06		.03		.03	.03	.64			25
26	.31	.17			.03	.01			.27	.07		.27		26
27	.12				.11	.30	.26				.31			27
28	.05	.07			.19	.12		.40	.07	.03		.02		28
29	.11	X			.30				.11		.24	.02		29
30	.03	X			.10				.05	.05	.37			30
31	.13	X	X	X	.24	X		X	.25	X	.24			31
TOTAL	3.54	.48	.32	.00	1.31	.59	2.10	.98	2.04	4.22	4.79	3.26	23.63	
* Days with .01 in. or more.	19	6	4	0	12	7	11	8	15	18	17	16	135	136
* Days with .04 in. or more.	18	4	2	0	11	3	9	7	13	15	14	11	107	109

Section



for the entry of Daily Observations

Station No.

609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Waterworks Pumping Station, COVES.

2/40 later ref exposure

in the County of the Isle of Wight.

1932 n.p. low

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft. 0.....in.

,, Ground ,, Sea Level 161.....ft.

f537044/36

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03		.04	.11	.06			.03	.12		.51	.03		1
2				.11				.59	.37		.04	.02		2
3	.35			.49				.07			.27	.50		3
4			.45	.12	.07		.39	.20		.96	.06			4
5			.04	.13	.11		.01	.02		.18	.73	.04		5
6	.39		.14	.03			.46	.01		.03	.39			6
7	.01	.11					.03	.04			.07	.40		7
8		.11	.09				.01			.63	.50	.19		8
9	.03							.22		.16	.18	.26		9
10	.14					.06		.23	.12	.36	.12			10
11			.18							.59	.04			11
12						.08				.10				12
13				.03		.06	.30			1.59		.04		13
14	.63				.02	.04	.05			.47	.63	.08		14
15	.42				.49	.58	.13		.03	.16	.42	.03		15
16	.37			.08	.02	.04	.22		.01	.16	.21			16
17	.10	.04			.08					1.14	.04			17
18	.06					.04	.84				.57			18
19	.27						.21		.02			.03		19
20	.42					.09		.11						20
21	.02	.14	.09			.03	.09		.01					21
22	.19	.34	.03			.17	.03				.13			22
23				.18			.20				.98			23
24	.46			.07		.17	.05							24
25	.67	.20	.03	.01		.07					.35			25
26								.01		.06	.30			26
27		.08	.03	.06		.10					.09			27
28		.22	.02			.03	.02				.18	.21	Snow.	28
29		X	.15	.01		.03	.12			.18	.02			29
30		X		.50						.29	.04	.03		30
31		X		X		X	.01	.17	X	.70	X			31
TOTAL	4.56	1.24	1.29	1.93	0.85	1.52	3.24	1.70	0.68	7.76	6.87	1.86	33.50	
* Days with .01 in. or more.	17	8	12	14	7	14	19	12	7	17	24	13	164	
* Days with .04 in. or more.	13	8	8	10	5	11	13	8	3	16	23	8	126	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

John H. Peale

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

609

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Broadfield Waterworks Cowes.

in the County of Isle of Wight.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground...1.....ft.....0.....in.

,, Ground ,, Sea Level 1.61.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1											.06			1
2		.15		.10	.02						.35	.03		2
3		.40								.18	.95	.43		3
4		.09					.02			.33	.01	.05		4
5							.15				.80	.29		5
6	.41	.35					.43			.42	.06	.03		6
7	.11	.29												7
8							.03		.08	.30	.04	.21		8
9									.03	.33	.49	.22		9
10							.75			.21	.07	.05		10
11							.04				1.20			11
12			.15				.40		.47					12
13			.55				.04		.11		1.63			13
14			.10	.05			.35		.08	.25		.60		14
15					.03		.36		.10	.08	.72			15
16		(.50)	.42	.03					.11	.58	1.17	.04		16
17			.50				.02				.20			17
18		.38	.12	.30					.17	.25		.14		18
19		.06		.11			.15		.48		.48			19
20				.01					.03	.21	.03			20
21					.02				.03		.42			21
22			.02	.02		.20			.06					22
23		.03	.17		.02						.04			23
24							.25				.01			24
25			.65		.02		.03							25
26	1.00	.24	.13		.34		.05							26
27	.47	.30		.27			.11							27
28	.49	.02			.11					.03				28
29	.52	.45	.16	.02	.22							.28		29
30	.02	X								.32		.08		30
31	.02	X		X		X			X	.49	X	.19		31
TOTAL	3.04	3.26	2.97	0.91	0.78	0.20	3.18	0.00	.75	3.98	8.73	2.64	Year's Total	31.44
* Days with .01 in. or more.	8	10	11	9	8	1	16		12	14	19	14	425	26
* Days with .04 in. or more.	6	10	10	5	5	1	12		9	13	16	12	97	98

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

[P.T.O.]

Section **A** for the e
AIR MI
FORM 1090.

Kept at 020
in the County of
Diameter of Funnel of Gauge
Height of top of Gauge above
Ground

THE MORNING M

An observer who does not conf
year in the space on the right

610
OSBORNE HOUSE
1931 - 1940

610
COPY FOR OFFICIAL USE.
TISH RAINFALL ORGANIZATION.
IN 1931.

REVIOUS DAY.

January 1st of the following

Jan. 1, following

Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.3	.3	. . .	26	. . .	.4	. . .	6	.19	.3	. . .	. . .	1
2	37	.6	. . .	66	. . .	. . .	. . .	27	.54	.2	. . .	. . .	2
3	.3	. . .	66	.9	.8	. . .	. . .	. . .	48	. . .	.6	29	3
4	.2	. . .	11	. . .	.9	. . .	17	.9	.26	.13	11	. . .	4
5	.2	.14	. . .	29	. . .	47	. . .	.9	.3	.2	.2	.16	5
6	.9	.19	. . .	38	.2	14	. . .	.2	.2	.49	.24	.5	6
7	. . .	. . .	. . .	. . .	48	16	. . .	33	.4	.3	.37	. . .	7
8	. . .	.20	. . .	.3	.9	30	15	.14	. . .	.1	.11	.9	8
9	.3	.18	. . .	. . .	. . .	.9	.4	. . .	. . .	. . .	.81	.3	9
10	. . .	.8	. . .	. . .	. . .	21	.4	.14	. . .	. . .	.84	. . .	10
11	.23	.38	. . .	. . .	. . .	. . .	.5	.2	.8	. . .	.37	. . .	11
12	.2	.2	. . .	. . .	. . .	. . .	. . .	. . .	.22	. . .	.2	. . .	12
13	. . .	. . .	. . .	. . .	. . .	. . .	. . .	.9	. . .	. . .	. . .	. . .	13
14	.3	.21	. . .	. . .	. . .	.3	.98	.19	.12	. . .	.2	. . .	14
15	.3	.3	.2	. . .	11	. . .	31	.16	.2	. . .	. . .	.4	15
16	. . .	.4	. . .	.7	28	12	. . .	.16	. . .	. . .	. . .	. . .	16
17	. . .	.78	. . .	.6	. . .	. . .	34	.2	.19	. . .	. . .	.1	17
18	.6	.2	.4	.3	. . .	14	16	.66	.7	. . .	.39	. . .	18
19	.12	. . .	. . .	11	. . .	.1	.5	.18	. . .	. . .	.2	. . .	19
20	. . .	.14	.5	.17	. . .	. . .	. . .	.33	. . .	. . .	.7	. . .	20
21	.4	. . .	. . .	. . .	24	. . .	. . .	. . .	. . .	. . .	.6	. . .	21
22	.50	.2	.39	.6	. . .	. . .	. . .	. . .	. . .	. . .	.2	. . .	22
23	.42	.2	. . .	.9	30	. . .	. . .	. . .	.1	. . .	.38	. . .	23
24	.3	. . .	. . .	.59	12	47	.26	.57	. . .	. . .	. . .	. . .	24
25	.9	. . .	. . .	.40	15	. . .	.8	. . .	. . .	. . .	.5	.3	25
26	. . .	.4	. . .	.12	. . .	. . .	.66	. . .	. . .	. . .	.76	.2	26
27	.23	.30	. . .	. . .	145	. . .	.64	. . .	. . .	. . .	.17	. . .	27
28	.5	.9	. . .	.9	.6	. . .	. . .	.2	. . .	.2	.8	.12	28
29	.12	. . .	.2	. . .	.50	. . .	.12	.4	. . .	.4	. . .	. . .	29
30	. . .	X	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	30
31	.44	X	.7	X	. . .	X	.2	. . .	X	. . .	X	.3	31
TOTAL	2.93	2.36	1.36	3.50	3.97	2.18	4.07	3.32	2.43	.79	4.97	.87	YEAR'S TOTAL 32.75
*Days with or in. or more.	22	20	8	17	14	12	16	19	15	9	21	11	184
*Days with or in. or more.	12	14	6	15	13	10	15	15	11	3	16	6	136

40-9999

*See Instruction 2 (f) on other side.

Signed) The House Governor X [P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931.

Kept at Ozborne
in the County of Hants
Diameter of Funnel of Gauge 2½ in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 127 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.3	.3	..	26	..	4	..	6	19	.3	..	..	1
2	37	.6	..	66	..	..	..	27	54	2	..	..	2
3	.3	..	66	.9	.8	..	..	..	48	..	.6	29	3
4	.2	..	11	..	.9	..	17	.9	26	13	11	..	4
5	.2	14	..	29	..	47	..	.9	.3	.2	.2	16	5
6	.2	19	..	38	.2	14	..	.2	.2	49	24	.5	6
7	..	..	..	..	48	16	..	33	.4	.3	37	..	7
8	..	20	..	3	.9	30	15	14	..	.1	11	.9	8
9	.3	18	..	..	..	19	.4	..	..	..	81	.3	9
10	..	.8	..	..	..	21	.4	.4	..	..	84	..	10
11	.23	38	..	..	..	..	5	.2	.8	..	37	..	11
12	.2	.2	..	..	..	..	..	..	22	..	.2	..	12
13	..	..	..	..	..	..	..	.9	..	..	..	..	13
14	.3	21	..	..	..	3	98	19	12	..	.2	..	14
15	.3	.3	.2	..	11	..	31	16	.2	..	..	.4	15
16	..	.4	..	.7	28	12	..	..	16	..	..	..	16
17	..	.78	..	.6	..	..	34	.2	19	..	..	.1	17
18	.6	.2	.4	.3	..	14	16	66	.7	..	39	..	18
19	.12	..	..	11	..	.1	5	18	..	..	.2	..	19
20	..	.14	.5	17	..	..	..	33	..	..	.7	..	20
21	.4	..	..	..	24	..	..	..	..	..	.6	..	21
22	50	.2	39	.6	..	..	..	..	..	..	.2	..	22
23	42	.2	..	.9	30	..	..	..	.1	..	38	..	23
24	.3	..	..	59	12	47	26	57	..	..	..	..	24
25	.9	..	..	40	15	..	.8	..	..	..	.5	.3	25
26	..	.4	..	12	..	..	66	..	..	..	76	.2	26
27	23	30	..	..	145	..	64	..	..	..	17	..	27
28	.5	.9	..	.9	.6	..	..	.2	..	.2	.8	12	28
29	12	..	.2	..	50	..	12	.4	..	.4	..	..	29
30	..	X	..	..	..	..	..	..	..	..	..	..	30
31	44	X	.7	X	..	X	.2	..	X	..	X	.3	31
TOTAL	2.93	2.36	1.36	3.50	3.97	2.18	4.07	3.32	2.43	.79	4.97	.87	YEAR'S TOTAL 32.75
*Days with or in. or more.	22	20	8	17	14	12	16	19	15	9	21	11	184
*Days with or in. or more.	12	14	6	15	13	10	15	15	11	3	16	6	136

Section

A

for the entry of Daily Observations.

Station No.

610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at Osborne Coast East Coastin the County of HampshireDiameter of Funnel of Gauge 9 in.Height of top of Gauge above Ground 1 ft. 6 in.,, Ground ,, Sea Level X177 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.2		.15	1.62			.9			.3		1
2				.31	.6			.3	.6		.1	.29	2
3				.18	.2	.29			.42			.3	3
4	.3					.16						.2	4
5	.42						.4		.17		.2		5
6	.66			.9		.2			.9			.2	6
7	.5			.2						.30			7
8	.2		.33	.4	.18				.25	.39			8
9	.15			.16	.14					.4	.5		9
10	.73			.36	.5	.11			.2	.19	.2		10
11	.32	.9		.9	.3			.2	.2	.5		.2	11
12	.69			.21					.11	.34			12
13	.5			.3	.16		.29	.4		1.03		.4	13
14	.26				.8			.10			.30	.2	14
15	.5				1.39		.30			.8	.10	.2	15
16	.8			.16	.2		.3		.1				16
17	.3			.9	.5		.2			.2			17
18	.3						.4		.4		.19	.1	18
19	.2								.8	.34		.2	19
20	.2		.3	.12	.37			.56		1.22	.36	.2	20
21			.4	.8	1.08					.62		.14	21
22	.4		.33	.2	.7	.1	.9	.45	.82	.30	.52		22
23	.4		.2		.55		.23		.29	.92		.14	23
24		.2					.96		.8	.9			24
25	.2						.70			.40	.5	.2	25
26			.9	.16	.11		.7			.7	.3	.1	26
27			.26	.31		.5				.60		.1	27
28				.4	.1		.22		.2	.8		.3	28
29			.26	.12	.9	.10		.14	.46	.36	.2	.17	29
30		X	.10	.25		1.03	.11	.2	.31		.79	.31	30
31		X	.4	X		X	.10		X		X	.22	31
TOTAL	3.83	.13	1.40	2.99	6.11	1.77	3.20	1.45	3.25	7.22	2.52	1.56	YEAR'S TOTAL 35.43
*Days with ".01 in. or more.	21	3	10	21	19	8	14	9	17	20	14	20	176
*Days with ".04 in. or more.	14	1	8	18	15	6	12	6	13	18	8	7	126

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Major General,
House Governor.

P.T.O.

Section

A

for the entry of Daily Observations.

Station No.

610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

in the County of

Diameter of Funnel of Gauge 9 in.

Height of top of Gauge above Ground 1 ft. 3 in.

Ground Sea Level 177 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	12	68	13								2	5		1
2	22	2	72		78									2
3	07	15	35											3
4	38				42						2			4
5	12		65											5
6	2	26	1		25					7	9			6
7	10	2	4		17					19				7
8	4		2		2		35					6		8
9	2	2					44			2	6			9
10		18			9		7	2		33				10
11	26					28		10						11
12	2				5				2.05		1			12
13	2				5		40	2	15	8	5			13
14					8		2			41	45			14
15	53		28				9	31		31	2	3		15
16	2		67			14			9					16
17		2	40			3		8	11					17
18	45		19			30								18
19		2	31						50		14	3		19
20			4	6		23			19					20
21			2					18	7	4				21
22				44		23		13	8	29				22
23				11	13	19			21	40	2			23
24		87		40					11					24
25		1.19		10	2	33			31			19		25
26		.81							14		1	2		26
27		2		2	39				2	20		4.1		27
28				11	6		53			5		3		28
29	12		2						3	2		6		29
30	14	X	6				5		15			8		30
31	16	X		X		X			X	2	X			31
TOTAL	2.76	4.30	3.92	1.24	2.57	1.73	1.95	.84	4.11	24.3	.89	.96	27.04	
*Days with ".01 in. or more.	18	13	16	7	13	8	8	7	15	14	11	10	140	
*Days with ".04 in. or more.	12	8	12	6	11	7	7	5	13	11	5	6	103	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

MAJOR GENERAL,

HOUSE GOVERNOR, OSBORNE, T.O.

Section



for the entry of Daily Observations.

Station No.

610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Osborne

in the County of Hampshire

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 177 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	—	—	—	—	.09		.26		.13	.02	.77		1
2	.23	—	.10	.02	.39	.01			1.03	.20	.02	.55		2
3	.10	.02								.38		.36		3
4	.14		.16	.21	.15				.02	.19	.02	.41		4
5	.02		.02					.17		.23	.02	.60		5
6	.02		.50	.06	.24			.02		.40	.39	.85		6
7	.04							.29		.36	.01	.39		7
8	.02				.27			.03	.20		1.21	.06		8
9	.05		.12						.03		1.31	.46		9
10	.08		.19	.24				.06			.88	.05		10
11	.19		.38	.25			.19	.42			.01	.34		11
12	.03	.03	.06				.04	.19			.04	.14		12
13	.42		.19	.09			.15	.01			.03	.26		13
14	.20		.49							.02	.09	.90		14
15	.02	.02			.11					.15	.11	.45		15
16	.19		.56		.01				.02		.03	.26		16
17	.15		.04	.03					.04	.02		.39		17
18	.15	.01	.22	.34					.08		.01	.30		18
19	.01	.01	.34						.42	.01	.01	.16		19
20	.01		.03	.09					.07	.02	.01	.02		20
21		.01		.31		.17	.03	.01	.03					21
22			.01					.11	.45	.08		.18		22
23				.38		.61		.04	.05	.05		.01		23
24		.03	.07	.10		.04	.21		.11	.04				24
25	.30			.12					.05	.16		.78		25
26	.03			.08		.22			.12	.02		.16		26
27	.06			.25						.01		.52		27
28						.34		.64				.44		28
29							.03	.17	.10			.02		29
30	.05	X						.03	.09			.41		30
31	.01	X		X		X			X		X	.05		31
TOTAL	3.14	.13	3.51	2.57	1.17	1.48	.65	2.48	2.92	2.47	4.22	10.59	35.33	Year's Total
* Days with .01 in. or more.	25	2	17	15	6	7	6	15	17	18	18	29	180	
* Days with .04 in. or more.	15	—	14	13	5	6	4	10	13	12	4	26	125	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

MAJOR GENERAL,

HOUSE GOVERNOR, OSBORNE.

Section

A

for the entry of Daily Observations.

Station No.

610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at

Oakham, Berks. lower li.

in the County of

Berk.

Diameter of Funnel of Gauge

5

in.

Height of top of Gauge above Ground

1

ft.

in.

,, Ground

,, Sea Level

127

ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03		.20		.08	.14	2.58		.03	.18	.25	.04		1
2						.04				.64	.07	.02		2
3			.10						.30	.91	.05			3
4		.17	.01	.05		.02			.27	.17	.28	.08		4
5		.48	.21	.14		.10			.28	.18	.05	.04		5
6		.02	.08	.29		.83				.01	.63	.01		6
7				.41	.01	.03			.02	.09	1.37	.18		7
8	.01		.01	.27					.27	.38	.49	.02		8
9	.17			.26		.89				.70	.07			9
10	.40		.21			.08				.04	.47	.02		10
11	.27	.02	.04			.06				.01	.47			11
12	.03	.04				.26		.13	.09		.68			12
13	.05	.19	.01	.20	.04	.05			.02		.09			13
14	.01	.01		.16	.05	.04			.02	.03	.04	.21		14
15	.01	.15		.67		.08			.35	.04	.42	.02		15
16		.06	.01	.15					.24	.01	1.29			16
17					.08	.28	.04		.08		.11			17
18		.01		.36	.21	.02	.25		.55	.05	.04			18
19		.02		.09	.22	.05	.24		.09	.03	.30			19
20		.44		.04	.01	.01	.11		.02	.01	.74			20
21		.48	.02	.05			.04		.01	.05	.01			21
22		.10	.03					.11	.17		.02			22
23	.01				.02			.66		.44		.32		23
24	.03	.41			.14			1.42	.64	.05		.36		24
25	.06	.06		.20	.01			.03		.01	.03	.21		25
26		.38						.19	.05	~~05~~		.56		26
27		.84						.41	.10	.01	.07	.56		27
28		.14			.30				.21		.02	.14		28
29					.03			.11	.41		.02	.50		29
30	.07	X		.07				1.19	.05	.13	.32	.63		30
31		X		X		X		.01	X	.44	X	.29		31
TOTAL	1.15	4.32	1.03	3.51	1.20	2.98	3.26	4.26	4.27	4.61	8.40	4.21	43.20	
* Days with .01 in. or more.	13	19	12	16	13	17	6	10	23	24	27	19	199	
* Days with .04 in. or more.	6	14	6	16	8	13	6	8	17	16	22	14	146	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

MAJOR GENERAL

HOUSE GOVERNOR, OSBORNE, T.O.

Section

A

for the entry of Daily Observations

Station No.

610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at OSBORNE HOUSE, EAST COVES

in the County of ISLE OF WIGHT

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. — in.

,, Ground ,, Sea Level 17.7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25	.27	.03	.30	—	.50	.31				.18	.04		1
2		.03		.02		.10	.02	.09	.01		.03	.01		2
3				.24		.01	.02		.15		.65			3
4			.14			.08	.05		.22		.19	.09		4
5	.55		.01		.09			.05	.17		.08	.03		5
6	.68					.05		.01	.24		.88			6
7	.18		.09								.48	.04		7
8	.40		.13				.05				.76	.15		8
9	.32		.10				.58		.14		.02			9
10							.45				.02			10
11	.29	.44		.05			.08		.01		1.64	.01		11
12	.01			.08	.01	.34	.35		.48		.31	.10		12
13	.01			.01		.02				.07	.10	.49		13
14		.17		.01		.11	.70			.04		.59		14
15		.05							.03	.01	.11	.34		15
16	.19	.34			.04		.12		.05		.13	.09		16
17	.01	.74				.40	.02	.04	.10	.05	.16	.76		17
18	.14	.26				.71	.26					.11		18
19	.26	.03	.05	.03		1.06		.09	.02					19
20	.19	.08	.12	.23		.03	.07		1.12	.02				20
21		.11		.48		.06								21
22	.19	.59	.35		.18		.17		.01	.01		.12		22
23	.04		.17	.12			.16			.06				23
24	.15	.01	.02		.01		.01		.02	.31	.01			24
25	.29		.35	.28			.01			.14	.01			25
26	.10	.12	.01	.04		.26			.07	.07		.01		26
27	.47	.02	.02						.06	.12				27
28	.96		.28				.22			.01		.13		28
29	.02	.06	.04			.04				.11	.24	.05		29
30	.15	X			.05	.31				.02		.01		30
31	.11	X	.36	X	.03	X	.16		X	.04	X	.36		31
TOTAL	5.66	3.32	2.27	1.89	.41	4.08	3.92	.28	2.91	1.08	6.01	3.53	35.35	Year's Total
* Days with .01 in. or more.	24	46	17	13	7	16	20	5	17	15	19	20	189	
* Days with .04 in. or more.	20	12	12	9	4	13	15	4	11	10	14	15	139	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

HOUSE GOVERNOR, OSBORNE HOUSE

[P.T.O.]

14th January 1937.

Major-General

Section

A

for the entry of Daily Observations

Station No.

610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at *Osborne*in the County of *Lancs.*Diameter of Funnel of Gauge.....*5*.....in.Height of top of Gauge above Ground.....*1*.....ft.....in.,, Ground ,, Sea Level.....*124*.....ft.KING EDWARD VII.
Convalescent Home
for Officers
OSBORNE, I.W.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	<i>1.07</i>	<i>.03</i>	<i>-</i>	<i>.18</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>1.03</i>	<i>.45</i>		1
2	<i>.03</i>	<i>.44</i>	<i>-</i>	<i>.12</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>.02</i>	<i>.14</i>		2
3	<i>.04</i>	<i>.22</i>	<i>.02</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>		3
4	<i>.11</i>	<i>1.21</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>.24</i>		4
5	<i>.23</i>	<i>.06</i>	<i>.11</i>	<i>.02</i>	<i>-</i>	<i>-</i>	<i>.34</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>		5
6	<i>.19</i>	<i>.23</i>	<i>.58</i>	<i>.08</i>	<i>.05</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>.03</i>		6
7	<i>-</i>	<i>.61</i>	<i>-</i>	<i>.11</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>.18</i>	<i>-</i>	<i>2.45</i>		7
8	<i>.01</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>.32</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>		8
9	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.40</i>	<i>.05</i>	<i>.05</i>	<i>.10</i>	<i>-</i>	<i>.93</i>	<i>-</i>	<i>-</i>	<i>-</i>		9
10	<i>.01</i>	<i>-</i>	<i>.54</i>	<i>.39</i>	<i>.70</i>	<i>.26</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.64</i>		10
11	<i>.03</i>	<i>-</i>	<i>.05</i>	<i>.01</i>	<i>.45</i>	<i>.10</i>	<i>.21</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.41</i>		11
12	<i>.46</i>	<i>.27</i>	<i>.23</i>	<i>.24</i>	<i>.31</i>	<i>.25</i>	<i>.04</i>	<i>.30</i>	<i>.39</i>	<i>-</i>	<i>-</i>	<i>.92</i>		12
13	<i>.38</i>	<i>.03</i>	<i>.89</i>	<i>.11</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>.06</i>		13
14	<i>.04</i>	<i>.03</i>	<i>.09</i>	<i>.15</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>.48</i>	<i>.19</i>	<i>-</i>	<i>-</i>	<i>.28</i>		14
15	<i>.42</i>	<i>.16</i>	<i>-</i>	<i>.40</i>	<i>-</i>	<i>-</i>	<i>.75</i>	<i>-</i>	<i>.40</i>	<i>-</i>	<i>-</i>	<i>-</i>		15
16	<i>.01</i>	<i>.10</i>	<i>.36</i>	<i>.22</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>.54</i>	<i>.24</i>	<i>-</i>	<i>.03</i>	<i>-</i>		16
17	<i>.71</i>	<i>.04</i>	<i>.14</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.14</i>	<i>-</i>	<i>.16</i>	<i>.04</i>		17
18	<i>.33</i>	<i>.11</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>.01</i>	<i>.34</i>	<i>.26</i>		18
19	<i>.23</i>	<i>.04</i>	<i>.08</i>	<i>.20</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.05</i>		19
20	<i>.38</i>	<i>-</i>	<i>.15</i>	<i>.15</i>	<i>-</i>	<i>.18</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.09</i>		20
21	<i>.49</i>	<i>.34</i>	<i>.03</i>	<i>.05</i>	<i>.04</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>.01</i>	<i>.86</i>	<i>.09</i>	<i>.08</i>		21
22	<i>.58</i>	<i>.04</i>	<i>.10</i>	<i>-</i>	<i>.15</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.32</i>	<i>.44</i>	<i>.09</i>		22
23	<i>.16</i>	<i>.13</i>	<i>.01</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>.22</i>	<i>-</i>	<i>.01</i>	<i>.49</i>	<i>.53</i>	<i>.02</i>		23
24	<i>.38</i>	<i>.52</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.91</i>	<i>.01</i>	<i>.03</i>		24
25	<i>.25</i>	<i>.38</i>	<i>.49</i>	<i>-</i>	<i>1.12</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.15</i>	<i>.23</i>	<i>-</i>	<i>.07</i>		25
26	<i>.01</i>	<i>.40</i>	<i>-</i>	<i>.13</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>.45</i>	<i>.02</i>	<i>-</i>		26
27	<i>-</i>	<i>.11</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.10</i>	<i>-</i>	<i>-</i>		27
28	<i>.15</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.09</i>	<i>-</i>	<i>-</i>		28
29	<i>.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.18</i>	<i>.03</i>	<i>-</i>		29
30	<i>.46</i>	<i>X</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.41</i>	<i>.14</i>	<i>-</i>		30
31	<i>.44</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>-</i>	<i>X</i>	<i>.01</i>	<i>X</i>	<i>-</i>		31
TOTAL	<i>4.67</i>	<i>6.02</i>	<i>3.92</i>	<i>2.98</i>	<i>3.30</i>	<i>.95</i>	<i>1.45</i>	<i>1.41</i>	<i>2.40</i>	<i>4.59</i>	<i>3.14</i>	<i>6.90</i>	Year's Total <i>45.36</i>	✓✓
* Days with .01 in. or more.	<i>28</i>	<i>23</i>	<i>18</i>	<i>19</i>	<i>14</i>	<i>4</i>	<i>8</i>	<i>4</i>	<i>15</i>	<i>15</i>	<i>14</i>	<i>20</i>	<i>185</i>	✓✓
* Days with .04 in. or more.	<i>22</i>	<i>20</i>	<i>13</i>	<i>15</i>	<i>10</i>	<i>6</i>	<i>4</i>	<i>4</i>	<i>9</i>	<i>12</i>	<i>9</i>	<i>15</i>	<i>190</i>	✓✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed)

MAJOR GENERAL,
HOUSE GOVERNOR, OSBORNE,

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No.

610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1938

Kept at

Osborne Gardens

in the County of

Hampshire

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.

,, Ground ,, Sea Level.....12.4 ft.

Ann. Total Corr. for Air R. 21.2.37.
C.M.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	.	.	.	.11	.08	.01	.	.24	.04	.	.06		1
2	.	.	.	.01	.	.	.	.	.	.89	.02	.04		2
3	.	.	.	.	.04	.	.02	.	.	.84	.24	.01		3
4	.01	.	.01	.	.	.	.23	.	.	.06	.	.16		4
5	.	.	.01	.	.	.	.26	.10	.	.42	.02	.		5
6	.14	.	.01	.	.	.	.04	.24	.18	.05	.08	.03		6
7	.3	.	.01	.	.	.	.66	.	.05	.32	.02	.05		7
8	.14	.	.	.	.	.	.12	.16	.	.26	.02	.23		8
9	.21	.04	.	.	.	.	.02	.06	.	.05	.	.92		9
10	.	.	.	.	.	.23	.04	.	.	.02	.01	.23		10
11	.28	.	.	.	.	.	.01	.	.	.	.16	.19		11
12	.58	.	.	.	.08	.	.02	.04	.	.08	.01	.02		12
13	.52	.	.	.	.	.	.	.	.	.14	.43	.81		13
14	.45	.	.02	.	.11	.	.08	.	.02	.	.01	.01		14
15	.15	.04	.	.	.02	.	.23	.	.	.54	.01	.56		15
16	.54	.02	.05	.	.	.	.	.09	.	.02	.01	.09		16
17	.	.21	.03	.	.06	.	.	.	.12	.45	.09	.		17
18	.14	.	.	.	.02	.02	.	.	.34	.14	.51	.		18
19	.01	.	.	.	.	.	.	.04	.25	.	.64	.02		19
20	.	.	.	.	.	.	.	.	.06	.01	.68	.		20
21	.5	.	.	.	.	.	.	.	.14	.	.04	.		21
22	.4	.	.	.	.	.03	.	.34	.02	.01	.34	.		22
23	.2	.	.	.	.	.	.	.	.10	.	.04	.		23
24	.	.02	.25	.	.	.	.	.	.13	.	.44	.		24
25	.12	.03	.04	.	.11	.	.03	.	.	.04	.80	.06		25
26	.39	.20	.	.	.04	.02	.	.	.35	.11	.	.30		26
27	.15	.01	.	.	.15	.29	.40	.	.	.	.31	.		27
28	.4	.12	.	.	.19	.14	.	.39	.84	.	.02	.05		28
29	.2	.	.	.	.33	.01	.	.	.34	.04	.28	.05		29
30	.5	~~X~~	.	.	.10	.	.	.	.04	.05	.36	.		30
31	.16	~~X~~	.	~~X~~	.24	~~X~~	.	.	~~X~~	.29	~~X~~	.24		31
TOTAL	4.33	.42	.46	.01	1.66	.85	2.20	1.55	2.54	4.99	5.41	3.66	Year's Total	28.46
* Days with .01 in. or more.	23	9	9	1	14	8	15	9	16	23	26	21		1.44
* Days with .04 in. or more.	18	5	3	—	12	4	9	9	14	19	16	16		1.25

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed)

H. A. G. Schur

[P.T.O.]

Section



for the entry of Daily Observations

Station No. 610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at *Osborne Park*in the County of *Hampshire*

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1 ft.....in.

,, Ground ,, Sea Level 12.7.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.	.06	.14	.09	.	-	.03	.14	-	1.04	.05		1
2	-	-	-	.13	.	.	-	.49	.36	-	.05	.05		2
3	.36	.	-	.53	-	.	.02	.14	.01	.	.34	.40		3
4	.06	.02	.54	.08	.10	-	.31	.26	.	1.19	.09	.02		4
5	-	.02	.04	.25	.16	.	.01	.02	.	.19	.42	.08		5
6	.26	.01	.29	.03	.	-	.44	.03	.	-	.25	-		6
7	.02	.19	.	.	.	-	.04	.08	-	-	.10	.49		7
8	.05	.15	.11	.	.	.	.02	-	-	.59	.63	.28		8
9	.19	-	-	.	.	-	.	.26	-	.30	.36	.29		9
10	-	-	.22	-	.	.11	.	.23	.15	.36	.20	.01		10
11	-	-	.	.	-	-	-	-	-	.40	.03	.		11
12	.06	-	.	.	-	.14	-	.	.	.04	L.	.		12
13	.01	-	-	.02	-	.11	.42	.	.02	1.62	L.	.14		13
14	.42	-	-	.04	.03	.04	.01	-	-	.46	.41	.14		14
15	.42	.	.	-	.54	.49	.04	.	.05	.24	.39	.05		15
16	.35	-	.02	.11	.04	.14	.28	-	.02	.43	.38	-		16
17	.09	.05	.	-	.12	.03	.01	-	-	1.11	.04	-		17
18	.13	-	-	-	.	.02	.43	-	-	.02	.40	.02		18
19	.30	.	.01	-	-	.14	.23	-	.01	.02	-	.05		19
20	.44	-	-	-	-	.05	.01	.23	-	.	-	.		20
21	.03	.14	.09	-	.	.21	.14	.	.01	-	-	.		21
22	.29	.22	.02	-	.01	.01	.04	.	.	-	.08	-		22
23	-	.01	.01	.29	-	-	.24	.	.	-	1.09	.02		23
24	.54	.01	.02	.06	-	.23	.10	.	.	.02	.02	-		24
25	.42	.22	.03	.21	-	-	.04	-	-	.10	.46	.02		25
26	-	-	-	-	-	-	.	.03	-	.09	.36	.03		26
27	-	.10	.05	.04	-	.11	-	.	-	-	.18	.		27
28	-	.30	.03	-	-	.05	.03	.	-	-	.21	.21		28
29	-	.	.08	.03	-	.04	.14	.	-	.25	.03	.06		29
30	-	X	-	.60	-	-	.01	.	-	.28	.09	-		30
31	-	X	-	X	-	X	.03	.11	X	.40	X	L.		31
TOTAL	5.14	1.44	1.65	2.62	1.12	1.95	3.49	1.94	.80	8.44	8.64	2.41	Year's Total	✓
* Days with .01 in. or more.	20	13	16	15	8	16	23	12	9	20	25	19	196	✓
* Days with .04 in. or more.	14	8	9	12	6	13	14	8	4	14	22	13	143	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(Signed)

[P.T.O.]

Section

A

for the entry of Daily Observations

Station No. 610

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1934

Kept at 051 one San Jose

in the County of Hampshire.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. in.

,, Ground ,, Sea Level.....124 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.01	-	-	-	-	-	-	-	-	.14	-		1
2	-	.19	-	.08	.04	-	.02	-	-	-	.33	.06		2
3	-	.46	-	-	-	-	-	-	-	.22	1.19	.42		3
4	.01	.09	-	-	-	-	-	-	-	.34	.04	.04		4
5	-	.01	-	-	-	-	.18	-	-	-	.91	.30		5
6	.53	.34	-	-	-	-	.34	-	-	.55	.08	.06		6
7	.11	.34	-	.02	-	-	-	-	-	-	-	-		7
8	.01	.02	-	-	-	-	.05	-	.04	.23	.02	.22		8
9	-	-	-	-	-	-	-	-	.03	.29	.44	.25		9
10	-	-	-	-	-	-	.54	-	-	.33	.09	.09		10
11	-	-	-	-	-	-	-	-	-	-	1.19	-		11
12	-	-	.15	-	-	-	.43	-	.40	-	-	-		12
13	-	.02	.54	-	-	-	.12	-	-	.02	1.91	-		13
14	-	-	.21	-	-	-	.25	-	.30	.32	-	.60		14
15	-	-	-	-	-	.02	.42	-	.09	.02	.44	.02		15
16	-	.51	.38	.05	-	-	.04	-	.12	.43	1.49	.06		16
17	-	-	.54	-	-	-	-	-	-	-	.28	.02		17
18	-	.42	.15	.31	-	-	-	-	.04	.34	.02	.15		18
19	-	.08	-	.10	-	-	.23	-	.46	.02	.34	-		19
20	-	.02	-	.04	-	-	.01	-	.04	.25	.04	-		20
21	-	.02	-	-	.01	-	-	-	.04	.02	.41	-		21
22	-	-	-	-	-	.22	-	-	-	.02	.01	-		22
23	-	.04	.14	.03	.04	-	-	-	.02	-	.06	-		23
24	-	-	-	.01	-	-	.24	-	-	.01	.01	.01		24
25	-	-	.61	.01	.03	-	.04	-	-	-	.01	-		25
26	1.19	.25	.31	-	.33	-	.06	-	-	-	-	-		26
27	.53	.39	-	-	-	-	.23	-	-	-	-	-		27
28	.55	.02	-	-	.12	-	-	-	-	.03	-	.01		28
29	-	.54	.22	.23	-	.03	-	-	-	-	-	.24		29
30	.18	~~X~~	.02	.08	-	-	-	-	-	.32	-	.05		30
31	.14	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	.40	~~X~~	.23		31
TOTAL	3.25	3.80	3.30	.96	.54	.24	3.53	—	1.64	4.82	9.84	2.89	Year's Total 34.84	
* Days with .01 in. or more.	9	19	11	11	6	3	16	—	11	19	22	18	145	
* Days with .04 in. or more.	7	12	10	7	4	1	14	—	9	12	14	14	104	

† Spare column, no entries required.

(Signed)

P. Stuan

[P.T.O.]

* See Instruction 3 (f) on other side.

COWES (PLACE ROAD)

Section **A** for the entry of D
AIR MINISTRY

FORM 1090

REGIST

Kept at *H.M. Coastguard Blackgang*

in the County of *Dorset*

Diameter of Funnel of Gauge... *5"*

Height of top of Gauge above Ground... *Blackgang 230*

Ground *Blackgang* Sea Level

THE MORNING MEASUREMENT

An observer who does not conform to year in the space on the right of this

Please

Station No. *610/2*
LL ORGANIZATION

8

from Cl Blackgang

add cows on

at of ground level at

164

5 DAY

Jan. 1, following

following

610/2

COWES - PLACE ROAD

1938

780113

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					03	05	T		T	09	T	03	1
2	<i>f.666921/26</i>				07		05		29	13	05	04	2
3					06				T	64	38		3
4							16	02		75	01	11	4
5							25	06		35	03	03	5
6							08		20	35	05	02	6
7						02	78	08	04	18	01	T	7
8							10		T	15	07	05	8
9							T			07		85	9
10						25	05				01	23	10
11											06	16	11
12						07	T				49	T	12
13										15		31	13
14						11	T		01		15	44	14
15							28			48			15
16							T		27	10	10	15	16
17						05			03	36	T		17
18							04		35	20	T	37	18
19									21		45	03	19
20									15		1.02	51	20
21							01		12		03	S	21
22									T		34	S	22
23									15		T	S	23
24									T		41		24
25						09		03	31	05	53	53	25
26						03				10	T	05	26
27							32	20	05	07	02	25	27
28						20	15		39	15	05	T	28
29						31	T			08	09	31	29
30						12	T				07	27	30
31						25				25		17	31
TOTAL					1.42	874	1.98	140	2.42	423	4.99	3.31	Year's Total
* Days with .01 in. or more.					11	3	10	25	15	31	20	1821	1422
* Days with .04 in. or more.					9	5	9	23	13	21	15	1416	1422

H. W. HAWKES ESQ.
* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *H. W. Hawkes*

[P.T.O.]

Section



for the entry of Daily Observations

Station No.

610/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at *H.M. Coastguard Blackgang & Wykebe*

in the County of *Dorset* Place *RA Cowes*

Diameter of Funnel of Gauge... *5* in.

Height of top of Gauge above Ground... *1* ft. *0* in.

" Ground *Blackgang 220* Sea Level... *164* ft.

Rain gauge was moved from Ch Blackgang to Wykebe Place Road Cowes on 9 April 1938. Height of ground level at Blackgang 220. Cowes - 164

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					03	05	T		T	09	T	03		1
2	<i>f. 666921/26</i>				0T	.	05		29	13	05	04		2
3					06	.			T	64	38	.		3
4						.	16	02		75	01	11		4
5							25	06		35	03	03		5
6	<i>Station previously at Blackgang (H.M. Coastguard)</i>	<i>Blackgang</i>	<i>Str. 59</i>	<i>Mount</i>			08		20	35	05	02		6
7						02	78	05	04	18	01	T		7
8							10		T	15	0T	05		8
9							T			07	.	85		9
10						25	05				01	23		10
11											06	16		11
12					07		T				49	T		12
13										15	.	31		13
14					11		T		01	.	15	44		14
15							28		.	48	.	.		15
16							T		27	10	10	15		16
17					05				03	36	T	.		17
18						04			25	20	T	8T		18
19									21		45	003		19
20									15		1.02	51		20
21	<i>Station moved to Blackgang (H.M. Coastguard)</i>	<i>Blackgang</i>	<i>Str. 59</i>	<i>Mount</i>		01			12		03	S	4	21
22								T	T		34	S	4	22
23									15		T	S	0	23
24									T		41	.	0	24
25						09		03	31	05	53	53	4	25
26					03					10	T	05		26
27						32	20	05	07	02	25	04		27
28					30	15		39	15	05	.	T		28
29					31	T			08	09	31	03		29
30					12	T				07	27	.		30
31					25	X			X	25	X	17		31
TOTAL					1.42	874	1.98	140	2.42	423	4.99	3.31	Year's Total	
* Days with .01 in. or more.					11	3	10	25	15	27	20	18	21	147
* Days with .04 in. or more.					9	5	9	23	13	21	15	14	16	112

H. W. HAWKES ESQ.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *H. W. Hawkes*

[P.T.O.]

Kept at *Spring Hill*
in the County of *Tele*

Diameter of Funnel of Gauge.....
Height of top of Gauge above Gr
,, Ground ,, Sea

611
SPRING HILL - EAST COWES

1931 - 1936

THE MORNING MEA

An observer who does not conform
year in the space on the right of

Jan. 1, following

780113

Date	Jan.	Feb.	March								ov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	-	fr.	.22	-	.03	-	.05	.23	-	-	-	1
2	.26	.03	-	.60	-	-	-	.20	.42	-	-	.07	2
3	.09	-	.66	.03	.08	-	.02	.01	.34	-	.03	.15	3
4	-	-	.09	fr.	.04	-	.15	.14	.22	.11	.33	-	4
5	-	.14	fr.	.22	-	.42	.10	.01	.01	fr.	.02	.12	5
6	-	.14	-	.31	.03	.08	.10	fr.	fr.	.40	.20	.06	6
7	-	-	-	-	.32	.14	.05	.29	.02	.01	.25	fr.	7
8	-	.15	-	.02	.08	.28	.15	.07	-	fr.	.09	.06	8
9	.03	.15	fr.	fr.	-	.07	.05	fr.	-	-	.76	.01	9
10	fr.	.03	-	-	-	.20	.04	.02	-	-	.82	-	10
11	.16	.34	-	-	fr.	fr.	-	-	.04	-	.43	-	11
12	.01	-	-	-	-	-	.06	fr.	.18	-	-	-	12
13	-	-	-	-	-	-	.19	.11	-	-	fr.	-	13
14	.02	.18	fr.	fr.	-	.01	.03	.72	.23	.06	-	-	14
15	.02	.02	-	-	.09	-	.29	.14	.01	-	fr.	.02	15
16	-	.03	-	.05	.27	.08	-	.04	.17	-	-	-	16
17	-	.10	-	.05	-	-	.29	-	.17	-	-	-	17
18	.05	.01	.02	.02	-	.14	.15	.76	.02	-	.35	-	18
19	.12	-	-	.04	-	.01	.01	.02	-	-	.03	-	19
20	-	.09	.04	.12	-	-	-	.28	-	-	.07	-	20
21	.02	-	.02	-	.22	-	-	-	-	-	.08	-	21
22	.44	-	.39	.07	fr.	-	-	-	-	-	-	-	22
23	.28	-	-	.07	.31	-	-	-	-	-	.35	fr.	23
24	.03	-	-	.62	.13	.44	.24	.49	-	-	.02	.02	24
25	.07	-	-	.34	.13	-	.12	-	-	-	.02	-	25
26	-	.02	-	.13	-	-	.42	-	-	-	.00	-	26
27	.18	.25	-	fr.	.34	-	.54	-	-	fr.	.03	-	27
28	.06	.06	-	.06	.09	-	-	-	-	-	-	.19	28
29	.09	X	fr.	-	.49	-	.09	.01	-	.01	.02	fr.	29
30	.02	X	.04	-	fr.	-	-	.01	-	-	.05	-	30
31	.37	X	-	X	.04	X	.01	-	X	-	X	.03	31
TOTAL	2.30	1.74	1.26	2.97	3.64	1.92	3.79	2.88	1.89	.53	4.85	.73	YEAR'S TOTAL 28.50
*Days with or in. or more.	20	16	7	17	16	12	21	18	13	4	20	10	174
*Days with or in. or more.	12	10	5	14	13	9	18	12	9	2	13	6	123

40-9999 * Snow

*See Instruction 2 (f) on other side.

(Signed) *George Shadden*

P.T.O.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1931 .

Kept at *Spring Hill, East Cowes*
in the County of *Isle of Wight*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Ground Sea Level *123* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	<i>tr.</i>	.22	—	.03	—	.05	.23	—	—	—	1
2	.26	.03	—	.60	—	—	—	.20	.42	—	—	.07	2
3	.09	—	.66	.03	.08	—	.02	.01	.34	—	.03	.15	3
4	—	—	.09 <i>tr.</i>	<i>tr.</i>	.04	—	.15	.14	.22	.11	.33	—	4
5	—	.14 <i>tr.</i>	<i>tr.</i>	.22	—	.42	.10	.01	.01 <i>tr.</i>	<i>tr.</i>	.02	.12	5
6	—	.14	—	.31	.03	.08	.10 <i>tr.</i>	<i>tr.</i>	.40	.20	.06	—	6
7	—	—	—	—	.32	.14	.05	.29	.02	.01	.25 <i>tr.</i>	—	7
8	—	.15	—	.02	.08	.28	.15	.07	— <i>tr.</i>	—	.09	.06	8
9	.03	.15 <i>tr.</i>	<i>tr.</i>	<i>tr.</i>	—	.07	.05 <i>tr.</i>	—	—	—	.76	.01	9
10	<i>tr.</i>	.03	—	—	—	.20	.04	.02	—	—	.82	—	10
11	.16	.34	—	— <i>tr.</i>	<i>tr.</i>	—	—	—	.04	—	.43	—	11
12	.01	—	—	—	—	—	.06 <i>tr.</i>	—	.18	—	—	—	12
13	—	—	—	—	—	—	.19	.11	—	—	<i>tr.</i>	—	13
14	.02	.18 <i>tr.</i>	<i>tr.</i>	—	.01	.03	.72	.23	.06	—	—	—	14
15	.02	.02	—	—	.09	—	.29	.14	.01	—	<i>tr.</i>	.02	15
16	—	.03 [*]	—	.05	.27	.08	—	.04	.17	—	—	—	16
17	—	.10 [*]	—	.05	—	—	.29	—	.17	—	—	—	17
18	.05	.01	.02	.02	—	.14	.15	.76	.02	—	.35	—	18
19	.12	—	—	.04	—	.01	.01	.02	—	—	.03	—	19
20	—	.09	.04	.12	—	—	—	.28	—	—	.07	—	20
21	.02	—	.02	—	.22	—	—	—	—	—	.08	—	21
22	.44	—	.39	.07 <i>tr.</i>	<i>tr.</i>	—	—	—	—	—	—	—	22
23	.28	—	—	.07	.31	—	—	—	—	—	.35 <i>tr.</i>	—	23
24	.03	—	—	.62	.13	.44	.24	.49	—	—	.02	.02	24
25	.07	—	—	.34	.13	—	.12	—	—	—	.02	—	25
26	—	.02	—	.13	—	—	.42	—	—	—	.40	—	26
27	.18	.25	— <i>tr.</i>	<i>tr.</i>	.34	—	.54	—	—	<i>tr.</i>	.03	—	27
28	.06	.06 [*]	—	.06	.09	—	—	—	—	—	—	.19	28
29	.09	<i>x</i>	<i>tr.</i>	—	.49	—	.09	.01	—	.01	.02 <i>tr.</i>	<i>x</i>	29
30	.02	<i>x</i>	.04	— <i>tr.</i>	<i>tr.</i>	—	—	.01	—	—	.05	—	30
31	.37	<i>x</i>	—	<i>x</i>	.04	<i>x</i>	.01	—	<i>x</i>	—	<i>x</i>	.03 [*]	31
TOTAL	2.30	1.74	1.26	2.07	3.64	1.92	3.79	2.88	1.89	.53	4.85	.73	YEAR'S TOTAL 28.50
*Days with or in. or more.	20	16	7	17	16	12	21	18	13	4	20	10	174
*Days with or more.	12	10	5	14	13	9	18	12	9	2	13	6	123

40-9999 *x snow*

*See Instruction 2 (f) on other side.

(Signed) *George Shedden*

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at *Spring Hill East Caves*
in the County of *Isle of Wight*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *123* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.07</i>	<i>trace</i>	—	<i>.14</i>	<i>1.50</i>	—	—	<i>trace</i>	<i>trace</i>	<i>trace</i>	<i>trace</i>	—	1
2	<i>trace</i>	—	—	<i>.27</i>	<i>.03</i>	—	—	<i>.02</i>	<i>.07</i>	—	<i>trace</i>	<i>.25</i>	2
3	—	—	—	<i>.13</i>	<i>.01</i>	<i>.24</i>	—	—	<i>.34</i>	<i>.01</i>	—	<i>trace</i>	3
4	<i>.02</i>	—	—	—	—	<i>.12</i>	<i>.02</i>	—	—	—	<i>.01</i>	<i>trace</i>	4
5	<i>.34</i>	—	—	—	—	<i>.01</i>	<i>.01</i>	—	<i>.13</i>	—	—	—	5
6	<i>.48</i>	—	—	<i>.08</i>	—	—	<i>trace</i>	—	<i>.03</i>	—	—	—	6
7	<i>.01</i>	—	—	<i>.02</i>	—	—	—	—	<i>.02</i>	<i>.27</i>	—	—	7
8	<i>trace</i>	—	<i>.31</i>	<i>.01</i>	<i>.18</i>	—	—	—	<i>.28</i>	<i>.40</i>	—	—	8
9	<i>.13</i>	<i>trace</i>	—	<i>.13</i>	<i>.09</i>	—	—	—	<i>trace</i>	<i>trace</i>	<i>.03</i>	—	9
10	<i>.71</i>	<i>.08</i>	—	<i>.26</i>	<i>.06</i>	<i>.11</i>	—	—	<i>.01</i>	<i>.10</i>	<i>.02</i>	—	10
11	<i>.16</i>	—	—	<i>.07</i>	<i>.01</i>	—	—	<i>.03</i>	<i>.01</i>	<i>.02</i>	<i>trace</i>	<i>trace</i>	11
12	<i>.49</i>	—	—	<i>trace</i>	<i>trace</i>	<i>trace</i>	—	<i>.02</i>	<i>.08</i>	<i>.40</i>	—	<i>trace</i>	12
13	<i>.05</i>	<i>.01</i>	—	<i>.19</i>	<i>.13</i>	—	<i>.25</i>	<i>trace</i>	<i>trace</i>	<i>.90</i>	—	<i>.03</i>	13
14	<i>.25</i>	—	—	<i>.02</i>	<i>.06</i>	—	—	<i>.07</i>	—	<i>trace</i>	<i>.18</i>	<i>trace</i>	14
15	<i>.03</i>	—	—	<i>.02</i>	<i>1.35</i>	—	<i>.26</i>	—	—	<i>.04</i>	<i>.12</i>	<i>trace</i>	15
16	<i>.05</i>	—	—	<i>.12</i>	<i>trace</i>	—	<i>.02</i>	—	<i>trace</i>	—	<i>trace</i>	<i>trace</i>	16
17	<i>.01</i>	—	—	<i>.07</i>	—	—	<i>.01</i>	—	<i>trace</i>	—	—	—	17
18	<i>.02</i>	—	—	—	<i>.06</i>	—	<i>.02</i>	—	<i>.02</i>	—	<i>.16</i>	—	18
19	<i>.02</i>	—	—	<i>trace</i>	—	—	—	—	<i>.05</i>	<i>.28</i>	<i>trace</i>	—	19
20	—	—	<i>.02</i>	<i>.11</i>	<i>.30</i>	—	<i>.06</i>	<i>.53</i>	—	<i>1.13</i>	<i>.25</i>	—	20
21	—	—	<i>.04</i>	<i>.03</i>	<i>1.06</i>	—	<i>trace</i>	—	—	<i>.56</i>	<i>trace</i>	<i>.12</i>	21
22	<i>.02</i>	—	<i>.20</i>	<i>trace</i>	<i>.04</i>	<i>.01</i>	<i>.15</i>	<i>.37</i>	<i>.80</i>	<i>.37</i>	<i>.39</i>	<i>trace</i>	22
23	<i>.04</i>	<i>trace</i>	<i>trace</i>	—	<i>.56</i>	—	<i>.24</i>	—	<i>.26</i>	<i>.78</i>	<i>trace</i>	<i>.11</i>	23
24	—	<i>.01</i>	—	—	<i>trace</i>	—	<i>.75</i>	—	<i>.08</i>	<i>.05</i>	<i>trace</i>	—	24
25	—	—	—	—	<i>trace</i>	—	<i>.62</i>	—	<i>trace</i>	<i>.38</i>	<i>.05</i>	<i>trace</i>	25
26	—	—	<i>.08</i>	<i>.11</i>	—	—	<i>.07</i>	—	—	<i>.06</i>	<i>.01</i>	—	26
27	—	—	<i>.22</i>	<i>.26</i>	<i>.08</i>	<i>.05</i>	<i>.01</i>	—	—	<i>.48</i>	—	—	27
28	—	—	<i>trace</i>	<i>.04</i>	<i>.01</i>	—	<i>.14</i>	—	<i>trace</i>	<i>.02</i>	<i>trace</i>	<i>.02</i>	28
29	—	—	<i>.22</i>	<i>.10</i>	<i>.07</i>	<i>.11</i>	—	<i>.17</i>	<i>.42</i>	<i>.34</i>	<i>trace</i>	<i>.15</i>	29
30	—	X	<i>.07</i>	<i>.21</i>	<i>.01</i>	<i>.82</i>	<i>.09</i>	—	<i>.25</i>	—	<i>.68</i>	<i>.27</i>	30
31	—	X	<i>.04</i>	X	—	X	<i>.14</i>	—	X	<i>trace</i>	X	<i>.18</i>	31
TOTAL	<i>2.90</i>	<i>.10</i>	<i>1.20</i>	<i>2.39</i>	<i>5.61</i>	<i>1.47</i>	<i>2.86</i>	<i>1.21</i>	<i>2.85</i>	<i>6.59</i>	<i>1.90</i>	<i>1.13</i>	YEAR'S TOTAL <i>30.21</i>
*Days with ".01 in. or more.	<i>18</i>	<i>3</i>	<i>9</i>	<i>21</i>	<i>19</i>	<i>8</i>	<i>17</i>	<i>7</i>	<i>16</i>	<i>19</i>	<i>11</i>	<i>8</i>	<i>156</i>
*Days with ".04 in. or more.	<i>11</i>	<i>1</i>	<i>8</i>	<i>16</i>	<i>14</i>	<i>6</i>	<i>11</i>	<i>4</i>	<i>11</i>	<i>16</i>	<i>7</i>	<i>6</i>	<i>111</i>

REGISTER OF RAINFALL IN 1933 . Station No. 611

Kept at *Spring Hill, East Cove*
in the County of *Isle of Wight*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Ground Sea Level *123* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.09</i>	<i>.56</i>	<i>.12</i>	<i>-</i>	<i>trace</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>trace trace</i>	<i>-</i>	<i>.04</i>	1
2	<i>.17</i>	<i>-</i>	<i>.59</i>	<i>-</i>	<i>.68</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	2
3	<i>.02</i>	<i>.12</i>	<i>.23</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	3
4	<i>.31</i>	<i>.02</i>	<i>trace</i>	<i>-</i>	<i>.33</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>trace</i>	<i>-</i>	4
5	<i>.09</i>	<i>trace</i>	<i>.52</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	5
6	<i>.01</i>	<i>.23</i>	<i>trace</i>	<i>-</i>	<i>.22</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>.08</i>	<i>-</i>	6
7	<i>.10</i>	<i>trace</i>	<i>.03</i>	<i>-</i>	<i>.28</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.20</i>	<i>trace</i>	<i>.04</i>	7
8	<i>.01</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>.32</i>	<i>-</i>	<i>-</i>	<i>trace trace</i>	<i>-</i>	<i>-</i>	8
9	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.33</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>.04</i>	<i>-</i>	9
10	<i>trace</i>	<i>.11</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>-</i>	<i>.05</i>	<i>.01</i>	<i>-</i>	<i>.28</i>	<i>-</i>	<i>-</i>	10
11	<i>.21</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.22</i>	<i>-</i>	<i>.10</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>trace</i>	11
12	<i>trace</i>	<i>-</i>	<i>-</i>	<i>trace</i>	<i>.04</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>1.75</i>	<i>-</i>	<i>-</i>	<i>.04</i>	12
13	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>.29</i>	<i>.03</i>	<i>.01</i>	<i>.04</i>	<i>.03</i>	<i>-</i>	13
14	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.06</i>	<i>-</i>	<i>.01</i>	<i>trace</i>	<i>-</i>	<i>.44</i>	<i>.36</i>	<i>trace</i>	14
15	<i>.49</i>	<i>-</i>	<i>.23</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>.18</i>	<i>-</i>	<i>.18</i>	<i>-</i>	<i>-</i>	15
16	<i>-</i>	<i>-</i>	<i>.57</i>	<i>-</i>	<i>-</i>	<i>.12</i>	<i>-</i>	<i>-</i>	<i>.10</i>	<i>trace trace</i>	<i>-</i>	<i>-</i>	16
17	<i>-</i>	<i>-</i>	<i>.31</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>-</i>	<i>.05</i>	<i>.08</i>	<i>-</i>	<i>-</i>	<i>-</i>	17
18	<i>.55</i>	<i>trace</i>	<i>.14</i>	<i>-</i>	<i>-</i>	<i>.32</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	18
19	<i>trace trace</i>	<i>.19</i>	<i>trace</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.43</i>	<i>-</i>	<i>.14</i>	<i>.01</i>	19
20	<i>-</i>	<i>.01</i>	<i>.03</i>	<i>.01</i>	<i>-</i>	<i>.20</i>	<i>-</i>	<i>-</i>	<i>.19</i>	<i>-</i>	<i>-</i>	<i>trace</i>	20
21	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.36</i>	<i>.02</i>	<i>.03</i>	<i>-</i>	<i>-</i>	21
22	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.18</i>	<i>-</i>	<i>.10</i>	<i>.05</i>	<i>.25</i>	<i>-</i>	<i>-</i>	22
23	<i>-</i>	<i>.03</i>	<i>-</i>	<i>.35</i>	<i>.06</i>	<i>.13</i>	<i>-</i>	<i>-</i>	<i>.23</i>	<i>.38</i>	<i>-</i>	<i>-</i>	23
24	<i>-</i>	<i>.64</i>	<i>-</i>	<i>.12</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.13</i>	<i>trace</i>	<i>-</i>	<i>-</i>	24
25	<i>-</i>	<i>1.05</i>	<i>-</i>	<i>.34</i>	<i>.01</i>	<i>.09</i>	<i>-</i>	<i>-</i>	<i>.28</i>	<i>-</i>	<i>trace</i>	<i>.11</i>	25
26	<i>-</i>	<i>.60</i>	<i>-</i>	<i>.11</i>	<i>.06</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.09</i>	<i>trace</i>	<i>-</i>	<i>trace</i>	26
27	<i>-</i>	<i>trace</i>	<i>-</i>	<i>-</i>	<i>.39</i>	<i>-</i>	<i>trace</i>	<i>-</i>	<i>.01</i>	<i>.16</i>	<i>-</i>	<i>.36</i>	27
28	<i>-</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>trace</i>	<i>.52</i>	<i>trace</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>.02</i>	28
29	<i>.11</i>	<i>X</i>	<i>-</i>	<i>.08</i>	<i>.06</i>	<i>-</i>	<i>trace</i>	<i>-</i>	<i>.01</i>	<i>trace</i>	<i>-</i>	<i>.03</i>	29
30	<i>.11</i>	<i>X</i>	<i>.07</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>.12</i>	<i>-</i>	<i>-</i>	<i>.07</i>	30
31	<i>.14</i>	<i>X</i>	<i>trace</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>-</i>	<i>X</i>	<i>.02</i>	<i>X</i>	<i>-</i>	31
TOTAL	<i>2.42</i>	<i>3.37</i>	<i>3.04</i>	<i>1.05</i>	<i>2.32</i>	<i>1.28</i>	<i>1.70</i>	<i>.83</i>	<i>3.50</i>	<i>2.08</i>	<i>.65</i>	<i>.72</i>	YEAR'S TOTAL <i>22.96</i>
*Days with "or in. or more.	<i>15</i>	<i>10</i>	<i>13</i>	<i>7</i>	<i>14</i>	<i>8</i>	<i>9</i>	<i>7</i>	<i>15</i>	<i>13</i>	<i>5</i>	<i>9</i>	<i>125</i>
*Days with ".04 in. or more.	<i>11</i>	<i>7</i>	<i>10</i>	<i>6</i>	<i>11</i>	<i>7</i>	<i>8</i>	<i>5</i>	<i>11</i>	<i>10</i>	<i>4</i>	<i>6</i>	<i>96</i>

Section

A

for the entry of Daily Observations.

Station No. 611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Spring Hill, East Cowes*
in the County of *Isle of Wight*

Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. — in.,, Ground ,, Sea Level *123* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	—	—	<i>tr</i>	.06	—	.22	—	.12	.01	~~.08~~		1
2	.20	—	.08	.02	.39	—	—	<i>tr</i>	<u>1.00</u>	.18	.02	.39		2
3	.02	<i>tr</i>	—	—	—	—	—	—	—	.35	—	.31		3
4	.11	—	.11	.20	.12	—	—	—	—	.14	.01	.33		4
5	.01	—	<i>tr</i>	<i>tr</i>	<i>tr</i>	—	—	.17	—	.09	.02	.50		5
6	<i>tr</i>	—	.43	.03	.19	—	—	.06	—	.38	.32	.77		6
7	.02	—	—	—	—	—	—	.25	—	.31	<i>tr</i>	.35		7
8	—	—	—	—	.26	—	—	.02	.16	<i>tr</i>	<u>1.09</u>	.05		8
9	.03	.01	.09	—	<i>tr</i>	—	—	—	<i>tr</i>	—	<u>1.09</u>	.50		9
10	.07	—	.17	.18	—	—	—	.06	—	—	.94	.05		10
11	.62	.01	.41	.23	—	—	.31	.19	—	—	<i>tr</i>	.33		11
12	.01	<i>tr</i>	.03	—	—	—	.04	.17	—	—	.04	.13		12
13	.35	—	.10	.07	—	—	.14	<i>tr</i>	—	—	—	.23		13
14	.15	—	.47	<i>tr</i>	—	—	—	<i>tr</i>	—	.01	.06	.87		14
15	<i>tr</i>	—	—	—	.08	—	—	—	<i>tr</i>	.12	.12	.53		15
16	.11	—	.43	—	.03	—	—	—	.02	—	<i>tr</i>	.20		16
17	.09	—	.04	.01	—	—	—	—	.65	.01	<i>tr</i>	.35		17
18	.06	—	.19	.27	—	—	—	—	.16	—	<i>tr</i>	.33		18
19	—	—	.29	—	—	<i>tr</i>	—	—	.31	—	.01	.07		19
20	—	—	.03	.05	.01	<i>tr</i>	.02	—	.01	.01	.01	<i>tr</i>		20
21	<i>tr</i>	<i>tr</i>	—	.24	—	.12	—	.01	.01	.08	—	.01		21
22	—	<i>tr</i>	—	—	—	—	—	.12	.36	.05	<i>tr</i>	.16		22
23	—	<i>tr</i>	—	.29	—	.60	—	.10	.05	<i>tr</i>	—	<i>tr</i>		23
24	.01	<i>tr</i>	.07	.09	—	.02	.18	<i>tr</i>	.08	<i>tr</i>	—	—		24
25	.25	—	—	.13	—	—	—	—	.02	.13	<i>tr</i>	.73		25
26	.01	—	—	.04	—	.22	.01	—	.09	<i>tr</i>	—	.06		26
27	.02	—	—	.14	—	—	—	—	<i>tr</i>	<i>tr</i>	—	.50		27
28	<i>tr</i>	—	—	<i>tr</i>	—	.27	—	.69	—	—	<i>tr</i>	.39		28
29	—	X	—	—	—	—	<i>tr</i>	.30	.09	<i>tr</i>	<i>tr</i>	.01		29
30	.04	X	—	—	—	—	—	.03	.10	—	<i>tr</i>	.30		30
31	.01	X	—	X	—	X	<i>tr</i>	—	X	<i>tr</i>	X	.04		31
TOTAL	2.22	.02	2.94	1.99	1.08	1.29	.70	2.39	3.11	1.98	3.74	~~9.31~~	30.77	
*Days with or in. or more.	21	2	15	15	7	6	6	14	15	14	13	28	156	
*Days with .04 in. or more.	12	—	13	12	5	5	4	11	11	11	7	26	117	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

George Sheiden

[P.O.]

Section

A

for the entry of Daily Observations.

Station No.

611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Spring Hill, East Cowes*
in the County of *Isle of Wight*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
" Ground " Sea Level *123* ft.*Beantree 1st amended by surrounding station.*
Observed informed 26/4/35.
Observed again 27/4/35. *Handl.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	—	—	—	<i>tr</i>	.06	—	.22	—	.12	.01	~~.80~~		1
2	.20	—	.08	.02	.39	—	—	<i>tr</i>	1.00	.18	.02	.39		2
3	.04	<i>tr</i>	—	—	—	—	—	—	—	.35	—	.31		3
4	.11	—	.11	.20	.12	—	—	—	—	.14	.01	.33		4
5	.01	—	<i>tr</i>	<i>tr</i>	<i>tr</i>	—	—	.17	—	.09	.02	.50		5
6	<i>tr</i>	—	.43	.03	.19	—	—	.06	—	.38	.32	.44		6
7	.02	—	—	—	—	—	—	.25	—	.31	<i>tr</i>	.35		7
8	—	—	—	—	.26	—	—	.02	.16	<i>tr</i>	1.09	.05		8
9	.03	.01	.09	—	<i>tr</i>	—	—	—	<i>tr</i>	—	1.09	.50		9
10	.04	—	.17	.18	—	—	—	.06	—	—	.94	.05		10
11	.62	.01	.41	.23	—	—	.31	.19	—	—	<i>tr</i>	.33		11
12	.01	<i>tr</i>	.03	—	—	—	.04	.17	—	—	.04	.13		12
13	.35	—	.10	.04	—	—	.14	<i>tr</i>	—	—	—	.23		13
14	.15	—	.44	<i>tr</i>	—	—	—	<i>tr</i>	—	.01	.06	.84		14
15	<i>tr</i>	—	—	—	.08	—	—	—	<i>tr</i>	.12	.12	.55		15
16	.11	—	.43	—	.03	—	—	—	.02	—	<i>tr</i>	.20		16
17	.09	—	.04	.01	—	—	—	—	.65	.01	<i>tr</i>	.35		17
18	.06	—	.19	.24	—	—	—	—	.16	—	<i>tr</i>	.33		18
19	—	—	.29	—	—	<i>tr</i>	—	—	.31	—	.01	.04		19
20	—	—	.03	.05	.01	<i>tr</i>	.02	—	.01	.01	.01	<i>tr</i>		20
21	<i>tr</i>	<i>tr</i>	—	.24	—	.12	—	.01	.01	.08	—	.01		21
22	—	<i>tr</i>	—	—	—	—	—	.12	.36	.05	<i>tr</i>	.16		22
23	—	<i>tr</i>	—	.29	—	.60	—	.10	.05	<i>tr</i>	—	<i>tr</i>		23
24	.01	<i>tr</i>	.04	.09	—	.02	.18	<i>tr</i>	.08	<i>tr</i>	—	—		24
25	.25	—	—	.13	—	—	—	—	.02	.13	<i>tr</i>	.43		25
26	.01	—	—	.04	—	.22	.01	—	.09	<i>tr</i>	—	.06		26
27	.02	—	—	.14	—	—	—	—	<i>tr</i>	<i>tr</i>	—	.50		27
28	<i>tr</i>	—	—	<i>tr</i>	—	.24	—	.69	—	—	<i>tr</i>	.39		28
29	—	X	—	—	—	—	<i>tr</i>	.30	.09	<i>tr</i>	<i>tr</i>	.01		29
30	.04	X	—	—	—	—	—	.03	.10	—	<i>tr</i>	.30		30
31	.01	X	—	X	—	X	<i>tr</i>	—	X	<i>tr</i>	X	.04		31
TOTAL	2.22	.02	2.94	1.99	1.08	1.29	.40	2.39	3.11	1.98	3.74	9.31	Year's Total	
*Days with .01 in. or more.	21	2	15	15	4	6	6	14	15	14	13	28	156	
*Days with .04 in. or more.	12	—	13	12	5	5	4	11	11	11	4	26	114	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

George Sheddens

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No. 611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at *Spring Hill, East Cowes*
in the County of *Isle of Wight*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *123* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	T ₂	.27	—	.07	.09	3.00	—	.02	.18	.25	.01		1
2	T ₂	—	T ₂	—	—	.03	—	—	—	.47	.04	.01		2
3	T ₂	—	.07	—	—	.01	—	—	.36	.88	.04	—		3
4	—	.14	—	.05	—	.08	—	—	.25	.15	.25	.07		4
5	—	.40	.22	.15	—	.13	—	—	.42	.07	.04	.03		5
6	—	T ₂	.03	.25	—	.73	—	—	—	T ₂	.43	T ₂		6
7	—	—	—	.33	.01	T ₂	—	—	—	.17	1.13	.17		7
8	—	—	T ₂	.23	—	—	T ₂	—	.05	.35	.40	T ₂		8
9	.14	—	.02	.31	—	.49	—	—	.24	.65	.07	—		9
10	.37	—	.20	T ₂	—	.06	—	—	—	.11	.45	.01		10
11	.26	.02	.02	—	—	.05	—	—	T ₂	.01	.50	—		11
12	.02	.03	—	—	—	.19	—	.13	.07	T ₂	.75	—		12
13	.04	.16	—	.17	.05	.07	—	—	T ₂	—	.04	—		13
14	T ₂	.01	—	.09	.02	.03	—	—	.09	.01	.05	.20		14
15	T ₂	.12	—	.62	—	.13	—	—	.29	.02	.43	.02		15
16	—	.04	T ₂	.08	—	—	—	—	.22	T ₂	1.45	—		16
17	—	T ₂	T ₂	T ₂	.07	.25	.14	.01	.03	—	.19	—		17
18	—	T ₂	—	.31	.20	.02	.20	—	.46	.03	.02	—		18
19	—	T ₂	—	.07	.24	.03	.35	—	.14	.03	.03	—		19
20	—	.35	—	.04	—	T ₂	T ₂	—	—	—	.66	—		20
21	—	.40	—	.04	—	—	.03	—	.02	.04	T ₂	—		21
22	—	.16	T ₂	—	—	—	—	.15	.23	T ₂	T ₂	—		22
23	T ₂	.01	.02	—	.03	—	—	.69	T ₂	.45	—	.29		23
24	.02	.64	—	—	.12	—	—	1.25	.48	.03	—	.26		24
25	.06	.02	—	.20	T ₂	—	—	T ₂	—	T ₂	T ₂	.19		25
26	—	.46	—	—	—	—	—	.19	.05	T ₂	T ₂	.43		26
27	—	.66	T ₂	—	—	—	—	.42	.09	T ₂	.07	.55		27
28	—	.08	—	—	.22	—	—	—	.18	—	T ₂	.11		28
29	—	X	—	—	.03	—	—	.26	.36	—	.01	.44		29
30	.04	X	—	.08	—	—	—	1.00	.05	.13	.27	.65		30
31	T ₂	X	—	X	—	X	—	.02	X	.43	X	.20		31
TOTAL	.97	3.70	.85	3.02	1.06	2.39	3.72	4.12	4.10	4.21	7.57	3.64	39.35	
* Days with .01 in. or more.	9	17	8	16	11	16	5	10	21	19	23	17	172	
* Days with .04 in. or more.	6	12	4	16	7	11	4	8	18	13	20	12	131	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) T. C. Mac Gill & Co. Sheddin P.O.

Section



for the entry of Daily Observations.

Station No. 611

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at *Spring Hill, East Cowes*in the County of *Isle of Wight*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *2* in.,, Ground ,, Sea Level *12.0* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.20	.22	.02	.24	—	.48	.32	—	—	—	.15	.03		1
2	T ₂	.02	—	.01	—	.09	T ₂	.06	T ₂	—	.01	T ₂		2
3	—	—	T ₂	.20	—	.02	.02	—	.14	—	.57	—		3
4	T ₂	—	.12	T ₂	—	.07	.02	—	.23	—	.23	.05		4
5	.51	—	T ₂	—	.08	—	—	.04	.12	—	.06	.02		5
6	.68	—	—	—	—	.02	—	T ₂	.20	—	.69	—		6
7	.12	—	.08	—	—	—	T ₂	—	—	—	.36	.07		7
8	.35	—	.11	—	—	—	.08	—	—	—	.65	.07		8
9	.30	—	.09	—	—	—	.46	—	.10	—	T ₂	T ₂		9
10	T ₂	T ₂	T ₂	—	—	—	.38	—	T ₂	—	.01	T ₂		10
11	.22	.34	—	.06	—	—	.05	T ₂	.02	—	.24	T ₂		11
12	T ₂	.01	—	.06	.02	.33	.26	T ₂	.56	—	.18	.06		12
13	T ₂	—	—	—	—	—	.01	—	—	.06	.09	.39		13
14	—	.17	—	T ₂	—	.09	.58	—	—	.01	T ₂	.51		14
15	.01	.02	—	—	—	—	—	—	.01	T ₂	.07	.29		15
16	.12	.30	T ₂	—	.03	—	.09	—	.06	T ₂	.09	.08		16
17	T ₂	.79	—	—	—	.45	.01	.02	.11	.03	.09	.57		17
18	.40	.21	—	—	—	.85	.22	—	—	T ₂	T ₂	.08		18
19	.23	.02	.08	.06	—	.90	—	.07	T ₂	.01	—	—		19
20	.20	.07	.07	.19	—	.02	—	—	.20	T ₂	—	—		20
21	T ₂	.08	T ₂	.44	—	.05	.22	—	T ₂	—	—	—		21
22	.08	.49	.32	—	.22	—	.15	—	T ₂	T ₂	—	.06		22
23	.02	T ₂	.14	.11	T ₂	—	.13	—	—	.05	—	.01		23
24	.15	T ₂	.05	—	.06	—	T ₂	—	.02	.29	—	T ₂		24
25	.08	—	.29	.24	—	—	—	—	T ₂	.12	—	—		25
26	.18	.11	T ₂	.02	—	.25	—	—	.06	.03	—	T ₂		26
27	.36	.02	.01	—	—	—	.11	—	.04	.08	—	—		27
28	.91	—	.29	—	—	—	.12	T ₂	.23	T ₂	T ₂	.11		28
29	T ₂	.03	.02	—	—	.05	—	—	—	.09	.10	.03		29
30	.14	~~X~~	—	—	.03	.33	—	—	—	.01	T ₂	T ₂		30
31	.11	~~X~~	.31	~~X~~	.02	~~X~~	.14	—	~~X~~	.01	~~X~~	.35		31
TOTAL	5.07	2.90	2.00	1.63	.46	4.00	3.37	.19	2.87	.79	4.59	2.78	Year's Total	
* Days with .01 in. or more.	21	16	15	11	7	15	19	4	14	12	16	17	167	
* Days with .04 in. or more.	19	10	12	9	3	12	15	3	11	6	14	13	127	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) *Mary E. G. Shedd for Sir George Shedd*

REGIST

Kept at *Bournemouth*
in the County of *Dorset*

Diameter of Funnel of Gauge.
Height of top of Gauge above Ground.
,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to the
year in the space on the right of this

P

611/5

BOURNEMOUTH

W.OVERCLIFF DRIVE

1931-1933. 1935

780113

COPY FOR OFFICIAL USE.
ALL ORGANIZATION.

31.

5/2

C. 1930

AY.
e following

Jan. 1, following

.09

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	18	49	8	—	—	13	—	—	—	5	—	—	1
2	—	—	—	23	—	12	—	.02	15	2	—	—	2
3	20	7	—	42	—	.01	.01	8	44	—	—	22	3
4	23	—	70	.03	—	—	—	.04	23	—	36	17	4
5	—	—	103	—	5	35	19	24	17	.01	10	—	5
6	—	12	—	17	.02	57	—	.01	17	.01	5	9	6
7	—	22	—	26	9	12	—	—	—	48	24	10	7
8	—	—	—	—	43	18	—	49	—	5	52	.02	8
9	—	19	—	10	.01	30	.01	.03	—	—	16	13	9
10	—	12	.02	.03	—	.04	.02	—	—	—	96	—	10
11	—	4	—	—	—	17	.01	—	—	—	58	—	11
12	12	31	—	—	—	5	.03	—	.02	—	30	—	12
13	—	.02	—	—	—	—	.02	—	5	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—	14
15	—	12	—	—	—	17	1.42	20	—	—	—	—	15
16	.01	.03	—	.01	8	—	—	10	.02	—	—	.04	16
17	—	—	—	5	20	16	—	—	8	—	—	—	17
18	—	17	—	9	—	—	56	—	7	—	—	—	18
19	5	—	.02	.03	—	.04	16	1.02	—	—	47	—	19
20	9	—	—	8	—	16	.04	15	.02	—	—	—	20
21	—	8	15	.01	—	—	—	31	—	—	.02	—	21
22	4	—	—	—	34	—	—	—	—	—	7	—	22
23	30	—	30	18	.02	—	—	—	—	—	—	—	23
24	24	—	—	10	59	—	—	—	—	—	24	—	24
25	4	—	—	31	19	21	45	65	—	—	—	—	25
26	10	—	—	26	8	—	48	—	—	—	14	—	26
27	—	5	—	11	—	—	42	—	—	—	25	.01	27
28	20	32	—	—	100	—	5	—	—	—	.02	—	28
29	4	—	—	—	9	—	—	—	—	—	—	.03	29
30	5	×	9	—	4	—	6	.03	—	.01	7	—	30
31	—	×	7	×	—	×	—	6	×	—	×	—	31
TOTAL	189	185	146	247	323	278	393	343	142	.63	460	.81	28.50
*Days with or in. or more.	15	15	9	18	15	16	16	15	4	7	17	9	163
*Days with or in. or more.	14	13	7	13	12	15	10	11	8	3	15	6	124

REGISTER OF RAINFALL IN 1931.

Kept at Bourne Mouth
in the County of Sub. Bourne

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 7 in.
Ground Sea Level 96 ft.

1st in Hants 1/2

Jan. 1, following

.09

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	18	49	8	—	—	13	—	—	—	5	—	—	1
2	—	—	—	23	—	12	—	.02	15	2	—	—	2
3	20	7	—	42	—	.01	.01	8	44	—	—	22	3
4	23	—	70	.03	—	—	—	.04	23	—	36	17	4
5	—	—	103	—	5	35	14	24	17	.01	10	—	5
6	—	12	—	17	.02	57	—	.01	17	.01	5	9	6
7	—	22	—	26	9	12	—	—	—	48	24	10	7
8	—	—	—	—	43	18	—	49	—	5	52	.02	8
9	—	14	—	10	.01	30	.01	.03	—	—	16	13	9
10	—	12	.02	.03	—	.04	.02	—	—	—	96	—	10
11	—	4	—	—	—	17	.01	—	—	—	58	—	11
12	12	31	—	—	—	5	.03	—	.02	—	30	—	12
13	—	.02	—	—	—	—	.02	—	5	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—	14
15	—	12	—	—	—	17	1.42	20	—	—	—	—	15
16	.01	.03	—	.01	8	—	—	10	.02	—	—	.04	16
17	—	—	—	5	20	16	—	—	8	—	—	—	17
18	—	17	—	9	—	—	56	—	7	—	—	—	18
19	5	—	.02	.03	—	.04	16	1.02	—	—	47	—	19
20	9	—	—	8	—	16	.04	15	.02	—	—	—	20
21	—	8	15	.01	—	—	—	31	—	—	.02	—	21
22	4	—	—	—	34	—	—	—	—	—	7	—	22
23	30	—	30	18	.02	—	—	—	—	—	—	—	23
24	24	—	—	10	59	—	—	—	—	—	29	—	24
25	4	—	—	31	19	21	45	65	—	—	—	—	25
26	10	—	—	26	8	—	48	—	—	—	14	—	26
27	—	5	—	11	—	—	42	—	—	—	25	.01	27
28	20	32	—	—	100	—	5	—	—	—	.02	—	28
29	4	—	—	—	9	—	—	—	—	—	—	.03	29
30	5	×	9	—	4	—	6	.03	—	.01	7	—	30
31	—	×	7	×	—	×	—	6	×	—	×	—	31
TOTAL	189	185	146	247	323	278	393	343	142	.63	460	.81	28.50
*Days with ".01 in. or more.	15	15	9	18	15	16	16	15	4	7	17	9	163
*Days with ".04 in. or more.	14	13	7	13	12	15	10	11	8	3	15	6	127

Section

A

for the entry of Daily Observations.

Station No. *611/5*

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.Kept at *Bourne*in the County of *Hants*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *2* ft. *7* in.,, Ground ,, Sea Level *96* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.08

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.09</i>	—	—	<i>.04</i>	<i>.30</i>	<i>.02</i>	<i>.98</i>	<i>.01</i>	—	<i>.47</i>	—	<i>.58</i>	1
2	<i>.09</i>	—	—	<i>.13</i>	<i>.43</i>	—	—	<i>.10</i>	—	<i>.02</i>	<i>.02</i>	—	2
3	—	—	—	<i>.28</i>	<i>.04</i>	—	—	<i>.05</i>	<i>.03</i>	—	—	<i>.39</i>	3
4	—	—	—	<i>.26</i>	—	<i>.50</i>	—	—	<i>.45</i>	<i>.07</i>	—	<i>.04</i>	4
5	—	—	—	<i>.47</i>	—	<i>.22</i>	—	—	—	—	<i>.04</i>	—	5
6	<i>.32</i>	—	—	—	—	—	<i>.03</i>	—	<i>.08</i>	—	—	—	6
7	<i>.40</i>	—	—	<i>.17</i>	—	—	—	—	<i>.15</i>	—	—	—	7
8	—	—	—	<i>.04</i>	—	—	—	—	<i>.04</i>	<i>.30</i>	—	—	8
9	—	—	<i>.41</i>	<i>.02</i>	<i>.25</i>	—	—	—	<i>.62</i>	<i>.35</i>	—	—	9
10	<i>.22</i>	<i>3mm</i>	—	<i>.17</i>	<i>.08</i>	—	—	—	—	<i>.04</i>	<i>.09</i>	—	10
11	<i>.19</i>	<i>id</i>	<i>.07</i>	<i>.25</i>	<i>.06</i>	<i>.03</i>	—	—	—	<i>.13</i>	<i>.13</i>	—	11
12	<i>.11</i>	<i>id</i>	—	<i>.04</i>	—	—	<i>.38</i>	<i>.02</i>	—	<i>.17</i>	—	<i>.04</i>	12
13	<i>.59</i>	—	—	<i>.02</i>	<i>.03</i>	—	—	—	<i>.05</i>	<i>.11</i>	—	<i>.01</i>	13
14	<i>.07</i>	<i>.01</i>	—	<i>.13</i>	<i>.09</i>	—	<i>.07</i>	<i>.06</i>	—	<i>.88</i>	—	<i>.05</i>	14
15	—	—	—	<i>.03</i>	<i>.06</i>	—	—	<i>.03</i>	—	<i>.06</i>	<i>.11</i>	<i>.01</i>	15
16	<i>.01</i>	—	—	<i>.04</i>	<i>.50</i>	—	—	—	—	—	—	<i>.02</i>	16
17	<i>.07</i>	—	—	<i>.12</i>	<i>.05</i>	<i>.05</i>	<i>.67</i>	—	—	—	—	—	17
18	<i>.02</i>	—	—	<i>.06</i>	—	—	—	—	—	—	—	—	18
19	<i>.01</i>	—	—	—	<i>.11</i>	—	—	—	—	—	<i>.16</i>	—	19
20	—	—	—	<i>.01</i>	—	—	—	—	<i>.06</i>	<i>.22</i>	—	—	20
21	—	—	—	<i>.02</i>	<i>.38</i>	—	<i>.04</i>	<i>.15</i>	—	<i>.13</i>	<i>.19</i>	<i>.04</i>	21
22	<i>.02</i>	—	<i>.14</i>	<i>.01</i>	<i>.40</i>	—	—	—	—	<i>.35</i>	—	<i>.08</i>	22
23	<i>.01</i>	—	<i>.03</i>	<i>.04</i>	<i>.15</i>	—	<i>.05</i>	<i>.21</i>	<i>.64</i>	<i>.22</i>	<i>.37</i>	—	23
24	<i>.01</i>	—	—	—	<i>.12</i>	—	<i>.45</i>	—	<i>.09</i>	<i>.53</i>	<i>.07</i>	<i>.08</i>	24
25	—	<i>.06</i>	—	—	<i>.02</i>	—	<i>.69</i>	—	<i>.08</i>	<i>.10</i>	—	<i>.01</i>	25 <i>30</i>
26	—	—	—	<i>.04</i>	—	—	<i>.74</i>	—	—	<i>.28</i>	<i>.04</i>	—	26
27	—	—	<i>.10</i>	<i>.08</i>	—	—	<i>.12</i>	—	—	<i>.31</i>	<i>.03</i>	—	27
28	—	—	<i>.30</i>	<i>.34</i>	<i>.22</i>	<i>.19</i>	<i>.01</i>	—	—	—	—	—	28
29	—	—	<i>.02</i>	<i>.03</i>	<i>.04</i>	—	<i>.21</i>	—	—	—	—	<i>.07</i>	29
30	—	X	<i>.31</i>	<i>.09</i>	<i>.18</i>	<i>.23</i>	—	<i>.13</i>	<i>.44</i>	<i>.40</i>	<i>.09</i>	<i>.07</i>	30
31	—	X	<i>.34</i>	<i>.36</i>	<i>.02</i>	<i>.98</i>	<i>.04</i>	—	<i>.44</i>	<i>.03</i>	<i>.58</i>	<i>.08</i>	31
TOTAL	<i>2.14</i> <i>2.25</i>	<i>.07</i>	<i>1.46</i> <i>1.72</i>	<i>2.72</i> <i>2.46</i>	<i>3.23</i> <i>3.51</i>	<i>2.20</i> <i>1.24</i>	<i>3.51</i> <i>4.48</i>	<i>.75</i> <i>.76</i>	<i>3.20</i> <i>2.75</i>	<i>5.74</i> <i>6.21</i>	<i>1.92</i> <i>1.34</i>	<i>1.00</i> <i>1.50</i>	YEAR'S TOTAL <i>28.24</i> <i>28.15</i>
*Days with ".01 in. or more.	<i>16</i>	<i>2</i>	<i>9</i>	<i>25</i>	<i>20</i>	<i>7</i>	<i>14</i>	<i>8</i>	<i>12</i>	<i>21</i>	<i>12</i>	<i>15</i>	<i>161</i>
*Days with ".04 in. or more.	<i>10</i>	<i>1</i>	<i>7</i>	<i>18</i>	<i>18</i>	<i>5</i>	<i>12</i>	<i>6</i>	<i>11</i>	<i>19</i>	<i>10</i>	<i>11</i>	<i>128</i>

40-9999

*See Instruction 2 (f) on other side,

(Signed) *Arthur Scratton*

[P.T.O.]

Section

A

for the entry of Daily Observations.

Station No.

611/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at

Barnum H.

in the County of

Herts

Diameter of Funnel of Gauge

5 in.

Height of top of Gauge above Ground

2 ft. 7 in.

Ground Sea Level

96 ft.

Arthur Scutten { 793588/27
 Barnum
 H. Grubbs Dr
 Barnum H

Jan. 1, following

0

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.08	.23		.08						.12			.51	1
2	.20	.57	.07								.01	.25	1.10	2
3	.31		.65		.23								1.19	3
4	.03	.13	.31										.47	4
5	.32	.02			.17								.51	5
6	.08		.35		.03								.46	6
7	.01	.21			.23					.05	.04		.54	7
8	.04	.01	.05		.02					.10		.03	.35	8
9	.01		.03		.04		.22						.30	9
10					.05		.23	Tue		.03	.02		.33	10
11		.09					.09			.15			.33	11
12	.26					.43		.19		.02			.90	12
13				.05	.02		.05		.68			Tue	.80	13
14	.07					.03	.44	.07		.22	.09		.92	14
15							.03	.05		.11	.55		.74	15
16	.46		.28				.05	.25		.25	.05		1.34	16
17			.69			.04				.05			.78	17
18		Mon .14	.30			.05		.09	.04		Tue		.62	18
19	.15					.14			.04		.01		.34	19
20		Mon .02	.10	Mon .03		.05		.02	1.36		.13	.05	1.76	20
21		.11	.02	.02			.03		.15				.33	21
22		.04			.02	.02		.48		.05	.02		.63	22
23						.70		.18	.29	.17	Tue		1.34	23
24		.10		.48		.11			.35	.13			1.17	24
25		1.70		.24		.05			.01	.04	Tue		2.04	25
26		.52		.31					.22			.11	1.16	26
27		.44		.10	.20							.01	.75	27
28					.63		.05		.01	.16	.02	.54	1.41	28
29				.04			.44			Tue		.03	.53	29
30	.12	X	Tue		.01		.02		.02	.1		.01	.18	30
31	.05	X	.08	X		X			X		X	.04	.22	31
TOTAL	2.72	.10	3.01	.27	1.35	1.65	1.65	1.33	3.17	.63	.94	1.12	24.03	23.95
*Days with or in. or more.	15	15	12	9	12	10	11	8	12	15	10	9	13	
*Days with .04 in. or more.	12	12	10	7	7	8	8	7	8	12	5	5	10	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Arthur Scutten

P.T.O.

X Bournemouth (W. Overcliff Drive) X

COPY FOR OFFICIAL USE.

Section

A

for the entry of Daily Observations.

Station No. 611/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BEAULIEU - WESTOVER CLIFF DRIVE - Bournemouth.

in the County of HAMPSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft 5 in.

Ground Sea Level 125 ft.

T 1933 - obs. died f 793588/2

96 ft. period - prob. correct

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01		.28		.03	.17	.14		.01	.13	.11	.28		1
2					Trace	.01			.27	.44	.02	Trace		2
3			.09			.07		.13	.20	1.13	.19			3
4		.19		.29					.47	.25	.06	.12		4
5		.23	.05	.06		.05			.26	.2	.09			5
6		.01		.26		1.03					.33	.01		6
7				.32						.13	.39	.18		7
8				.29			.03		.06	.39	.61	.04		8
9	.25			.39		.65			.06	.52	.37			9
10	7		.23	.04		.10					.03	.01		10
11	.26	.02	.06			.19			Trace		.45			11
12	.07					.22			.09		.74			12
13	.07	.11		.13	.02	.11			Trace	.01	.08			13
14		.03		.15	.01	.08			.04	.02	.36	.32		14
15		.07		.52	.33	.09			.07	.02	.47	.04		15
16		.01	.08	.08		.05			.35	Trace	1.78			16
17				.08	.11	.32		.04	.04		.15			17
18				.24		Trace	.13	Trace	.35	.02	.01	.01		18
19		.01		.06	.19	.04	.10		.14	.02	.36			19
20		.40		.13		.02	.03		.02		.58			20
21		.39		.01			.02			.01	Trace			21
22		.06	.01					.12	.11					22
23			.06		.03			.48		.35		.18		23
24	.03	.33			.18			1.08	.40	.32				24
25	.12	.01		.12		.02					.01	.37		25
26		.22			.01	.01		.16	.03			.70		26
27		.30						.05	.04		.04	.54		27
28		.05			.05			.02	.24		Trace	.14		28
29					.05			.06	.15	.01	.01	.53		29
30		X		.08					.02	.14	.36	.53		30
31		X		X		X			X	.91	X	.16		31
TOTAL	.88	2.44	.86	3.25	1.01	3.23	.45	2.12	3.39	4.84	7.60	4.16	34.33	
* Days with .01 in. or more.	8	2	8	18	11	19	6	9	22	19	22	17	176	
* Days with .04 in. or more.	4	11	7	17	6	14	3	8	18	11	17	14	132	X

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

May Scratton

[P.T.O.]